

***Type of Care by Patient County of Residence
for 2009
Alameda County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
Acute Care	140,698	92.75	4.4
Chemical Dependency Recovery Care	430	0.28	19
Invalid/Blank	1	0.00	.00
Physical Rehabilitation Care	1,698	1.12	18
Psychiatric Care	7,161	4.72	7.0
Skilled Nursing/Intermediate Care	1,709	1.13	48
All	151,697	100.0	5.2

***Disposition by Patient County of Residence
for 2009
Alameda County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	278	0.01	11
01 - Routine (Home)	3,004,054	75.38	3.6
02 - Acute Care within the admitting hospital	10,153	0.25	53
03 - Other Care with the admitting hospital	20,525	0.52	9.0
04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital	34,806	0.87	7.9
05 - Acute Care at another hospital	82,489	2.07	11
06 - Other Care (not SN/IC) at another hospital	35,667	0.89	9.8
07 - SN/IC at another facility	293,004	7.35	8.8
08 - Residential Care facility	35,985	0.90	10
09 - Prison/Jail	19,746	0.50	5.7
10 - Left Against Medical Advice	43,300	1.09	3.3
11 - Died	79,937	2.01	17
12 - Home Health Service	313,429	7.86	7.3
13 - Other	11,793	0.30	11
All	3,985,166	100.0	5.0

***Disposition by Patient County of Residence
and Type of Care for 2009
Alameda County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	103,479	73.55	3.3
02 - Acute Care within the admitting hospital	13	0.01	5.5
03 - Other Care with the admitting hospital	706	0.50	7.5
04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital	1,356	0.96	9.4
05 - Acute Care at another hospital	3,036	2.16	5.1
06 - Other Care (not SN/IC) at another hospital	1,666	1.18	9.4
07 - SN/IC at another facility	12,171	8.65	8.3
08 - Residential Care facility	1,183	0.84	5.5
09 - Prison/Jail	165	0.12	3.9
10 - Left Against Medical Advice	1,049	0.75	2.8
11 - Died	2,992	2.13	10
12 - Home Health Service	12,520	8.90	6.0
13 - Other	362	0.26	8.6
All	140,698	100.0	4.4

***Disposition by Patient County of Residence
and Type of Care for 2009
Alameda County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	393	91.40	18
03 - Other Care with the admitting hospital	6	1.40	5.5
06 - Other Care (not SN/IC) at another hospital	1	0.23	2.0
08 - Residential Care facility	2	0.47	4.0
09 - Prison/Jail	5	1.16	111
10 - Left Against Medical Advice	22	5.12	13
13 - Other	1	0.23	5.0
All	430	100.0	19

***Disposition by Patient County of Residence
and Type of Care for 2009
Alameda County***

typcare1=Invalid/Blank

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	1	100.0	.00
All	1	100.0	.00

***Disposition by Patient County of Residence
and Type of Care for 2009
Alameda County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	639	37.63	18
02 - Acute Care within the admitting hospital	77	4.53	12
03 - Other Care with the admitting hospital	2	0.12	9.5
04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital	27	1.59	41
05 - Acute Care at another hospital	80	4.71	19
06 - Other Care (not SN/IC) at another hospital	10	0.59	21
07 - SN/IC at another facility	147	8.66	24
08 - Residential Care facility	16	0.94	25
09 - Prison/Jail	1	0.06	43
10 - Left Against Medical Advice	28	1.65	7.7
11 - Died	4	0.24	3.3
12 - Home Health Service	667	39.28	17
All	1,698	100.0	18

***Disposition by Patient County of Residence
and Type of Care for 2009
Alameda County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	1	0.01	12
01 - Routine (Home)	5,421	75.70	5.7
02 - Acute Care within the admitting hospital	52	0.73	10
03 - Other Care with the admitting hospital	3	0.04	12
04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital	6	0.08	15
05 - Acute Care at another hospital	67	0.94	7.4
06 - Other Care (not SN/IC) at another hospital	452	6.31	18
07 - SN/IC at another facility	82	1.15	15
08 - Residential Care facility	662	9.24	9.1
09 - Prison/Jail	158	2.21	4.5
10 - Left Against Medical Advice	104	1.45	4.5
11 - Died	3	0.04	6.3
12 - Home Health Service	59	0.82	14
13 - Other	91	1.27	13
All	7,161	100.0	7.0

***Disposition by Patient County of Residence
and Type of Care for 2009
Alameda County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	297	17.38	34
02 - Acute Care within the admitting hospital	195	11.41	52
03 - Other Care with the admitting hospital	43	2.52	25
04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital	2	0.12	6.0
05 - Acute Care at another hospital	82	4.80	276
06 - Other Care (not SN/IC) at another hospital	28	1.64	178
07 - SN/IC at another facility	111	6.50	49
08 - Residential Care facility	20	1.17	29
09 - Prison/Jail	1	0.06	321
10 - Left Against Medical Advice	10	0.59	22
11 - Died	112	6.55	144
12 - Home Health Service	790	46.23	13
13 - Other	18	1.05	10
All	1,709	100.0	48

***Gender by Patient County of Residence
for 2009
Alameda County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	61,617	40.62	5.8
2 - Female	90,080	59.38	4.8
All	151,697	100.0	5.2

***Gender by Patient County of Residence
and Type of Care for 2009
Alameda County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	56,361	40.06	4.8
2 - Female	84,337	59.94	4.1
All	140,698	100.0	4.4

***Gender by Patient County of Residence
and Type of Care for 2009
Alameda County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	241	56.05	22
2 - Female	189	43.95	14
All	430	100.0	19

***Gender by Patient County of Residence
and Type of Care for 2009
Alameda County***

typcare1=Invalid/Blank

	Number of Discharges	Percent of Subtotal	Average Length of Stay
2 - Female	1	100.0	.00
All	1	100.0	.00

***Gender by Patient County of Residence
and Type of Care for 2009
Alameda County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	842	49.59	20
2 - Female	856	50.41	17
All	1,698	100.0	18

***Gender by Patient County of Residence
and Type of Care for 2009
Alameda County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	3,509	49.00	7.0
2 - Female	3,652	51.00	7.1
All	7,161	100.0	7.0

***Gender by Patient County of Residence
and Type of Care for 2009
Alameda County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	664	38.85	61
2 - Female	1,045	61.15	40
All	1,709	100.0	48

***Expected Payer by Patient County of Residence
for 2009
Alameda County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	62	0.04	4.8
01 - Medicare	46,658	30.76	6.2
02 - Medi-Cal	33,546	22.11	6.0
03 - Private Coverage	61,115	40.29	3.9
04 - Workers' Compensatio	656	0.43	4.8
05 - County Indigent Prog	2,115	1.39	4.2
06 - Other Government	2,161	1.42	8.9
07 - Other Indigent	965	0.64	4.0
08 - Self-Pay	4,167	2.75	4.1
09 - Other Payer	252	0.17	8.9
All	151,697	100.0	5.2

**Expected Payer by Patient County of Residence
and Type of Care for 2009
Alameda County**

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	54	0.04	4.5
01 - Medicare	43,146	30.67	5.4
02 - Medi-Cal	30,419	21.62	4.2
03 - Private Coverage	57,772	41.06	3.6
04 - Workers' Compensatio	616	0.44	4.1
05 - County Indigent Prog	1,981	1.41	3.6
06 - Other Government	2,030	1.44	6.9
07 - Other Indigent	944	0.67	3.6
08 - Self-Pay	3,507	2.49	3.6
09 - Other Payer	229	0.16	5.0
All	140,698	100.0	4.4

***Expected Payer by Patient County of Residence
and Type of Care for 2009
Alameda County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	26	6.05	5.5
03 - Private Coverage	307	71.40	11
04 - Workers' Compensatio	3	0.70	6.3
06 - Other Government	45	10.47	85
07 - Other Indigent	4	0.93	13
08 - Self-Pay	44	10.23	12
09 - Other Payer	1	0.23	21
All	430	100.0	19

***Expected Payer by Patient County of Residence
and Type of Care for 2009
Alameda County***

typcare1=Invalid/Blank

	Number of Discharges	Percent of Subtotal	Average Length of Stay
02 - Medi-Cal	1	100.0	.00
All	1	100.0	.00

***Expected Payer by Patient County of Residence
and Type of Care for 2009
Alameda County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	1	0.06	16
01 - Medicare	771	45.41	15
02 - Medi-Cal	405	23.85	25
03 - Private Coverage	375	22.08	17
04 - Workers' Compensatio	22	1.30	16
05 - County Indigent Prog	74	4.36	16
06 - Other Government	30	1.77	21
07 - Other Indigent	14	0.82	23
08 - Self-Pay	5	0.29	15
09 - Other Payer	1	0.06	135
All	1,698	100.0	18

***Expected Payer by Patient County of Residence
and Type of Care for 2009
Alameda County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	1,628	22.73	9.0
02 - Medi-Cal	2,448	34.19	6.9
03 - Private Coverage	2,364	33.01	6.1
04 - Workers' Compensatio	1	0.01	7.0
05 - County Indigent Prog	57	0.80	5.7
06 - Other Government	55	0.77	11
07 - Other Indigent	1	0.01	15
08 - Self-Pay	594	8.29	5.7
09 - Other Payer	13	0.18	3.4
All	7,161	100.0	7.0

***Expected Payer by Patient County of Residence
and Type of Care for 2009
Alameda County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	7	0.41	5.6
01 - Medicare	1,087	63.60	26
02 - Medi-Cal	273	15.97	176
03 - Private Coverage	297	17.38	13
04 - Workers' Compensatio	14	0.82	14
05 - County Indigent Prog	3	0.18	47
06 - Other Government	1	0.06	321
07 - Other Indigent	2	0.12	13
08 - Self-Pay	17	0.99	25
09 - Other Payer	8	0.47	113
All	1,709	100.0	48

***Race Group by Patient County of Residence
for 2009
Alameda County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	1,362	0.90	4.7
1 - White	60,271	39.73	5.3
2 - Black	30,766	20.28	6.4
3 - Hispanic	26,036	17.16	4.2
4 - Asian/Pacific Islander	26,401	17.40	4.5
5 - Native American/Eskimo/Ale	311	0.21	5.1
6 - Other	6,550	4.32	5.5
All	151,697	100.0	5.2

***Race Group by Patient County of Residence
and Type of Care for 2009
Alameda County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	1,211	0.86	4.3
1 - White	55,101	39.16	4.5
2 - Black	27,547	19.58	5.1
3 - Hispanic	24,982	17.76	3.6
4 - Asian/Pacific Islander	25,314	17.99	4.1
5 - Native American/Eskimo/Ale	291	0.21	4.0
6 - Other	6,252	4.44	4.5
All	140,698	100.0	4.4

***Race Group by Patient County of Residence
and Type of Care for 2009
Alameda County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	20	4.65	9.0
1 - White	309	71.86	15
2 - Black	54	12.56	31
3 - Hispanic	27	6.28	28
4 - Asian/Pacific Islander	5	1.16	23
5 - Native American/Eskimo/Ale	3	0.70	15
6 - Other	12	2.79	63
All	430	100.0	19

***Race Group by Patient County of Residence
and Type of Care for 2009
Alameda County***

typcare1=Invalid/Blank

	Number of Discharges	Percent of Subtotal	Average Length of Stay
3 - Hispanic	1	100.0	.00
All	1	100.0	.00

***Race Group by Patient County of Residence
and Type of Care for 2009
Alameda County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	16	0.94	18
1 - White	756	44.52	16
2 - Black	506	29.80	19
3 - Hispanic	154	9.07	20
4 - Asian/Pacific Islander	198	11.66	21
5 - Native American/Eskimo/Ale	2	0.12	6.0
6 - Other	66	3.89	21
All	1,698	100.0	18

***Race Group by Patient County of Residence
and Type of Care for 2009
Alameda County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	107	1.49	5.4
1 - White	3,085	43.08	7.0
2 - Black	2,331	32.55	6.7
3 - Hispanic	754	10.53	6.9
4 - Asian/Pacific Islander	683	9.54	8.5
5 - Native American/Eskimo/Ale	11	0.15	9.5
6 - Other	190	2.65	7.8
All	7,161	100.0	7.0

***Race Group by Patient County of Residence
and Type of Care for 2009
Alameda County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	8	0.47	14
1 - White	1,020	59.68	34
2 - Black	328	19.19	89
3 - Hispanic	118	6.90	90
4 - Asian/Pacific Islander	201	11.76	20
5 - Native American/Eskimo/Ale	4	0.23	67
6 - Other	30	1.76	128
All	1,709	100.0	48

**Source of Admission by Patient County of Residence
for 2009
Alameda County**

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Invalid	1	0.00	3.0
1 - Home	113,497	74.82	4.4
2 - Residential Care Facility	1,682	1.11	7.5
3 - Ambulatory Surgery	2,255	1.49	3.3
4 - Skilled Nursing/Intermedia	4,163	2.74	8.0
5 - Acute Inpatient Hospital C	6,627	4.37	19
6 - Other Inpatient Hospital C	1,726	1.14	16
7 - Newborn (born in admitting	20,097	13.25	3.2
8 - Prison/Jail	166	0.11	22
9 - Other	1,483	0.98	5.6
All	151,697	100.0	5.2

**Source of Admission by Patient County of Residence
and Type of Care for 2009
Alameda County**

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Invalid	1	0.00	3.0
1 - Home	107,154	76.16	4.2
2 - Residential Care Facility	1,631	1.16	5.9
3 - Ambulatory Surgery	2,248	1.60	3.3
4 - Skilled Nursing/Intermedia	4,066	2.89	7.5
5 - Acute Inpatient Hospital C	3,403	2.42	11
6 - Other Inpatient Hospital C	590	0.42	7.3
7 - Newborn (born in admitting	20,097	14.28	3.2
8 - Prison/Jail	116	0.08	4.0
9 - Other	1,392	0.99	5.5
All	140,698	100.0	4.4

**Source of Admission by Patient County of Residence
and Type of Care for 2009
Alameda County**

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	407	94.65	13
6 - Other Inpatient Hospital C	1	0.23	28
8 - Prison/Jail	22	5.12	131
All	430	100.0	19

**Source of Admission by Patient County of Residence
and Type of Care for 2009
Alameda County**

typcare1=Invalid/Blank

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	1	100.0	.00
All	1	100.0	.00

**Source of Admission by Patient County of Residence
and Type of Care for 2009
Alameda County**

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	105	6.18	13
2 - Residential Care Facility	5	0.29	19
3 - Ambulatory Surgery	5	0.29	9.4
4 - Skilled Nursing/Intermedia	33	1.94	25
5 - Acute Inpatient Hospital C	1,360	80.09	17
6 - Other Inpatient Hospital C	185	10.90	26
9 - Other	5	0.29	14
All	1,698	100.0	18

**Source of Admission by Patient County of Residence
and Type of Care for 2009
Alameda County**

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	5,801	81.01	6.8
2 - Residential Care Facility	44	0.61	13
3 - Ambulatory Surgery	2	0.03	9.5
4 - Skilled Nursing/Intermedia	58	0.81	13
5 - Acute Inpatient Hospital C	249	3.48	8.6
6 - Other Inpatient Hospital C	893	12.47	7.3
8 - Prison/Jail	28	0.39	13
9 - Other	86	1.20	6.4
All	7,161	100.0	7.0

**Source of Admission by Patient County of Residence
and Type of Care for 2009
Alameda County**

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	29	1.70	78
2 - Residential Care Facility	2	0.12	1E3
4 - Skilled Nursing/Intermedia	6	0.35	214
5 - Acute Inpatient Hospital C	1,615	94.50	40
6 - Other Inpatient Hospital C	57	3.34	219
All	1,709	100.0	48

*MS-DRG by Patient County of Residence
for 2009
Alameda County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
001	HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM WITH MCC	6	0.00	60
002	HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM WITHOUT MCC	3	0.00	34
003	ECMO OR TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITH MAJOR O.R.	198	0.13	50
004	TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITHOUT MAJOR O.R.	238	0.16	53
005	LIVER TRANSPLANT WITH MCC OR INTESTINAL TRANSPLANT	18	0.01	27
006	LIVER TRANSPLANT WITHOUT MCC	6	0.00	8.5
007	LUNG TRANSPLANT	2	0.00	9.5
008	SIMULTANEOUS PANCREAS/KIDNEY TRANSPLANT	6	0.00	9.5
009	BONE MARROW TRANSPLANT	56	0.04	32
010	PANCREAS TRANSPLANT	1	0.00	7.0
011	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH MCC	10	0.01	18
012	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH CC	15	0.01	10
013	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITHOUT CC/MCC	13	0.01	7.1
020	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH MCC	28	0.02	21
021	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH CC	20	0.01	14
022	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITHOUT CC/MCC	6	0.00	11
023	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITH MCC OR CHEMO IMPLANT	44	0.03	16
024	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITHOUT MCC	22	0.01	9.6
025	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH MCC	132	0.09	11
026	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH CC	136	0.09	6.2

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Alameda County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
027	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITHOUT CC/MCC	215	0.14	3.8
028	SPINAL PROCEDURES WITH MCC	26	0.02	14
029	SPINAL PROCEDURES WITH CC OR SPINAL NEUROSTIMULATORS	57	0.04	6.5
030	SPINAL PROCEDURES WITHOUT CC/MCC	61	0.04	3.4
031	VENTRICULAR SHUNT PROCEDURES WITH MCC	20	0.01	8.6
032	VENTRICULAR SHUNT PROCEDURES WITH CC	38	0.03	3.8
033	VENTRICULAR SHUNT PROCEDURES WITHOUT CC/MCC	22	0.01	2.8
034	CAROTID ARTERY STENT PROCEDURE WITH MCC	5	0.00	2.2
035	CAROTID ARTERY STENT PROCEDURE WITH CC	10	0.01	2.0
036	CAROTID ARTERY STENT PROCEDURE WITHOUT CC/MCC	19	0.01	1.1
037	EXTRACRANIAL PROCEDURES WITH MCC	27	0.02	9.7
038	EXTRACRANIAL PROCEDURES WITH CC	59	0.04	3.1
039	EXTRACRANIAL PROCEDURES WITHOUT CC/MCC	118	0.08	1.9
040	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH MCC	35	0.02	14
041	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH CC OR PERIPH NEUROSTIM	52	0.03	6.4
042	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITHOUT CC/MCC	41	0.03	3.5
052	SPINAL DISORDERS & INJURIES WITH CC/MCC	24	0.02	130
053	SPINAL DISORDERS & INJURIES WITHOUT CC/MCC	17	0.01	2.4
054	NERVOUS SYSTEM NEOPLASMS WITH MCC	79	0.05	6.6
055	NERVOUS SYSTEM NEOPLASMS WITHOUT MCC	155	0.10	3.6
056	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC	88	0.06	17
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	324	0.21	38

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Alameda County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
058	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH MCC	11	0.01	436
059	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH CC	30	0.02	4.0
060	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITHOUT CC/MCC	41	0.03	3.7
061	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH MCC	14	0.01	8.6
062	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH CC	53	0.03	4.1
063	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITHOUT CC/MCC	8	0.01	2.1
064	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC	556	0.37	6.9
065	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC	900	0.59	4.7
066	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC	535	0.35	2.8
067	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITH MCC	9	0.01	5.1
068	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITHOUT MCC	42	0.03	2.1
069	TRANSIENT ISCHEMIA	551	0.36	2.2
070	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH MCC	54	0.04	7.3
071	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH CC	44	0.03	5.5
072	NONSPECIFIC CEREBROVASCULAR DISORDERS WITHOUT CC/MCC	36	0.02	2.4
073	CRANIAL & PERIPHERAL NERVE DISORDERS WITH MCC	113	0.07	5.3
074	CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC	300	0.20	3.5
075	VIRAL MENINGITIS WITH CC/MCC	35	0.02	4.9
076	VIRAL MENINGITIS WITHOUT CC/MCC	96	0.06	2.5
077	HYPERTENSIVE ENCEPHALOPATHY WITH MCC	10	0.01	3.8
078	HYPERTENSIVE ENCEPHALOPATHY WITH CC	10	0.01	5.4
079	HYPERTENSIVE ENCEPHALOPATHY WITHOUT CC/MCC	11	0.01	2.4

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Alameda County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
080	NONTRAUMATIC STUPOR & COMA WITH MCC	66	0.04	11
081	NONTRAUMATIC STUPOR & COMA WITHOUT MCC	148	0.10	3.5
082	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH MCC	26	0.02	11
083	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH CC	20	0.01	3.6
084	TRAUMATIC STUPOR & COMA, COMA >1 HR WITHOUT CC/MCC	64	0.04	2.4
085	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH MCC	104	0.07	9.7
086	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH CC	123	0.08	3.8
087	TRAUMATIC STUPOR & COMA, COMA <1 HR WITHOUT CC/MCC	221	0.15	2.1
088	CONCUSSION WITH MCC	10	0.01	3.4
089	CONCUSSION WITH CC	54	0.04	2.4
090	CONCUSSION WITHOUT CC/MCC	127	0.08	1.2
091	OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC	97	0.06	52
092	OTHER DISORDERS OF NERVOUS SYSTEM WITH CC	137	0.09	12
093	OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC	148	0.10	4.3
094	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH MCC	16	0.01	33
095	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH CC	28	0.02	10
096	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITHOUT CC/MCC	29	0.02	7.9
097	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH MCC	12	0.01	7.8
098	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH CC	13	0.01	5.9
099	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITHOUT CC/MCC	21	0.01	5.1
100	SEIZURES WITH MCC	211	0.14	6.2
101	SEIZURES WITHOUT MCC	662	0.44	2.8

(Continued)

**MS-DRG by Patient County of Residence
for 2009
Alameda County**

		Number of Discharges	Percent of Subtotal	Average Length of Stay
102	HEADACHES WITH MCC	18	0.01	3.3
103	HEADACHES WITHOUT MCC	198	0.13	2.7
113	ORBITAL PROCEDURES WITH CC/MCC	11	0.01	4.1
114	ORBITAL PROCEDURES WITHOUT CC/MCC	10	0.01	4.2
115	EXTRAOCULAR PROCEDURES EXCEPT ORBIT	15	0.01	1.5
116	INTRAOCULAR PROCEDURES WITH CC/MCC	5	0.00	3.8
117	INTRAOCULAR PROCEDURES WITHOUT CC/MCC	9	0.01	1.6
121	ACUTE MAJOR EYE INFECTIONS WITH CC/MCC	13	0.01	3.3
122	ACUTE MAJOR EYE INFECTIONS WITHOUT CC/MCC	20	0.01	3.8
123	NEUROLOGICAL EYE DISORDERS	45	0.03	2.7
124	OTHER DISORDERS OF THE EYE WITH MCC	6	0.00	4.7
125	OTHER DISORDERS OF THE EYE WITHOUT MCC	73	0.05	2.9
129	MAJOR HEAD & NECK PROCEDURES WITH CC/MCC OR MAJOR DEVICE	20	0.01	3.5
130	MAJOR HEAD & NECK PROCEDURES WITHOUT CC/MCC	6	0.00	3.0
131	CRANIAL/FACIAL PROCEDURES WITH CC/MCC	23	0.02	4.2
132	CRANIAL/FACIAL PROCEDURES WITHOUT CC/MCC	91	0.06	1.5
133	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITH CC/MCC	79	0.05	4.8
134	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITHOUT CC/MCC	250	0.16	1.4
135	SINUS & MASTOID PROCEDURES WITH CC/MCC	6	0.00	3.5
136	SINUS & MASTOID PROCEDURES WITHOUT CC/MCC	5	0.00	2.2
137	MOUTH PROCEDURES WITH CC/MCC	15	0.01	3.9
138	MOUTH PROCEDURES WITHOUT CC/MCC	17	0.01	2.3

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Alameda County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
139	SALIVARY GLAND PROCEDURES	26	0.02	2.0
146	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH MCC	5	0.00	8.8
147	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH CC	10	0.01	10
148	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITHOUT CC/MCC	7	0.00	6.4
149	DYSEQUILIBRIUM	216	0.14	2.5
150	EPISTAXIS WITH MCC	9	0.01	4.6
151	EPISTAXIS WITHOUT MCC	29	0.02	2.0
152	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITH MCC	60	0.04	4.4
153	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITHOUT MCC	541	0.36	2.3
154	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH MCC	20	0.01	5.4
155	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH CC	58	0.04	4.4
156	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITHOUT CC/MCC	69	0.05	2.7
157	DENTAL & ORAL DISEASES WITH MCC	15	0.01	4.6
158	DENTAL & ORAL DISEASES WITH CC	81	0.05	3.6
159	DENTAL & ORAL DISEASES WITHOUT CC/MCC	45	0.03	2.0
163	MAJOR CHEST PROCEDURES WITH MCC	130	0.09	14
164	MAJOR CHEST PROCEDURES WITH CC	154	0.10	7.4
165	MAJOR CHEST PROCEDURES WITHOUT CC/MCC	124	0.08	4.5
166	OTHER RESP SYSTEM O.R. PROCEDURES WITH MCC	124	0.08	21
167	OTHER RESP SYSTEM O.R. PROCEDURES WITH CC	92	0.06	6.4
168	OTHER RESP SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	37	0.02	4.0
175	PULMONARY EMBOLISM WITH MCC	112	0.07	6.7

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Alameda County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
176	PULMONARY EMBOLISM WITHOUT MCC	323	0.21	3.6
177	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC	626	0.41	10
178	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC	573	0.38	7.8
179	RESPIRATORY INFECTIONS & INFLAMMATIONS WITHOUT CC/MCC	165	0.11	6.1
180	RESPIRATORY NEOPLASMS WITH MCC	170	0.11	7.3
181	RESPIRATORY NEOPLASMS WITH CC	227	0.15	4.9
182	RESPIRATORY NEOPLASMS WITHOUT CC/MCC	29	0.02	3.3
183	MAJOR CHEST TRAUMA WITH MCC	26	0.02	5.4
184	MAJOR CHEST TRAUMA WITH CC	34	0.02	4.6
185	MAJOR CHEST TRAUMA WITHOUT CC/MCC	21	0.01	1.9
186	PLEURAL EFFUSION WITH MCC	61	0.04	7.1
187	PLEURAL EFFUSION WITH CC	67	0.04	4.1
188	PLEURAL EFFUSION WITHOUT CC/MCC	32	0.02	3.3
189	PULMONARY EDEMA & RESPIRATORY FAILURE	620	0.41	8.8
190	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC	643	0.42	6.0
191	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC	741	0.49	5.5
192	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC	702	0.46	3.3
193	SIMPLE PNEUMONIA & PLEURISY WITH MCC	800	0.53	5.8
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	1,570	1.03	4.1
195	SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC	874	0.58	2.7
196	INTERSTITIAL LUNG DISEASE WITH MCC	68	0.04	8.6
197	INTERSTITIAL LUNG DISEASE WITH CC	54	0.04	5.1

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Alameda County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
198	INTERSTITIAL LUNG DISEASE WITHOUT CC/MCC	35	0.02	4.5
199	PNEUMOTHORAX WITH MCC	31	0.02	8.2
200	PNEUMOTHORAX WITH CC	82	0.05	4.1
201	PNEUMOTHORAX WITHOUT CC/MCC	88	0.06	3.2
202	BRONCHITIS & ASTHMA WITH CC/MCC	753	0.50	3.4
203	BRONCHITIS & ASTHMA WITHOUT CC/MCC	1,229	0.81	2.2
204	RESPIRATORY SIGNS & SYMPTOMS	237	0.16	2.2
205	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITH MCC	62	0.04	4.3
206	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITHOUT MCC	212	0.14	2.6
207	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS	426	0.28	36
208	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS	573	0.38	8.7
216	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH MCC	50	0.03	22
217	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH CC	25	0.02	11
218	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITHOUT CC/MCC	4	0.00	7.0
219	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH MCC	113	0.07	13
220	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH CC	125	0.08	8.1
221	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITHOUT CC/MCC	50	0.03	5.3
222	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITH MCC	11	0.01	13
223	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITHOUT MCC	7	0.00	7.3
224	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITH MCC	17	0.01	11
225	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITHOUT MCC	25	0.02	5.0
226	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITH MCC	60	0.04	9.6

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Alameda County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
227	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITHOUT MCC	155	0.10	2.8
228	OTHER CARDIOTHORACIC PROCEDURES WITH MCC	20	0.01	16
229	OTHER CARDIOTHORACIC PROCEDURES WITH CC	37	0.02	7.1
230	OTHER CARDIOTHORACIC PROCEDURES WITHOUT CC/MCC	11	0.01	3.7
231	CORONARY BYPASS WITH PTCA WITH MCC	8	0.01	15
232	CORONARY BYPASS WITH PTCA WITHOUT MCC	4	0.00	7.8
233	CORONARY BYPASS WITH CARDIAC CATH WITH MCC	73	0.05	12
234	CORONARY BYPASS WITH CARDIAC CATH WITHOUT MCC	135	0.09	9.0
235	CORONARY BYPASS WITHOUT CARDIAC CATH WITH MCC	42	0.03	12
236	CORONARY BYPASS WITHOUT CARDIAC CATH WITHOUT MCC	109	0.07	6.7
237	MAJOR CARDIOVASC PROCEDURES WITH MCC OR THORACIC AORTIC ANEURYSM REPAIR	176	0.12	12
238	MAJOR CARDIOVASC PROCEDURES WITHOUT MCC	235	0.15	4.4
239	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH MCC	64	0.04	19
240	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH CC	51	0.03	12
241	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITHOUT CC/MCC	10	0.01	4.8
242	PERMANENT CARDIAC PACEMAKER IMPLANT WITH MCC	122	0.08	7.7
243	PERMANENT CARDIAC PACEMAKER IMPLANT WITH CC	178	0.12	3.9
244	PERMANENT CARDIAC PACEMAKER IMPLANT WITHOUT CC/MCC	181	0.12	2.6
245	AICD GENERATOR PROCEDURES	17	0.01	3.8
246	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITH MCC OR 4+ VESSELS/STENTS	319	0.21	4.1
247	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITHOUT MCC	1,196	0.79	1.8
248	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITH MCC OR 4+ VES/STENTS	66	0.04	5.1

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Alameda County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
249	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITHOUT MCC	185	0.12	2.2
250	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITH MCC	46	0.03	6.5
251	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITHOUT MCC	299	0.20	2.1
252	OTHER VASCULAR PROCEDURES WITH MCC	289	0.19	7.4
253	OTHER VASCULAR PROCEDURES WITH CC	205	0.14	6.5
254	OTHER VASCULAR PROCEDURES WITHOUT CC/MCC	116	0.08	3.8
255	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH MCC	12	0.01	11
256	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH CC	24	0.02	7.1
257	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITHOUT CC/MCC	7	0.00	11
258	CARDIAC PACEMAKER DEVICE REPLACEMENT WITH MCC	5	0.00	7.2
259	CARDIAC PACEMAKER DEVICE REPLACEMENT WITHOUT MCC	27	0.02	2.2
260	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH MCC	15	0.01	5.8
261	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH CC	18	0.01	3.2
262	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITHOUT CC/MCC	11	0.01	3.0
263	VEIN LIGATION & STRIPPING	5	0.00	2.6
264	OTHER CIRCULATORY SYSTEM O.R. PROCEDURES	193	0.13	8.9
265	AICD LEAD PROCEDURES	10	0.01	4.6
280	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH MCC	535	0.35	5.8
281	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH CC	358	0.24	3.1
282	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITHOUT CC/MCC	447	0.29	2.3
283	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH MCC	79	0.05	4.1
284	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH CC	8	0.01	2.6

(Continued)

**MS-DRG by Patient County of Residence
for 2009
Alameda County**

		Number of Discharges	Percent of Subtotal	Average Length of Stay
285	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITHOUT CC/MCC	4	0.00	1.3
286	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITH MCC	138	0.09	5.9
287	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITHOUT MCC	626	0.41	2.4
288	ACUTE & SUBACUTE ENDOCARDITIS WITH MCC	45	0.03	14
289	ACUTE & SUBACUTE ENDOCARDITIS WITH CC	16	0.01	9.5
290	ACUTE & SUBACUTE ENDOCARDITIS WITHOUT CC/MCC	7	0.00	9.4
291	HEART FAILURE & SHOCK WITH MCC	1,338	0.88	5.5
292	HEART FAILURE & SHOCK WITH CC	1,307	0.86	4.2
293	HEART FAILURE & SHOCK WITHOUT CC/MCC	691	0.46	2.9
294	DEEP VEIN THROMBOPHLEBITIS WITH CC/MCC	10	0.01	5.3
295	DEEP VEIN THROMBOPHLEBITIS WITHOUT CC/MCC	3	0.00	4.0
296	CARDIAC ARREST, UNEXPLAINED WITH MCC	18	0.01	4.1
297	CARDIAC ARREST, UNEXPLAINED WITH CC	5	0.00	.80
298	CARDIAC ARREST, UNEXPLAINED WITHOUT CC/MCC	6	0.00	1.7
299	PERIPHERAL VASCULAR DISORDERS WITH MCC	131	0.09	6.3
300	PERIPHERAL VASCULAR DISORDERS WITH CC	255	0.17	4.6
301	PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC	169	0.11	3.1
302	ATHEROSCLEROSIS WITH MCC	71	0.05	3.8
303	ATHEROSCLEROSIS WITHOUT MCC	412	0.27	6.1
304	HYPERTENSION WITH MCC	30	0.02	40
305	HYPERTENSION WITHOUT MCC	171	0.11	12
306	CARDIAC CONGENITAL & VALVULAR DISORDERS WITH MCC	31	0.02	8.3

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Alameda County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
307	CARDIAC CONGENITAL & VALVULAR DISORDERS WITHOUT MCC	46	0.03	3.2
308	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH MCC	421	0.28	4.5
309	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC	613	0.40	3.1
310	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITHOUT CC/MCC	750	0.49	2.0
311	ANGINA PECTORIS	180	0.12	1.7
312	SYNCOPE & COLLAPSE	977	0.64	2.4
313	CHEST PAIN	1,406	0.93	1.6
314	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC	474	0.31	7.4
315	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC	251	0.17	5.0
316	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITHOUT CC/MCC	115	0.08	2.4
326	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH MCC	100	0.07	19
327	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH CC	102	0.07	8.0
328	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITHOUT CC/MCC	95	0.06	4.3
329	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	305	0.20	17
330	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH CC	542	0.36	8.9
331	MAJOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	282	0.19	5.1
332	RECTAL RESECTION WITH MCC	14	0.01	18
333	RECTAL RESECTION WITH CC	57	0.04	8.8
334	RECTAL RESECTION WITHOUT CC/MCC	36	0.02	6.3
335	PERITONEAL ADHESIOLYSIS WITH MCC	57	0.04	13
336	PERITONEAL ADHESIOLYSIS WITH CC	114	0.08	8.4
337	PERITONEAL ADHESIOLYSIS WITHOUT CC/MCC	115	0.08	5.1

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Alameda County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
338	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	16	0.01	9.1
339	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	72	0.05	6.1
340	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	224	0.15	3.8
341	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	19	0.01	3.9
342	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	102	0.07	2.5
343	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	955	0.63	1.4
344	MINOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	12	0.01	9.8
345	MINOR SMALL & LARGE BOWEL PROCEDURES WITH CC	37	0.02	6.7
346	MINOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	35	0.02	5.2
347	ANAL & STOMAL PROCEDURES WITH MCC	17	0.01	6.4
348	ANAL & STOMAL PROCEDURES WITH CC	67	0.04	3.6
349	ANAL & STOMAL PROCEDURES WITHOUT CC/MCC	143	0.09	2.1
350	INGUINAL & FEMORAL HERNIA PROCEDURES WITH MCC	22	0.01	6.1
351	INGUINAL & FEMORAL HERNIA PROCEDURES WITH CC	28	0.02	3.8
352	INGUINAL & FEMORAL HERNIA PROCEDURES WITHOUT CC/MCC	98	0.06	1.3
353	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH MCC	22	0.01	10
354	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH CC	87	0.06	4.6
355	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITHOUT CC/MCC	153	0.10	2.1
356	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH MCC	76	0.05	16
357	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH CC	68	0.04	6.2
358	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	51	0.03	3.5
368	MAJOR ESOPHAGEAL DISORDERS WITH MCC	38	0.03	8.4

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Alameda County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
369	MAJOR ESOPHAGEAL DISORDERS WITH CC	40	0.03	4.4
370	MAJOR ESOPHAGEAL DISORDERS WITHOUT CC/MCC	26	0.02	2.2
371	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH MCC	213	0.14	9.0
372	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH CC	242	0.16	6.1
373	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITHOUT CC/MCC	133	0.09	4.1
374	DIGESTIVE MALIGNANCY WITH MCC	121	0.08	8.2
375	DIGESTIVE MALIGNANCY WITH CC	172	0.11	5.6
376	DIGESTIVE MALIGNANCY WITHOUT CC/MCC	33	0.02	3.7
377	G.I. HEMORRHAGE WITH MCC	432	0.28	6.1
378	G.I. HEMORRHAGE WITH CC	923	0.61	3.4
379	G.I. HEMORRHAGE WITHOUT CC/MCC	431	0.28	2.4
380	COMPLICATED PEPTIC ULCER WITH MCC	32	0.02	10
381	COMPLICATED PEPTIC ULCER WITH CC	64	0.04	4.6
382	COMPLICATED PEPTIC ULCER WITHOUT CC/MCC	19	0.01	3.1
383	UNCOMPLICATED PEPTIC ULCER WITH MCC	9	0.01	3.7
384	UNCOMPLICATED PEPTIC ULCER WITHOUT MCC	47	0.03	2.4
385	INFLAMMATORY BOWEL DISEASE WITH MCC	33	0.02	6.7
386	INFLAMMATORY BOWEL DISEASE WITH CC	122	0.08	5.4
387	INFLAMMATORY BOWEL DISEASE WITHOUT CC/MCC	119	0.08	3.7
388	G.I. OBSTRUCTION WITH MCC	158	0.10	6.6
389	G.I. OBSTRUCTION WITH CC	338	0.22	4.0
390	G.I. OBSTRUCTION WITHOUT CC/MCC	388	0.26	2.8

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Alameda County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
391	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITH MCC	492	0.32	5.0
392	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC	2,235	1.47	2.8
393	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH MCC	256	0.17	7.9
394	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH CC	433	0.29	4.3
395	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	242	0.16	2.4
405	PANCREAS, LIVER & SHUNT PROCEDURES WITH MCC	51	0.03	21
406	PANCREAS, LIVER & SHUNT PROCEDURES WITH CC	71	0.05	8.8
407	PANCREAS, LIVER & SHUNT PROCEDURES WITHOUT CC/MCC	33	0.02	7.8
408	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH MCC	22	0.01	11
409	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH CC	18	0.01	8.9
410	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	5	0.00	6.2
411	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH MCC	3	0.00	9.7
412	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH CC	4	0.00	9.0
413	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITHOUT CC/MCC	9	0.01	5.1
414	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH MCC	26	0.02	10
415	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH CC	39	0.03	8.1
416	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	64	0.04	4.3
417	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH MCC	197	0.13	7.4
418	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH CC	311	0.21	4.1
419	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	751	0.50	2.4

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Alameda County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
420	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH MCC	5	0.00	18
421	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH CC	13	0.01	5.9
422	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITHOUT CC/MCC	5	0.00	2.8
423	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH MCC	11	0.01	15
424	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH CC	7	0.00	7.7
425	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITHOUT CC/MCC	2	0.00	2.0
432	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH MCC	231	0.15	6.1
433	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH CC	90	0.06	4.2
434	CIRRHOSIS & ALCOHOLIC HEPATITIS WITHOUT CC/MCC	8	0.01	3.1
435	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITH MCC	121	0.08	6.9
436	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITH CC	116	0.08	5.2
437	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITHOUT CC/MCC	26	0.02	3.2
438	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH MCC	229	0.15	7.4
439	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH CC	338	0.22	4.4
440	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITHOUT CC/MCC	403	0.27	3.3
441	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH MCC	243	0.16	6.0
442	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH CC	238	0.16	4.7
443	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITHOUT CC/MCC	107	0.07	2.9
444	DISORDERS OF THE BILIARY TRACT WITH MCC	158	0.10	5.5
445	DISORDERS OF THE BILIARY TRACT WITH CC	154	0.10	26
446	DISORDERS OF THE BILIARY TRACT WITHOUT CC/MCC	153	0.10	2.2
453	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH MCC	16	0.01	11

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Alameda County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
454	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH CC	64	0.04	6.8
455	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITHOUT CC/MCC	46	0.03	5.0
456	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH MCC	14	0.01	13
457	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH CC	45	0.03	7.7
458	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITHOUT CC/MCC	22	0.01	7.8
459	SPINAL FUSION EXCEPT CERVICAL WITH MCC	19	0.01	7.4
460	SPINAL FUSION EXCEPT CERVICAL WITHOUT MCC	345	0.23	4.1
461	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITH MCC	5	0.00	6.2
462	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITHOUT MCC	133	0.09	3.8
463	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH MCC	54	0.04	35
464	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH CC	59	0.04	13
465	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITHOUT CC/MCC	19	0.01	8.2
466	REVISION OF HIP OR KNEE REPLACEMENT WITH MCC	31	0.02	8.5
467	REVISION OF HIP OR KNEE REPLACEMENT WITH CC	111	0.07	4.5
468	REVISION OF HIP OR KNEE REPLACEMENT WITHOUT CC/MCC	118	0.08	3.4
469	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITH MCC	178	0.12	6.7
470	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITHOUT MCC	3,113	2.05	3.3
471	CERVICAL SPINAL FUSION WITH MCC	21	0.01	8.0
472	CERVICAL SPINAL FUSION WITH CC	93	0.06	4.0
473	CERVICAL SPINAL FUSION WITHOUT CC/MCC	220	0.15	2.2
474	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH MCC	18	0.01	13
475	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH CC	20	0.01	6.4

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Alameda County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
476	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITHOUT CC/MCC	7	0.00	2.7
477	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	10	0.01	11
478	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	31	0.02	8.3
479	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	14	0.01	3.6
480	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH MCC	174	0.11	8.0
481	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH CC	406	0.27	5.4
482	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITHOUT CC/MCC	257	0.17	3.6
483	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITH CC/MCC	70	0.05	3.3
484	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITHOUT CC/MCC	109	0.07	2.2
485	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH MCC	5	0.00	6.6
486	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH CC	15	0.01	7.0
487	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	13	0.01	5.5
488	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITH CC/MCC	24	0.02	3.8
489	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	83	0.05	2.0
490	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITH CC/MCC OR DISC DEVICE/NEUROSTIM	225	0.15	4.0
491	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITHOUT CC/MCC	516	0.34	1.9
492	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH MCC	52	0.03	7.9
493	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH CC	240	0.16	4.5
494	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITHOUT CC/MCC	578	0.38	2.2
495	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH MCC	12	0.01	12
496	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH CC	72	0.05	5.4
497	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITHOUT CC/MCC	91	0.06	2.6

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Alameda County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
498	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITH CC/MCC	14	0.01	6.8
499	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITHOUT CC/MCC	21	0.01	2.0
500	SOFT TISSUE PROCEDURES WITH MCC	24	0.02	7.0
501	SOFT TISSUE PROCEDURES WITH CC	73	0.05	4.7
502	SOFT TISSUE PROCEDURES WITHOUT CC/MCC	96	0.06	2.2
503	FOOT PROCEDURES WITH MCC	12	0.01	9.4
504	FOOT PROCEDURES WITH CC	35	0.02	5.9
505	FOOT PROCEDURES WITHOUT CC/MCC	47	0.03	2.1
506	MAJOR THUMB OR JOINT PROCEDURES	14	0.01	2.9
507	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITH CC/MCC	9	0.01	5.8
508	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITHOUT CC/MCC	27	0.02	1.7
509	ARTHROSCOPY	8	0.01	3.8
510	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH MCC	12	0.01	4.4
511	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH CC	48	0.03	3.5
512	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITHOUT CC/MCC	134	0.09	1.4
513	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITH CC/MCC	29	0.02	2.3
514	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITHOUT CC/MCC	34	0.02	1.5
515	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH MCC	28	0.02	11
516	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH CC	61	0.04	5.4
517	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITHOUT CC/MCC	87	0.06	3.1
533	FRACTURES OF FEMUR WITH MCC	3	0.00	8.7
534	FRACTURES OF FEMUR WITHOUT MCC	30	0.02	3.2

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Alameda County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
535	FRACTURES OF HIP & PELVIS WITH MCC	52	0.03	5.0
536	FRACTURES OF HIP & PELVIS WITHOUT MCC	165	0.11	3.3
537	SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITH CC/MCC	7	0.00	4.4
538	SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITHOUT CC/MCC	8	0.01	1.3
539	OSTEOMYELITIS WITH MCC	41	0.03	16
540	OSTEOMYELITIS WITH CC	43	0.03	13
541	OSTEOMYELITIS WITHOUT CC/MCC	18	0.01	6.8
542	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH MCC	47	0.03	8.4
543	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH CC	112	0.07	4.9
544	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITHOUT CC/MCC	29	0.02	3.8
545	CONNECTIVE TISSUE DISORDERS WITH MCC	81	0.05	11
546	CONNECTIVE TISSUE DISORDERS WITH CC	109	0.07	6.3
547	CONNECTIVE TISSUE DISORDERS WITHOUT CC/MCC	98	0.06	3.9
548	SEPTIC ARTHRITIS WITH MCC	7	0.00	12
549	SEPTIC ARTHRITIS WITH CC	13	0.01	7.2
550	SEPTIC ARTHRITIS WITHOUT CC/MCC	7	0.00	3.9
551	MEDICAL BACK PROBLEMS WITH MCC	85	0.06	5.7
552	MEDICAL BACK PROBLEMS WITHOUT MCC	490	0.32	3.3
553	BONE DISEASES & ARTHROPATHIES WITH MCC	34	0.02	3.9
554	BONE DISEASES & ARTHROPATHIES WITHOUT MCC	147	0.10	2.9
555	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITH MCC	26	0.02	4.1
556	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC	121	0.08	2.6

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Alameda County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
557	TENDONITIS, MYOSITIS & BURSITIS WITH MCC	44	0.03	5.7
558	TENDONITIS, MYOSITIS & BURSITIS WITHOUT MCC	135	0.09	17
559	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	16	0.01	15
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	45	0.03	17
561	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	41	0.03	5.7
562	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITH MCC	58	0.04	5.1
563	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC	262	0.17	2.3
564	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH MCC	15	0.01	8.0
565	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH CC	37	0.02	13
566	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITHOUT CC/MCC	36	0.02	22
573	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH MCC	63	0.04	31
574	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH CC	86	0.06	14
575	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	50	0.03	5.7
576	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH MCC	7	0.00	8.0
577	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH CC	40	0.03	5.1
578	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	54	0.04	3.4
579	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH MCC	39	0.03	13
580	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH CC	159	0.10	4.4
581	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITHOUT CC/MCC	278	0.18	2.0
582	MASTECTOMY FOR MALIGNANCY WITH CC/MCC	83	0.05	2.3
583	MASTECTOMY FOR MALIGNANCY WITHOUT CC/MCC	100	0.07	1.9
584	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITH CC/MCC	18	0.01	4.1

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Alameda County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
585	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITHOUT CC/MCC	79	0.05	1.6
592	SKIN ULCERS WITH MCC	43	0.03	19
593	SKIN ULCERS WITH CC	84	0.06	9.3
594	SKIN ULCERS WITHOUT CC/MCC	10	0.01	3.2
595	MAJOR SKIN DISORDERS WITH MCC	19	0.01	5.5
596	MAJOR SKIN DISORDERS WITHOUT MCC	60	0.04	4.4
597	MALIGNANT BREAST DISORDERS WITH MCC	3	0.00	6.0
598	MALIGNANT BREAST DISORDERS WITH CC	15	0.01	4.1
599	MALIGNANT BREAST DISORDERS WITHOUT CC/MCC	2	0.00	5.0
600	NON-MALIGNANT BREAST DISORDERS WITH CC/MCC	18	0.01	4.9
601	NON-MALIGNANT BREAST DISORDERS WITHOUT CC/MCC	42	0.03	2.7
602	CELLULITIS WITH MCC	247	0.16	6.1
603	CELLULITIS WITHOUT MCC	1,656	1.09	3.7
604	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITH MCC	35	0.02	3.6
605	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITHOUT MCC	215	0.14	2.6
606	MINOR SKIN DISORDERS WITH MCC	18	0.01	7.3
607	MINOR SKIN DISORDERS WITHOUT MCC	134	0.09	2.8
614	ADRENAL & PITUITARY PROCEDURES WITH CC/MCC	38	0.03	5.3
615	ADRENAL & PITUITARY PROCEDURES WITHOUT CC/MCC	55	0.04	2.1
616	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH MCC	10	0.01	15
617	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH CC	49	0.03	9.5
619	O.R. PROCEDURES FOR OBESITY WITH MCC	6	0.00	16

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Alameda County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
620	O.R. PROCEDURES FOR OBESITY WITH CC	45	0.03	1.9
621	O.R. PROCEDURES FOR OBESITY WITHOUT CC/MCC	275	0.18	1.7
622	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH MCC	15	0.01	18
623	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH CC	24	0.02	7.8
624	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITHOUT CC/MCC	1	0.00	8.0
625	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH MCC	6	0.00	6.2
626	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH CC	40	0.03	2.5
627	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITHOUT CC/MCC	200	0.13	1.5
628	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH MCC	36	0.02	10
629	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH CC	36	0.02	7.6
630	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITHOUT CC/MCC	3	0.00	5.3
637	DIABETES WITH MCC	296	0.20	4.8
638	DIABETES WITH CC	488	0.32	3.5
639	DIABETES WITHOUT CC/MCC	472	0.31	2.2
640	NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC	686	0.45	4.0
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	1,208	0.80	3.8
642	INBORN ERRORS OF METABOLISM	29	0.02	2.7
643	ENDOCRINE DISORDERS WITH MCC	64	0.04	7.9
644	ENDOCRINE DISORDERS WITH CC	112	0.07	4.8
645	ENDOCRINE DISORDERS WITHOUT CC/MCC	49	0.03	2.4
652	KIDNEY TRANSPLANT	71	0.05	6.2
653	MAJOR BLADDER PROCEDURES WITH MCC	13	0.01	15

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Alameda County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
654	MAJOR BLADDER PROCEDURES WITH CC	31	0.02	9.4
655	MAJOR BLADDER PROCEDURES WITHOUT CC/MCC	7	0.00	8.3
656	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH MCC	34	0.02	10
657	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH CC	60	0.04	5.8
658	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITHOUT CC/MCC	82	0.05	3.4
659	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH MCC	42	0.03	9.2
660	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH CC	120	0.08	5.1
661	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITHOUT CC/MCC	88	0.06	2.8
662	MINOR BLADDER PROCEDURES WITH MCC	3	0.00	4.3
663	MINOR BLADDER PROCEDURES WITH CC	13	0.01	5.5
664	MINOR BLADDER PROCEDURES WITHOUT CC/MCC	21	0.01	1.5
665	PROSTATECTOMY WITH MCC	2	0.00	22
666	PROSTATECTOMY WITH CC	7	0.00	6.6
667	PROSTATECTOMY WITHOUT CC/MCC	17	0.01	.88
668	TRANSURETHRAL PROCEDURES WITH MCC	29	0.02	5.5
669	TRANSURETHRAL PROCEDURES WITH CC	54	0.04	3.4
670	TRANSURETHRAL PROCEDURES WITHOUT CC/MCC	37	0.02	1.8
671	URETHRAL PROCEDURES WITH CC/MCC	4	0.00	7.5
672	URETHRAL PROCEDURES WITHOUT CC/MCC	8	0.01	1.8
673	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH MCC	104	0.07	8.5
674	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH CC	79	0.05	6.4
675	OTHER KIDNEY & URINARY TRACT PROCEDURES WITHOUT CC/MCC	18	0.01	1.9

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Alameda County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
682	RENAL FAILURE WITH MCC	582	0.38	7.5
683	RENAL FAILURE WITH CC	709	0.47	4.9
684	RENAL FAILURE WITHOUT CC/MCC	159	0.10	2.8
685	ADMIT FOR RENAL DIALYSIS	22	0.01	3.0
686	KIDNEY & URINARY TRACT NEOPLASMS WITH MCC	13	0.01	6.8
687	KIDNEY & URINARY TRACT NEOPLASMS WITH CC	26	0.02	4.2
688	KIDNEY & URINARY TRACT NEOPLASMS WITHOUT CC/MCC	9	0.01	2.7
689	KIDNEY & URINARY TRACT INFECTIONS WITH MCC	484	0.32	5.2
690	KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC	1,550	1.02	3.6
691	URINARY STONES WITH ESW LITHOTRIPSY WITH CC/MCC	5	0.00	2.0
692	URINARY STONES WITH ESW LITHOTRIPSY WITHOUT CC/MCC	5	0.00	1.2
693	URINARY STONES WITHOUT ESW LITHOTRIPSY WITH MCC	42	0.03	3.6
694	URINARY STONES WITHOUT ESW LITHOTRIPSY WITHOUT MCC	170	0.11	2.0
695	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITH MCC	10	0.01	5.8
696	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITHOUT MCC	65	0.04	2.8
697	URETHRAL STRICTURE	4	0.00	1.8
698	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH MCC	269	0.18	6.3
699	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH CC	255	0.17	4.2
700	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITHOUT CC/MCC	110	0.07	2.6
707	MAJOR MALE PELVIC PROCEDURES WITH CC/MCC	54	0.04	4.9
708	MAJOR MALE PELVIC PROCEDURES WITHOUT CC/MCC	178	0.12	2.0
709	PENIS PROCEDURES WITH CC/MCC	3	0.00	1.0

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Alameda County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
710	PENIS PROCEDURES WITHOUT CC/MCC	17	0.01	2.4
711	TESTES PROCEDURES WITH CC/MCC	10	0.01	4.8
712	TESTES PROCEDURES WITHOUT CC/MCC	19	0.01	2.1
713	TRANSURETHRAL PROSTATECTOMY WITH CC/MCC	65	0.04	2.8
714	TRANSURETHRAL PROSTATECTOMY WITHOUT CC/MCC	140	0.09	1.2
715	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE FOR MALIGNANCY WITH CC/MCC	2	0.00	2.0
716	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE FOR MALIGNANCY WITHOUT CC/MCC	10	0.01	1.4
717	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE EXCEPT MALIGNANCY WITH CC/MCC	3	0.00	21
718	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE EXCEPT MALIGNANCY WITHOUT CC/MCC	4	0.00	6.8
722	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH MCC	6	0.00	11
723	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH CC	11	0.01	5.5
725	BENIGN PROSTATIC HYPERTROPHY WITH MCC	14	0.01	9.3
726	BENIGN PROSTATIC HYPERTROPHY WITHOUT MCC	14	0.01	3.6
727	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITH MCC	12	0.01	3.4
728	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITHOUT MCC	61	0.04	2.8
729	OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITH CC/MCC	8	0.01	3.3
730	OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	7	0.00	2.4
734	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITH CC/MCC	45	0.03	5.8
735	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITHOUT CC/MCC	40	0.03	2.4
736	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH MCC	10	0.01	11
737	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH CC	56	0.04	5.4
738	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITHOUT CC/MCC	22	0.01	2.7

(Continued)

**MS-DRG by Patient County of Residence
for 2009
Alameda County**

		Number of Discharges	Percent of Subtotal	Average Length of Stay
739	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH MCC	7	0.00	6.6
740	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH CC	64	0.04	4.0
741	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITHOUT CC/MCC	108	0.07	2.1
742	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITH CC/MCC	363	0.24	3.6
743	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITHOUT CC/MCC	1,266	0.83	2.2
744	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITH CC/MCC	26	0.02	3.0
745	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITHOUT CC/MCC	50	0.03	1.2
746	VAGINA, CERVIX & VULVA PROCEDURES WITH CC/MCC	30	0.02	3.3
747	VAGINA, CERVIX & VULVA PROCEDURES WITHOUT CC/MCC	71	0.05	2.0
748	FEMALE REPRODUCTIVE SYSTEM RECONSTRUCTIVE PROCEDURES	89	0.06	1.5
749	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITH CC/MCC	19	0.01	7.1
750	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	13	0.01	1.6
754	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH MCC	21	0.01	8.2
755	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH CC	32	0.02	6.9
756	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	7	0.00	1.3
757	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH MCC	11	0.01	7.8
758	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH CC	49	0.03	4.4
759	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	115	0.08	2.7
760	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITH CC/MCC	59	0.04	2.5
761	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITHOUT CC/MCC	144	0.09	1.4
765	CESAREAN SECTION WITH CC/MCC	2,165	1.43	4.8
766	CESAREAN SECTION WITHOUT CC/MCC	3,720	2.45	3.5

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Alameda County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
767	VAGINAL DELIVERY WITH STERILIZATION &/OR D&C	327	0.22	2.7
768	VAGINAL DELIVERY WITH O.R. PROCEDURE EXCEPT STERIL &/OR D&C	8	0.01	2.6
769	POSTPARTUM & POST ABORTION DIAGNOSIS WITH O.R. PROCEDURE	61	0.04	3.5
770	ABORTION WITH D&C, ASPIRATION CURETTAGE OR HYSTEROTOMY	100	0.07	1.5
774	VAGINAL DELIVERY WITH COMPLICATING DIAGNOSIS	1,858	1.22	2.8
775	VAGINAL DELIVERY WITHOUT COMPLICATING DIAGNOSIS	11,776	7.76	2.1
776	POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE	223	0.15	2.6
777	ECTOPIC PREGNANCY	129	0.09	1.5
778	THREATENED ABORTION	330	0.22	2.9
779	ABORTION WITHOUT D&C	81	0.05	1.4
780	FALSE LABOR	55	0.04	.64
781	OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS	871	0.57	2.9
782	OTHER ANTEPARTUM DIAGNOSIS WITHOUT MEDICAL COMPLICATIONS	271	0.18	2.0
789	NEONATES, DIED OR TRANSFERRED TO ANOTHER ACUTE CARE FACILITY	489	0.32	3.2
790	EXTREME IMMATURETY OR RESPIRATORY DISTRESS SYNDROME, NEONATE	305	0.20	43
791	PREMATURITY WITH MAJOR PROBLEMS	349	0.23	17
792	PREMATURITY WITHOUT MAJOR PROBLEMS	939	0.62	6.8
793	FULL TERM NEONATE WITH MAJOR PROBLEMS	954	0.63	5.7
794	NEONATE WITH OTHER SIGNIFICANT PROBLEMS	4,643	3.06	2.4
795	NORMAL NEWBORN	13,535	8.92	2.1
799	SPLENECTOMY WITH MCC	3	0.00	13
800	SPLENECTOMY WITH CC	8	0.01	4.4

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Alameda County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
801	SPLENECTOMY WITHOUT CC/MCC	7	0.00	4.1
802	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH MCC	11	0.01	9.7
803	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH CC	14	0.01	5.5
804	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITHOUT CC/MCC	19	0.01	2.6
808	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH MCC	87	0.06	12
809	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH CC	210	0.14	4.8
810	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITHOUT CC/MCC	60	0.04	2.9
811	RED BLOOD CELL DISORDERS WITH MCC	231	0.15	5.7
812	RED BLOOD CELL DISORDERS WITHOUT MCC	988	0.65	3.9
813	COAGULATION DISORDERS	154	0.10	4.1
814	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH MCC	18	0.01	7.3
815	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH CC	46	0.03	5.4
816	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITHOUT CC/MCC	48	0.03	3.1
820	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH MCC	23	0.02	22
821	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH CC	17	0.01	7.0
822	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITHOUT CC/MCC	22	0.01	2.2
823	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH MCC	18	0.01	13
824	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH CC	18	0.01	7.6
825	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	14	0.01	3.1
826	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH MCC	7	0.00	39
827	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH CC	21	0.01	9.7
828	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITHOUT CC/MCC	13	0.01	3.9

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Alameda County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
829	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITH CC/MCC	12	0.01	7.2
830	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	14	0.01	1.9
834	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH MCC	48	0.03	21
835	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH CC	40	0.03	14
836	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITHOUT CC/MCC	22	0.01	6.5
837	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS OR WITH HIGH DOSE CHEMO AGENT WITH MCC	38	0.03	26
838	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITH CC OR HIGH DOSE CHEMO AGENT	72	0.05	11
839	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITHOUT CC/MCC	68	0.04	7.9
840	LYMPHOMA & NON-ACUTE LEUKEMIA WITH MCC	78	0.05	12
841	LYMPHOMA & NON-ACUTE LEUKEMIA WITH CC	81	0.05	7.1
842	LYMPHOMA & NON-ACUTE LEUKEMIA WITHOUT CC/MCC	42	0.03	4.7
843	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH MCC	20	0.01	11
844	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH CC	31	0.02	4.0
845	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITHOUT CC/MCC	6	0.00	3.0
846	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH MCC	38	0.03	9.5
847	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH CC	486	0.32	3.9
848	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITHOUT CC/MCC	40	0.03	3.5
849	RADIOTHERAPY	4	0.00	3.8
853	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH MCC	358	0.24	18
854	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH CC	73	0.05	9.2
855	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITHOUT CC/MCC	9	0.01	4.1
856	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH MCC	55	0.04	20

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Alameda County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
857	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH CC	79	0.05	8.7
858	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITHOUT CC/MCC	21	0.01	4.4
862	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITH MCC	94	0.06	11
863	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC	247	0.16	4.8
864	FEVER	267	0.18	3.5
865	VIRAL ILLNESS WITH MCC	34	0.02	5.2
866	VIRAL ILLNESS WITHOUT MCC	182	0.12	3.0
867	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH MCC	78	0.05	13
868	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH CC	24	0.02	5.7
869	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITHOUT CC/MCC	20	0.01	5.2
870	SEPTICEMIA OR SEVERE SEPSIS WITH MECH VENT 96+ HOURS	273	0.18	16
871	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC	2,578	1.70	7.2
872	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC	843	0.56	5.3
876	O.R. PROCEDURE WITH PRINCIPAL DIAGNOSIS OF MENTAL ILLNESS	4	0.00	5.0
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	126	0.08	3.1
881	DEPRESSIVE NEUROSES	735	0.48	4.1
882	NEUROSES EXCEPT DEPRESSIVE	213	0.14	3.1
883	DISORDERS OF PERSONALITY & IMPULSE CONTROL	69	0.05	9.6
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	174	0.11	54
885	PSYCHOSES	5,902	3.89	7.7
886	BEHAVIORAL & DEVELOPMENTAL DISORDERS	110	0.07	28
887	OTHER MENTAL DISORDER DIAGNOSIS	21	0.01	7.0

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Alameda County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	44	0.03	4.5
895	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITH REHABILITATION THERAPY	87	0.06	14
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	141	0.09	7.9
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	934	0.62	6.4
901	WOUND DEBRIDE EMENTS FOR INJURIES WITH MCC	13	0.01	44
902	WOUND DEBRIDE EMENTS FOR INJURIES WITH CC	30	0.02	6.9
903	WOUND DEBRIDE EMENTS FOR INJURIES WITHOUT CC/MCC	17	0.01	4.8
904	SKIN GRAFTS FOR INJURIES WITH CC/MCC	21	0.01	19
905	SKIN GRAFTS FOR INJURIES WITHOUT CC/MCC	5	0.00	5.2
906	HAND PROCEDURES FOR INJURIES	42	0.03	3.9
907	OTHER O.R. PROCEDURES FOR INJURIES WITH MCC	96	0.06	11
908	OTHER O.R. PROCEDURES FOR INJURIES WITH CC	108	0.07	7.6
909	OTHER O.R. PROCEDURES FOR INJURIES WITHOUT CC/MCC	106	0.07	2.4
913	TRAUMATIC INJURY WITH MCC	6	0.00	2.0
914	TRAUMATIC INJURY WITHOUT MCC	79	0.05	2.3
915	ALLERGIC REACTIONS WITH MCC	15	0.01	3.6
916	ALLERGIC REACTIONS WITHOUT MCC	117	0.08	1.3
917	POISONING & TOXIC EFFECTS OF DRUGS WITH MCC	268	0.18	4.1
918	POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC	613	0.40	1.9
919	COMPLICATIONS OF TREATMENT WITH MCC	105	0.07	6.6
920	COMPLICATIONS OF TREATMENT WITH CC	159	0.10	4.7
921	COMPLICATIONS OF TREATMENT WITHOUT CC/MCC	86	0.06	2.4

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Alameda County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
922	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITH MCC	29	0.02	4.3
923	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITHOUT MCC	129	0.09	1.3
927	EXTENSIVE BURNS OR FULL THICKNESS BURNS WITH MECH VENT 96+ HRS WITH SKIN GRAFT	5	0.00	46
928	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITH CC/MCC	7	0.00	14
929	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITHOUT CC/MCC	9	0.01	12
933	EXTENSIVE BURNS OR FULL THICKNESS BURNS WITH MECH VENT 96+ HRS WITHOUT SKIN GRAFT	2	0.00	1.0
934	FULL THICKNESS BURN WITHOUT SKIN GRAFT OR INHAL INJURY	9	0.01	4.6
935	NON-EXTENSIVE BURNS	68	0.04	6.0
939	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH MCC	14	0.01	28
940	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC	28	0.02	11
941	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITHOUT CC/MCC	42	0.03	2.2
945	REHABILITATION WITH CC/MCC	2,076	1.37	17
946	REHABILITATION WITHOUT CC/MCC	719	0.47	11
947	SIGNS & SYMPTOMS WITH MCC	127	0.08	5.5
948	SIGNS & SYMPTOMS WITHOUT MCC	374	0.25	3.9
949	AFTERCARE WITH CC/MCC	70	0.05	11
950	AFTERCARE WITHOUT CC/MCC	24	0.02	11
951	OTHER FACTORS INFLUENCING HEALTH STATUS	119	0.08	2.5
955	CRANIOTOMY FOR MULTIPLE SIGNIFICANT TRAUMA	16	0.01	13
956	LIMB REATTACHMENT, HIP & FEMUR PROCEDURE FOR MULTIPLE SIGNIFICANT TRAUMA	55	0.04	10
957	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH MCC	34	0.02	16
958	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH CC	48	0.03	12

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Alameda County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
959	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	33	0.02	6.7
963	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH MCC	31	0.02	9.8
964	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH CC	50	0.03	5.4
965	OTHER MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	28	0.02	3.8
969	HIV WITH EXTENSIVE O.R. PROCEDURE WITH MCC	9	0.01	33
970	HIV WITH EXTENSIVE O.R. PROCEDURE WITHOUT MCC	2	0.00	6.5
974	HIV WITH MAJOR RELATED CONDITION WITH MCC	103	0.07	13
975	HIV WITH MAJOR RELATED CONDITION WITH CC	70	0.05	8.6
976	HIV WITH MAJOR RELATED CONDITION WITHOUT CC/MCC	46	0.03	5.4
977	HIV WITH OR WITHOUT OTHER RELATED CONDITION	55	0.04	50
981	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	237	0.16	17
982	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	125	0.08	8.0
983	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	97	0.06	2.7
984	PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	5	0.00	13
985	PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	6	0.00	8.0
986	PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	5	0.00	1.2
987	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	63	0.04	15
988	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	82	0.05	6.9
989	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	63	0.04	2.3
998	PRINCIPAL DIAGNOSIS INVALID AS DISCHARGE DIAGNOSIS	1	0.00	3.0
All		151,697	100.0	5.2

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Alameda County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
001	HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM WITH MCC	6	0.00	60
002	HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM WITHOUT MCC	3	0.00	34
003	ECMO OR TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITH MAJOR O.R.	198	0.14	50
004	TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITHOUT MAJOR O.R.	237	0.17	48
005	LIVER TRANSPLANT WITH MCC OR INTESTINAL TRANSPLANT	18	0.01	27
006	LIVER TRANSPLANT WITHOUT MCC	6	0.00	8.5
007	LUNG TRANSPLANT	2	0.00	9.5
008	SIMULTANEOUS PANCREAS/KIDNEY TRANSPLANT	6	0.00	9.5
009	BONE MARROW TRANSPLANT	56	0.04	32
010	PANCREAS TRANSPLANT	1	0.00	7.0
011	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH MCC	10	0.01	18
012	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH CC	15	0.01	10
013	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITHOUT CC/MCC	13	0.01	7.1
020	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH MCC	28	0.02	21
021	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH CC	20	0.01	14
022	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITHOUT CC/MCC	6	0.00	11
023	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITH MCC OR CHEMO IMPLANT	44	0.03	16
024	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITHOUT MCC	22	0.02	9.6
025	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH MCC	132	0.09	11

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Alameda County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
026	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH CC	136	0.10	6.2
027	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITHOUT CC/MCC	215	0.15	3.8
028	SPINAL PROCEDURES WITH MCC	26	0.02	14
029	SPINAL PROCEDURES WITH CC OR SPINAL NEUROSTIMULATORS	57	0.04	6.5
030	SPINAL PROCEDURES WITHOUT CC/MCC	61	0.04	3.4
031	VENTRICULAR SHUNT PROCEDURES WITH MCC	20	0.01	8.6
032	VENTRICULAR SHUNT PROCEDURES WITH CC	38	0.03	3.8
033	VENTRICULAR SHUNT PROCEDURES WITHOUT CC/MCC	22	0.02	2.8
034	CAROTID ARTERY STENT PROCEDURE WITH MCC	5	0.00	2.2
035	CAROTID ARTERY STENT PROCEDURE WITH CC	10	0.01	2.0
036	CAROTID ARTERY STENT PROCEDURE WITHOUT CC/MCC	19	0.01	1.1
037	EXTRACRANIAL PROCEDURES WITH MCC	27	0.02	9.7
038	EXTRACRANIAL PROCEDURES WITH CC	59	0.04	3.1
039	EXTRACRANIAL PROCEDURES WITHOUT CC/MCC	118	0.08	1.9
040	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH MCC	34	0.02	14
041	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH CC OR PERIPH NEUROSTIM	52	0.04	6.4
042	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITHOUT CC/MCC	41	0.03	3.5
052	SPINAL DISORDERS & INJURIES WITH CC/MCC	18	0.01	6.9
053	SPINAL DISORDERS & INJURIES WITHOUT CC/MCC	17	0.01	2.4
054	NERVOUS SYSTEM NEOPLASMS WITH MCC	79	0.06	6.6
055	NERVOUS SYSTEM NEOPLASMS WITHOUT MCC	152	0.11	3.5

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Alameda County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
056	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC	64	0.05	9.7
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	241	0.17	4.9
058	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH MCC	10	0.01	8.0
059	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH CC	30	0.02	4.0
060	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITHOUT CC/MCC	41	0.03	3.7
061	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH MCC	14	0.01	8.6
062	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH CC	53	0.04	4.1
063	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITHOUT CC/MCC	8	0.01	2.1
064	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC	556	0.40	6.9
065	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC	899	0.64	4.5
066	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC	535	0.38	2.8
067	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITH MCC	9	0.01	5.1
068	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITHOUT MCC	42	0.03	2.1
069	TRANSIENT ISCHEMIA	551	0.39	2.2
070	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH MCC	53	0.04	7.3
071	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH CC	43	0.03	5.6
072	NONSPECIFIC CEREBROVASCULAR DISORDERS WITHOUT CC/MCC	36	0.03	2.4
073	CRANIAL & PERIPHERAL NERVE DISORDERS WITH MCC	113	0.08	5.3
074	CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC	298	0.21	3.5
075	VIRAL MENINGITIS WITH CC/MCC	35	0.02	4.9
076	VIRAL MENINGITIS WITHOUT CC/MCC	96	0.07	2.5

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Alameda County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
077	HYPERTENSIVE ENCEPHALOPATHY WITH MCC	10	0.01	3.8
078	HYPERTENSIVE ENCEPHALOPATHY WITH CC	10	0.01	5.4
079	HYPERTENSIVE ENCEPHALOPATHY WITHOUT CC/MCC	11	0.01	2.4
080	NONTRAUMATIC STUPOR & COMA WITH MCC	63	0.04	7.4
081	NONTRAUMATIC STUPOR & COMA WITHOUT MCC	145	0.10	2.6
082	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH MCC	26	0.02	11
083	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH CC	20	0.01	3.6
084	TRAUMATIC STUPOR & COMA, COMA >1 HR WITHOUT CC/MCC	64	0.05	2.4
085	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH MCC	102	0.07	9.2
086	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH CC	123	0.09	3.8
087	TRAUMATIC STUPOR & COMA, COMA <1 HR WITHOUT CC/MCC	221	0.16	2.1
088	CONCUSSION WITH MCC	10	0.01	3.4
089	CONCUSSION WITH CC	54	0.04	2.4
090	CONCUSSION WITHOUT CC/MCC	127	0.09	1.2
091	OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC	92	0.07	9.3
092	OTHER DISORDERS OF NERVOUS SYSTEM WITH CC	133	0.09	5.3
093	OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC	143	0.10	2.4
094	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH MCC	14	0.01	24
095	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH CC	27	0.02	9.3
096	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITHOUT CC/MCC	28	0.02	7.4
097	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH MCC	12	0.01	7.8

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Alameda County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
098	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH CC	13	0.01	5.9
099	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITHOUT CC/MCC	20	0.01	4.4
100	SEIZURES WITH MCC	209	0.15	6.2
101	SEIZURES WITHOUT MCC	660	0.47	2.7
102	HEADACHES WITH MCC	18	0.01	3.3
103	HEADACHES WITHOUT MCC	197	0.14	2.7
113	ORBITAL PROCEDURES WITH CC/MCC	10	0.01	4.2
114	ORBITAL PROCEDURES WITHOUT CC/MCC	10	0.01	4.2
115	EXTRAOCULAR PROCEDURES EXCEPT ORBIT	15	0.01	1.5
116	INTRAOCULAR PROCEDURES WITH CC/MCC	5	0.00	3.8
117	INTRAOCULAR PROCEDURES WITHOUT CC/MCC	9	0.01	1.6
121	ACUTE MAJOR EYE INFECTIONS WITH CC/MCC	13	0.01	3.3
122	ACUTE MAJOR EYE INFECTIONS WITHOUT CC/MCC	20	0.01	3.8
123	NEUROLOGICAL EYE DISORDERS	45	0.03	2.7
124	OTHER DISORDERS OF THE EYE WITH MCC	6	0.00	4.7
125	OTHER DISORDERS OF THE EYE WITHOUT MCC	73	0.05	2.9
129	MAJOR HEAD & NECK PROCEDURES WITH CC/MCC OR MAJOR DEVICE	20	0.01	3.5
130	MAJOR HEAD & NECK PROCEDURES WITHOUT CC/MCC	6	0.00	3.0
131	CRANIAL/FACIAL PROCEDURES WITH CC/MCC	23	0.02	4.2
132	CRANIAL/FACIAL PROCEDURES WITHOUT CC/MCC	91	0.06	1.5
133	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITH CC/MCC	79	0.06	4.8

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Alameda County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
134	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITHOUT CC/MCC	250	0.18	1.4
135	SINUS & MASTOID PROCEDURES WITH CC/MCC	6	0.00	3.5
136	SINUS & MASTOID PROCEDURES WITHOUT CC/MCC	5	0.00	2.2
137	MOUTH PROCEDURES WITH CC/MCC	15	0.01	3.9
138	MOUTH PROCEDURES WITHOUT CC/MCC	17	0.01	2.3
139	SALIVARY GLAND PROCEDURES	26	0.02	2.0
146	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH MCC	5	0.00	8.8
147	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH CC	9	0.01	4.6
148	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITHOUT CC/MCC	7	0.00	6.4
149	DYSEQUILIBRIUM	215	0.15	2.4
150	EPISTAXIS WITH MCC	9	0.01	4.6
151	EPISTAXIS WITHOUT MCC	29	0.02	2.0
152	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITH MCC	60	0.04	4.4
153	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITHOUT MCC	540	0.38	2.3
154	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH MCC	20	0.01	5.4
155	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH CC	57	0.04	3.2
156	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITHOUT CC/MCC	67	0.05	2.7
157	DENTAL & ORAL DISEASES WITH MCC	15	0.01	4.6
158	DENTAL & ORAL DISEASES WITH CC	81	0.06	3.6
159	DENTAL & ORAL DISEASES WITHOUT CC/MCC	45	0.03	2.0
163	MAJOR CHEST PROCEDURES WITH MCC	130	0.09	14

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Alameda County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
164	MAJOR CHEST PROCEDURES WITH CC	154	0.11	7.4
165	MAJOR CHEST PROCEDURES WITHOUT CC/MCC	124	0.09	4.5
166	OTHER RESP SYSTEM O.R. PROCEDURES WITH MCC	123	0.09	18
167	OTHER RESP SYSTEM O.R. PROCEDURES WITH CC	92	0.07	6.4
168	OTHER RESP SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	37	0.03	4.0
175	PULMONARY EMBOLISM WITH MCC	112	0.08	6.7
176	PULMONARY EMBOLISM WITHOUT MCC	323	0.23	3.6
177	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC	621	0.44	10
178	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC	560	0.40	7.2
179	RESPIRATORY INFECTIONS & INFLAMMATIONS WITHOUT CC/MCC	163	0.12	6.0
180	RESPIRATORY NEOPLASMS WITH MCC	165	0.12	6.9
181	RESPIRATORY NEOPLASMS WITH CC	222	0.16	4.7
182	RESPIRATORY NEOPLASMS WITHOUT CC/MCC	27	0.02	3.2
183	MAJOR CHEST TRAUMA WITH MCC	26	0.02	5.4
184	MAJOR CHEST TRAUMA WITH CC	34	0.02	4.6
185	MAJOR CHEST TRAUMA WITHOUT CC/MCC	21	0.01	1.9
186	PLEURAL EFFUSION WITH MCC	61	0.04	7.1
187	PLEURAL EFFUSION WITH CC	67	0.05	4.1
188	PLEURAL EFFUSION WITHOUT CC/MCC	32	0.02	3.3
189	PULMONARY EDEMA & RESPIRATORY FAILURE	615	0.44	6.6
190	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC	640	0.45	5.7

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Alameda County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
191	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC	729	0.52	4.2
192	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC	700	0.50	3.2
193	SIMPLE PNEUMONIA & PLEURISY WITH MCC	795	0.57	5.8
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	1,560	1.11	4.0
195	SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC	872	0.62	2.7
196	INTERSTITIAL LUNG DISEASE WITH MCC	65	0.05	7.6
197	INTERSTITIAL LUNG DISEASE WITH CC	53	0.04	5.1
198	INTERSTITIAL LUNG DISEASE WITHOUT CC/MCC	32	0.02	3.3
199	PNEUMOTHORAX WITH MCC	31	0.02	8.2
200	PNEUMOTHORAX WITH CC	82	0.06	4.1
201	PNEUMOTHORAX WITHOUT CC/MCC	88	0.06	3.2
202	BRONCHITIS & ASTHMA WITH CC/MCC	752	0.53	3.4
203	BRONCHITIS & ASTHMA WITHOUT CC/MCC	1,223	0.87	2.2
204	RESPIRATORY SIGNS & SYMPTOMS	237	0.17	2.2
205	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITH MCC	62	0.04	4.3
206	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITHOUT MCC	212	0.15	2.6
207	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS	407	0.29	25
208	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS	572	0.41	7.6
216	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH MCC	50	0.04	22
217	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH CC	25	0.02	11
218	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITHOUT CC/MCC	4	0.00	7.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Alameda County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
219	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH MCC	113	0.08	13
220	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH CC	125	0.09	8.1
221	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITHOUT CC/MCC	50	0.04	5.3
222	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITH MCC	11	0.01	13
223	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITHOUT MCC	7	0.00	7.3
224	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITH MCC	17	0.01	11
225	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITHOUT MCC	25	0.02	5.0
226	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITH MCC	60	0.04	9.6
227	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITHOUT MCC	155	0.11	2.8
228	OTHER CARDIOTHORACIC PROCEDURES WITH MCC	20	0.01	16
229	OTHER CARDIOTHORACIC PROCEDURES WITH CC	37	0.03	7.1
230	OTHER CARDIOTHORACIC PROCEDURES WITHOUT CC/MCC	11	0.01	3.7
231	CORONARY BYPASS WITH PTCA WITH MCC	8	0.01	15
232	CORONARY BYPASS WITH PTCA WITHOUT MCC	4	0.00	7.8
233	CORONARY BYPASS WITH CARDIAC CATH WITH MCC	73	0.05	12
234	CORONARY BYPASS WITH CARDIAC CATH WITHOUT MCC	135	0.10	9.0
235	CORONARY BYPASS WITHOUT CARDIAC CATH WITH MCC	42	0.03	12
236	CORONARY BYPASS WITHOUT CARDIAC CATH WITHOUT MCC	109	0.08	6.7
237	MAJOR CARDIOVASC PROCEDURES WITH MCC OR THORACIC AORTIC ANEURYSM REPAIR	176	0.13	12
238	MAJOR CARDIOVASC PROCEDURES WITHOUT MCC	235	0.17	4.4

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Alameda County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
239	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH MCC	64	0.05	19
240	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH CC	51	0.04	12
241	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITHOUT CC/MCC	10	0.01	4.8
242	PERMANENT CARDIAC PACEMAKER IMPLANT WITH MCC	122	0.09	7.7
243	PERMANENT CARDIAC PACEMAKER IMPLANT WITH CC	178	0.13	3.9
244	PERMANENT CARDIAC PACEMAKER IMPLANT WITHOUT CC/MCC	181	0.13	2.6
245	AICD GENERATOR PROCEDURES	17	0.01	3.8
246	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITH MCC OR 4+ VESSELS/STENTS	319	0.23	4.1
247	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITHOUT MCC	1,196	0.85	1.8
248	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITH MCC OR 4+ VES/STENTS	66	0.05	5.1
249	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITHOUT MCC	185	0.13	2.2
250	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITH MCC	46	0.03	6.5
251	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITHOUT MCC	299	0.21	2.1
252	OTHER VASCULAR PROCEDURES WITH MCC	289	0.21	7.4
253	OTHER VASCULAR PROCEDURES WITH CC	205	0.15	6.5
254	OTHER VASCULAR PROCEDURES WITHOUT CC/MCC	116	0.08	3.8
255	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH MCC	12	0.01	11
256	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH CC	24	0.02	7.1
257	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITHOUT CC/MCC	7	0.00	11
258	CARDIAC PACEMAKER DEVICE REPLACEMENT WITH MCC	5	0.00	7.2
259	CARDIAC PACEMAKER DEVICE REPLACEMENT WITHOUT MCC	27	0.02	2.2

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Alameda County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
260	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH MCC	15	0.01	5.8
261	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH CC	18	0.01	3.2
262	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITHOUT CC/MCC	11	0.01	3.0
263	VEIN LIGATION & STRIPPING	5	0.00	2.6
264	OTHER CIRCULATORY SYSTEM O.R. PROCEDURES	192	0.14	8.9
265	AICD LEAD PROCEDURES	10	0.01	4.6
280	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH MCC	532	0.38	5.5
281	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH CC	358	0.25	3.1
282	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITHOUT CC/MCC	446	0.32	1.9
283	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH MCC	79	0.06	4.1
284	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH CC	8	0.01	2.6
285	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITHOUT CC/MCC	4	0.00	1.3
286	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITH MCC	138	0.10	5.9
287	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITHOUT MCC	626	0.44	2.4
288	ACUTE & SUBACUTE ENDOCARDITIS WITH MCC	43	0.03	13
289	ACUTE & SUBACUTE ENDOCARDITIS WITH CC	15	0.01	7.3
290	ACUTE & SUBACUTE ENDOCARDITIS WITHOUT CC/MCC	7	0.00	9.4
291	HEART FAILURE & SHOCK WITH MCC	1,333	0.95	5.5
292	HEART FAILURE & SHOCK WITH CC	1,300	0.92	3.9
293	HEART FAILURE & SHOCK WITHOUT CC/MCC	688	0.49	2.8
294	DEEP VEIN THROMBOPHLEBITIS WITH CC/MCC	10	0.01	5.3

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Alameda County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
295	DEEP VEIN THROMBOPHLEBITIS WITHOUT CC/MCC	3	0.00	4.0
296	CARDIAC ARREST, UNEXPLAINED WITH MCC	18	0.01	4.1
297	CARDIAC ARREST, UNEXPLAINED WITH CC	5	0.00	.80
298	CARDIAC ARREST, UNEXPLAINED WITHOUT CC/MCC	6	0.00	1.7
299	PERIPHERAL VASCULAR DISORDERS WITH MCC	130	0.09	6.3
300	PERIPHERAL VASCULAR DISORDERS WITH CC	253	0.18	4.5
301	PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC	169	0.12	3.1
302	ATHEROSCLEROSIS WITH MCC	71	0.05	3.8
303	ATHEROSCLEROSIS WITHOUT MCC	410	0.29	2.1
304	HYPERTENSION WITH MCC	25	0.02	3.1
305	HYPERTENSION WITHOUT MCC	160	0.11	2.2
306	CARDIAC CONGENITAL & VALVULAR DISORDERS WITH MCC	31	0.02	8.3
307	CARDIAC CONGENITAL & VALVULAR DISORDERS WITHOUT MCC	46	0.03	3.2
308	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH MCC	421	0.30	4.5
309	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC	612	0.43	3.1
310	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITHOUT CC/MCC	749	0.53	2.0
311	ANGINA PECTORIS	180	0.13	1.7
312	SYNCOPE & COLLAPSE	976	0.69	2.4
313	CHEST PAIN	1,406	1.00	1.6
314	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC	469	0.33	7.1
315	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC	247	0.18	4.4

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Alameda County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
316	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITHOUT CC/MCC	113	0.08	2.2
326	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH MCC	100	0.07	19
327	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH CC	102	0.07	8.0
328	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITHOUT CC/MCC	95	0.07	4.3
329	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	305	0.22	17
330	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH CC	541	0.38	8.9
331	MAJOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	282	0.20	5.1
332	RECTAL RESECTION WITH MCC	14	0.01	18
333	RECTAL RESECTION WITH CC	57	0.04	8.8
334	RECTAL RESECTION WITHOUT CC/MCC	36	0.03	6.3
335	PERITONEAL ADHESIOLYSIS WITH MCC	57	0.04	13
336	PERITONEAL ADHESIOLYSIS WITH CC	114	0.08	8.4
337	PERITONEAL ADHESIOLYSIS WITHOUT CC/MCC	115	0.08	5.1
338	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	16	0.01	9.1
339	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	72	0.05	6.1
340	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	224	0.16	3.8
341	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	19	0.01	3.9
342	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	102	0.07	2.5
343	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	955	0.68	1.4
344	MINOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	12	0.01	9.8
345	MINOR SMALL & LARGE BOWEL PROCEDURES WITH CC	37	0.03	6.7

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Alameda County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
346	MINOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	35	0.02	5.2
347	ANAL & STOMAL PROCEDURES WITH MCC	17	0.01	6.4
348	ANAL & STOMAL PROCEDURES WITH CC	67	0.05	3.6
349	ANAL & STOMAL PROCEDURES WITHOUT CC/MCC	143	0.10	2.1
350	INGUINAL & FEMORAL HERNIA PROCEDURES WITH MCC	22	0.02	6.1
351	INGUINAL & FEMORAL HERNIA PROCEDURES WITH CC	28	0.02	3.8
352	INGUINAL & FEMORAL HERNIA PROCEDURES WITHOUT CC/MCC	98	0.07	1.3
353	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH MCC	22	0.02	10
354	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH CC	87	0.06	4.6
355	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITHOUT CC/MCC	153	0.11	2.1
356	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH MCC	76	0.05	16
357	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH CC	68	0.05	6.2
358	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	51	0.04	3.5
368	MAJOR ESOPHAGEAL DISORDERS WITH MCC	38	0.03	8.4
369	MAJOR ESOPHAGEAL DISORDERS WITH CC	40	0.03	4.4
370	MAJOR ESOPHAGEAL DISORDERS WITHOUT CC/MCC	26	0.02	2.2
371	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH MCC	213	0.15	9.0
372	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH CC	242	0.17	6.1
373	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITHOUT CC/MCC	132	0.09	4.0
374	DIGESTIVE MALIGNANCY WITH MCC	117	0.08	8.2
375	DIGESTIVE MALIGNANCY WITH CC	166	0.12	5.4

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Alameda County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
376	DIGESTIVE MALIGNANCY WITHOUT CC/MCC	33	0.02	3.7
377	G.I. HEMORRHAGE WITH MCC	431	0.31	5.1
378	G.I. HEMORRHAGE WITH CC	923	0.66	3.4
379	G.I. HEMORRHAGE WITHOUT CC/MCC	431	0.31	2.4
380	COMPLICATED PEPTIC ULCER WITH MCC	32	0.02	10
381	COMPLICATED PEPTIC ULCER WITH CC	64	0.05	4.6
382	COMPLICATED PEPTIC ULCER WITHOUT CC/MCC	19	0.01	3.1
383	UNCOMPLICATED PEPTIC ULCER WITH MCC	9	0.01	3.7
384	UNCOMPLICATED PEPTIC ULCER WITHOUT MCC	47	0.03	2.4
385	INFLAMMATORY BOWEL DISEASE WITH MCC	31	0.02	6.2
386	INFLAMMATORY BOWEL DISEASE WITH CC	120	0.09	5.4
387	INFLAMMATORY BOWEL DISEASE WITHOUT CC/MCC	119	0.08	3.7
388	G.I. OBSTRUCTION WITH MCC	158	0.11	6.6
389	G.I. OBSTRUCTION WITH CC	336	0.24	3.9
390	G.I. OBSTRUCTION WITHOUT CC/MCC	388	0.28	2.8
391	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITH MCC	491	0.35	4.8
392	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC	2,225	1.58	2.8
393	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH MCC	252	0.18	7.8
394	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH CC	432	0.31	4.2
395	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	241	0.17	2.2
405	PANCREAS, LIVER & SHUNT PROCEDURES WITH MCC	51	0.04	21

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Alameda County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
406	PANCREAS, LIVER & SHUNT PROCEDURES WITH CC	71	0.05	8.8
407	PANCREAS, LIVER & SHUNT PROCEDURES WITHOUT CC/MCC	33	0.02	7.8
408	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH MCC	22	0.02	11
409	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH CC	18	0.01	8.9
410	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	5	0.00	6.2
411	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH MCC	3	0.00	9.7
412	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH CC	4	0.00	9.0
413	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITHOUT CC/MCC	9	0.01	5.1
414	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH MCC	26	0.02	10
415	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH CC	39	0.03	8.1
416	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	64	0.05	4.3
417	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH MCC	197	0.14	7.4
418	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH CC	311	0.22	4.1
419	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	750	0.53	2.4
420	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH MCC	5	0.00	18
421	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH CC	13	0.01	5.9
422	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITHOUT CC/MCC	5	0.00	2.8
423	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH MCC	11	0.01	15
424	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH CC	7	0.00	7.7

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Alameda County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
425	OTHER HEPATOBILIARY OR PANCREAS O.R. PROCEDURES WITHOUT CC/MCC	2	0.00	2.0
432	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH MCC	231	0.16	6.1
433	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH CC	90	0.06	4.2
434	CIRRHOSIS & ALCOHOLIC HEPATITIS WITHOUT CC/MCC	8	0.01	3.1
435	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITH MCC	121	0.09	6.9
436	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITH CC	115	0.08	5.2
437	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITHOUT CC/MCC	26	0.02	3.2
438	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH MCC	229	0.16	7.4
439	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH CC	338	0.24	4.4
440	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITHOUT CC/MCC	403	0.29	3.3
441	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH MCC	241	0.17	6.1
442	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH CC	237	0.17	4.7
443	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITHOUT CC/MCC	107	0.08	2.9
444	DISORDERS OF THE BILIARY TRACT WITH MCC	157	0.11	5.5
445	DISORDERS OF THE BILIARY TRACT WITH CC	153	0.11	4.0
446	DISORDERS OF THE BILIARY TRACT WITHOUT CC/MCC	153	0.11	2.2
453	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH MCC	16	0.01	11
454	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH CC	64	0.05	6.8
455	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITHOUT CC/MCC	46	0.03	5.0
456	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFECTION OR 9+ FUSION WITH MCC	14	0.01	13
457	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFECTION OR 9+ FUSION WITH CC	45	0.03	7.7

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Alameda County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
458	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITHOUT CC/MCC	22	0.02	7.8
459	SPINAL FUSION EXCEPT CERVICAL WITH MCC	19	0.01	7.4
460	SPINAL FUSION EXCEPT CERVICAL WITHOUT MCC	345	0.25	4.1
461	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITH MCC	5	0.00	6.2
462	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITHOUT MCC	133	0.09	3.8
463	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH MCC	53	0.04	34
464	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH CC	58	0.04	13
465	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITHOUT CC/MCC	19	0.01	8.2
466	REVISION OF HIP OR KNEE REPLACEMENT WITH MCC	31	0.02	8.5
467	REVISION OF HIP OR KNEE REPLACEMENT WITH CC	111	0.08	4.5
468	REVISION OF HIP OR KNEE REPLACEMENT WITHOUT CC/MCC	118	0.08	3.4
469	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITH MCC	178	0.13	6.7
470	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITHOUT MCC	3,113	2.21	3.3
471	CERVICAL SPINAL FUSION WITH MCC	21	0.01	8.0
472	CERVICAL SPINAL FUSION WITH CC	93	0.07	4.0
473	CERVICAL SPINAL FUSION WITHOUT CC/MCC	220	0.16	2.2
474	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH MCC	18	0.01	13
475	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH CC	20	0.01	6.4
476	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITHOUT CC/MCC	7	0.00	2.7
477	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	10	0.01	11

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Alameda County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
478	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	31	0.02	8.3
479	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	14	0.01	3.6
480	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH MCC	174	0.12	8.0
481	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH CC	406	0.29	5.4
482	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITHOUT CC/MCC	257	0.18	3.6
483	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITH CC/MCC	70	0.05	3.3
484	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITHOUT CC/MCC	109	0.08	2.2
485	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH MCC	5	0.00	6.6
486	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH CC	15	0.01	7.0
487	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	13	0.01	5.5
488	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITH CC/MCC	24	0.02	3.8
489	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	83	0.06	2.0
490	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITH CC/MCC OR DISC DEVICE/NEUROSTIM	225	0.16	4.0
491	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITHOUT CC/MCC	516	0.37	1.9
492	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH MCC	52	0.04	7.9
493	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH CC	240	0.17	4.5
494	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITHOUT CC/MCC	576	0.41	2.2
495	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH MCC	12	0.01	12
496	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH CC	72	0.05	5.4
497	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITHOUT CC/MCC	91	0.06	2.6
498	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITH CC/MCC	14	0.01	6.8

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Alameda County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
499	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITHOUT CC/MCC	21	0.01	2.0
500	SOFT TISSUE PROCEDURES WITH MCC	24	0.02	7.0
501	SOFT TISSUE PROCEDURES WITH CC	73	0.05	4.7
502	SOFT TISSUE PROCEDURES WITHOUT CC/MCC	96	0.07	2.2
503	FOOT PROCEDURES WITH MCC	12	0.01	9.4
504	FOOT PROCEDURES WITH CC	35	0.02	5.9
505	FOOT PROCEDURES WITHOUT CC/MCC	47	0.03	2.1
506	MAJOR THUMB OR JOINT PROCEDURES	14	0.01	2.9
507	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITH CC/MCC	9	0.01	5.8
508	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITHOUT CC/MCC	27	0.02	1.7
509	ARTHROSCOPY	8	0.01	3.8
510	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH MCC	12	0.01	4.4
511	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH CC	48	0.03	3.5
512	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITHOUT CC/MCC	134	0.10	1.4
513	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITH CC/MCC	29	0.02	2.3
514	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITHOUT CC/MCC	34	0.02	1.5
515	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH MCC	28	0.02	11
516	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH CC	61	0.04	5.4
517	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITHOUT CC/MCC	87	0.06	3.1
533	FRACTURES OF FEMUR WITH MCC	3	0.00	8.7
534	FRACTURES OF FEMUR WITHOUT MCC	30	0.02	3.2

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Alameda County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
535	FRACTURES OF HIP & PELVIS WITH MCC	52	0.04	5.0
536	FRACTURES OF HIP & PELVIS WITHOUT MCC	165	0.12	3.3
537	SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITH CC/MCC	7	0.00	4.4
538	SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITHOUT CC/MCC	8	0.01	1.3
539	OSTEOMYELITIS WITH MCC	30	0.02	12
540	OSTEOMYELITIS WITH CC	37	0.03	9.7
541	OSTEOMYELITIS WITHOUT CC/MCC	15	0.01	5.7
542	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH MCC	47	0.03	8.4
543	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH CC	111	0.08	4.6
544	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITHOUT CC/MCC	28	0.02	3.7
545	CONNECTIVE TISSUE DISORDERS WITH MCC	81	0.06	11
546	CONNECTIVE TISSUE DISORDERS WITH CC	108	0.08	6.0
547	CONNECTIVE TISSUE DISORDERS WITHOUT CC/MCC	98	0.07	3.9
548	SEPTIC ARTHRITIS WITH MCC	7	0.00	12
549	SEPTIC ARTHRITIS WITH CC	10	0.01	5.0
550	SEPTIC ARTHRITIS WITHOUT CC/MCC	7	0.00	3.9
551	MEDICAL BACK PROBLEMS WITH MCC	85	0.06	5.7
552	MEDICAL BACK PROBLEMS WITHOUT MCC	489	0.35	3.3
553	BONE DISEASES & ARTHROPATHIES WITH MCC	34	0.02	3.9
554	BONE DISEASES & ARTHROPATHIES WITHOUT MCC	147	0.10	2.9
555	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITH MCC	24	0.02	3.7

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Alameda County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
556	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC	120	0.09	2.6
557	TENDONITIS, MYOSITIS & BURSITIS WITH MCC	44	0.03	5.7
558	TENDONITIS, MYOSITIS & BURSITIS WITHOUT MCC	131	0.09	3.7
559	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	13	0.01	8.2
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	32	0.02	4.2
561	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	37	0.03	3.2
562	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITH MCC	58	0.04	5.1
563	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC	262	0.19	2.3
564	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH MCC	14	0.01	6.1
565	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH CC	36	0.03	3.8
566	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITHOUT CC/MCC	34	0.02	1.9
573	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH MCC	62	0.04	31
574	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH CC	86	0.06	14
575	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	50	0.04	5.7
576	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH MCC	7	0.00	8.0
577	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH CC	40	0.03	5.1
578	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	54	0.04	3.4
579	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH MCC	39	0.03	13
580	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH CC	158	0.11	3.5
581	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITHOUT CC/MCC	278	0.20	2.0
582	MASTECTOMY FOR MALIGNANCY WITH CC/MCC	83	0.06	2.3

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Alameda County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
583	MASTECTOMY FOR MALIGNANCY WITHOUT CC/MCC	100	0.07	1.9
584	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITH CC/MCC	18	0.01	4.1
585	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITHOUT CC/MCC	79	0.06	1.6
592	SKIN ULCERS WITH MCC	40	0.03	12
593	SKIN ULCERS WITH CC	81	0.06	7.6
594	SKIN ULCERS WITHOUT CC/MCC	10	0.01	3.2
595	MAJOR SKIN DISORDERS WITH MCC	19	0.01	5.5
596	MAJOR SKIN DISORDERS WITHOUT MCC	60	0.04	4.4
597	MALIGNANT BREAST DISORDERS WITH MCC	3	0.00	6.0
598	MALIGNANT BREAST DISORDERS WITH CC	15	0.01	4.1
599	MALIGNANT BREAST DISORDERS WITHOUT CC/MCC	2	0.00	5.0
600	NON-MALIGNANT BREAST DISORDERS WITH CC/MCC	18	0.01	4.9
601	NON-MALIGNANT BREAST DISORDERS WITHOUT CC/MCC	42	0.03	2.7
602	CELLULITIS WITH MCC	246	0.17	6.0
603	CELLULITIS WITHOUT MCC	1,642	1.17	3.6
604	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITH MCC	35	0.02	3.6
605	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITHOUT MCC	215	0.15	2.6
606	MINOR SKIN DISORDERS WITH MCC	18	0.01	7.3
607	MINOR SKIN DISORDERS WITHOUT MCC	131	0.09	2.7
614	ADRENAL & PITUITARY PROCEDURES WITH CC/MCC	38	0.03	5.3
615	ADRENAL & PITUITARY PROCEDURES WITHOUT CC/MCC	55	0.04	2.1

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Alameda County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
616	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH MCC	10	0.01	15
617	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH CC	49	0.03	9.5
619	O.R. PROCEDURES FOR OBESITY WITH MCC	6	0.00	16
620	O.R. PROCEDURES FOR OBESITY WITH CC	45	0.03	1.9
621	O.R. PROCEDURES FOR OBESITY WITHOUT CC/MCC	275	0.20	1.7
622	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH MCC	14	0.01	17
623	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH CC	23	0.02	7.8
624	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITHOUT CC/MCC	1	0.00	8.0
625	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH MCC	6	0.00	6.2
626	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH CC	40	0.03	2.5
627	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITHOUT CC/MCC	200	0.14	1.5
628	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH MCC	36	0.03	10
629	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH CC	36	0.03	7.6
630	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITHOUT CC/MCC	3	0.00	5.3
637	DIABETES WITH MCC	295	0.21	4.7
638	DIABETES WITH CC	484	0.34	3.3
639	DIABETES WITHOUT CC/MCC	472	0.34	2.2
640	NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC	683	0.49	3.9
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	1,203	0.86	3.1
642	INBORN ERRORS OF METABOLISM	29	0.02	2.7
643	ENDOCRINE DISORDERS WITH MCC	64	0.05	7.9

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Alameda County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
644	ENDOCRINE DISORDERS WITH CC	112	0.08	4.8
645	ENDOCRINE DISORDERS WITHOUT CC/MCC	49	0.03	2.4
652	KIDNEY TRANSPLANT	71	0.05	6.2
653	MAJOR BLADDER PROCEDURES WITH MCC	13	0.01	15
654	MAJOR BLADDER PROCEDURES WITH CC	31	0.02	9.4
655	MAJOR BLADDER PROCEDURES WITHOUT CC/MCC	7	0.00	8.3
656	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH MCC	34	0.02	10
657	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH CC	60	0.04	5.8
658	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITHOUT CC/MCC	82	0.06	3.4
659	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH MCC	42	0.03	9.2
660	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH CC	120	0.09	5.1
661	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITHOUT CC/MCC	88	0.06	2.8
662	MINOR BLADDER PROCEDURES WITH MCC	3	0.00	4.3
663	MINOR BLADDER PROCEDURES WITH CC	13	0.01	5.5
664	MINOR BLADDER PROCEDURES WITHOUT CC/MCC	21	0.01	1.5
665	PROSTATECTOMY WITH MCC	2	0.00	22
666	PROSTATECTOMY WITH CC	7	0.00	6.6
667	PROSTATECTOMY WITHOUT CC/MCC	17	0.01	.88
668	TRANSURETHRAL PROCEDURES WITH MCC	29	0.02	5.5
669	TRANSURETHRAL PROCEDURES WITH CC	54	0.04	3.4
670	TRANSURETHRAL PROCEDURES WITHOUT CC/MCC	37	0.03	1.8

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Alameda County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
671	URETHRAL PROCEDURES WITH CC/MCC	4	0.00	7.5
672	URETHRAL PROCEDURES WITHOUT CC/MCC	8	0.01	1.8
673	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH MCC	104	0.07	8.5
674	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH CC	79	0.06	6.4
675	OTHER KIDNEY & URINARY TRACT PROCEDURES WITHOUT CC/MCC	18	0.01	1.9
682	RENAL FAILURE WITH MCC	569	0.40	6.5
683	RENAL FAILURE WITH CC	704	0.50	4.6
684	RENAL FAILURE WITHOUT CC/MCC	157	0.11	2.8
685	ADMIT FOR RENAL DIALYSIS	22	0.02	3.0
686	KIDNEY & URINARY TRACT NEOPLASMS WITH MCC	13	0.01	6.8
687	KIDNEY & URINARY TRACT NEOPLASMS WITH CC	24	0.02	4.1
688	KIDNEY & URINARY TRACT NEOPLASMS WITHOUT CC/MCC	9	0.01	2.7
689	KIDNEY & URINARY TRACT INFECTIONS WITH MCC	482	0.34	5.2
690	KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC	1,543	1.10	3.5
691	URINARY STONES WITH ESW LITHOTRIPSY WITH CC/MCC	5	0.00	2.0
692	URINARY STONES WITH ESW LITHOTRIPSY WITHOUT CC/MCC	5	0.00	1.2
693	URINARY STONES WITHOUT ESW LITHOTRIPSY WITH MCC	42	0.03	3.6
694	URINARY STONES WITHOUT ESW LITHOTRIPSY WITHOUT MCC	170	0.12	2.0
695	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITH MCC	10	0.01	5.8
696	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITHOUT MCC	65	0.05	2.8
697	URETHRAL STRICTURE	4	0.00	1.8

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Alameda County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
698	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH MCC	268	0.19	6.2
699	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH CC	251	0.18	3.9
700	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITHOUT CC/MCC	110	0.08	2.6
707	MAJOR MALE PELVIC PROCEDURES WITH CC/MCC	54	0.04	4.9
708	MAJOR MALE PELVIC PROCEDURES WITHOUT CC/MCC	178	0.13	2.0
709	PENIS PROCEDURES WITH CC/MCC	3	0.00	1.0
710	PENIS PROCEDURES WITHOUT CC/MCC	17	0.01	2.4
711	TESTES PROCEDURES WITH CC/MCC	10	0.01	4.8
712	TESTES PROCEDURES WITHOUT CC/MCC	19	0.01	2.1
713	TRANSURETHRAL PROSTATECTOMY WITH CC/MCC	65	0.05	2.8
714	TRANSURETHRAL PROSTATECTOMY WITHOUT CC/MCC	140	0.10	1.2
715	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE FOR MALIGNANCY WITH CC/MCC	2	0.00	2.0
716	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE FOR MALIGNANCY WITHOUT CC/MCC	10	0.01	1.4
717	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE EXCEPT MALIGNANCY WITH CC/MCC	3	0.00	21
718	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE EXCEPT MALIGNANCY WITHOUT CC/MCC	4	0.00	6.8
722	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH MCC	5	0.00	8.0
723	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH CC	11	0.01	5.5
725	BENIGN PROSTATIC HYPERTROPHY WITH MCC	14	0.01	9.3
726	BENIGN PROSTATIC HYPERTROPHY WITHOUT MCC	14	0.01	3.6
727	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITH MCC	12	0.01	3.4
728	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITHOUT MCC	61	0.04	2.8

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Alameda County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
729	OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITH CC/MCC	8	0.01	3.3
730	OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	7	0.00	2.4
734	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITH CC/MCC	45	0.03	5.8
735	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITHOUT CC/MCC	40	0.03	2.4
736	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH MCC	10	0.01	11
737	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH CC	56	0.04	5.4
738	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITHOUT CC/MCC	22	0.02	2.7
739	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH MCC	7	0.00	6.6
740	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH CC	64	0.05	4.0
741	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITHOUT CC/MCC	108	0.08	2.1
742	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITH CC/MCC	363	0.26	3.6
743	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITHOUT CC/MCC	1,265	0.90	2.2
744	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITH CC/MCC	26	0.02	3.0
745	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITHOUT CC/MCC	50	0.04	1.2
746	VAGINA, CERVIX & VULVA PROCEDURES WITH CC/MCC	30	0.02	3.3
747	VAGINA, CERVIX & VULVA PROCEDURES WITHOUT CC/MCC	71	0.05	2.0
748	FEMALE REPRODUCTIVE SYSTEM RECONSTRUCTIVE PROCEDURES	89	0.06	1.5
749	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITH CC/MCC	19	0.01	7.1
750	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	13	0.01	1.6
754	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH MCC	20	0.01	8.4
755	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH CC	32	0.02	6.9

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Alameda County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
756	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	7	0.00	1.3
757	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH MCC	11	0.01	7.8
758	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH CC	49	0.03	4.4
759	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	115	0.08	2.7
760	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITH CC/MCC	59	0.04	2.5
761	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITHOUT CC/MCC	144	0.10	1.4
765	CESAREAN SECTION WITH CC/MCC	2,165	1.54	4.8
766	CESAREAN SECTION WITHOUT CC/MCC	3,720	2.64	3.5
767	VAGINAL DELIVERY WITH STERILIZATION &/OR D&C	327	0.23	2.7
768	VAGINAL DELIVERY WITH O.R. PROCEDURE EXCEPT STERIL &/OR D&C	8	0.01	2.6
769	POSTPARTUM & POST ABORTION DIAGNOSIS WITH O.R. PROCEDURE	61	0.04	3.5
770	ABORTION WITH D&C, ASPIRATION CURETTAGE OR HYSTEROTOMY	100	0.07	1.5
774	VAGINAL DELIVERY WITH COMPLICATING DIAGNOSIS	1,858	1.32	2.8
775	VAGINAL DELIVERY WITHOUT COMPLICATING DIAGNOSIS	11,776	8.37	2.1
776	POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE	217	0.15	2.5
777	ECTOPIC PREGNANCY	129	0.09	1.5
778	THREATENED ABORTION	330	0.23	2.9
779	ABORTION WITHOUT D&C	81	0.06	1.4
780	FALSE LABOR	55	0.04	.64
781	OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS	851	0.60	2.8
782	OTHER ANTEPARTUM DIAGNOSIS WITHOUT MEDICAL COMPLICATIONS	271	0.19	2.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Alameda County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
789	NEONATES, DIED OR TRANSFERRED TO ANOTHER ACUTE CARE FACILITY	489	0.35	3.2
790	EXTREME IMMATURETY OR RESPIRATORY DISTRESS SYNDROME, NEONATE	305	0.22	43
791	PREMATURITY WITH MAJOR PROBLEMS	349	0.25	17
792	PREMATURITY WITHOUT MAJOR PROBLEMS	939	0.67	6.8
793	FULL TERM NEONATE WITH MAJOR PROBLEMS	954	0.68	5.7
794	NEONATE WITH OTHER SIGNIFICANT PROBLEMS	4,643	3.30	2.4
795	NORMAL NEWBORN	13,535	9.62	2.1
799	SPLENECTOMY WITH MCC	3	0.00	13
800	SPLENECTOMY WITH CC	8	0.01	4.4
801	SPLENECTOMY WITHOUT CC/MCC	7	0.00	4.1
802	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH MCC	11	0.01	9.7
803	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH CC	14	0.01	5.5
804	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITHOUT CC/MCC	19	0.01	2.6
808	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH MCC	87	0.06	12
809	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH CC	210	0.15	4.8
810	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITHOUT CC/MCC	60	0.04	2.9
811	RED BLOOD CELL DISORDERS WITH MCC	231	0.16	5.7
812	RED BLOOD CELL DISORDERS WITHOUT MCC	984	0.70	3.6
813	COAGULATION DISORDERS	154	0.11	4.1
814	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH MCC	18	0.01	7.3
815	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH CC	45	0.03	5.2

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Alameda County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
816	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITHOUT CC/MCC	48	0.03	3.1
820	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH MCC	23	0.02	22
821	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH CC	17	0.01	7.0
822	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITHOUT CC/MCC	22	0.02	2.2
823	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH MCC	18	0.01	13
824	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH CC	18	0.01	7.6
825	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	14	0.01	3.1
826	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH MCC	7	0.00	39
827	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH CC	21	0.01	9.7
828	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITHOUT CC/MCC	13	0.01	3.9
829	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITH CC/MCC	12	0.01	7.2
830	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	14	0.01	1.9
834	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH MCC	48	0.03	21
835	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH CC	39	0.03	14
836	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITHOUT CC/MCC	22	0.02	6.5
837	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS OR WITH HIGH DOSE CHEMO AGENT WITH MCC	38	0.03	26
838	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITH CC OR HIGH DOSE CHEMO AGENT	72	0.05	11
839	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITHOUT CC/MCC	68	0.05	7.9
840	LYMPHOMA & NON-ACUTE LEUKEMIA WITH MCC	78	0.06	12
841	LYMPHOMA & NON-ACUTE LEUKEMIA WITH CC	80	0.06	7.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Alameda County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
842	LYMPHOMA & NON-ACUTE LEUKEMIA WITHOUT CC/MCC	41	0.03	4.6
843	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH MCC	20	0.01	11
844	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH CC	31	0.02	4.0
845	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITHOUT CC/MCC	6	0.00	3.0
846	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH MCC	38	0.03	9.5
847	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH CC	486	0.35	3.9
848	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITHOUT CC/MCC	40	0.03	3.5
849	RADIOTHERAPY	4	0.00	3.8
853	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH MCC	358	0.25	18
854	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH CC	73	0.05	9.2
855	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITHOUT CC/MCC	9	0.01	4.1
856	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH MCC	55	0.04	20
857	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH CC	79	0.06	8.7
858	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITHOUT CC/MCC	21	0.01	4.4
862	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITH MCC	93	0.07	6.8
863	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC	241	0.17	4.5
864	FEVER	267	0.19	3.5
865	VIRAL ILLNESS WITH MCC	34	0.02	5.2
866	VIRAL ILLNESS WITHOUT MCC	182	0.13	3.0
867	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH MCC	74	0.05	11
868	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH CC	24	0.02	5.7

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Alameda County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
869	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITHOUT CC/MCC	20	0.01	5.2
870	SEPTICEMIA OR SEVERE SEPSIS WITH MECH VENT 96+ HOURS	273	0.19	16
871	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC	2,556	1.82	7.2
872	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC	836	0.59	5.2
876	O.R. PROCEDURE WITH PRINCIPAL DIAGNOSIS OF MENTAL ILLNESS	2	0.00	1.0
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	82	0.06	2.0
881	DEPRESSIVE NEUROSES	14	0.01	1.6
882	NEUROSES EXCEPT DEPRESSIVE	8	0.01	2.3
883	DISORDERS OF PERSONALITY & IMPULSE CONTROL	19	0.01	8.6
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	149	0.11	6.1
885	PSYCHOSES	158	0.11	5.9
886	BEHAVIORAL & DEVELOPMENTAL DISORDERS	5	0.00	2.8
887	OTHER MENTAL DISORDER DIAGNOSIS	8	0.01	5.5
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	29	0.02	2.1
895	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITH REHABILITATION THERAPY	3	0.00	3.0
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	132	0.09	7.9
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	447	0.32	3.7
901	WOUND DEBRIDE EMENTS FOR INJURIES WITH MCC	13	0.01	44
902	WOUND DEBRIDE EMENTS FOR INJURIES WITH CC	30	0.02	6.9
903	WOUND DEBRIDE EMENTS FOR INJURIES WITHOUT CC/MCC	17	0.01	4.8
904	SKIN GRAFTS FOR INJURIES WITH CC/MCC	21	0.01	19

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Alameda County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
905	SKIN GRAFTS FOR INJURIES WITHOUT CC/MCC	5	0.00	5.2
906	HAND PROCEDURES FOR INJURIES	42	0.03	3.9
907	OTHER O.R. PROCEDURES FOR INJURIES WITH MCC	96	0.07	11
908	OTHER O.R. PROCEDURES FOR INJURIES WITH CC	108	0.08	7.6
909	OTHER O.R. PROCEDURES FOR INJURIES WITHOUT CC/MCC	105	0.07	2.5
913	TRAUMATIC INJURY WITH MCC	6	0.00	2.0
914	TRAUMATIC INJURY WITHOUT MCC	79	0.06	2.3
915	ALLERGIC REACTIONS WITH MCC	15	0.01	3.6
916	ALLERGIC REACTIONS WITHOUT MCC	117	0.08	1.3
917	POISONING & TOXIC EFFECTS OF DRUGS WITH MCC	268	0.19	4.1
918	POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC	602	0.43	1.9
919	COMPLICATIONS OF TREATMENT WITH MCC	105	0.07	6.6
920	COMPLICATIONS OF TREATMENT WITH CC	159	0.11	4.7
921	COMPLICATIONS OF TREATMENT WITHOUT CC/MCC	86	0.06	2.4
922	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITH MCC	29	0.02	4.3
923	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITHOUT MCC	129	0.09	1.3
927	EXTENSIVE BURNS OR FULL THICKNESS BURNS WITH MECH VENT 96+ HRS WITH SKIN GRAFT	5	0.00	46
928	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITH CC/MCC	7	0.00	14
929	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITHOUT CC/MCC	9	0.01	12
933	EXTENSIVE BURNS OR FULL THICKNESS BURNS WITH MECH VENT 96+ HRS WITHOUT SKIN GRAFT	2	0.00	1.0
934	FULL THICKNESS BURN WITHOUT SKIN GRAFT OR INHAL INJURY	8	0.01	4.1

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Alameda County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
935	NON-EXTENSIVE BURNS	68	0.05	6.0
939	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH MCC	5	0.00	15
940	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC	20	0.01	4.4
941	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITHOUT CC/MCC	42	0.03	2.2
945	REHABILITATION WITH CC/MCC	3	0.00	5.0
946	REHABILITATION WITHOUT CC/MCC	2	0.00	7.5
947	SIGNS & SYMPTOMS WITH MCC	113	0.08	4.5
948	SIGNS & SYMPTOMS WITHOUT MCC	352	0.25	3.3
949	AFTERCARE WITH CC/MCC	41	0.03	5.0
950	AFTERCARE WITHOUT CC/MCC	14	0.01	2.6
951	OTHER FACTORS INFLUENCING HEALTH STATUS	116	0.08	2.0
955	CRANIOTOMY FOR MULTIPLE SIGNIFICANT TRAUMA	16	0.01	13
956	LIMB REATTACHMENT, HIP & FEMUR PROCEDURE FOR MULTIPLE SIGNIFICANT TRAUMA	55	0.04	10
957	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH MCC	34	0.02	16
958	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH CC	48	0.03	12
959	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	33	0.02	6.7
963	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH MCC	31	0.02	9.8
964	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH CC	50	0.04	5.4
965	OTHER MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	28	0.02	3.8
969	HIV WITH EXTENSIVE O.R. PROCEDURE WITH MCC	8	0.01	23

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Alameda County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
970	HIV WITH EXTENSIVE O.R. PROCEDURE WITHOUT MCC	2	0.00	6.5
974	HIV WITH MAJOR RELATED CONDITION WITH MCC	101	0.07	12
975	HIV WITH MAJOR RELATED CONDITION WITH CC	69	0.05	8.2
976	HIV WITH MAJOR RELATED CONDITION WITHOUT CC/MCC	43	0.03	5.7
977	HIV WITH OR WITHOUT OTHER RELATED CONDITION	51	0.04	5.3
981	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	237	0.17	17
982	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	125	0.09	8.0
983	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	97	0.07	2.7
984	PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	5	0.00	13
985	PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	6	0.00	8.0
986	PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	5	0.00	1.2
987	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	63	0.04	15
988	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	82	0.06	6.9
989	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	63	0.04	2.3
998	PRINCIPAL DIAGNOSIS INVALID AS DISCHARGE DIAGNOSIS	1	0.00	3.0
All		140,698	100.0	4.4

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Alameda County**

typcare1=Chemical Dependency Recovery Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	1	0.23	1.0
881	DEPRESSIVE NEUROSES	2	0.47	183
882	NEUROSES EXCEPT DEPRESSIVE	2	0.47	13
885	PSYCHOSES	2	0.47	4.5
886	BEHAVIORAL & DEVELOPMENTAL DISORDERS	20	4.65	135
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	13	3.02	10
895	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITH REHABILITATION THERAPY	84	19.53	15
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	6	1.40	7.3
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	300	69.77	12
All		430	100.0	19

***MS-DRG by Patient County of Residence
and Type of Care for 2009
Alameda County***

typcare1=Invalid/Blank

		Number of Discharges	Percent of Subtotal	Average Length of Stay
392	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC	1	100.0	.00
All		1	100.0	.00

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Alameda County**

typcare1=Physical Rehabilitation Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
055	NERVOUS SYSTEM NEOPLASMS WITHOUT MCC	1	0.06	18
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	1	0.06	4.0
081	NONTRAUMATIC STUPOR & COMA WITHOUT MCC	1	0.06	73
100	SEIZURES WITH MCC	1	0.06	2.0
103	HEADACHES WITHOUT MCC	1	0.06	2.0
113	ORBITAL PROCEDURES WITH CC/MCC	1	0.06	3.0
153	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITHOUT MCC	1	0.06	3.0
156	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITHOUT CC/MCC	2	0.12	2.0
178	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC	2	0.12	8.0
193	SIMPLE PNEUMONIA & PLEURISY WITH MCC	1	0.06	8.0
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	2	0.12	4.0
202	BRONCHITIS & ASTHMA WITH CC/MCC	1	0.06	3.0
203	BRONCHITIS & ASTHMA WITHOUT CC/MCC	5	0.29	1.2
207	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS	1	0.06	654
312	SYNCOPE & COLLAPSE	1	0.06	1.0
316	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITHOUT CC/MCC	1	0.06	22
330	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH CC	1	0.06	6.0
386	INFLAMMATORY BOWEL DISEASE WITH CC	2	0.12	5.5
392	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC	5	0.29	2.0
419	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	1	0.06	5.0
444	DISORDERS OF THE BILIARY TRACT WITH MCC	1	0.06	11

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Alameda County*

typcare1=Physical Rehabilitation Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
494	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITHOUT CC/MCC	2	0.12	1.5
540	OSTEOMYELITIS WITH CC	1	0.06	16
552	MEDICAL BACK PROBLEMS WITHOUT MCC	1	0.06	9.0
556	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC	1	0.06	2.0
561	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	1	0.06	9.0
580	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH CC	1	0.06	144
603	CELLULITIS WITHOUT MCC	1	0.06	3.0
607	MINOR SKIN DISORDERS WITHOUT MCC	1	0.06	2.0
743	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITHOUT CC/MCC	1	0.06	4.0
812	RED BLOOD CELL DISORDERS WITHOUT MCC	1	0.06	13
885	PSYCHOSES	1	0.06	135
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	1	0.06	5.0
909	OTHER O.R. PROCEDURES FOR INJURIES WITHOUT CC/MCC	1	0.06	1.0
939	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH MCC	7	0.41	36
940	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC	2	0.12	31
945	REHABILITATION WITH CC/MCC	1,384	81.51	19
946	REHABILITATION WITHOUT CC/MCC	258	15.19	13
All		1,698	100.0	18

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Alameda County**

typcare1=Psychiatric Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
040	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH MCC	1	0.01	15
056	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC	9	0.13	15
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	44	0.61	16
093	OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC	2	0.03	16
203	BRONCHITIS & ASTHMA WITHOUT CC/MCC	1	0.01	4.0
305	HYPERTENSION WITHOUT MCC	2	0.03	1.0
464	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH CC	1	0.01	16
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	2	0.03	3.0
776	POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE	6	0.08	6.0
781	OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS	20	0.28	7.5
876	O.R. PROCEDURE WITH PRINCIPAL DIAGNOSIS OF MENTAL ILLNESS	2	0.03	9.0
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	43	0.60	5.2
881	DEPRESSIVE NEUROSES	719	10.04	3.6
882	NEUROSES EXCEPT DEPRESSIVE	203	2.83	3.0
883	DISORDERS OF PERSONALITY & IMPULSE CONTROL	50	0.70	9.9
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	15	0.21	9.3
885	PSYCHOSES	5,737	80.11	7.6
886	BEHAVIORAL & DEVELOPMENTAL DISORDERS	85	1.19	4.6
887	OTHER MENTAL DISORDER DIAGNOSIS	13	0.18	7.8
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	2	0.03	2.5
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	3	0.04	7.7

(Continued)

***MS-DRG by Patient County of Residence
and Type of Care for 2009
Alameda County***

typcare1=Psychiatric Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	185	2.58	4.4
918	POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC	11	0.15	4.5
951	OTHER FACTORS INFLUENCING HEALTH STATUS	2	0.03	7.5
976	HIV WITH MAJOR RELATED CONDITION WITHOUT CC/MCC	3	0.04	1.3
All		7,161	100.0	7.0

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Alameda County*

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
004	TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITHOUT MAJOR O.R.	1	0.06	1E3
052	SPINAL DISORDERS & INJURIES WITH CC/MCC	6	0.35	499
055	NERVOUS SYSTEM NEOPLASMS WITHOUT MCC	2	0.12	5.5
056	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC	15	0.88	51
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	38	2.22	272
058	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH MCC	1	0.06	5E3
065	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC	1	0.06	161
070	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH MCC	1	0.06	6.0
071	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH CC	1	0.06	2.0
074	CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC	2	0.12	6.0
080	NONTRAUMATIC STUPOR & COMA WITH MCC	3	0.18	95
081	NONTRAUMATIC STUPOR & COMA WITHOUT MCC	2	0.12	30
085	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH MCC	2	0.12	40
091	OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC	5	0.29	835
092	OTHER DISORDERS OF NERVOUS SYSTEM WITH CC	4	0.23	231
093	OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC	3	0.18	83
094	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH MCC	2	0.12	95
095	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH CC	1	0.06	32
096	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITHOUT CC/MCC	1	0.06	21
099	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITHOUT CC/MCC	1	0.06	20

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Alameda County*

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
100	SEIZURES WITH MCC	1	0.06	27
101	SEIZURES WITHOUT MCC	2	0.12	21
147	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH CC	1	0.06	63
149	DYSEQUILIBRIUM	1	0.06	16
155	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH CC	1	0.06	72
166	OTHER RESP SYSTEM O.R. PROCEDURES WITH MCC	1	0.06	450
177	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC	5	0.29	12
178	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC	11	0.64	37
179	RESPIRATORY INFECTIONS & INFLAMMATIONS WITHOUT CC/MCC	2	0.12	14
180	RESPIRATORY NEOPLASMS WITH MCC	5	0.29	19
181	RESPIRATORY NEOPLASMS WITH CC	5	0.29	14
182	RESPIRATORY NEOPLASMS WITHOUT CC/MCC	2	0.12	5.0
189	PULMONARY EDEMA & RESPIRATORY FAILURE	5	0.29	281
190	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC	3	0.18	76
191	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC	12	0.70	86
192	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC	2	0.12	33
193	SIMPLE PNEUMONIA & PLEURISY WITH MCC	4	0.23	10
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	8	0.47	14
195	SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC	2	0.12	5.5
196	INTERSTITIAL LUNG DISEASE WITH MCC	3	0.18	32
197	INTERSTITIAL LUNG DISEASE WITH CC	1	0.06	5.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Alameda County*

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
198	INTERSTITIAL LUNG DISEASE WITHOUT CC/MCC	3	0.18	17
207	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS	18	1.05	243
208	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS	1	0.06	687
264	OTHER CIRCULATORY SYSTEM O.R. PROCEDURES	1	0.06	14
280	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH MCC	3	0.18	66
282	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITHOUT CC/MCC	1	0.06	182
288	ACUTE & SUBACUTE ENDOCARDITIS WITH MCC	2	0.12	22
289	ACUTE & SUBACUTE ENDOCARDITIS WITH CC	1	0.06	43
291	HEART FAILURE & SHOCK WITH MCC	5	0.29	23
292	HEART FAILURE & SHOCK WITH CC	7	0.41	59
293	HEART FAILURE & SHOCK WITHOUT CC/MCC	3	0.18	15
299	PERIPHERAL VASCULAR DISORDERS WITH MCC	1	0.06	7.0
300	PERIPHERAL VASCULAR DISORDERS WITH CC	2	0.12	14
303	ATHEROSCLEROSIS WITHOUT MCC	2	0.12	831
304	HYPERTENSION WITH MCC	5	0.29	226
305	HYPERTENSION WITHOUT MCC	9	0.53	182
309	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC	1	0.06	9.0
310	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITHOUT CC/MCC	1	0.06	2.0
314	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC	5	0.29	29
315	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC	4	0.23	40
316	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITHOUT CC/MCC	1	0.06	4.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Alameda County*

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
373	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITHOUT CC/MCC	1	0.06	7.0
374	DIGESTIVE MALIGNANCY WITH MCC	4	0.23	9.8
375	DIGESTIVE MALIGNANCY WITH CC	6	0.35	11
377	G.I. HEMORRHAGE WITH MCC	1	0.06	423
385	INFLAMMATORY BOWEL DISEASE WITH MCC	2	0.12	14
389	G.I. OBSTRUCTION WITH CC	2	0.12	10
391	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITH MCC	1	0.06	115
392	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC	4	0.23	28
393	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH MCC	4	0.23	18
394	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH CC	1	0.06	8.0
395	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	1	0.06	48
436	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITH CC	1	0.06	.00
441	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH MCC	2	0.12	2.5
442	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH CC	1	0.06	1.0
445	DISORDERS OF THE BILIARY TRACT WITH CC	1	0.06	3E3
463	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH MCC	1	0.06	58
539	OSTEOMYELITIS WITH MCC	11	0.64	29
540	OSTEOMYELITIS WITH CC	5	0.29	38
541	OSTEOMYELITIS WITHOUT CC/MCC	3	0.18	13
543	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH CC	1	0.06	41
544	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITHOUT CC/MCC	1	0.06	6.0

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Alameda County**

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
546	CONNECTIVE TISSUE DISORDERS WITH CC	1	0.06	33
549	SEPTIC ARTHRITIS WITH CC	3	0.18	15
555	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITH MCC	2	0.12	9.5
558	TENDONITIS, MYOSITIS & BURSITIS WITHOUT MCC	4	0.23	466
559	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	3	0.18	42
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	13	0.76	47
561	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	3	0.18	35
564	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH MCC	1	0.06	34
565	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH CC	1	0.06	339
566	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITHOUT CC/MCC	2	0.12	356
573	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH MCC	1	0.06	22
592	SKIN ULCERS WITH MCC	3	0.18	120
593	SKIN ULCERS WITH CC	3	0.18	54
602	CELLULITIS WITH MCC	1	0.06	19
603	CELLULITIS WITHOUT MCC	13	0.76	22
607	MINOR SKIN DISORDERS WITHOUT MCC	2	0.12	7.0
622	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH MCC	1	0.06	25
623	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH CC	1	0.06	7.0
637	DIABETES WITH MCC	1	0.06	21
638	DIABETES WITH CC	4	0.23	31
640	NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC	3	0.18	31

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Alameda County*

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	3	0.18	262
682	RENAL FAILURE WITH MCC	13	0.76	49
683	RENAL FAILURE WITH CC	5	0.29	51
684	RENAL FAILURE WITHOUT CC/MCC	2	0.12	4.5
687	KIDNEY & URINARY TRACT NEOPLASMS WITH CC	2	0.12	5.5
689	KIDNEY & URINARY TRACT INFECTIONS WITH MCC	2	0.12	13
690	KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC	7	0.41	30
698	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH MCC	1	0.06	53
699	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH CC	4	0.23	21
722	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH MCC	1	0.06	28
754	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH MCC	1	0.06	5.0
812	RED BLOOD CELL DISORDERS WITHOUT MCC	3	0.18	101
815	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH CC	1	0.06	13
835	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH CC	1	0.06	32
841	LYMPHOMA & NON-ACUTE LEUKEMIA WITH CC	1	0.06	17
842	LYMPHOMA & NON-ACUTE LEUKEMIA WITHOUT CC/MCC	1	0.06	6.0
862	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITH MCC	1	0.06	427
863	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC	6	0.35	16
867	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH MCC	4	0.23	36
871	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC	22	1.29	6.9
872	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC	7	0.41	17

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Alameda County*

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	10	0.59	841
885	PSYCHOSES	4	0.23	81
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	1	0.06	3.0
934	FULL THICKNESS BURN WITHOUT SKIN GRAFT OR INHAL INJURY	1	0.06	8.0
939	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH MCC	2	0.12	36
940	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC	6	0.35	25
945	REHABILITATION WITH CC/MCC	689	40.32	14
946	REHABILITATION WITHOUT CC/MCC	459	26.86	9.5
947	SIGNS & SYMPTOMS WITH MCC	14	0.82	13
948	SIGNS & SYMPTOMS WITHOUT MCC	22	1.29	14
949	AFTERCARE WITH CC/MCC	29	1.70	19
950	AFTERCARE WITHOUT CC/MCC	10	0.59	23
951	OTHER FACTORS INFLUENCING HEALTH STATUS	1	0.06	51
969	HIV WITH EXTENSIVE O.R. PROCEDURE WITH MCC	1	0.06	111
974	HIV WITH MAJOR RELATED CONDITION WITH MCC	2	0.12	83
975	HIV WITH MAJOR RELATED CONDITION WITH CC	1	0.06	34
977	HIV WITH OR WITHOUT OTHER RELATED CONDITION	4	0.23	616
All		1,709	100.0	48

**MDC by Patient County of Residence
for 2009
Alameda County**

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	8,049	5.31	8.3
02	EYE, DISEASES & DISORDERS	212	0.14	3.1
03	EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS	1,758	1.16	3.0
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	13,162	8.68	6.9
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	17,447	11.50	4.5
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	11,997	7.91	4.9
07	HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS	4,311	2.84	5.9
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	11,104	7.32	4.5
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	3,725	2.46	5.1
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	4,320	2.85	3.9
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	5,507	3.63	4.9
12	MALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	649	0.43	2.9
13	FEMALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	2,734	1.80	2.8
14	PREGNANCY, CHILDBIRTH, & THE PUERPERIUM	21,984	14.49	2.7
15	NEWBORNS AND NEONATE CONDITIONS BEGAN IN PERINATAL PERIOD	21,216	13.99	3.4
16	BLOOD, BLOOD FORMING ORGANS, IMMUNOLOGICAL, DISEASES & DISORDERS	1,937	1.28	4.9
17	MYELOPROLIFERATIVE DISEASES & POORLY DIFFERENTIATED NEOPLASMS	1,341	0.88	8.5
18	INFECTIOUS & PARASITIC DISEASES	5,320	3.51	8.6
19	MENTAL DISEASES & DISORDERS	7,354	4.85	8.5
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	1,212	0.80	7.1
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	2,077	1.37	4.2
22	BURNS	103	0.07	9.6

(Continued)

***MDC by Patient County of Residence
for 2009
Alameda County***

		Number of Discharges	Percent of Subtotal	Average Length of Stay
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	3,594	2.37	13
24	MULTIPLE SIGNFICANT TRAUMA	296	0.20	9.4
25	HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS	288	0.19	23
All		151,697	100.0	5.2

**MDC by Patient County of Residence
and Type of Care for 2009
Alameda County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	7,894	5.61	5.2
02	EYE, DISEASES & DISORDERS	211	0.15	3.1
03	EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS	1,752	1.25	2.9
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	13,056	9.28	6.2
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	17,389	12.36	4.2
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	11,961	8.50	4.8
07	HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS	4,304	3.06	5.1
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	11,042	7.85	4.1
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	3,699	2.63	4.8
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	4,305	3.06	3.7
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	5,471	3.89	4.6
12	MALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	648	0.46	2.8
13	FEMALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	2,732	1.94	2.8
14	PREGNANCY, CHILDBIRTH, & THE PUERPERIUM	21,958	15.61	2.7
15	NEWBORNS AND NEONATE CONDITIONS BEGAN IN PERINATAL PERIOD	21,216	15.08	3.4
16	BLOOD, BLOOD FORMING ORGANS, IMMUNOLOGICAL, DISEASES & DISORDERS	1,932	1.37	4.8
17	MYELOPROLIFERATIVE DISEASES & POORLY DIFFERENTIATED NEOPLASMS	1,338	0.95	8.5
18	INFECTIOUS & PARASITIC DISEASES	5,280	3.75	8.4
19	MENTAL DISEASES & DISORDERS	445	0.32	5.1
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	617	0.44	4.6
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	2,065	1.47	4.2

(Continued)

***MDC by Patient County of Residence
and Type of Care for 2009
Alameda County***

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
22	BURNS	102	0.07	9.6
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	709	0.50	3.5
24	MULTIPLE SIGNFICANT TRAUMA	296	0.21	9.4
25	HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS	276	0.20	9.5
All		140,698	100.0	4.4

***MDC by Patient County of Residence
and Type of Care for 2009
Alameda County***

typcare1=Chemical Dependency Recovery Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
19	MENTAL DISEASES & DISORDERS	27	6.28	115
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	403	93.72	12
All		430	100.0	19

***MDC by Patient County of Residence
and Type of Care for 2009
Alameda County***

typcare1=Invalid/Blank

		Number of Discharges	Percent of Subtotal	Average Length of Stay
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	1	100.0	.00
All		1	100.0	.00

***MDC by Patient County of Residence
and Type of Care for 2009
Alameda County***

typcare1=Physical Rehabilitation Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	5	0.29	20
02	EYE, DISEASES & DISORDERS	1	0.06	3.0
03	EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS	3	0.18	2.3
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	12	0.71	58
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	2	0.12	12
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	8	0.47	3.4
07	HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS	2	0.12	8.0
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	6	0.35	6.5
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	3	0.18	50
13	FEMALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	1	0.06	4.0
16	BLOOD, BLOOD FORMING ORGANS,IMMUNOLOGICAL, DISEASES & DISORDERS	1	0.06	13
19	MENTAL DISEASES & DISORDERS	1	0.06	135
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	1	0.06	5.0
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	1	0.06	1.0
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	1,651	97.23	18
All		1,698	100.0	18

***MDC by Patient County of Residence
and Type of Care for 2009
Alameda County***

typcare1=Psychiatric Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	56	0.78	16
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	1	0.01	4.0
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	2	0.03	1.0
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	1	0.01	16
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	2	0.03	3.0
14	PREGNANCY, CHILDBIRTH, & THE PUERPERIUM	26	0.36	7.1
19	MENTAL DISEASES & DISORDERS	6,867	95.89	7.1
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	190	2.65	4.4
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	11	0.15	4.5
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	2	0.03	7.5
25	HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS	3	0.04	1.3
All		7,161	100.0	7.0

**MDC by Patient County of Residence
and Type of Care for 2009
Alameda County**

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	94	5.50	267
03	EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS	3	0.18	50
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	93	5.44	99
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	54	3.16	108
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	27	1.58	35
07	HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS	5	0.29	678
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	55	3.22	83
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	23	1.35	37
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	13	0.76	81
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	36	2.11	36
12	MALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	1	0.06	28
13	FEMALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	1	0.06	5.0
16	BLOOD, BLOOD FORMING ORGANS,IMMUNOLOGICAL, DISEASES & DISORDERS	4	0.23	79
17	MYELOPROLIFERATIVE DISEASES & POORLY DIFFERENTIATED NEOPLASMS	3	0.18	18
18	INFECTIOUS & PARASITIC DISEASES	40	2.34	23
19	MENTAL DISEASES & DISORDERS	14	0.82	624
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	1	0.06	3.0
22	BURNS	1	0.06	8.0
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	1,232	72.09	13
25	HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS	9	0.53	451
All		1,709	100.0	48