

AMI Report: Redwood Memorial Hospital - Model A

year	Statewide Death Rate (%)	Number of Cases Included	Number of Observed Deaths	Number of Expected Deaths	Observed Death Rate (%)	Expected Death Rate (%)	Risk-Adjusted Death Rate (%)	Risk Adjusted Death Rate 95% Confidence Lower Bound	Risk Adjusted Death Rate 95% Confidence Upper Bound	Probability This Rate Occurred by Chance
1991	15.1	41	4	6.3	9.8	15.3	9.6	0.0	19.8	0.211
1992	14.5	44	8	6.1	18.2	13.9	18.9	8.9	28.9	0.253
1993	13.9	27	7	4.1	25.9	15.3	23.7	12.5	34.9	0.084
1994	13.0	44	12	7.0	27.3	16.0	22.1	13.8	30.5	0.032
1995	12.8	34	7	6.1	20.6	18.0	14.6	6.3	22.9	0.412
1996	12.2	35	4	4.6	11.4	13.1	10.6	0.8	20.5	0.502
1997	12.0	26	2	4.2	7.7	16.2	5.7	0.0	15.5	0.163
1998	12.1	35	7	4.7	20.0	13.5	17.9	8.2	27.5	0.175

Model A is a conservative model with risk factors of chronic and personal characters

AMI Report: Redwood Memorial Hospital - Model B

year	Statewide Death Rate (%)	Number of Cases Included	Number of Observed Deaths	Number of Expected Deaths	Observed Death Rate (%)	Expected Death Rate (%)	Risk-Adjusted Death Rate (%)	Risk Adjusted Death Rate 95% Confidence Lower Bound	Risk Adjusted Death Rate 95% Confidence Upper Bound	Probability This Rate Occurred by Chance
1991	15.1	40	4	4.7	10.0	11.8	12.7	0.9	24.5	0.471
1992	14.5	44	8	7.8	18.2	17.7	14.9	7.8	21.9	0.549
1993	13.9	27	7	4.9	25.9	18.0	20.0	11.7	28.3	0.134
1994	12.9	44	12	7.7	27.3	17.5	20.1	12.8	27.5	0.048
1995	12.8	34	7	4.9	20.6	14.4	18.3	8.9	27.8	0.188
1996	12.2	35	4	4.1	11.4	11.6	12.0	1.8	22.1	0.617
1997	12.0	26	2	3.3	7.7	12.8	7.2	0.0	18.0	0.306
1998	12.1	35	7	4.2	20.0	12.1	20.0	10.2	29.8	0.101

Model B is a comprehensive model with more acute risk factors added in