

AMI Report: Centinela Hospital Medical Center - Model A

year	Statewide Death Rate (%)	Number of Cases Included	Number of Observed Deaths	Number of Expected Deaths	Observed Death Rate (%)	Expected Death Rate (%)	Risk-Adjusted Death Rate (%)	Risk Adjusted Death Rate 95% Confidence Lower Bound	Risk Adjusted Death Rate 95% Confidence Upper Bound	Probability This Rate Occurred by Chance
1991	15.1	56	4	7.5	7.1	13.4	8.0	0.0	17.3	0.095
1992	14.5	55	8	7.0	14.5	12.7	16.6	7.3	25.9	0.394
1993	13.9	92	7	10.8	7.6	11.7	9.0	1.7	16.4	0.125
1994	13.0	113	15	11.2	13.3	9.9	17.4	10.6	24.2	0.133
1995	12.8	127	12	15.0	9.4	11.8	10.2	4.5	16.0	0.239
1996	12.2	116	16	11.9	13.8	10.2	16.4	10.1	22.7	0.124
1997	12.0	128	16	12.4	12.5	9.7	15.5	9.4	21.6	0.166
1998	12.1	119	20	16.1	16.8	13.5	15.0	9.9	20.2	0.163

Model A is a conservative model with risk factors of chronic and personal characters

AMI Report: Centinela Hospital Medical Center - Model B

year	Statewide Death Rate (%)	Number of Cases Included	Number of Observed Deaths	Number of Expected Deaths	Observed Death Rate (%)	Expected Death Rate (%)	Risk-Adjusted Death Rate (%)	Risk Adjusted Death Rate 95% Confidence Lower Bound	Risk Adjusted Death Rate 95% Confidence Upper Bound	Probability This Rate Occurred by Chance
1991	15.1	56	4	4.6	7.1	8.2	13.1	1.4	24.7	0.502
1992	14.5	55	8	5.3	14.5	9.7	21.8	12.1	31.6	0.116
1993	13.9	92	7	8.1	7.6	8.8	12.0	3.9	20.0	0.409
1994	12.9	110	15	12.3	13.6	11.2	15.8	10.1	21.5	0.207
1995	12.8	126	12	13.2	9.5	10.5	11.6	5.8	17.4	0.416
1996	12.2	116	16	11.7	13.8	10.1	16.6	11.1	22.2	0.086
1997	12.0	124	16	10.0	12.9	8.1	19.2	12.7	25.6	0.028
1998	12.1	119	20	16.1	16.8	13.5	15.0	10.6	19.5	0.131

Model B is a comprehensive model with more acute risk factors added in