

AMI Report: Santa Monica UCLA Medical Center - Model A

year	Statewide Death Rate (%)	Number of Cases Included	Number of Observed Deaths	Number of Expected Deaths	Observed Death Rate (%)	Expected Death Rate (%)	Risk-Adjusted Death Rate (%)	Risk Adjusted Death Rate 95% Confidence Lower Bound	Risk Adjusted Death Rate 95% Confidence Upper Bound	Probability This Rate Occurred by Chance
1991	15.1	135	22	24.2	16.3	18.0	13.7	8.6	18.8	0.345
1992	14.5	193	23	35.9	11.9	18.6	9.3	5.3	13.3	0.005
1993	13.9	176	24	29.0	13.6	16.5	11.5	7.1	15.9	0.166
1994	13.0	229	40	29.0	17.5	12.7	17.9	13.7	22.0	0.016
1995	12.8	160	12	20.0	7.5	12.5	7.7	2.7	12.7	0.025
1996	12.2	166	22	19.8	13.3	11.9	13.6	8.8	18.3	0.323
1997	12.0	159	15	18.7	9.4	11.8	9.6	4.8	14.5	0.203
1998	12.1	105	10	13.6	9.5	13.0	8.9	3.1	14.6	0.174

Model A is a conservative model with risk factors of chronic and personal characters

AMI Report: Santa Monica UCLA Medical Center - Model B

year	Statewide Death Rate (%)	Number of Cases Included	Number of Observed Deaths	Number of Expected Deaths	Observed Death Rate (%)	Expected Death Rate (%)	Risk-Adjusted Death Rate (%)	Risk Adjusted Death Rate 95% Confidence Lower Bound	Risk Adjusted Death Rate 95% Confidence Upper Bound	Probability This Rate Occurred by Chance
1991	15.1	135	22	24.0	16.3	17.8	13.8	9.1	18.6	0.355
1992	14.5	193	23	33.8	11.9	17.5	9.9	6.1	13.7	0.009
1993	13.9	151	18	21.2	11.9	14.1	11.8	6.9	16.7	0.239
1994	12.9	171	22	18.1	12.9	10.6	15.7	10.7	20.7	0.171
1995	12.8	160	12	21.6	7.5	13.5	7.1	2.6	11.6	0.006
1996	12.2	166	22	23.7	13.3	14.3	11.3	7.4	15.2	0.379
1997	12.0	158	15	24.1	9.5	15.2	7.5	3.8	11.2	0.010
1998	12.1	105	10	12.9	9.5	12.3	9.4	3.7	15.0	0.217

Model B is a comprehensive model with more acute risk factors added in