

AMI Report: Washington Medical Center - Model A

year	Statewide Death Rate (%)	Number of Cases Included	Number of Observed Deaths	Number of Expected Deaths	Observed Death Rate (%)	Expected Death Rate (%)	Risk-Adjusted Death Rate (%)	Risk Adjusted Death Rate 95% Confidence Lower Bound	Risk Adjusted Death Rate 95% Confidence Upper Bound	Probability This Rate Occurred by Chance
1991	15.1	14	2	2.4	14.3	17.4	12.4	0.0	29.0	0.547
1992	14.5	17	4	4.3	23.5	25.4	13.4	2.5	24.3	0.558
1993	13.9	14	0	1.5	0.0	10.4	0.0	0.0	20.8	0.204
1994	13.0	15	3	2.0	20.0	13.6	19.0	3.5	34.6	0.334
1995	12.8	10	2	1.2	20.0	12.1	21.1	0.3	41.8	0.348
1996	12.2	12	0	1.7	0.0	14.6	0.0	0.0	15.6	0.131
1997	12.0	14	3	2.5	21.4	17.6	14.6	1.9	27.3	0.465
1998	12.1	1	1	0.2	100.0	20.3	59.6	12.6	100.0	0.203

Model A is a conservative model with risk factors of chronic and personal characters

AMI Report: Washington Medical Center - Model B

year	Statewide Death Rate (%)	Number of Cases Included	Number of Observed Deaths	Number of Expected Deaths	Observed Death Rate (%)	Expected Death Rate (%)	Risk-Adjusted Death Rate (%)	Risk Adjusted Death Rate 95% Confidence Lower Bound	Risk Adjusted Death Rate 95% Confidence Upper Bound	Probability This Rate Occurred by Chance
1991	15.1	14	2	2.5	14.3	18.0	11.9	0.0	25.3	0.523
1992	14.5	17	4	3.3	23.5	19.3	17.7	4.7	30.7	0.421
1993	13.9	14	0	0.9	0.0	6.1	0.0	0.0	28.1	0.408
1994	12.9	15	3	1.8	20.0	12.2	21.2	6.0	36.4	0.251
1995	12.8	10	2	1.0	20.0	9.6	26.7	3.6	49.8	0.243
1996	12.2	12	0	1.1	0.0	8.9	0.0	0.0	21.1	0.308
1997	12.0	14	3	2.7	21.4	19.4	13.3	2.5	24.0	0.555
1998	12.1	1	1	0.7	100.0	66.9	18.1	1.4	34.8	0.669

Model B is a comprehensive model with more acute risk factors added in