

AMI Report: White Memorial Medical Center - Model A

year	Statewide Death Rate (%)	Number of Cases Included	Number of Observed Deaths	Number of Expected Deaths	Observed Death Rate (%)	Expected Death Rate (%)	Risk-Adjusted Death Rate (%)	Risk Adjusted Death Rate 95% Confidence Lower Bound	Risk Adjusted Death Rate 95% Confidence Upper Bound	Probability This Rate Occurred by Chance
1991	15.1	87	13	9.5	14.9	11.0	20.5	12.0	29.1	0.143
1992	14.5	101	18	15.7	17.8	15.6	16.6	10.4	22.7	0.293
1993	13.9	88	9	12.3	10.2	13.9	10.2	3.5	16.9	0.181
1994	13.0	109	11	16.8	10.1	15.4	8.5	3.1	13.9	0.064
1995	12.8	98	11	12.6	11.2	12.9	11.1	4.9	17.4	0.370
1996	12.2	128	16	18.3	12.5	14.3	10.6	5.8	15.5	0.319
1997	12.0	120	17	16.3	14.2	13.5	12.6	7.5	17.6	0.462
1998	12.1	106	13	12.9	12.3	12.1	12.2	6.3	18.1	0.534

Model A is a conservative model with risk factors of chronic and personal characters

AMI Report: White Memorial Medical Center - Model B

year	Statewide Death Rate (%)	Number of Cases Included	Number of Observed Deaths	Number of Expected Deaths	Observed Death Rate (%)	Expected Death Rate (%)	Risk-Adjusted Death Rate (%)	Risk Adjusted Death Rate 95% Confidence Lower Bound	Risk Adjusted Death Rate 95% Confidence Upper Bound	Probability This Rate Occurred by Chance
1991	15.1	87	13	9.1	14.9	10.5	21.4	13.2	29.7	0.096
1992	14.5	100	18	13.5	18.0	13.5	19.3	12.8	25.9	0.102
1993	13.9	86	9	9.9	10.5	11.5	12.6	5.2	20.1	0.453
1994	12.9	100	10	14.9	10.0	14.9	8.7	3.5	13.9	0.071
1995	12.8	83	9	12.2	10.8	14.7	9.5	3.7	15.2	0.168
1996	12.2	118	16	18.5	13.6	15.7	10.5	6.2	14.9	0.282
1997	12.0	119	17	18.0	14.3	15.1	11.4	7.1	15.6	0.449
1998	12.1	106	13	15.3	12.3	14.5	10.3	5.5	15.1	0.284

Model B is a comprehensive model with more acute risk factors added in