

AMI Report: Eastern Plumas Healthcare District - Model A

year	Statewide Death Rate (%)	Number of Cases Included	Number of Observed Deaths	Number of Expected Deaths	Observed Death Rate (%)	Expected Death Rate (%)	Risk-Adjusted Death Rate (%)	Risk Adjusted Death Rate 95% Confidence Lower Bound	Risk Adjusted Death Rate 95% Confidence Upper Bound	Probability This Rate Occurred by Chance
1991	15.1	8	0	1.6	0.0	19.9	0.0	0.0	19.8	0.150
1992	14.5	8	0	0.9	0.0	11.3	0.0	0.0	27.1	0.369
1993	13.9	2	0	0.2	0.0	9.5	0.0	0.0	58.3	0.815
1994	13.0	7	1	1.8	14.3	26.1	7.1	0.0	22.6	0.407
1995	12.8	5	1	0.8	20.0	16.4	15.6	0.0	40.1	0.605
1996	12.2	4	1	1.3	25.0	32.8	9.3	0.0	25.7	0.604
1997	12.0	8	0	1.2	0.0	15.1	0.0	0.0	18.3	0.241
1998	12.1	3	0	0.4	0.0	13.9	0.0	0.0	32.7	0.626

Model A is a conservative model with risk factors of chronic and personal characters

AMI Report: Eastern Plumas Healthcare District - Model B

year	Statewide Death Rate (%)	Number of Cases Included	Number of Observed Deaths	Number of Expected Deaths	Observed Death Rate (%)	Expected Death Rate (%)	Risk-Adjusted Death Rate (%)	Risk Adjusted Death Rate 95% Confidence Lower Bound	Risk Adjusted Death Rate 95% Confidence Upper Bound	Probability This Rate Occurred by Chance
1991	15.1	8	0	0.9	0.0	10.9	0.0	0.0	28.8	0.384
1992	14.5	8	0	0.4	0.0	5.3	0.0	0.0	41.5	0.639
1993	13.9	2	0	0.1	0.0	4.4	0.0	0.0	89.5	0.914
1994	12.9	7	1	1.1	14.3	15.3	12.0	0.0	33.9	0.708
1995	12.8	5	1	0.6	20.0	12.8	20.1	0.0	47.8	0.517
1996	12.2	4	1	0.9	25.0	22.9	13.3	0.0	34.3	0.664
1997	12.0	7	0	0.6	0.0	8.6	0.0	0.0	27.4	0.511
1998	12.1	3	0	0.4	0.0	13.6	0.0	0.0	32.1	0.623

Model B is a comprehensive model with more acute risk factors added in