

## AMI Report: Kaiser Foundation Hospital-Redwood City - Model A

year	Statewide Death Rate (%)	Number of Cases Included	Number of Observed Deaths	Number of Expected Deaths	Observed Death Rate (%)	Expected Death Rate (%)	Risk-Adjusted Death Rate (%)	Risk Adjusted Death Rate 95% Confidence Lower Bound	Risk Adjusted Death Rate 95% Confidence Upper Bound	Probability This Rate Occurred by Chance
1991	15.1	88	11	12.2	12.5	13.8	13.6	6.3	20.9	0.421
1992	14.5	101	12	12.2	11.9	12.1	14.2	7.2	21.3	0.553
1993	13.9	98	12	11.9	12.2	12.1	14.1	7.1	21.0	0.537
1994	13.0	106	8	12.6	7.5	11.9	8.2	1.9	14.6	0.091
1995	12.8	109	14	12.8	12.8	11.7	14.0	7.9	20.1	0.399
1996	12.2	127	12	13.1	9.4	10.3	11.1	5.2	17.1	0.435
1997	12.0	114	7	9.4	6.1	8.2	9.0	1.9	16.1	0.261
1998	12.1	116	10	13.2	8.6	11.4	9.1	3.3	14.9	0.201

*Model A is a conservative model with risk factors of chronic and personal characters*

## AMI Report: Kaiser Foundation Hospital-Redwood City - Model B

year	Statewide Death Rate (%)	Number of Cases Included	Number of Observed Deaths	Number of Expected Deaths	Observed Death Rate (%)	Expected Death Rate (%)	Risk-Adjusted Death Rate (%)	Risk Adjusted Death Rate 95% Confidence Lower Bound	Risk Adjusted Death Rate 95% Confidence Upper Bound	Probability This Rate Occurred by Chance
1991	15.1	88	11	12.3	12.5	14.0	13.5	6.9	20.0	0.395
1992	14.5	101	12	13.7	11.9	13.5	12.7	7.0	18.4	0.343
1993	13.9	98	12	11.8	12.2	12.0	14.2	7.8	20.6	0.528
1994	12.9	106	8	10.4	7.5	9.8	9.9	3.3	16.6	0.248
1995	12.8	109	14	11.0	12.8	10.1	16.4	10.0	22.7	0.179
1996	12.2	127	12	11.6	9.4	9.1	12.6	6.6	18.6	0.502
1997	12.0	114	7	8.9	6.1	7.8	9.5	2.7	16.3	0.307
1998	12.1	116	10	12.3	8.6	10.6	9.8	4.2	15.4	0.268

*Model B is a comprehensive model with more acute risk factors added in*