

AMI Report: Redding Medical Center - Model A

year	Statewide Death Rate (%)	Number of Cases Included	Number of Observed Deaths	Number of Expected Deaths	Observed Death Rate (%)	Expected Death Rate (%)	Risk-Adjusted Death Rate (%)	Risk Adjusted Death Rate 95% Confidence Lower Bound	Risk Adjusted Death Rate 95% Confidence Upper Bound	Probability This Rate Occurred by Chance
1993	13.9	183	23	20.3	12.6	11.1	15.8	10.4	21.3	0.283
1994	13.0	184	17	21.5	9.2	11.7	10.2	5.4	15.1	0.165
1995	12.8	230	20	27.6	8.7	12.0	9.3	5.0	13.5	0.059
1996	12.2	222	23	23.8	10.4	10.7	11.7	7.4	16.1	0.479
1997	12.0	213	23	22.9	10.8	10.7	12.1	7.7	16.5	0.526
1998	12.1	176	20	18.8	11.4	10.7	12.8	7.9	17.7	0.420

Model A is a conservative model with risk factors of chronic and personal characters

AMI Report: Redding Medical Center - Model B

year	Statewide Death Rate (%)	Number of Cases Included	Number of Observed Deaths	Number of Expected Deaths	Observed Death Rate (%)	Expected Death Rate (%)	Risk-Adjusted Death Rate (%)	Risk Adjusted Death Rate 95% Confidence Lower Bound	Risk Adjusted Death Rate 95% Confidence Upper Bound	Probability This Rate Occurred by Chance
1993	13.9	183	23	26.8	12.6	14.6	12.0	8.0	15.9	0.200
1994	12.9	184	17	25.1	9.2	13.7	8.7	4.8	12.7	0.022
1995	12.8	230	20	31.5	8.7	13.7	8.1	4.6	11.7	0.005
1996	12.2	222	23	25.8	10.4	11.6	10.9	7.0	14.7	0.292
1997	12.0	213	23	26.3	10.8	12.3	10.5	6.8	14.3	0.258
1998	12.1	176	20	21.2	11.4	12.0	11.4	7.3	15.6	0.439

Model B is a comprehensive model with more acute risk factors added in