

## AMI Report: Kaiser Foundation Hospital-Vallejo - Model A

year	Statewide Death Rate (%)	Number of Cases Included	Number of Observed Deaths	Number of Expected Deaths	Observed Death Rate (%)	Expected Death Rate (%)	Risk-Adjusted Death Rate (%)	Risk Adjusted Death Rate 95% Confidence Lower Bound	Risk Adjusted Death Rate 95% Confidence Upper Bound	Probability This Rate Occurred by Chance
1991	15.1	197	22	22.7	11.2	11.5	14.6	9.1	20.1	0.488
1992	14.5	219	24	23.1	11.0	10.5	15.0	9.8	20.3	0.451
1993	13.9	175	14	18.4	8.0	10.5	10.6	4.9	16.2	0.149
1994	13.0	202	15	20.8	7.4	10.3	9.3	4.3	14.3	0.093
1995	12.8	231	22	26.0	9.5	11.3	10.8	6.5	15.2	0.221
1996	12.2	267	26	25.6	9.7	9.6	12.3	8.1	16.6	0.503
1997	12.0	263	17	28.6	6.5	10.9	7.1	3.2	11.0	0.007
1998	12.1	252	14	25.5	5.6	10.1	6.6	2.5	10.8	0.005

*Model A is a conservative model with risk factors of chronic and personal characters*

## AMI Report: Kaiser Foundation Hospital-Vallejo - Model B

year	Statewide Death Rate (%)	Number of Cases Included	Number of Observed Deaths	Number of Expected Deaths	Observed Death Rate (%)	Expected Death Rate (%)	Risk-Adjusted Death Rate (%)	Risk Adjusted Death Rate 95% Confidence Lower Bound	Risk Adjusted Death Rate 95% Confidence Upper Bound	Probability This Rate Occurred by Chance
1991	15.1	197	22	25.3	11.2	12.8	13.1	8.6	17.7	0.242
1992	14.5	219	24	20.9	11.0	9.6	16.6	11.4	21.8	0.248
1993	13.9	174	14	17.6	8.0	10.1	11.1	5.7	16.4	0.183
1994	12.9	202	15	21.0	7.4	10.4	9.3	4.7	13.8	0.068
1995	12.8	230	22	22.5	9.6	9.8	12.5	8.1	16.9	0.507
1996	12.2	263	25	24.0	9.5	9.1	12.7	8.6	16.8	0.442
1997	12.0	263	17	23.3	6.5	8.8	8.8	4.6	13.0	0.080
1998	12.1	251	14	23.8	5.6	9.5	7.1	3.1	11.2	0.008

*Model B is a comprehensive model with more acute risk factors added in*