

**Type of Care by Patient County of Residence
for 2009
Humboldt County**

	Number of Discharges	Percent of Subtotal	Average Length of Stay
Acute Care	12,423	93.80	4.2
Chemical Dependency Recovery Care	3	0.02	28
Physical Rehabilitation Care	160	1.21	14
Psychiatric Care	590	4.45	7.1
Skilled Nursing/Intermediate Care	68	0.51	43
All	13,244	100.0	4.7

***Disposition by Patient County of Residence
for 2009
Humboldt County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	278	0.01	11
01 - Routine (Home)	3,004,054	75.38	3.6
02 - Acute Care within the admitting hospital	10,153	0.25	53
03 - Other Care with the admitting hospital	20,525	0.52	9.0
04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital	34,806	0.87	7.9
05 - Acute Care at another hospital	82,489	2.07	11
06 - Other Care (not SN/IC) at another hospital	35,667	0.89	9.8
07 - SN/IC at another facility	293,004	7.35	8.8
08 - Residential Care facility	35,985	0.90	10
09 - Prison/Jail	19,746	0.50	5.7
10 - Left Against Medical Advice	43,300	1.09	3.3
11 - Died	79,937	2.01	17
12 - Home Health Service	313,429	7.86	7.3
13 - Other	11,793	0.30	11
All	3,985,166	100.0	5.0

***Disposition by Patient County of Residence
and Type of Care for 2009
Humboldt County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	9,292	74.80	3.3
03 - Other Care with the admitting hospital	99	0.80	8.4
04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital	51	0.41	9.7
05 - Acute Care at another hospital	250	2.01	5.5
06 - Other Care (not SN/IC) at another hospital	153	1.23	8.7
07 - SN/IC at another facility	728	5.86	8.8
08 - Residential Care facility	85	0.68	5.6
09 - Prison/Jail	13	0.10	3.7
10 - Left Against Medical Advice	119	0.96	2.9
11 - Died	330	2.66	6.2
12 - Home Health Service	1,299	10.46	6.6
13 - Other	4	0.03	6.5
All	12,423	100.0	4.2

***Disposition by Patient County of Residence
and Type of Care for 2009
Humboldt County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	3	100.0	28
All	3	100.0	28

***Disposition by Patient County of Residence
and Type of Care for 2009
Humboldt County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	55	34.38	12
02 - Acute Care within the admitting hospital	14	8.75	11
03 - Other Care with the admitting hospital	8	5.00	5.5
05 - Acute Care at another hospital	3	1.88	25
07 - SN/IC at another facility	6	3.75	21
08 - Residential Care facility	4	2.50	14
10 - Left Against Medical Advice	2	1.25	2.0
12 - Home Health Service	68	42.50	16
All	160	100.0	14

***Disposition by Patient County of Residence
and Type of Care for 2009
Humboldt County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	531	90.00	6.6
05 - Acute Care at another hospital	1	0.17	2.0
06 - Other Care (not SN/IC) at another hospital	22	3.73	3.7
07 - SN/IC at another facility	4	0.68	24
08 - Residential Care facility	2	0.34	15
09 - Prison/Jail	6	1.02	4.2
10 - Left Against Medical Advice	2	0.34	9.0
13 - Other	22	3.73	18
All	590	100.0	7.1

***Disposition by Patient County of Residence
and Type of Care for 2009
Humboldt County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	31	45.59	87
02 - Acute Care within the admitting hospital	3	4.41	4.7
05 - Acute Care at another hospital	4	5.88	16
06 - Other Care (not SN/IC) at another hospital	1	1.47	4.0
07 - SN/IC at another facility	12	17.65	6.3
11 - Died	6	8.82	8.2
12 - Home Health Service	11	16.18	4.4
All	68	100.0	43

***Gender by Patient County of Residence
for 2009
Humboldt County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	5,398	40.76	5.2
2 - Female	7,846	59.24	4.3
All	13,244	100.0	4.7

***Gender by Patient County of Residence
and Type of Care for 2009
Humboldt County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	5,028	40.47	4.8
2 - Female	7,395	59.53	3.8
All	12,423	100.0	4.2

***Gender by Patient County of Residence
and Type of Care for 2009
Humboldt County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	1	33.33	23
2 - Female	2	66.67	31
All	3	100.0	28

***Gender by Patient County of Residence
and Type of Care for 2009
Humboldt County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	65	40.63	11
2 - Female	95	59.38	15
All	160	100.0	14

***Gender by Patient County of Residence
and Type of Care for 2009
Humboldt County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	286	48.47	6.9
2 - Female	304	51.53	7.2
All	590	100.0	7.1

***Gender by Patient County of Residence
and Type of Care for 2009
Humboldt County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	18	26.47	78
2 - Female	50	73.53	31
All	68	100.0	43

***Expected Payer by Patient County of Residence
for 2009
Humboldt County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	1	0.01	1.0
01 - Medicare	5,037	38.03	5.5
02 - Medi-Cal	3,601	27.19	4.6
03 - Private Coverage	3,464	26.16	3.6
04 - Workers' Compensatio	106	0.80	3.4
05 - County Indigent Prog	356	2.69	5.7
06 - Other Government	254	1.92	3.3
07 - Other Indigent	10	0.08	3.9
08 - Self-Pay	398	3.01	3.4
09 - Other Payer	17	0.13	8.4
All	13,244	100.0	4.7

***Expected Payer by Patient County of Residence
and Type of Care for 2009
Humboldt County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	1	0.01	1.0
01 - Medicare	4,669	37.58	5.2
02 - Medi-Cal	3,328	26.79	3.7
03 - Private Coverage	3,374	27.16	3.4
04 - Workers' Compensatio	102	0.82	3.2
05 - County Indigent Prog	346	2.79	5.6
06 - Other Government	238	1.92	3.2
07 - Other Indigent	9	0.07	4.1
08 - Self-Pay	340	2.74	3.3
09 - Other Payer	16	0.13	8.6
All	12,423	100.0	4.2

***Expected Payer by Patient County of Residence
and Type of Care for 2009
Humboldt County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
03 - Private Coverage	1	33.33	23
06 - Other Government	1	33.33	28
08 - Self-Pay	1	33.33	34
All	3	100.0	28

***Expected Payer by Patient County of Residence
and Type of Care for 2009
Humboldt County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	104	65.00	14
02 - Medi-Cal	15	9.38	19
03 - Private Coverage	31	19.38	12
04 - Workers' Compensatio	4	2.50	7.3
05 - County Indigent Prog	6	3.75	6.3
All	160	100.0	14

***Expected Payer by Patient County of Residence
and Type of Care for 2009
Humboldt County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	206	34.92	8.4
02 - Medi-Cal	251	42.54	7.0
03 - Private Coverage	55	9.32	6.9
05 - County Indigent Prog	4	0.68	12
06 - Other Government	15	2.54	4.2
07 - Other Indigent	1	0.17	2.0
08 - Self-Pay	57	9.66	3.3
09 - Other Payer	1	0.17	4.0
All	590	100.0	7.1

***Expected Payer by Patient County of Residence
and Type of Care for 2009
Humboldt County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	58	85.29	11
02 - Medi-Cal	7	10.29	321
03 - Private Coverage	3	4.41	15
All	68	100.0	43

***Race Group by Patient County of Residence
for 2009
Humboldt County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	128	0.97	5.4
1 - White	11,508	86.89	4.7
2 - Black	160	1.21	3.8
3 - Hispanic	529	3.99	3.6
4 - Asian/Pacific Islander	166	1.25	3.2
5 - Native American/Eskimo/Ale	599	4.52	4.5
6 - Other	154	1.16	4.8
All	13,244	100.0	4.7

***Race Group by Patient County of Residence
and Type of Care for 2009
Humboldt County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	109	0.88	5.3
1 - White	10,808	87.00	4.3
2 - Black	147	1.18	3.5
3 - Hispanic	505	4.07	3.4
4 - Asian/Pacific Islander	160	1.29	3.1
5 - Native American/Eskimo/Ale	542	4.36	4.2
6 - Other	152	1.22	4.8
All	12,423	100.0	4.2

***Race Group by Patient County of Residence
and Type of Care for 2009
Humboldt County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	1	33.33	28
1 - White	2	66.67	29
All	3	100.0	28

***Race Group by Patient County of Residence
and Type of Care for 2009
Humboldt County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - White	149	93.13	13
3 - Hispanic	1	0.63	3.0
4 - Asian/Pacific Islander	2	1.25	17
5 - Native American/Eskimo/Ale	8	5.00	16
All	160	100.0	14

***Race Group by Patient County of Residence
and Type of Care for 2009
Humboldt County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	18	3.05	5.1
1 - White	483	81.86	7.2
2 - Black	13	2.20	7.8
3 - Hispanic	22	3.73	9.2
4 - Asian/Pacific Islander	4	0.68	2.8
5 - Native American/Eskimo/Ale	48	8.14	6.2
6 - Other	2	0.34	2.5
All	590	100.0	7.1

***Race Group by Patient County of Residence
and Type of Care for 2009
Humboldt County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - White	66	97.06	44
3 - Hispanic	1	1.47	4.0
5 - Native American/Eskimo/Ale	1	1.47	14
All	68	100.0	43

**Source of Admission by Patient County of Residence
for 2009
Humboldt County**

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Invalid	4	0.03	8.3
1 - Home	10,673	80.59	4.4
2 - Residential Care Facility	97	0.73	5.3
3 - Ambulatory Surgery	93	0.70	4.2
4 - Skilled Nursing/Intermedia	115	0.87	7.2
5 - Acute Inpatient Hospital C	583	4.40	13
6 - Other Inpatient Hospital C	98	0.74	6.8
7 - Newborn (born in admitting	1,482	11.19	2.5
8 - Prison/Jail	14	0.11	6.5
9 - Other	85	0.64	8.6
All	13,244	100.0	4.7

**Source of Admission by Patient County of Residence
and Type of Care for 2009
Humboldt County**

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Invalid	4	0.03	8.3
1 - Home	10,091	81.23	4.1
2 - Residential Care Facility	95	0.76	5.1
3 - Ambulatory Surgery	93	0.75	4.2
4 - Skilled Nursing/Intermedia	114	0.92	7.2
5 - Acute Inpatient Hospital C	382	3.07	11
6 - Other Inpatient Hospital C	80	0.64	6.1
7 - Newborn (born in admitting	1,482	11.93	2.5
8 - Prison/Jail	5	0.04	3.6
9 - Other	77	0.62	8.3
All	12,423	100.0	4.2

***Source of Admission by Patient County of Residence
and Type of Care for 2009
Humboldt County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	3	100.0	28
All	3	100.0	28

**Source of Admission by Patient County of Residence
and Type of Care for 2009
Humboldt County**

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	6	3.75	12
4 - Skilled Nursing/Intermedia	1	0.63	10
5 - Acute Inpatient Hospital C	139	86.88	14
6 - Other Inpatient Hospital C	14	8.75	12
All	160	100.0	14

***Source of Admission by Patient County of Residence
and Type of Care for 2009
Humboldt County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	567	96.10	7.0
2 - Residential Care Facility	1	0.17	20
5 - Acute Inpatient Hospital C	2	0.34	7.0
6 - Other Inpatient Hospital C	3	0.51	1.3
8 - Prison/Jail	9	1.53	8.1
9 - Other	8	1.36	12
All	590	100.0	7.1

***Source of Admission by Patient County of Residence
and Type of Care for 2009
Humboldt County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	6	8.82	251
2 - Residential Care Facility	1	1.47	11
5 - Acute Inpatient Hospital C	60	88.24	24
6 - Other Inpatient Hospital C	1	1.47	2.0
All	68	100.0	43

*MS-DRG by Patient County of Residence
for 2009
Humboldt County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
001	HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM WITH MCC	1	0.01	56
002	HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM WITHOUT MCC	1	0.01	76
003	ECMO OR TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITH MAJOR O.R.	27	0.20	39
004	TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITHOUT MAJOR O.R.	13	0.10	34
005	LIVER TRANSPLANT WITH MCC OR INTESTINAL TRANSPLANT	1	0.01	9.0
009	BONE MARROW TRANSPLANT	3	0.02	25
012	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH CC	3	0.02	5.7
013	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITHOUT CC/MCC	2	0.02	5.0
020	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH MCC	3	0.02	24
021	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH CC	2	0.02	17
022	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITHOUT CC/MCC	1	0.01	10
023	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITH MCC OR CHEMO IMPLANT	4	0.03	23
025	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH MCC	20	0.15	12
026	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH CC	19	0.14	7.3
027	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITHOUT CC/MCC	19	0.14	5.7
028	SPINAL PROCEDURES WITH MCC	2	0.02	7.0
029	SPINAL PROCEDURES WITH CC OR SPINAL NEUROSTIMULATORS	6	0.05	19
030	SPINAL PROCEDURES WITHOUT CC/MCC	10	0.08	4.3
031	VENTRICULAR SHUNT PROCEDURES WITH MCC	1	0.01	10
032	VENTRICULAR SHUNT PROCEDURES WITH CC	4	0.03	4.5

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Humboldt County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
033	VENTRICULAR SHUNT PROCEDURES WITHOUT CC/MCC	1	0.01	6.0
036	CAROTID ARTERY STENT PROCEDURE WITHOUT CC/MCC	1	0.01	1.0
037	EXTRACRANIAL PROCEDURES WITH MCC	7	0.05	6.4
038	EXTRACRANIAL PROCEDURES WITH CC	20	0.15	3.2
039	EXTRACRANIAL PROCEDURES WITHOUT CC/MCC	64	0.48	1.3
040	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH MCC	2	0.02	8.0
041	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH CC OR PERIPH NEUROSTIM	2	0.02	2.5
042	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITHOUT CC/MCC	5	0.04	3.2
053	SPINAL DISORDERS & INJURIES WITHOUT CC/MCC	1	0.01	2.0
054	NERVOUS SYSTEM NEOPLASMS WITH MCC	6	0.05	4.5
055	NERVOUS SYSTEM NEOPLASMS WITHOUT MCC	15	0.11	4.4
056	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC	9	0.07	4.3
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	37	0.28	6.6
059	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH CC	1	0.01	1.0
061	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH MCC	1	0.01	5.0
062	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH CC	1	0.01	3.0
064	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC	50	0.38	5.5
065	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC	69	0.52	4.3
066	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC	49	0.37	3.7
067	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITH MCC	1	0.01	4.0
068	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITHOUT MCC	5	0.04	1.2
069	TRANSIENT ISCHEMIA	35	0.26	2.5

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Humboldt County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
070	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH MCC	1	0.01	5.0
071	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH CC	5	0.04	3.6
072	NONSPECIFIC CEREBROVASCULAR DISORDERS WITHOUT CC/MCC	3	0.02	1.7
073	CRANIAL & PERIPHERAL NERVE DISORDERS WITH MCC	9	0.07	4.7
074	CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC	12	0.09	2.9
075	VIRAL MENINGITIS WITH CC/MCC	5	0.04	5.2
076	VIRAL MENINGITIS WITHOUT CC/MCC	11	0.08	2.4
078	HYPERTENSIVE ENCEPHALOPATHY WITH CC	1	0.01	5.0
080	NONTRAUMATIC STUPOR & COMA WITH MCC	2	0.02	2.0
081	NONTRAUMATIC STUPOR & COMA WITHOUT MCC	20	0.15	2.8
082	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH MCC	7	0.05	7.9
083	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH CC	3	0.02	5.0
084	TRAUMATIC STUPOR & COMA, COMA >1 HR WITHOUT CC/MCC	4	0.03	2.0
085	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH MCC	7	0.05	5.7
086	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH CC	10	0.08	4.7
087	TRAUMATIC STUPOR & COMA, COMA <1 HR WITHOUT CC/MCC	17	0.13	2.1
089	CONCUSSION WITH CC	4	0.03	10
090	CONCUSSION WITHOUT CC/MCC	7	0.05	1.6
091	OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC	7	0.05	18
092	OTHER DISORDERS OF NERVOUS SYSTEM WITH CC	8	0.06	11
093	OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC	8	0.06	4.5
094	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH MCC	1	0.01	26

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Humboldt County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
095	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH CC	2	0.02	5.0
096	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITHOUT CC/MCC	2	0.02	2.5
097	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH MCC	1	0.01	14
098	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH CC	1	0.01	10
099	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITHOUT CC/MCC	2	0.02	9.5
100	SEIZURES WITH MCC	10	0.08	9.2
101	SEIZURES WITHOUT MCC	47	0.35	3.0
103	HEADACHES WITHOUT MCC	13	0.10	3.1
113	ORBITAL PROCEDURES WITH CC/MCC	1	0.01	3.0
114	ORBITAL PROCEDURES WITHOUT CC/MCC	2	0.02	7.0
115	EXTRAOCULAR PROCEDURES EXCEPT ORBIT	1	0.01	1.0
116	INTRAOCULAR PROCEDURES WITH CC/MCC	1	0.01	1.0
117	INTRAOCULAR PROCEDURES WITHOUT CC/MCC	1	0.01	1.0
121	ACUTE MAJOR EYE INFECTIONS WITH CC/MCC	1	0.01	5.0
122	ACUTE MAJOR EYE INFECTIONS WITHOUT CC/MCC	2	0.02	1.0
123	NEUROLOGICAL EYE DISORDERS	1	0.01	3.0
125	OTHER DISORDERS OF THE EYE WITHOUT MCC	2	0.02	2.0
129	MAJOR HEAD & NECK PROCEDURES WITH CC/MCC OR MAJOR DEVICE	2	0.02	4.0
130	MAJOR HEAD & NECK PROCEDURES WITHOUT CC/MCC	1	0.01	3.0
131	CRANIAL/FACIAL PROCEDURES WITH CC/MCC	6	0.05	3.8
132	CRANIAL/FACIAL PROCEDURES WITHOUT CC/MCC	8	0.06	2.9
133	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITH CC/MCC	3	0.02	3.7

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Humboldt County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
134	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITHOUT CC/MCC	16	0.12	1.6
135	SINUS & MASTOID PROCEDURES WITH CC/MCC	1	0.01	3.0
139	SALIVARY GLAND PROCEDURES	1	0.01	2.0
146	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH MCC	2	0.02	3.0
149	DYSEQUILIBRIUM	7	0.05	2.4
150	EPISTAXIS WITH MCC	1	0.01	2.0
151	EPISTAXIS WITHOUT MCC	3	0.02	1.7
152	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITH MCC	4	0.03	5.3
153	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITHOUT MCC	24	0.18	3.1
154	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH MCC	3	0.02	5.7
155	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH CC	2	0.02	2.0
156	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITHOUT CC/MCC	2	0.02	6.5
157	DENTAL & ORAL DISEASES WITH MCC	1	0.01	9.0
158	DENTAL & ORAL DISEASES WITH CC	11	0.08	3.8
159	DENTAL & ORAL DISEASES WITHOUT CC/MCC	6	0.05	1.5
163	MAJOR CHEST PROCEDURES WITH MCC	9	0.07	21
164	MAJOR CHEST PROCEDURES WITH CC	16	0.12	7.0
165	MAJOR CHEST PROCEDURES WITHOUT CC/MCC	10	0.08	4.3
166	OTHER RESP SYSTEM O.R. PROCEDURES WITH MCC	16	0.12	10
167	OTHER RESP SYSTEM O.R. PROCEDURES WITH CC	13	0.10	4.7
168	OTHER RESP SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	4	0.03	5.3
175	PULMONARY EMBOLISM WITH MCC	10	0.08	6.3

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Humboldt County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
176	PULMONARY EMBOLISM WITHOUT MCC	23	0.17	3.1
177	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC	69	0.52	7.9
178	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC	48	0.36	6.5
179	RESPIRATORY INFECTIONS & INFLAMMATIONS WITHOUT CC/MCC	20	0.15	4.2
180	RESPIRATORY NEOPLASMS WITH MCC	17	0.13	8.7
181	RESPIRATORY NEOPLASMS WITH CC	23	0.17	5.7
182	RESPIRATORY NEOPLASMS WITHOUT CC/MCC	2	0.02	3.5
183	MAJOR CHEST TRAUMA WITH MCC	5	0.04	4.0
184	MAJOR CHEST TRAUMA WITH CC	2	0.02	7.5
185	MAJOR CHEST TRAUMA WITHOUT CC/MCC	1	0.01	10
186	PLEURAL EFFUSION WITH MCC	3	0.02	11
187	PLEURAL EFFUSION WITH CC	9	0.07	4.3
188	PLEURAL EFFUSION WITHOUT CC/MCC	3	0.02	3.0
189	PULMONARY EDEMA & RESPIRATORY FAILURE	37	0.28	5.6
190	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC	127	0.96	5.0
191	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC	79	0.60	3.7
192	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC	84	0.63	3.3
193	SIMPLE PNEUMONIA & PLEURISY WITH MCC	101	0.76	5.5
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	152	1.15	4.2
195	SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC	93	0.70	3.2
196	INTERSTITIAL LUNG DISEASE WITH MCC	4	0.03	3.5
197	INTERSTITIAL LUNG DISEASE WITH CC	1	0.01	7.0

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Humboldt County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
198	INTERSTITIAL LUNG DISEASE WITHOUT CC/MCC	1	0.01	1.0
199	PNEUMOTHORAX WITH MCC	4	0.03	7.8
200	PNEUMOTHORAX WITH CC	10	0.08	3.7
201	PNEUMOTHORAX WITHOUT CC/MCC	10	0.08	2.2
202	BRONCHITIS & ASTHMA WITH CC/MCC	28	0.21	3.4
203	BRONCHITIS & ASTHMA WITHOUT CC/MCC	55	0.42	2.3
204	RESPIRATORY SIGNS & SYMPTOMS	20	0.15	2.5
205	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITH MCC	6	0.05	4.5
206	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITHOUT MCC	17	0.13	2.1
207	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS	44	0.33	20
208	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS	55	0.42	6.0
216	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH MCC	1	0.01	17
217	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH CC	2	0.02	16
218	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITHOUT CC/MCC	1	0.01	5.0
219	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH MCC	21	0.16	9.4
220	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH CC	17	0.13	8.0
221	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITHOUT CC/MCC	10	0.08	6.2
222	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITH MCC	2	0.02	5.5
224	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITH MCC	3	0.02	6.0
225	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITHOUT MCC	2	0.02	6.5
226	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITH MCC	4	0.03	4.8
227	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITHOUT MCC	5	0.04	1.8

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Humboldt County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
228	OTHER CARDIOTHORACIC PROCEDURES WITH MCC	2	0.02	16
229	OTHER CARDIOTHORACIC PROCEDURES WITH CC	1	0.01	2.0
230	OTHER CARDIOTHORACIC PROCEDURES WITHOUT CC/MCC	1	0.01	1.0
231	CORONARY BYPASS WITH PTCA WITH MCC	1	0.01	9.0
232	CORONARY BYPASS WITH PTCA WITHOUT MCC	2	0.02	9.0
233	CORONARY BYPASS WITH CARDIAC CATH WITH MCC	6	0.05	8.8
234	CORONARY BYPASS WITH CARDIAC CATH WITHOUT MCC	11	0.08	9.0
235	CORONARY BYPASS WITHOUT CARDIAC CATH WITH MCC	9	0.07	10
236	CORONARY BYPASS WITHOUT CARDIAC CATH WITHOUT MCC	28	0.21	6.0
237	MAJOR CARDIOVASC PROCEDURES WITH MCC OR THORACIC AORTIC ANEURYSM REPAIR	27	0.20	10
238	MAJOR CARDIOVASC PROCEDURES WITHOUT MCC	51	0.39	3.7
239	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH MCC	3	0.02	15
240	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH CC	3	0.02	16
242	PERMANENT CARDIAC PACEMAKER IMPLANT WITH MCC	7	0.05	9.7
243	PERMANENT CARDIAC PACEMAKER IMPLANT WITH CC	9	0.07	3.6
244	PERMANENT CARDIAC PACEMAKER IMPLANT WITHOUT CC/MCC	10	0.08	5.8
245	AICD GENERATOR PROCEDURES	1	0.01	22
246	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITH MCC OR 4+ VESSELS/STENTS	16	0.12	3.5
247	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITHOUT MCC	107	0.81	1.4
248	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITH MCC OR 4+ VES/STENTS	14	0.11	3.7
249	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITHOUT MCC	55	0.42	1.7
250	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITH MCC	3	0.02	2.0

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Humboldt County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
251	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITHOUT MCC	21	0.16	2.9
252	OTHER VASCULAR PROCEDURES WITH MCC	23	0.17	5.9
253	OTHER VASCULAR PROCEDURES WITH CC	26	0.20	3.3
254	OTHER VASCULAR PROCEDURES WITHOUT CC/MCC	20	0.15	2.4
255	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH MCC	1	0.01	8.0
256	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH CC	2	0.02	1.5
262	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITHOUT CC/MCC	1	0.01	1.0
263	VEIN LIGATION & STRIPPING	2	0.02	6.5
264	OTHER CIRCULATORY SYSTEM O.R. PROCEDURES	18	0.14	4.6
280	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH MCC	29	0.22	5.3
281	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH CC	8	0.06	2.5
282	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITHOUT CC/MCC	21	0.16	2.3
283	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH MCC	4	0.03	2.0
284	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH CC	1	0.01	8.0
285	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITHOUT CC/MCC	3	0.02	.67
286	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITH MCC	7	0.05	4.4
287	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITHOUT MCC	40	0.30	2.4
289	ACUTE & SUBACUTE ENDOCARDITIS WITH CC	3	0.02	16
291	HEART FAILURE & SHOCK WITH MCC	91	0.69	5.3
292	HEART FAILURE & SHOCK WITH CC	57	0.43	4.5
293	HEART FAILURE & SHOCK WITHOUT CC/MCC	29	0.22	2.7
296	CARDIAC ARREST, UNEXPLAINED WITH MCC	2	0.02	4.5

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Humboldt County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
299	PERIPHERAL VASCULAR DISORDERS WITH MCC	18	0.14	6.1
300	PERIPHERAL VASCULAR DISORDERS WITH CC	17	0.13	4.1
301	PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC	9	0.07	2.3
302	ATHEROSCLEROSIS WITH MCC	5	0.04	3.4
303	ATHEROSCLEROSIS WITHOUT MCC	11	0.08	1.2
305	HYPERTENSION WITHOUT MCC	17	0.13	2.0
306	CARDIAC CONGENITAL & VALVULAR DISORDERS WITH MCC	3	0.02	5.7
307	CARDIAC CONGENITAL & VALVULAR DISORDERS WITHOUT MCC	5	0.04	1.8
308	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH MCC	50	0.38	3.4
309	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC	39	0.29	3.2
310	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITHOUT CC/MCC	55	0.42	1.8
311	ANGINA PECTORIS	13	0.10	1.5
312	SYNCOPE & COLLAPSE	51	0.39	2.3
313	CHEST PAIN	87	0.66	1.5
314	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC	14	0.11	6.2
315	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC	16	0.12	4.7
316	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITHOUT CC/MCC	7	0.05	2.0
326	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH MCC	24	0.18	27
327	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH CC	18	0.14	3.5
328	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITHOUT CC/MCC	55	0.42	2.9
329	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	66	0.50	13
330	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH CC	75	0.57	7.1

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Humboldt County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
331	MAJOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	49	0.37	4.8
332	RECTAL RESECTION WITH MCC	3	0.02	15
333	RECTAL RESECTION WITH CC	12	0.09	8.8
334	RECTAL RESECTION WITHOUT CC/MCC	5	0.04	4.6
335	PERITONEAL ADHESIOLYSIS WITH MCC	8	0.06	13
336	PERITONEAL ADHESIOLYSIS WITH CC	18	0.14	7.7
337	PERITONEAL ADHESIOLYSIS WITHOUT CC/MCC	19	0.14	3.5
338	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	5	0.04	6.4
339	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	15	0.11	6.5
340	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	24	0.18	3.9
341	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	2	0.02	2.5
342	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	17	0.13	3.2
343	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	82	0.62	1.7
344	MINOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	1	0.01	14
345	MINOR SMALL & LARGE BOWEL PROCEDURES WITH CC	5	0.04	9.8
346	MINOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	3	0.02	5.0
347	ANAL & STOMAL PROCEDURES WITH MCC	1	0.01	10
348	ANAL & STOMAL PROCEDURES WITH CC	6	0.05	5.3
349	ANAL & STOMAL PROCEDURES WITHOUT CC/MCC	4	0.03	3.5
350	INGUINAL & FEMORAL HERNIA PROCEDURES WITH MCC	1	0.01	9.0
351	INGUINAL & FEMORAL HERNIA PROCEDURES WITH CC	6	0.05	4.3
352	INGUINAL & FEMORAL HERNIA PROCEDURES WITHOUT CC/MCC	6	0.05	3.0

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Humboldt County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
353	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH MCC	7	0.05	3.9
354	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH CC	23	0.17	4.6
355	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITHOUT CC/MCC	32	0.24	2.8
356	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH MCC	9	0.07	11
357	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH CC	12	0.09	4.3
358	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	5	0.04	4.4
368	MAJOR ESOPHAGEAL DISORDERS WITH MCC	3	0.02	7.3
369	MAJOR ESOPHAGEAL DISORDERS WITH CC	9	0.07	3.2
370	MAJOR ESOPHAGEAL DISORDERS WITHOUT CC/MCC	2	0.02	3.0
371	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH MCC	15	0.11	6.4
372	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH CC	12	0.09	4.1
373	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITHOUT CC/MCC	8	0.06	3.9
374	DIGESTIVE MALIGNANCY WITH MCC	10	0.08	5.6
375	DIGESTIVE MALIGNANCY WITH CC	10	0.08	3.6
376	DIGESTIVE MALIGNANCY WITHOUT CC/MCC	1	0.01	2.0
377	G.I. HEMORRHAGE WITH MCC	52	0.39	4.7
378	G.I. HEMORRHAGE WITH CC	78	0.59	3.4
379	G.I. HEMORRHAGE WITHOUT CC/MCC	31	0.23	2.2
380	COMPLICATED PEPTIC ULCER WITH MCC	2	0.02	4.0
381	COMPLICATED PEPTIC ULCER WITH CC	6	0.05	2.3
382	COMPLICATED PEPTIC ULCER WITHOUT CC/MCC	9	0.07	2.9
383	UNCOMPLICATED PEPTIC ULCER WITH MCC	1	0.01	1.0

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Humboldt County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
385	INFLAMMATORY BOWEL DISEASE WITH MCC	8	0.06	5.8
386	INFLAMMATORY BOWEL DISEASE WITH CC	9	0.07	5.8
387	INFLAMMATORY BOWEL DISEASE WITHOUT CC/MCC	7	0.05	5.0
388	G.I. OBSTRUCTION WITH MCC	14	0.11	3.3
389	G.I. OBSTRUCTION WITH CC	25	0.19	4.6
390	G.I. OBSTRUCTION WITHOUT CC/MCC	31	0.23	2.9
391	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITH MCC	42	0.32	4.1
392	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC	209	1.58	3.0
393	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH MCC	18	0.14	7.4
394	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH CC	29	0.22	4.1
395	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	20	0.15	2.0
405	PANCREAS, LIVER & SHUNT PROCEDURES WITH MCC	6	0.05	13
406	PANCREAS, LIVER & SHUNT PROCEDURES WITH CC	7	0.05	4.6
407	PANCREAS, LIVER & SHUNT PROCEDURES WITHOUT CC/MCC	2	0.02	4.0
408	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH MCC	3	0.02	12
411	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH MCC	2	0.02	9.5
412	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH CC	1	0.01	3.0
413	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITHOUT CC/MCC	1	0.01	3.0
414	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH MCC	3	0.02	5.7
415	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH CC	4	0.03	7.3
416	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	5	0.04	2.8

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Humboldt County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
417	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH MCC	17	0.13	12
418	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH CC	39	0.29	3.2
419	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	83	0.63	2.2
422	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITHOUT CC/MCC	1	0.01	6.0
423	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH MCC	1	0.01	10
432	CIRRHOIS & ALCOHOLIC HEPATITIS WITH MCC	20	0.15	5.4
433	CIRRHOIS & ALCOHOLIC HEPATITIS WITH CC	11	0.08	5.4
435	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITH MCC	9	0.07	3.0
436	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITH CC	10	0.08	4.5
437	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITHOUT CC/MCC	3	0.02	2.3
438	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH MCC	19	0.14	8.0
439	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH CC	34	0.26	4.2
440	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITHOUT CC/MCC	28	0.21	2.9
441	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH MCC	32	0.24	6.7
442	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH CC	11	0.08	3.6
443	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITHOUT CC/MCC	9	0.07	3.4
444	DISORDERS OF THE BILIARY TRACT WITH MCC	7	0.05	5.4
445	DISORDERS OF THE BILIARY TRACT WITH CC	7	0.05	3.4
446	DISORDERS OF THE BILIARY TRACT WITHOUT CC/MCC	8	0.06	1.6
453	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH MCC	2	0.02	20
454	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH CC	8	0.06	7.3
455	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITHOUT CC/MCC	6	0.05	5.2

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Humboldt County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
456	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH MCC	4	0.03	16
457	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH CC	4	0.03	8.0
458	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITHOUT CC/MCC	5	0.04	5.2
459	SPINAL FUSION EXCEPT CERVICAL WITH MCC	3	0.02	6.3
460	SPINAL FUSION EXCEPT CERVICAL WITHOUT MCC	46	0.35	5.1
462	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITHOUT MCC	3	0.02	3.3
463	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH MCC	1	0.01	3.0
464	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH CC	5	0.04	20
465	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITHOUT CC/MCC	2	0.02	9.5
466	REVISION OF HIP OR KNEE REPLACEMENT WITH MCC	6	0.05	9.0
467	REVISION OF HIP OR KNEE REPLACEMENT WITH CC	15	0.11	6.1
468	REVISION OF HIP OR KNEE REPLACEMENT WITHOUT CC/MCC	8	0.06	3.3
469	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITH MCC	28	0.21	6.9
470	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITHOUT MCC	392	2.96	3.1
471	CERVICAL SPINAL FUSION WITH MCC	3	0.02	16
472	CERVICAL SPINAL FUSION WITH CC	8	0.06	3.5
473	CERVICAL SPINAL FUSION WITHOUT CC/MCC	45	0.34	2.0
474	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH MCC	1	0.01	8.0
475	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH CC	5	0.04	9.4
476	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITHOUT CC/MCC	1	0.01	10
477	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	2	0.02	11
478	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	1	0.01	11

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Humboldt County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
479	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	3	0.02	1.7
480	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH MCC	24	0.18	7.5
481	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH CC	56	0.42	5.6
482	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITHOUT CC/MCC	35	0.26	4.2
483	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITH CC/MCC	9	0.07	2.8
484	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITHOUT CC/MCC	11	0.08	1.9
485	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH MCC	2	0.02	7.5
486	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH CC	1	0.01	4.0
487	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	1	0.01	3.0
488	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITH CC/MCC	5	0.04	3.6
489	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	15	0.11	1.9
490	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITH CC/MCC OR DISC DEVICE/NEUROSTIM	24	0.18	4.5
491	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITHOUT CC/MCC	73	0.55	1.3
492	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH MCC	11	0.08	7.0
493	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH CC	28	0.21	4.3
494	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITHOUT CC/MCC	81	0.61	1.8
495	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH MCC	1	0.01	3.0
496	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH CC	10	0.08	5.8
497	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITHOUT CC/MCC	15	0.11	3.3
499	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITHOUT CC/MCC	3	0.02	1.3
500	SOFT TISSUE PROCEDURES WITH MCC	2	0.02	15
501	SOFT TISSUE PROCEDURES WITH CC	5	0.04	2.4

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Humboldt County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
502	SOFT TISSUE PROCEDURES WITHOUT CC/MCC	14	0.11	2.2
503	FOOT PROCEDURES WITH MCC	2	0.02	12
504	FOOT PROCEDURES WITH CC	7	0.05	6.1
505	FOOT PROCEDURES WITHOUT CC/MCC	9	0.07	2.1
506	MAJOR THUMB OR JOINT PROCEDURES	2	0.02	2.5
507	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITH CC/MCC	3	0.02	8.3
508	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITHOUT CC/MCC	3	0.02	1.0
510	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH MCC	3	0.02	3.3
511	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH CC	2	0.02	4.0
512	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITHOUT CC/MCC	14	0.11	2.0
513	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITH CC/MCC	4	0.03	1.3
514	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITHOUT CC/MCC	7	0.05	1.9
515	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH MCC	1	0.01	8.0
516	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH CC	4	0.03	3.8
517	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITHOUT CC/MCC	8	0.06	3.5
533	FRACTURES OF FEMUR WITH MCC	1	0.01	18
534	FRACTURES OF FEMUR WITHOUT MCC	1	0.01	4.0
535	FRACTURES OF HIP & PELVIS WITH MCC	6	0.05	4.2
536	FRACTURES OF HIP & PELVIS WITHOUT MCC	24	0.18	4.3
537	SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITH CC/MCC	1	0.01	3.0
538	SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITHOUT CC/MCC	2	0.02	1.0
539	OSTEOMYELITIS WITH MCC	1	0.01	11

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Humboldt County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
540	OSTEOMYELITIS WITH CC	6	0.05	7.8
542	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH MCC	8	0.06	5.4
543	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH CC	8	0.06	5.4
544	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITHOUT CC/MCC	2	0.02	12
545	CONNECTIVE TISSUE DISORDERS WITH MCC	6	0.05	6.7
546	CONNECTIVE TISSUE DISORDERS WITH CC	5	0.04	7.2
547	CONNECTIVE TISSUE DISORDERS WITHOUT CC/MCC	8	0.06	3.3
549	SEPTIC ARTHRITIS WITH CC	1	0.01	10
551	MEDICAL BACK PROBLEMS WITH MCC	8	0.06	7.9
552	MEDICAL BACK PROBLEMS WITHOUT MCC	44	0.33	3.7
553	BONE DISEASES & ARTHROPATHIES WITH MCC	1	0.01	3.0
554	BONE DISEASES & ARTHROPATHIES WITHOUT MCC	7	0.05	3.0
555	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITH MCC	3	0.02	7.0
556	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC	10	0.08	4.7
557	TENDONITIS, MYOSITIS & BURSITIS WITH MCC	10	0.08	6.3
558	TENDONITIS, MYOSITIS & BURSITIS WITHOUT MCC	15	0.11	9.7
559	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	1	0.01	2.0
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	5	0.04	27
561	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	9	0.07	7.9
562	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITH MCC	8	0.06	6.9
563	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC	18	0.14	3.7
564	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH MCC	2	0.02	4.0

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Humboldt County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
565	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH CC	1	0.01	1.0
566	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITHOUT CC/MCC	1	0.01	3.0
573	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH MCC	14	0.11	16
574	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH CC	10	0.08	12
575	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	7	0.05	5.6
576	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH MCC	1	0.01	1.0
577	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH CC	5	0.04	7.6
578	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	9	0.07	4.8
579	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH MCC	11	0.08	13
580	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH CC	13	0.10	6.5
581	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITHOUT CC/MCC	20	0.15	3.2
582	MASTECTOMY FOR MALIGNANCY WITH CC/MCC	7	0.05	1.6
583	MASTECTOMY FOR MALIGNANCY WITHOUT CC/MCC	3	0.02	2.3
585	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITHOUT CC/MCC	14	0.11	2.4
592	SKIN ULCERS WITH MCC	6	0.05	12
593	SKIN ULCERS WITH CC	11	0.08	7.5
596	MAJOR SKIN DISORDERS WITHOUT MCC	7	0.05	5.9
597	MALIGNANT BREAST DISORDERS WITH MCC	1	0.01	2.0
598	MALIGNANT BREAST DISORDERS WITH CC	1	0.01	2.0
600	NON-MALIGNANT BREAST DISORDERS WITH CC/MCC	2	0.02	12
601	NON-MALIGNANT BREAST DISORDERS WITHOUT CC/MCC	2	0.02	4.5
602	CELLULITIS WITH MCC	27	0.20	7.1

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Humboldt County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
603	CELLULITIS WITHOUT MCC	227	1.71	3.9
604	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITH MCC	5	0.04	3.8
605	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITHOUT MCC	15	0.11	2.9
606	MINOR SKIN DISORDERS WITH MCC	3	0.02	3.0
607	MINOR SKIN DISORDERS WITHOUT MCC	9	0.07	7.2
614	ADRENAL & PITUITARY PROCEDURES WITH CC/MCC	1	0.01	4.0
615	ADRENAL & PITUITARY PROCEDURES WITHOUT CC/MCC	4	0.03	1.5
616	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH MCC	2	0.02	9.0
617	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH CC	5	0.04	5.6
619	O.R. PROCEDURES FOR OBESITY WITH MCC	5	0.04	12
620	O.R. PROCEDURES FOR OBESITY WITH CC	7	0.05	5.1
621	O.R. PROCEDURES FOR OBESITY WITHOUT CC/MCC	42	0.32	2.0
623	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH CC	4	0.03	8.5
626	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH CC	4	0.03	2.0
627	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITHOUT CC/MCC	29	0.22	1.7
628	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH MCC	1	0.01	22
629	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH CC	2	0.02	8.5
637	DIABETES WITH MCC	27	0.20	4.3
638	DIABETES WITH CC	33	0.25	4.2
639	DIABETES WITHOUT CC/MCC	24	0.18	2.8
640	NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC	41	0.31	4.4
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	114	0.86	3.8

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Humboldt County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
642	INBORN ERRORS OF METABOLISM	1	0.01	3.0
643	ENDOCRINE DISORDERS WITH MCC	2	0.02	11
644	ENDOCRINE DISORDERS WITH CC	4	0.03	3.0
645	ENDOCRINE DISORDERS WITHOUT CC/MCC	5	0.04	3.2
652	KIDNEY TRANSPLANT	10	0.08	6.1
653	MAJOR BLADDER PROCEDURES WITH MCC	1	0.01	9.0
654	MAJOR BLADDER PROCEDURES WITH CC	6	0.05	9.5
655	MAJOR BLADDER PROCEDURES WITHOUT CC/MCC	2	0.02	4.5
656	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH MCC	3	0.02	9.3
657	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH CC	8	0.06	5.4
658	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITHOUT CC/MCC	10	0.08	3.1
659	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH MCC	6	0.05	15
660	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH CC	10	0.08	4.6
661	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITHOUT CC/MCC	13	0.10	2.4
662	MINOR BLADDER PROCEDURES WITH MCC	2	0.02	10
663	MINOR BLADDER PROCEDURES WITH CC	2	0.02	4.0
664	MINOR BLADDER PROCEDURES WITHOUT CC/MCC	4	0.03	1.3
665	PROSTATECTOMY WITH MCC	1	0.01	5.0
666	PROSTATECTOMY WITH CC	2	0.02	4.0
667	PROSTATECTOMY WITHOUT CC/MCC	2	0.02	2.0
668	TRANSURETHRAL PROCEDURES WITH MCC	2	0.02	4.5
669	TRANSURETHRAL PROCEDURES WITH CC	6	0.05	3.7

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Humboldt County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
670	TRANSURETHRAL PROCEDURES WITHOUT CC/MCC	4	0.03	1.8
672	URETHRAL PROCEDURES WITHOUT CC/MCC	3	0.02	3.0
673	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH MCC	10	0.08	10
674	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH CC	10	0.08	7.6
675	OTHER KIDNEY & URINARY TRACT PROCEDURES WITHOUT CC/MCC	2	0.02	1.5
682	RENAL FAILURE WITH MCC	46	0.35	6.5
683	RENAL FAILURE WITH CC	69	0.52	4.7
684	RENAL FAILURE WITHOUT CC/MCC	6	0.05	3.3
686	KIDNEY & URINARY TRACT NEOPLASMS WITH MCC	1	0.01	4.0
687	KIDNEY & URINARY TRACT NEOPLASMS WITH CC	2	0.02	6.0
689	KIDNEY & URINARY TRACT INFECTIONS WITH MCC	59	0.45	4.5
690	KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC	108	0.82	3.3
691	URINARY STONES WITH ESW LITHOTRIPSY WITH CC/MCC	1	0.01	2.0
693	URINARY STONES WITHOUT ESW LITHOTRIPSY WITH MCC	5	0.04	3.6
694	URINARY STONES WITHOUT ESW LITHOTRIPSY WITHOUT MCC	9	0.07	2.4
695	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITH MCC	1	0.01	1.0
696	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITHOUT MCC	1	0.01	3.0
698	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH MCC	7	0.05	3.3
699	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH CC	11	0.08	3.3
700	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITHOUT CC/MCC	11	0.08	2.1
707	MAJOR MALE PELVIC PROCEDURES WITH CC/MCC	1	0.01	3.0
708	MAJOR MALE PELVIC PROCEDURES WITHOUT CC/MCC	19	0.14	2.1

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Humboldt County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
710	PENIS PROCEDURES WITHOUT CC/MCC	1	0.01	1.0
712	TESTES PROCEDURES WITHOUT CC/MCC	2	0.02	3.5
713	TRANSURETHRAL PROSTATECTOMY WITH CC/MCC	6	0.05	3.3
714	TRANSURETHRAL PROSTATECTOMY WITHOUT CC/MCC	16	0.12	1.3
715	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE FOR MALIGNANCY WITH CC/MCC	1	0.01	11
717	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE EXCEPT MALIGNANCY WITH CC/MCC	1	0.01	15
724	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	4	0.03	4.0
725	BENIGN PROSTATIC HYPERTROPHY WITH MCC	5	0.04	7.2
726	BENIGN PROSTATIC HYPERTROPHY WITHOUT MCC	1	0.01	4.0
727	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITH MCC	1	0.01	33
728	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITHOUT MCC	7	0.05	2.6
730	OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	1	0.01	1.0
734	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITH CC/MCC	4	0.03	6.0
735	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITHOUT CC/MCC	7	0.05	1.9
737	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH CC	2	0.02	6.5
740	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH CC	6	0.05	2.8
741	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITHOUT CC/MCC	13	0.10	1.8
742	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITH CC/MCC	39	0.29	2.9
743	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITHOUT CC/MCC	201	1.52	1.9
744	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITH CC/MCC	1	0.01	1.0
745	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITHOUT CC/MCC	2	0.02	1.5
746	VAGINA, CERVIX & VULVA PROCEDURES WITH CC/MCC	6	0.05	2.7

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Humboldt County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
747	VAGINA, CERVIX & VULVA PROCEDURES WITHOUT CC/MCC	18	0.14	2.2
748	FEMALE REPRODUCTIVE SYSTEM RECONSTRUCTIVE PROCEDURES	53	0.40	1.9
749	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITH CC/MCC	1	0.01	5.0
750	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	3	0.02	2.3
754	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH MCC	3	0.02	8.0
755	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH CC	1	0.01	2.0
756	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	2	0.02	3.5
758	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH CC	1	0.01	3.0
759	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	3	0.02	4.7
760	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITH CC/MCC	4	0.03	2.0
761	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITHOUT CC/MCC	4	0.03	2.0
765	CESAREAN SECTION WITH CC/MCC	131	0.99	4.0
766	CESAREAN SECTION WITHOUT CC/MCC	265	2.00	3.1
767	VAGINAL DELIVERY WITH STERILIZATION &/OR D&C	49	0.37	2.3
768	VAGINAL DELIVERY WITH O.R. PROCEDURE EXCEPT STERIL &/OR D&C	1	0.01	4.0
769	POSTPARTUM & POST ABORTION DIAGNOSIS WITH O.R. PROCEDURE	5	0.04	2.8
770	ABORTION WITH D&C, ASPIRATION CURETTAGE OR HYSTEROTOMY	7	0.05	.86
774	VAGINAL DELIVERY WITH COMPLICATING DIAGNOSIS	113	0.85	2.4
775	VAGINAL DELIVERY WITHOUT COMPLICATING DIAGNOSIS	917	6.92	1.8
776	POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE	9	0.07	1.3
777	ECTOPIC PREGNANCY	11	0.08	2.1
778	THREATENED ABORTION	21	0.16	1.3

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Humboldt County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
779	ABORTION WITHOUT D&C	9	0.07	1.1
780	FALSE LABOR	1	0.01	1.0
781	OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS	73	0.55	2.5
782	OTHER ANTEPARTUM DIAGNOSIS WITHOUT MEDICAL COMPLICATIONS	22	0.17	.91
789	NEONATES, DIED OR TRANSFERRED TO ANOTHER ACUTE CARE FACILITY	37	0.28	4.4
790	EXTREME IMMATURETY OR RESPIRATORY DISTRESS SYNDROME, NEONATE	27	0.20	30
791	PREMATURITY WITH MAJOR PROBLEMS	15	0.11	20
792	PREMATURITY WITHOUT MAJOR PROBLEMS	50	0.38	10
793	FULL TERM NEONATE WITH MAJOR PROBLEMS	33	0.25	7.0
794	NEONATE WITH OTHER SIGNIFICANT PROBLEMS	292	2.20	2.2
795	NORMAL NEWBORN	1,107	8.36	1.7
799	SPLENECTOMY WITH MCC	2	0.02	13
800	SPLENECTOMY WITH CC	1	0.01	5.0
801	SPLENECTOMY WITHOUT CC/MCC	1	0.01	4.0
803	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH CC	2	0.02	6.5
804	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITHOUT CC/MCC	2	0.02	2.0
808	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH MCC	2	0.02	3.0
809	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH CC	9	0.07	4.2
810	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITHOUT CC/MCC	6	0.05	2.7
811	RED BLOOD CELL DISORDERS WITH MCC	16	0.12	3.9
812	RED BLOOD CELL DISORDERS WITHOUT MCC	56	0.42	3.0
813	COAGULATION DISORDERS	7	0.05	3.6

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Humboldt County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
814	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH MCC	1	0.01	6.0
815	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH CC	3	0.02	2.7
816	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITHOUT CC/MCC	4	0.03	3.3
821	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH CC	3	0.02	6.3
822	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITHOUT CC/MCC	2	0.02	2.5
823	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH MCC	4	0.03	8.5
824	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH CC	3	0.02	2.0
825	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	3	0.02	6.3
827	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH CC	2	0.02	12
828	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITHOUT CC/MCC	1	0.01	7.0
829	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITH CC/MCC	2	0.02	12
834	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH MCC	1	0.01	14
835	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH CC	2	0.02	4.5
836	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITHOUT CC/MCC	1	0.01	3.0
837	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS OR WITH HIGH DOSE CHEMO AGENT WITH MCC	5	0.04	11
838	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITH CC OR HIGH DOSE CHEMO AGENT	12	0.09	5.5
839	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITHOUT CC/MCC	1	0.01	29
840	LYMPHOMA & NON-ACUTE LEUKEMIA WITH MCC	5	0.04	13
841	LYMPHOMA & NON-ACUTE LEUKEMIA WITH CC	6	0.05	5.7
842	LYMPHOMA & NON-ACUTE LEUKEMIA WITHOUT CC/MCC	5	0.04	5.6
843	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH MCC	3	0.02	6.3
844	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH CC	1	0.01	6.0

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Humboldt County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
845	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITHOUT CC/MCC	1	0.01	2.0
846	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH MCC	3	0.02	5.0
847	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH CC	25	0.19	3.3
848	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITHOUT CC/MCC	2	0.02	3.5
853	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH MCC	33	0.25	15
854	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH CC	3	0.02	7.7
856	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH MCC	13	0.10	30
857	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH CC	7	0.05	11
858	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITHOUT CC/MCC	8	0.06	3.6
862	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITH MCC	18	0.14	10
863	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC	27	0.20	5.5
864	FEVER	23	0.17	3.1
865	VIRAL ILLNESS WITH MCC	3	0.02	6.0
866	VIRAL ILLNESS WITHOUT MCC	12	0.09	2.9
867	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH MCC	3	0.02	7.0
869	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITHOUT CC/MCC	2	0.02	2.5
870	SEPTICEMIA OR SEVERE SEPSIS WITH MECH VENT 96+ HOURS	19	0.14	17
871	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC	181	1.37	7.1
872	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC	62	0.47	4.2
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	10	0.08	2.3
881	DEPRESSIVE NEUROSES	22	0.17	4.3
882	NEUROSES EXCEPT DEPRESSIVE	42	0.32	1.9

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Humboldt County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
883	DISORDERS OF PERSONALITY & IMPULSE CONTROL	7	0.05	4.3
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	19	0.14	119
885	PSYCHOSES	497	3.75	7.9
886	BEHAVIORAL & DEVELOPMENTAL DISORDERS	6	0.05	6.8
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	9	0.07	1.9
895	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITH REHABILITATION THERAPY	3	0.02	21
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	23	0.17	4.1
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	106	0.80	3.3
901	WOUND DEBRIDE EMENTS FOR INJURIES WITH MCC	5	0.04	17
902	WOUND DEBRIDE EMENTS FOR INJURIES WITH CC	3	0.02	13
903	WOUND DEBRIDE EMENTS FOR INJURIES WITHOUT CC/MCC	9	0.07	2.9
904	SKIN GRAFTS FOR INJURIES WITH CC/MCC	2	0.02	20
905	SKIN GRAFTS FOR INJURIES WITHOUT CC/MCC	4	0.03	11
906	HAND PROCEDURES FOR INJURIES	4	0.03	2.0
907	OTHER O.R. PROCEDURES FOR INJURIES WITH MCC	7	0.05	19
908	OTHER O.R. PROCEDURES FOR INJURIES WITH CC	13	0.10	4.1
909	OTHER O.R. PROCEDURES FOR INJURIES WITHOUT CC/MCC	12	0.09	2.7
914	TRAUMATIC INJURY WITHOUT MCC	6	0.05	1.5
916	ALLERGIC REACTIONS WITHOUT MCC	5	0.04	1.4
917	POISONING & TOXIC EFFECTS OF DRUGS WITH MCC	64	0.48	5.1
918	POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC	110	0.83	1.9
919	COMPLICATIONS OF TREATMENT WITH MCC	7	0.05	11

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Humboldt County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
920	COMPLICATIONS OF TREATMENT WITH CC	12	0.09	5.5
921	COMPLICATIONS OF TREATMENT WITHOUT CC/MCC	9	0.07	5.1
923	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITHOUT MCC	3	0.02	2.3
927	EXTENSIVE BURNS OR FULL THICKNESS BURNS WITH MECH VENT 96+ HRS WITH SKIN GRAFT	1	0.01	33
929	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITHOUT CC/MCC	1	0.01	4.0
934	FULL THICKNESS BURN WITHOUT SKIN GRAFT OR INHAL INJURY	2	0.02	4.0
935	NON-EXTENSIVE BURNS	8	0.06	12
940	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC	3	0.02	4.3
941	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITHOUT CC/MCC	7	0.05	4.3
945	REHABILITATION WITH CC/MCC	148	1.12	14
946	REHABILITATION WITHOUT CC/MCC	35	0.26	7.4
947	SIGNS & SYMPTOMS WITH MCC	16	0.12	4.9
948	SIGNS & SYMPTOMS WITHOUT MCC	47	0.35	2.8
949	AFTERCARE WITH CC/MCC	3	0.02	2.0
950	AFTERCARE WITHOUT CC/MCC	2	0.02	16
951	OTHER FACTORS INFLUENCING HEALTH STATUS	12	0.09	4.9
955	CRANIOTOMY FOR MULTIPLE SIGNIFICANT TRAUMA	1	0.01	29
956	LIMB REATTACHMENT, HIP & FEMUR PROCEDURE FOR MULTIPLE SIGNIFICANT TRAUMA	3	0.02	39
957	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH MCC	1	0.01	.00
958	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH CC	7	0.05	9.6
959	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	1	0.01	6.0
963	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH MCC	5	0.04	4.2

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Humboldt County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
964	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH CC	3	0.02	4.0
965	OTHER MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	3	0.02	3.0
970	HIV WITH EXTENSIVE O.R. PROCEDURE WITHOUT MCC	1	0.01	7.0
974	HIV WITH MAJOR RELATED CONDITION WITH MCC	3	0.02	9.7
975	HIV WITH MAJOR RELATED CONDITION WITH CC	6	0.05	9.7
976	HIV WITH MAJOR RELATED CONDITION WITHOUT CC/MCC	1	0.01	1.0
977	HIV WITH OR WITHOUT OTHER RELATED CONDITION	2	0.02	2.5
981	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	23	0.17	13
982	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	9	0.07	5.7
983	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	7	0.05	3.0
986	PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	1	0.01	2.0
987	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	4	0.03	4.5
988	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	6	0.05	3.7
989	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	6	0.05	4.5
998	PRINCIPAL DIAGNOSIS INVALID AS DISCHARGE DIAGNOSIS	1	0.01	1.0
All		13,244	100.0	4.7

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Humboldt County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
001	HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM WITH MCC	1	0.01	56
002	HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM WITHOUT MCC	1	0.01	76
003	ECMO OR TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITH MAJOR O.R.	27	0.22	39
004	TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITHOUT MAJOR O.R.	13	0.10	34
005	LIVER TRANSPLANT WITH MCC OR INTESTINAL TRANSPLANT	1	0.01	9.0
009	BONE MARROW TRANSPLANT	3	0.02	25
012	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH CC	3	0.02	5.7
013	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITHOUT CC/MCC	2	0.02	5.0
020	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH MCC	3	0.02	24
021	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH CC	2	0.02	17
022	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITHOUT CC/MCC	1	0.01	10
023	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITH MCC OR CHEMO IMPLANT	4	0.03	23
025	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH MCC	20	0.16	12
026	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH CC	19	0.15	7.3
027	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITHOUT CC/MCC	19	0.15	5.7
028	SPINAL PROCEDURES WITH MCC	2	0.02	7.0
029	SPINAL PROCEDURES WITH CC OR SPINAL NEUROSTIMULATORS	6	0.05	19
030	SPINAL PROCEDURES WITHOUT CC/MCC	10	0.08	4.3
031	VENTRICULAR SHUNT PROCEDURES WITH MCC	1	0.01	10

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Humboldt County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
032	VENTRICULAR SHUNT PROCEDURES WITH CC	4	0.03	4.5
033	VENTRICULAR SHUNT PROCEDURES WITHOUT CC/MCC	1	0.01	6.0
036	CAROTID ARTERY STENT PROCEDURE WITHOUT CC/MCC	1	0.01	1.0
037	EXTRACRANIAL PROCEDURES WITH MCC	7	0.06	6.4
038	EXTRACRANIAL PROCEDURES WITH CC	20	0.16	3.2
039	EXTRACRANIAL PROCEDURES WITHOUT CC/MCC	64	0.52	1.3
040	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH MCC	2	0.02	8.0
041	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH CC OR PERIPH NEUROSTIM	2	0.02	2.5
042	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITHOUT CC/MCC	5	0.04	3.2
053	SPINAL DISORDERS & INJURIES WITHOUT CC/MCC	1	0.01	2.0
054	NERVOUS SYSTEM NEOPLASMS WITH MCC	6	0.05	4.5
055	NERVOUS SYSTEM NEOPLASMS WITHOUT MCC	15	0.12	4.4
056	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC	9	0.07	4.3
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	36	0.29	6.0
059	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH CC	1	0.01	1.0
061	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH MCC	1	0.01	5.0
062	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH CC	1	0.01	3.0
064	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC	49	0.39	5.6
065	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC	67	0.54	4.3
066	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC	49	0.39	3.7
067	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITH MCC	1	0.01	4.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Humboldt County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
068	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITHOUT MCC	5	0.04	1.2
069	TRANSIENT ISCHEMIA	35	0.28	2.5
070	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH MCC	1	0.01	5.0
071	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH CC	5	0.04	3.6
072	NONSPECIFIC CEREBROVASCULAR DISORDERS WITHOUT CC/MCC	3	0.02	1.7
073	CRANIAL & PERIPHERAL NERVE DISORDERS WITH MCC	8	0.06	4.8
074	CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC	12	0.10	2.9
075	VIRAL MENINGITIS WITH CC/MCC	5	0.04	5.2
076	VIRAL MENINGITIS WITHOUT CC/MCC	11	0.09	2.4
078	HYPERTENSIVE ENCEPHALOPATHY WITH CC	1	0.01	5.0
080	NONTRAUMATIC STUPOR & COMA WITH MCC	2	0.02	2.0
081	NONTRAUMATIC STUPOR & COMA WITHOUT MCC	20	0.16	2.8
082	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH MCC	7	0.06	7.9
083	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH CC	3	0.02	5.0
084	TRAUMATIC STUPOR & COMA, COMA >1 HR WITHOUT CC/MCC	4	0.03	2.0
085	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH MCC	7	0.06	5.7
086	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH CC	10	0.08	4.7
087	TRAUMATIC STUPOR & COMA, COMA <1 HR WITHOUT CC/MCC	17	0.14	2.1
089	CONCUSSION WITH CC	4	0.03	10
090	CONCUSSION WITHOUT CC/MCC	7	0.06	1.6
091	OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC	7	0.06	18

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Humboldt County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
092	OTHER DISORDERS OF NERVOUS SYSTEM WITH CC	8	0.06	11
093	OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC	8	0.06	4.5
094	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH MCC	1	0.01	26
095	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH CC	2	0.02	5.0
096	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITHOUT CC/MCC	2	0.02	2.5
097	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH MCC	1	0.01	14
098	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH CC	1	0.01	10
099	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITHOUT CC/MCC	2	0.02	9.5
100	SEIZURES WITH MCC	10	0.08	9.2
101	SEIZURES WITHOUT MCC	47	0.38	3.0
103	HEADACHES WITHOUT MCC	13	0.10	3.1
113	ORBITAL PROCEDURES WITH CC/MCC	1	0.01	3.0
114	ORBITAL PROCEDURES WITHOUT CC/MCC	2	0.02	7.0
115	EXTRAOCULAR PROCEDURES EXCEPT ORBIT	1	0.01	1.0
116	INTRAOCULAR PROCEDURES WITH CC/MCC	1	0.01	1.0
117	INTRAOCULAR PROCEDURES WITHOUT CC/MCC	1	0.01	1.0
121	ACUTE MAJOR EYE INFECTIONS WITH CC/MCC	1	0.01	5.0
122	ACUTE MAJOR EYE INFECTIONS WITHOUT CC/MCC	2	0.02	1.0
123	NEUROLOGICAL EYE DISORDERS	1	0.01	3.0
125	OTHER DISORDERS OF THE EYE WITHOUT MCC	2	0.02	2.0
129	MAJOR HEAD & NECK PROCEDURES WITH CC/MCC OR MAJOR DEVICE	2	0.02	4.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Humboldt County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
130	MAJOR HEAD & NECK PROCEDURES WITHOUT CC/MCC	1	0.01	3.0
131	CRANIAL/FACIAL PROCEDURES WITH CC/MCC	6	0.05	3.8
132	CRANIAL/FACIAL PROCEDURES WITHOUT CC/MCC	8	0.06	2.9
133	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITH CC/MCC	3	0.02	3.7
134	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITHOUT CC/MCC	16	0.13	1.6
135	SINUS & MASTOID PROCEDURES WITH CC/MCC	1	0.01	3.0
139	SALIVARY GLAND PROCEDURES	1	0.01	2.0
146	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH MCC	2	0.02	3.0
149	DYSEQUILIBRIUM	7	0.06	2.4
150	EPISTAXIS WITH MCC	1	0.01	2.0
151	EPISTAXIS WITHOUT MCC	3	0.02	1.7
152	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITH MCC	4	0.03	5.3
153	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITHOUT MCC	24	0.19	3.1
154	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH MCC	3	0.02	5.7
155	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH CC	2	0.02	2.0
156	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITHOUT CC/MCC	2	0.02	6.5
157	DENTAL & ORAL DISEASES WITH MCC	1	0.01	9.0
158	DENTAL & ORAL DISEASES WITH CC	11	0.09	3.8
159	DENTAL & ORAL DISEASES WITHOUT CC/MCC	6	0.05	1.5
163	MAJOR CHEST PROCEDURES WITH MCC	9	0.07	21
164	MAJOR CHEST PROCEDURES WITH CC	16	0.13	7.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Humboldt County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
165	MAJOR CHEST PROCEDURES WITHOUT CC/MCC	10	0.08	4.3
166	OTHER RESP SYSTEM O.R. PROCEDURES WITH MCC	16	0.13	10
167	OTHER RESP SYSTEM O.R. PROCEDURES WITH CC	13	0.10	4.7
168	OTHER RESP SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	4	0.03	5.3
175	PULMONARY EMBOLISM WITH MCC	10	0.08	6.3
176	PULMONARY EMBOLISM WITHOUT MCC	23	0.19	3.1
177	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC	69	0.56	7.9
178	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC	48	0.39	6.5
179	RESPIRATORY INFECTIONS & INFLAMMATIONS WITHOUT CC/MCC	20	0.16	4.2
180	RESPIRATORY NEOPLASMS WITH MCC	17	0.14	8.7
181	RESPIRATORY NEOPLASMS WITH CC	22	0.18	5.7
182	RESPIRATORY NEOPLASMS WITHOUT CC/MCC	2	0.02	3.5
183	MAJOR CHEST TRAUMA WITH MCC	5	0.04	4.0
184	MAJOR CHEST TRAUMA WITH CC	2	0.02	7.5
185	MAJOR CHEST TRAUMA WITHOUT CC/MCC	1	0.01	10
186	PLEURAL EFFUSION WITH MCC	3	0.02	11
187	PLEURAL EFFUSION WITH CC	9	0.07	4.3
188	PLEURAL EFFUSION WITHOUT CC/MCC	3	0.02	3.0
189	PULMONARY EDEMA & RESPIRATORY FAILURE	36	0.29	5.3
190	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC	125	1.01	5.0
191	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC	79	0.64	3.7

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Humboldt County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
192	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC	83	0.67	3.1
193	SIMPLE PNEUMONIA & PLEURISY WITH MCC	101	0.81	5.5
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	150	1.21	4.2
195	SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC	92	0.74	3.2
196	INTERSTITIAL LUNG DISEASE WITH MCC	4	0.03	3.5
197	INTERSTITIAL LUNG DISEASE WITH CC	1	0.01	7.0
198	INTERSTITIAL LUNG DISEASE WITHOUT CC/MCC	1	0.01	1.0
199	PNEUMOTHORAX WITH MCC	4	0.03	7.8
200	PNEUMOTHORAX WITH CC	10	0.08	3.7
201	PNEUMOTHORAX WITHOUT CC/MCC	10	0.08	2.2
202	BRONCHITIS & ASTHMA WITH CC/MCC	28	0.23	3.4
203	BRONCHITIS & ASTHMA WITHOUT CC/MCC	55	0.44	2.3
204	RESPIRATORY SIGNS & SYMPTOMS	20	0.16	2.5
205	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITH MCC	6	0.05	4.5
206	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITHOUT MCC	17	0.14	2.1
207	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS	44	0.35	20
208	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS	55	0.44	6.0
216	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH MCC	1	0.01	17
217	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH CC	2	0.02	16
218	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITHOUT CC/MCC	1	0.01	5.0
219	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH MCC	21	0.17	9.4

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Humboldt County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
220	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH CC	17	0.14	8.0
221	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITHOUT CC/MCC	10	0.08	6.2
222	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITH MCC	2	0.02	5.5
224	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITH MCC	3	0.02	6.0
225	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITHOUT MCC	2	0.02	6.5
226	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITH MCC	4	0.03	4.8
227	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITHOUT MCC	5	0.04	1.8
228	OTHER CARDIOTHORACIC PROCEDURES WITH MCC	2	0.02	16
229	OTHER CARDIOTHORACIC PROCEDURES WITH CC	1	0.01	2.0
230	OTHER CARDIOTHORACIC PROCEDURES WITHOUT CC/MCC	1	0.01	1.0
231	CORONARY BYPASS WITH PTCA WITH MCC	1	0.01	9.0
232	CORONARY BYPASS WITH PTCA WITHOUT MCC	2	0.02	9.0
233	CORONARY BYPASS WITH CARDIAC CATH WITH MCC	6	0.05	8.8
234	CORONARY BYPASS WITH CARDIAC CATH WITHOUT MCC	11	0.09	9.0
235	CORONARY BYPASS WITHOUT CARDIAC CATH WITH MCC	9	0.07	10
236	CORONARY BYPASS WITHOUT CARDIAC CATH WITHOUT MCC	28	0.23	6.0
237	MAJOR CARDIOVASC PROCEDURES WITH MCC OR THORACIC AORTIC ANEURYSM REPAIR	27	0.22	10
238	MAJOR CARDIOVASC PROCEDURES WITHOUT MCC	51	0.41	3.7
239	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH MCC	3	0.02	15
240	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH CC	3	0.02	16

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Humboldt County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
242	PERMANENT CARDIAC PACEMAKER IMPLANT WITH MCC	7	0.06	9.7
243	PERMANENT CARDIAC PACEMAKER IMPLANT WITH CC	9	0.07	3.6
244	PERMANENT CARDIAC PACEMAKER IMPLANT WITHOUT CC/MCC	10	0.08	5.8
245	AICD GENERATOR PROCEDURES	1	0.01	22
246	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITH MCC OR 4+ VESSELS/STENTS	16	0.13	3.5
247	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITHOUT MCC	107	0.86	1.4
248	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITH MCC OR 4+ VES/STENTS	14	0.11	3.7
249	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITHOUT MCC	55	0.44	1.7
250	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITH MCC	3	0.02	2.0
251	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITHOUT MCC	21	0.17	2.9
252	OTHER VASCULAR PROCEDURES WITH MCC	23	0.19	5.9
253	OTHER VASCULAR PROCEDURES WITH CC	26	0.21	3.3
254	OTHER VASCULAR PROCEDURES WITHOUT CC/MCC	20	0.16	2.4
255	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH MCC	1	0.01	8.0
256	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH CC	2	0.02	1.5
262	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITHOUT CC/MCC	1	0.01	1.0
263	VEIN LIGATION & STRIPPING	2	0.02	6.5
264	OTHER CIRCULATORY SYSTEM O.R. PROCEDURES	18	0.14	4.6
280	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH MCC	29	0.23	5.3
281	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH CC	7	0.06	2.6
282	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITHOUT CC/MCC	21	0.17	2.3

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Humboldt County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
283	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH MCC	4	0.03	2.0
284	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH CC	1	0.01	8.0
285	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITHOUT CC/MCC	3	0.02	.67
286	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITH MCC	7	0.06	4.4
287	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITHOUT MCC	40	0.32	2.4
289	ACUTE & SUBACUTE ENDOCARDITIS WITH CC	3	0.02	16
291	HEART FAILURE & SHOCK WITH MCC	91	0.73	5.3
292	HEART FAILURE & SHOCK WITH CC	56	0.45	4.1
293	HEART FAILURE & SHOCK WITHOUT CC/MCC	29	0.23	2.7
296	CARDIAC ARREST, UNEXPLAINED WITH MCC	2	0.02	4.5
299	PERIPHERAL VASCULAR DISORDERS WITH MCC	17	0.14	6.4
300	PERIPHERAL VASCULAR DISORDERS WITH CC	17	0.14	4.1
301	PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC	9	0.07	2.3
302	ATHEROSCLEROSIS WITH MCC	5	0.04	3.4
303	ATHEROSCLEROSIS WITHOUT MCC	11	0.09	1.2
305	HYPERTENSION WITHOUT MCC	17	0.14	2.0
306	CARDIAC CONGENITAL & VALVULAR DISORDERS WITH MCC	3	0.02	5.7
307	CARDIAC CONGENITAL & VALVULAR DISORDERS WITHOUT MCC	5	0.04	1.8
308	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH MCC	50	0.40	3.4
309	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC	39	0.31	3.2
310	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITHOUT CC/MCC	53	0.43	1.6

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Humboldt County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
311	ANGINA PECTORIS	13	0.10	1.5
312	SYNCOPE & COLLAPSE	51	0.41	2.3
313	CHEST PAIN	87	0.70	1.5
314	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC	14	0.11	6.2
315	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC	16	0.13	4.7
316	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITHOUT CC/MCC	7	0.06	2.0
326	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH MCC	24	0.19	27
327	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH CC	18	0.14	3.5
328	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITHOUT CC/MCC	55	0.44	2.9
329	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	66	0.53	13
330	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH CC	75	0.60	7.1
331	MAJOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	49	0.39	4.8
332	RECTAL RESECTION WITH MCC	3	0.02	15
333	RECTAL RESECTION WITH CC	12	0.10	8.8
334	RECTAL RESECTION WITHOUT CC/MCC	5	0.04	4.6
335	PERITONEAL ADHESIOLYSIS WITH MCC	8	0.06	13
336	PERITONEAL ADHESIOLYSIS WITH CC	18	0.14	7.7
337	PERITONEAL ADHESIOLYSIS WITHOUT CC/MCC	19	0.15	3.5
338	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	5	0.04	6.4
339	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	15	0.12	6.5
340	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	24	0.19	3.9

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Humboldt County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
341	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	2	0.02	2.5
342	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	17	0.14	3.2
343	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	82	0.66	1.7
344	MINOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	1	0.01	14
345	MINOR SMALL & LARGE BOWEL PROCEDURES WITH CC	5	0.04	9.8
346	MINOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	3	0.02	5.0
347	ANAL & STOMAL PROCEDURES WITH MCC	1	0.01	10
348	ANAL & STOMAL PROCEDURES WITH CC	6	0.05	5.3
349	ANAL & STOMAL PROCEDURES WITHOUT CC/MCC	4	0.03	3.5
350	INGUINAL & FEMORAL HERNIA PROCEDURES WITH MCC	1	0.01	9.0
351	INGUINAL & FEMORAL HERNIA PROCEDURES WITH CC	6	0.05	4.3
352	INGUINAL & FEMORAL HERNIA PROCEDURES WITHOUT CC/MCC	6	0.05	3.0
353	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH MCC	7	0.06	3.9
354	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH CC	23	0.19	4.6
355	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITHOUT CC/MCC	32	0.26	2.8
356	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH MCC	9	0.07	11
357	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH CC	12	0.10	4.3
358	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	5	0.04	4.4
368	MAJOR ESOPHAGEAL DISORDERS WITH MCC	3	0.02	7.3
369	MAJOR ESOPHAGEAL DISORDERS WITH CC	9	0.07	3.2
370	MAJOR ESOPHAGEAL DISORDERS WITHOUT CC/MCC	2	0.02	3.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Humboldt County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
371	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH MCC	15	0.12	6.4
372	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH CC	12	0.10	4.1
373	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITHOUT CC/MCC	8	0.06	3.9
374	DIGESTIVE MALIGNANCY WITH MCC	10	0.08	5.6
375	DIGESTIVE MALIGNANCY WITH CC	10	0.08	3.6
376	DIGESTIVE MALIGNANCY WITHOUT CC/MCC	1	0.01	2.0
377	G.I. HEMORRHAGE WITH MCC	52	0.42	4.7
378	G.I. HEMORRHAGE WITH CC	78	0.63	3.4
379	G.I. HEMORRHAGE WITHOUT CC/MCC	31	0.25	2.2
380	COMPLICATED PEPTIC ULCER WITH MCC	2	0.02	4.0
381	COMPLICATED PEPTIC ULCER WITH CC	6	0.05	2.3
382	COMPLICATED PEPTIC ULCER WITHOUT CC/MCC	9	0.07	2.9
383	UNCOMPLICATED PEPTIC ULCER WITH MCC	1	0.01	1.0
385	INFLAMMATORY BOWEL DISEASE WITH MCC	8	0.06	5.8
386	INFLAMMATORY BOWEL DISEASE WITH CC	9	0.07	5.8
387	INFLAMMATORY BOWEL DISEASE WITHOUT CC/MCC	7	0.06	5.0
388	G.I. OBSTRUCTION WITH MCC	14	0.11	3.3
389	G.I. OBSTRUCTION WITH CC	25	0.20	4.6
390	G.I. OBSTRUCTION WITHOUT CC/MCC	31	0.25	2.9
391	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITH MCC	42	0.34	4.1
392	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC	208	1.67	2.9

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Humboldt County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
393	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH MCC	18	0.14	7.4
394	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH CC	29	0.23	4.1
395	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	20	0.16	2.0
405	PANCREAS, LIVER & SHUNT PROCEDURES WITH MCC	6	0.05	13
406	PANCREAS, LIVER & SHUNT PROCEDURES WITH CC	7	0.06	4.6
407	PANCREAS, LIVER & SHUNT PROCEDURES WITHOUT CC/MCC	2	0.02	4.0
408	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH MCC	3	0.02	12
411	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH MCC	2	0.02	9.5
412	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH CC	1	0.01	3.0
413	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITHOUT CC/MCC	1	0.01	3.0
414	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH MCC	3	0.02	5.7
415	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH CC	4	0.03	7.3
416	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	5	0.04	2.8
417	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH MCC	17	0.14	12
418	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH CC	39	0.31	3.2
419	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	83	0.67	2.2
422	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITHOUT CC/MCC	1	0.01	6.0
423	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH MCC	1	0.01	10
432	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH MCC	20	0.16	5.4
433	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH CC	11	0.09	5.4

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Humboldt County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
435	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITH MCC	9	0.07	3.0
436	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITH CC	10	0.08	4.5
437	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITHOUT CC/MCC	3	0.02	2.3
438	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH MCC	19	0.15	8.0
439	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH CC	34	0.27	4.2
440	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITHOUT CC/MCC	28	0.23	2.9
441	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH MCC	32	0.26	6.7
442	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH CC	11	0.09	3.6
443	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITHOUT CC/MCC	9	0.07	3.4
444	DISORDERS OF THE BILIARY TRACT WITH MCC	7	0.06	5.4
445	DISORDERS OF THE BILIARY TRACT WITH CC	7	0.06	3.4
446	DISORDERS OF THE BILIARY TRACT WITHOUT CC/MCC	8	0.06	1.6
453	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH MCC	2	0.02	20
454	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH CC	8	0.06	7.3
455	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITHOUT CC/MCC	6	0.05	5.2
456	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH MCC	4	0.03	16
457	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH CC	4	0.03	8.0
458	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITHOUT CC/MCC	5	0.04	5.2
459	SPINAL FUSION EXCEPT CERVICAL WITH MCC	3	0.02	6.3
460	SPINAL FUSION EXCEPT CERVICAL WITHOUT MCC	46	0.37	5.1

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Humboldt County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
462	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITHOUT MCC	3	0.02	3.3
463	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH MCC	1	0.01	3.0
464	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH CC	5	0.04	20
465	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITHOUT CC/MCC	2	0.02	9.5
466	REVISION OF HIP OR KNEE REPLACEMENT WITH MCC	6	0.05	9.0
467	REVISION OF HIP OR KNEE REPLACEMENT WITH CC	15	0.12	6.1
468	REVISION OF HIP OR KNEE REPLACEMENT WITHOUT CC/MCC	8	0.06	3.3
469	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITH MCC	28	0.23	6.9
470	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITHOUT MCC	392	3.16	3.1
471	CERVICAL SPINAL FUSION WITH MCC	3	0.02	16
472	CERVICAL SPINAL FUSION WITH CC	8	0.06	3.5
473	CERVICAL SPINAL FUSION WITHOUT CC/MCC	45	0.36	2.0
474	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH MCC	1	0.01	8.0
475	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH CC	5	0.04	9.4
476	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITHOUT CC/MCC	1	0.01	10
477	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	2	0.02	11
478	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	1	0.01	11
479	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	3	0.02	1.7
480	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH MCC	24	0.19	7.5
481	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH CC	56	0.45	5.6
482	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITHOUT CC/MCC	35	0.28	4.2

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Humboldt County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
483	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITH CC/MCC	9	0.07	2.8
484	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITHOUT CC/MCC	11	0.09	1.9
485	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH MCC	2	0.02	7.5
486	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH CC	1	0.01	4.0
487	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	1	0.01	3.0
488	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITH CC/MCC	5	0.04	3.6
489	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	15	0.12	1.9
490	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITH CC/MCC OR DISC DEVICE/NEUROSTIM	24	0.19	4.5
491	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITHOUT CC/MCC	72	0.58	1.3
492	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH MCC	11	0.09	7.0
493	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH CC	28	0.23	4.3
494	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITHOUT CC/MCC	81	0.65	1.8
495	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH MCC	1	0.01	3.0
496	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH CC	10	0.08	5.8
497	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITHOUT CC/MCC	15	0.12	3.3
499	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITHOUT CC/MCC	3	0.02	1.3
500	SOFT TISSUE PROCEDURES WITH MCC	2	0.02	15
501	SOFT TISSUE PROCEDURES WITH CC	5	0.04	2.4
502	SOFT TISSUE PROCEDURES WITHOUT CC/MCC	14	0.11	2.2
503	FOOT PROCEDURES WITH MCC	2	0.02	12
504	FOOT PROCEDURES WITH CC	7	0.06	6.1

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Humboldt County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
505	FOOT PROCEDURES WITHOUT CC/MCC	9	0.07	2.1
506	MAJOR THUMB OR JOINT PROCEDURES	2	0.02	2.5
507	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITH CC/MCC	3	0.02	8.3
508	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITHOUT CC/MCC	3	0.02	1.0
510	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH MCC	3	0.02	3.3
511	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH CC	2	0.02	4.0
512	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITHOUT CC/MCC	14	0.11	2.0
513	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITH CC/MCC	4	0.03	1.3
514	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITHOUT CC/MCC	7	0.06	1.9
515	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH MCC	1	0.01	8.0
516	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH CC	4	0.03	3.8
517	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITHOUT CC/MCC	8	0.06	3.5
533	FRACTURES OF FEMUR WITH MCC	1	0.01	18
535	FRACTURES OF HIP & PELVIS WITH MCC	6	0.05	4.2
536	FRACTURES OF HIP & PELVIS WITHOUT MCC	23	0.19	3.9
537	SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITH CC/MCC	1	0.01	3.0
538	SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITHOUT CC/MCC	2	0.02	1.0
539	OSTEOMYELITIS WITH MCC	1	0.01	11
540	OSTEOMYELITIS WITH CC	6	0.05	7.8
542	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH MCC	8	0.06	5.4
543	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH CC	8	0.06	5.4

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Humboldt County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
544	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITHOUT CC/MCC	1	0.01	3.0
545	CONNECTIVE TISSUE DISORDERS WITH MCC	6	0.05	6.7
546	CONNECTIVE TISSUE DISORDERS WITH CC	5	0.04	7.2
547	CONNECTIVE TISSUE DISORDERS WITHOUT CC/MCC	8	0.06	3.3
549	SEPTIC ARTHRITIS WITH CC	1	0.01	10
551	MEDICAL BACK PROBLEMS WITH MCC	8	0.06	7.9
552	MEDICAL BACK PROBLEMS WITHOUT MCC	44	0.35	3.7
553	BONE DISEASES & ARTHROPATHIES WITH MCC	1	0.01	3.0
554	BONE DISEASES & ARTHROPATHIES WITHOUT MCC	7	0.06	3.0
555	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITH MCC	3	0.02	7.0
556	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC	10	0.08	4.7
557	TENDONITIS, MYOSITIS & BURSITIS WITH MCC	10	0.08	6.3
558	TENDONITIS, MYOSITIS & BURSITIS WITHOUT MCC	13	0.10	4.3
559	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	1	0.01	2.0
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	1	0.01	2.0
561	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	5	0.04	6.2
562	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITH MCC	8	0.06	6.9
563	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC	17	0.14	3.6
564	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH MCC	2	0.02	4.0
565	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH CC	1	0.01	1.0
566	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITHOUT CC/MCC	1	0.01	3.0

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Humboldt County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
573	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH MCC	14	0.11	16
574	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH CC	10	0.08	12
575	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	7	0.06	5.6
576	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH MCC	1	0.01	1.0
577	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH CC	5	0.04	7.6
578	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	9	0.07	4.8
579	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH MCC	11	0.09	13
580	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH CC	13	0.10	6.5
581	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITHOUT CC/MCC	20	0.16	3.2
582	MASTECTOMY FOR MALIGNANCY WITH CC/MCC	7	0.06	1.6
583	MASTECTOMY FOR MALIGNANCY WITHOUT CC/MCC	3	0.02	2.3
585	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITHOUT CC/MCC	14	0.11	2.4
592	SKIN ULCERS WITH MCC	6	0.05	12
593	SKIN ULCERS WITH CC	11	0.09	7.5
596	MAJOR SKIN DISORDERS WITHOUT MCC	7	0.06	5.9
597	MALIGNANT BREAST DISORDERS WITH MCC	1	0.01	2.0
598	MALIGNANT BREAST DISORDERS WITH CC	1	0.01	2.0
600	NON-MALIGNANT BREAST DISORDERS WITH CC/MCC	2	0.02	12
601	NON-MALIGNANT BREAST DISORDERS WITHOUT CC/MCC	2	0.02	4.5
602	CELLULITIS WITH MCC	27	0.22	7.1
603	CELLULITIS WITHOUT MCC	226	1.82	3.9

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Humboldt County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
604	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITH MCC	5	0.04	3.8
605	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITHOUT MCC	15	0.12	2.9
606	MINOR SKIN DISORDERS WITH MCC	3	0.02	3.0
607	MINOR SKIN DISORDERS WITHOUT MCC	8	0.06	7.9
614	ADRENAL & PITUITARY PROCEDURES WITH CC/MCC	1	0.01	4.0
615	ADRENAL & PITUITARY PROCEDURES WITHOUT CC/MCC	4	0.03	1.5
616	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH MCC	2	0.02	9.0
617	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH CC	5	0.04	5.6
619	O.R. PROCEDURES FOR OBESITY WITH MCC	5	0.04	12
620	O.R. PROCEDURES FOR OBESITY WITH CC	7	0.06	5.1
621	O.R. PROCEDURES FOR OBESITY WITHOUT CC/MCC	42	0.34	2.0
623	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH CC	4	0.03	8.5
626	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH CC	4	0.03	2.0
627	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITHOUT CC/MCC	29	0.23	1.7
628	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH MCC	1	0.01	22
629	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH CC	2	0.02	8.5
637	DIABETES WITH MCC	27	0.22	4.3
638	DIABETES WITH CC	32	0.26	3.3
639	DIABETES WITHOUT CC/MCC	24	0.19	2.8
640	NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC	41	0.33	4.4
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	113	0.91	3.7

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Humboldt County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
642	INBORN ERRORS OF METABOLISM	1	0.01	3.0
643	ENDOCRINE DISORDERS WITH MCC	2	0.02	11
644	ENDOCRINE DISORDERS WITH CC	4	0.03	3.0
645	ENDOCRINE DISORDERS WITHOUT CC/MCC	5	0.04	3.2
652	KIDNEY TRANSPLANT	10	0.08	6.1
653	MAJOR BLADDER PROCEDURES WITH MCC	1	0.01	9.0
654	MAJOR BLADDER PROCEDURES WITH CC	6	0.05	9.5
655	MAJOR BLADDER PROCEDURES WITHOUT CC/MCC	2	0.02	4.5
656	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH MCC	3	0.02	9.3
657	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH CC	8	0.06	5.4
658	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITHOUT CC/MCC	10	0.08	3.1
659	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH MCC	6	0.05	15
660	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH CC	10	0.08	4.6
661	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITHOUT CC/MCC	13	0.10	2.4
662	MINOR BLADDER PROCEDURES WITH MCC	2	0.02	10
663	MINOR BLADDER PROCEDURES WITH CC	2	0.02	4.0
664	MINOR BLADDER PROCEDURES WITHOUT CC/MCC	4	0.03	1.3
665	PROSTATECTOMY WITH MCC	1	0.01	5.0
666	PROSTATECTOMY WITH CC	2	0.02	4.0
667	PROSTATECTOMY WITHOUT CC/MCC	2	0.02	2.0
668	TRANSURETHRAL PROCEDURES WITH MCC	2	0.02	4.5

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Humboldt County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
669	TRANSURETHRAL PROCEDURES WITH CC	6	0.05	3.7
670	TRANSURETHRAL PROCEDURES WITHOUT CC/MCC	4	0.03	1.8
672	URETHRAL PROCEDURES WITHOUT CC/MCC	3	0.02	3.0
673	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH MCC	10	0.08	10
674	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH CC	10	0.08	7.6
675	OTHER KIDNEY & URINARY TRACT PROCEDURES WITHOUT CC/MCC	2	0.02	1.5
682	RENAL FAILURE WITH MCC	46	0.37	6.5
683	RENAL FAILURE WITH CC	68	0.55	4.0
684	RENAL FAILURE WITHOUT CC/MCC	6	0.05	3.3
686	KIDNEY & URINARY TRACT NEOPLASMS WITH MCC	1	0.01	4.0
687	KIDNEY & URINARY TRACT NEOPLASMS WITH CC	2	0.02	6.0
689	KIDNEY & URINARY TRACT INFECTIONS WITH MCC	59	0.47	4.5
690	KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC	108	0.87	3.3
691	URINARY STONES WITH ESW LITHOTRIPSY WITH CC/MCC	1	0.01	2.0
693	URINARY STONES WITHOUT ESW LITHOTRIPSY WITH MCC	5	0.04	3.6
694	URINARY STONES WITHOUT ESW LITHOTRIPSY WITHOUT MCC	9	0.07	2.4
695	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITH MCC	1	0.01	1.0
696	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITHOUT MCC	1	0.01	3.0
698	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH MCC	7	0.06	3.3
699	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH CC	11	0.09	3.3
700	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITHOUT CC/MCC	11	0.09	2.1

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Humboldt County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
707	MAJOR MALE PELVIC PROCEDURES WITH CC/MCC	1	0.01	3.0
708	MAJOR MALE PELVIC PROCEDURES WITHOUT CC/MCC	19	0.15	2.1
710	PENIS PROCEDURES WITHOUT CC/MCC	1	0.01	1.0
712	TESTES PROCEDURES WITHOUT CC/MCC	2	0.02	3.5
713	TRANSURETHRAL PROSTATECTOMY WITH CC/MCC	6	0.05	3.3
714	TRANSURETHRAL PROSTATECTOMY WITHOUT CC/MCC	16	0.13	1.3
715	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE FOR MALIGNANCY WITH CC/MCC	1	0.01	11
717	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE EXCEPT MALIGNANCY WITH CC/MCC	1	0.01	15
724	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	4	0.03	4.0
725	BENIGN PROSTATIC HYPERTROPHY WITH MCC	5	0.04	7.2
726	BENIGN PROSTATIC HYPERTROPHY WITHOUT MCC	1	0.01	4.0
727	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITH MCC	1	0.01	33
728	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITHOUT MCC	7	0.06	2.6
730	OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	1	0.01	1.0
734	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITH CC/MCC	4	0.03	6.0
735	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITHOUT CC/MCC	7	0.06	1.9
737	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH CC	2	0.02	6.5
740	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH CC	6	0.05	2.8
741	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITHOUT CC/MCC	13	0.10	1.8
742	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITH CC/MCC	39	0.31	2.9
743	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITHOUT CC/MCC	201	1.62	1.9

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Humboldt County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
744	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITH CC/MCC	1	0.01	1.0
745	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITHOUT CC/MCC	2	0.02	1.5
746	VAGINA, CERVIX & VULVA PROCEDURES WITH CC/MCC	6	0.05	2.7
747	VAGINA, CERVIX & VULVA PROCEDURES WITHOUT CC/MCC	18	0.14	2.2
748	FEMALE REPRODUCTIVE SYSTEM RECONSTRUCTIVE PROCEDURES	53	0.43	1.9
749	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITH CC/MCC	1	0.01	5.0
750	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	3	0.02	2.3
754	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH MCC	2	0.02	4.5
755	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH CC	1	0.01	2.0
756	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	2	0.02	3.5
758	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH CC	1	0.01	3.0
759	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	3	0.02	4.7
760	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITH CC/MCC	4	0.03	2.0
761	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITHOUT CC/MCC	4	0.03	2.0
765	CESAREAN SECTION WITH CC/MCC	131	1.05	4.0
766	CESAREAN SECTION WITHOUT CC/MCC	265	2.13	3.1
767	VAGINAL DELIVERY WITH STERILIZATION &/OR D&C	49	0.39	2.3
768	VAGINAL DELIVERY WITH O.R. PROCEDURE EXCEPT STERIL &/OR D&C	1	0.01	4.0
769	POSTPARTUM & POST ABORTION DIAGNOSIS WITH O.R. PROCEDURE	5	0.04	2.8
770	ABORTION WITH D&C, ASPIRATION CURETTAGE OR HYSTEROTOMY	7	0.06	.86
774	VAGINAL DELIVERY WITH COMPLICATING DIAGNOSIS	113	0.91	2.4

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Humboldt County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
775	VAGINAL DELIVERY WITHOUT COMPLICATING DIAGNOSIS	917	7.38	1.8
776	POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE	9	0.07	1.3
777	ECTOPIC PREGNANCY	11	0.09	2.1
778	THREATENED ABORTION	21	0.17	1.3
779	ABORTION WITHOUT D&C	9	0.07	1.1
780	FALSE LABOR	1	0.01	1.0
781	OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS	73	0.59	2.5
782	OTHER ANTEPARTUM DIAGNOSIS WITHOUT MEDICAL COMPLICATIONS	22	0.18	.91
789	NEONATES, DIED OR TRANSFERRED TO ANOTHER ACUTE CARE FACILITY	37	0.30	4.4
790	EXTREME IMMATURETY OR RESPIRATORY DISTRESS SYNDROME, NEONATE	27	0.22	30
791	PREMATURITY WITH MAJOR PROBLEMS	15	0.12	20
792	PREMATURITY WITHOUT MAJOR PROBLEMS	50	0.40	10
793	FULL TERM NEONATE WITH MAJOR PROBLEMS	33	0.27	7.0
794	NEONATE WITH OTHER SIGNIFICANT PROBLEMS	292	2.35	2.2
795	NORMAL NEWBORN	1,107	8.91	1.7
799	SPLENECTOMY WITH MCC	2	0.02	13
800	SPLENECTOMY WITH CC	1	0.01	5.0
801	SPLENECTOMY WITHOUT CC/MCC	1	0.01	4.0
803	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH CC	2	0.02	6.5
804	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITHOUT CC/MCC	2	0.02	2.0
808	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH MCC	2	0.02	3.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Humboldt County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
809	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH CC	9	0.07	4.2
810	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITHOUT CC/MCC	6	0.05	2.7
811	RED BLOOD CELL DISORDERS WITH MCC	16	0.13	3.9
812	RED BLOOD CELL DISORDERS WITHOUT MCC	55	0.44	2.8
813	COAGULATION DISORDERS	7	0.06	3.6
814	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH MCC	1	0.01	6.0
815	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH CC	3	0.02	2.7
816	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITHOUT CC/MCC	4	0.03	3.3
821	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH CC	3	0.02	6.3
822	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITHOUT CC/MCC	2	0.02	2.5
823	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH MCC	4	0.03	8.5
824	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH CC	3	0.02	2.0
825	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	3	0.02	6.3
827	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH CC	2	0.02	12
828	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITHOUT CC/MCC	1	0.01	7.0
829	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITH CC/MCC	2	0.02	12
834	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH MCC	1	0.01	14
835	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH CC	2	0.02	4.5
836	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITHOUT CC/MCC	1	0.01	3.0
837	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS OR WITH HIGH DOSE CHEMO AGENT WITH MCC	5	0.04	11

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Humboldt County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
838	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITH CC OR HIGH DOSE CHEMO AGENT	12	0.10	5.5
839	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITHOUT CC/MCC	1	0.01	29
840	LYMPHOMA & NON-ACUTE LEUKEMIA WITH MCC	5	0.04	13
841	LYMPHOMA & NON-ACUTE LEUKEMIA WITH CC	6	0.05	5.7
842	LYMPHOMA & NON-ACUTE LEUKEMIA WITHOUT CC/MCC	4	0.03	6.8
843	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH MCC	3	0.02	6.3
844	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH CC	1	0.01	6.0
845	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITHOUT CC/MCC	1	0.01	2.0
846	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH MCC	3	0.02	5.0
847	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH CC	25	0.20	3.3
848	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITHOUT CC/MCC	2	0.02	3.5
853	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH MCC	33	0.27	15
854	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH CC	3	0.02	7.7
856	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH MCC	13	0.10	30
857	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH CC	7	0.06	11
858	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITHOUT CC/MCC	8	0.06	3.6
862	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITH MCC	18	0.14	10
863	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC	27	0.22	5.5
864	FEVER	23	0.19	3.1
865	VIRAL ILLNESS WITH MCC	3	0.02	6.0
866	VIRAL ILLNESS WITHOUT MCC	12	0.10	2.9

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Humboldt County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
867	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH MCC	3	0.02	7.0
869	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITHOUT CC/MCC	2	0.02	2.5
870	SEPTICEMIA OR SEVERE SEPSIS WITH MECH VENT 96+ HOURS	19	0.15	17
871	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC	181	1.46	7.1
872	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC	62	0.50	4.2
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	3	0.02	2.7
881	DEPRESSIVE NEUROSES	1	0.01	1.0
883	DISORDERS OF PERSONALITY & IMPULSE CONTROL	1	0.01	18
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	11	0.09	4.2
885	PSYCHOSES	14	0.11	3.6
886	BEHAVIORAL & DEVELOPMENTAL DISORDERS	2	0.02	17
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	9	0.07	1.9
895	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITH REHABILITATION THERAPY	1	0.01	2.0
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	23	0.19	4.1
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	83	0.67	3.2
901	WOUND DEBRIDEMENTS FOR INJURIES WITH MCC	5	0.04	17
902	WOUND DEBRIDEMENTS FOR INJURIES WITH CC	3	0.02	13
903	WOUND DEBRIDEMENTS FOR INJURIES WITHOUT CC/MCC	9	0.07	2.9
904	SKIN GRAFTS FOR INJURIES WITH CC/MCC	2	0.02	20
905	SKIN GRAFTS FOR INJURIES WITHOUT CC/MCC	4	0.03	11
906	HAND PROCEDURES FOR INJURIES	4	0.03	2.0

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Humboldt County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
907	OTHER O.R. PROCEDURES FOR INJURIES WITH MCC	7	0.06	19
908	OTHER O.R. PROCEDURES FOR INJURIES WITH CC	13	0.10	4.1
909	OTHER O.R. PROCEDURES FOR INJURIES WITHOUT CC/MCC	12	0.10	2.7
914	TRAUMATIC INJURY WITHOUT MCC	6	0.05	1.5
916	ALLERGIC REACTIONS WITHOUT MCC	5	0.04	1.4
917	POISONING & TOXIC EFFECTS OF DRUGS WITH MCC	64	0.52	5.1
918	POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC	110	0.89	1.9
919	COMPLICATIONS OF TREATMENT WITH MCC	7	0.06	11
920	COMPLICATIONS OF TREATMENT WITH CC	12	0.10	5.5
921	COMPLICATIONS OF TREATMENT WITHOUT CC/MCC	9	0.07	5.1
923	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITHOUT MCC	3	0.02	2.3
927	EXTENSIVE BURNS OR FULL THICKNESS BURNS WITH MECH VENT 96+ HRS WITH SKIN GRAFT	1	0.01	33
929	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITHOUT CC/MCC	1	0.01	4.0
934	FULL THICKNESS BURN WITHOUT SKIN GRAFT OR INHAL INJURY	2	0.02	4.0
935	NON-EXTENSIVE BURNS	8	0.06	12
940	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC	3	0.02	4.3
941	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITHOUT CC/MCC	7	0.06	4.3
945	REHABILITATION WITH CC/MCC	2	0.02	19
947	SIGNS & SYMPTOMS WITH MCC	16	0.13	4.9
948	SIGNS & SYMPTOMS WITHOUT MCC	47	0.38	2.8

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Humboldt County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
949	AFTERCARE WITH CC/MCC	3	0.02	2.0
950	AFTERCARE WITHOUT CC/MCC	1	0.01	23
951	OTHER FACTORS INFLUENCING HEALTH STATUS	11	0.09	5.1
955	CRANIOTOMY FOR MULTIPLE SIGNIFICANT TRAUMA	1	0.01	29
956	LIMB REATTACHMENT, HIP & FEMUR PROCEDURE FOR MULTIPLE SIGNIFICANT TRAUMA	3	0.02	39
957	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH MCC	1	0.01	.00
958	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH CC	7	0.06	9.6
959	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	1	0.01	6.0
963	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH MCC	5	0.04	4.2
964	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH CC	3	0.02	4.0
965	OTHER MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	3	0.02	3.0
970	HIV WITH EXTENSIVE O.R. PROCEDURE WITHOUT MCC	1	0.01	7.0
974	HIV WITH MAJOR RELATED CONDITION WITH MCC	3	0.02	9.7
975	HIV WITH MAJOR RELATED CONDITION WITH CC	6	0.05	9.7
976	HIV WITH MAJOR RELATED CONDITION WITHOUT CC/MCC	1	0.01	1.0
977	HIV WITH OR WITHOUT OTHER RELATED CONDITION	2	0.02	2.5
981	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	23	0.19	13
982	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	9	0.07	5.7
983	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	7	0.06	3.0
986	PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	1	0.01	2.0
987	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	4	0.03	4.5

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Humboldt County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
988	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	6	0.05	3.7
989	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	6	0.05	4.5
998	PRINCIPAL DIAGNOSIS INVALID AS DISCHARGE DIAGNOSIS	1	0.01	1.0
All		12,423	100.0	4.2

***MS-DRG by Patient County of Residence
and Type of Care for 2009
Humboldt County***

typcare1=Chemical Dependency Recovery Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
895	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITH REHABILITATION THERAPY	2	66.67	31
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	1	33.33	23
All		3	100.0	28

***MS-DRG by Patient County of Residence
and Type of Care for 2009
Humboldt County***

typcare1=Physical Rehabilitation Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
065	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC	2	1.25	3.5
491	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITHOUT CC/MCC	1	0.63	3.0
945	REHABILITATION WITH CC/MCC	132	82.50	15
946	REHABILITATION WITHOUT CC/MCC	25	15.63	8.8
All		160	100.0	14

***MS-DRG by Patient County of Residence
and Type of Care for 2009
Humboldt County***

typcare1=Psychiatric Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	7	1.19	2.1
881	DEPRESSIVE NEUROSES	21	3.56	4.4
882	NEUROSES EXCEPT DEPRESSIVE	42	7.12	1.9
883	DISORDERS OF PERSONALITY & IMPULSE CONTROL	6	1.02	2.0
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	6	1.02	5.2
885	PSYCHOSES	482	81.69	8.0
886	BEHAVIORAL & DEVELOPMENTAL DISORDERS	4	0.68	1.8
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	22	3.73	2.6
All		590	100.0	7.1

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Humboldt County**

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	1	1.47	28
064	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC	1	1.47	2.0
073	CRANIAL & PERIPHERAL NERVE DISORDERS WITH MCC	1	1.47	4.0
181	RESPIRATORY NEOPLASMS WITH CC	1	1.47	6.0
189	PULMONARY EDEMA & RESPIRATORY FAILURE	1	1.47	14
190	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC	2	2.94	3.5
192	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC	1	1.47	21
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	2	2.94	3.5
195	SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC	1	1.47	3.0
281	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH CC	1	1.47	2.0
292	HEART FAILURE & SHOCK WITH CC	1	1.47	26
299	PERIPHERAL VASCULAR DISORDERS WITH MCC	1	1.47	2.0
310	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITHOUT CC/MCC	2	2.94	7.5
392	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC	1	1.47	17
534	FRACTURES OF FEMUR WITHOUT MCC	1	1.47	4.0
536	FRACTURES OF HIP & PELVIS WITHOUT MCC	1	1.47	14
544	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITHOUT CC/MCC	1	1.47	20
558	TENDONITIS, MYOSITIS & BURSITIS WITHOUT MCC	2	2.94	45
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	4	5.88	33
561	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	4	5.88	10
563	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC	1	1.47	5.0

(Continued)

***MS-DRG by Patient County of Residence
and Type of Care for 2009
Humboldt County***

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
603	CELLULITIS WITHOUT MCC	1	1.47	7.0
607	MINOR SKIN DISORDERS WITHOUT MCC	1	1.47	2.0
638	DIABETES WITH CC	1	1.47	31
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	1	1.47	10
683	RENAL FAILURE WITH CC	1	1.47	53
754	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH MCC	1	1.47	15
812	RED BLOOD CELL DISORDERS WITHOUT MCC	1	1.47	10
842	LYMPHOMA & NON-ACUTE LEUKEMIA WITHOUT CC/MCC	1	1.47	1.0
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	2	2.94	1E3
885	PSYCHOSES	1	1.47	4.0
945	REHABILITATION WITH CC/MCC	14	20.59	7.4
946	REHABILITATION WITHOUT CC/MCC	10	14.71	4.0
950	AFTERCARE WITHOUT CC/MCC	1	1.47	9.0
951	OTHER FACTORS INFLUENCING HEALTH STATUS	1	1.47	3.0
All		68	100.0	43

**MDC by Patient County of Residence
for 2009
Humboldt County**

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	716	5.41	5.5
02	EYE, DISEASES & DISORDERS	12	0.09	2.8
03	EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS	111	0.84	3.5
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	1,257	9.49	5.7
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	1,270	9.59	4.1
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	1,290	9.74	5.1
07	HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS	385	2.91	4.6
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	1,331	10.05	4.3
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	435	3.28	5.3
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	364	2.75	3.8
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	459	3.47	4.9
12	MALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	67	0.51	3.5
13	FEMALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	376	2.84	2.2
14	PREGNANCY, CHILDBIRTH, & THE PUERPERIUM	1,635	12.35	2.3
15	NEWBORNS AND NEONATE CONDITIONS BEGAN IN PERINATAL PERIOD	1,561	11.79	2.9
16	BLOOD, BLOOD FORMING ORGANS, IMMUNOLOGICAL, DISEASES & DISORDERS	116	0.88	3.7
17	MYELOPROLIFERATIVE DISEASES & POORLY DIFFERENTIATED NEOPLASMS	96	0.72	6.7
18	INFECTIOUS & PARASITIC DISEASES	414	3.13	8.1
19	MENTAL DISEASES & DISORDERS	603	4.55	11
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	143	1.08	3.9
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	280	2.11	4.4
22	BURNS	13	0.10	14

(Continued)

*MDC by Patient County of Residence
for 2009
Humboldt County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	273	2.06	9.8
24	MULTIPLE SIGNFICANT TRAUMA	24	0.18	11
25	HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS	13	0.10	7.7
All		13,244	100.0	4.7

***MDC by Patient County of Residence
and Type of Care for 2009
Humboldt County***

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	711	5.72	5.5
02	EYE, DISEASES & DISORDERS	12	0.10	2.8
03	EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS	111	0.89	3.5
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	1,249	10.05	5.7
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	1,265	10.18	4.1
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	1,289	10.38	5.1
07	HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS	385	3.10	4.6
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	1,316	10.59	4.1
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	433	3.49	5.3
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	362	2.91	3.7
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	458	3.69	4.8
12	MALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	67	0.54	3.5
13	FEMALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	375	3.02	2.2
14	PREGNANCY, CHILDBIRTH, & THE PUERPERIUM	1,635	13.16	2.3
15	NEWBORNS AND NEONATE CONDITIONS BEGAN IN PERINATAL PERIOD	1,561	12.57	2.9
16	BLOOD, BLOOD FORMING ORGANS, IMMUNOLOGICAL, DISEASES & DISORDERS	115	0.93	3.6
17	MYELOPROLIFERATIVE DISEASES & POORLY DIFFERENTIATED NEOPLASMS	95	0.76	6.8
18	INFECTIOUS & PARASITIC DISEASES	414	3.33	8.1
19	MENTAL DISEASES & DISORDERS	32	0.26	4.9
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	118	0.95	3.5
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	280	2.25	4.4

(Continued)

***MDC by Patient County of Residence
and Type of Care for 2009
Humboldt County***

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
22	BURNS	13	0.10	14
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	90	0.72	4.2
24	MULTIPLE SIGNFICANT TRAUMA	24	0.19	11
25	HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS	13	0.10	7.7
All		12,423	100.0	4.2

***MDC by Patient County of Residence
and Type of Care for 2009
Humboldt County***

typcare1=Chemical Dependency Recovery Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	3	100.0	28
All		3	100.0	28

***MDC by Patient County of Residence
and Type of Care for 2009
Humboldt County***

typcare1=Physical Rehabilitation Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	2	1.25	3.5
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	1	0.63	3.0
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	157	98.13	14
All		160	100.0	14

***MDC by Patient County of Residence
and Type of Care for 2009
Humboldt County***

typcare1=Psychiatric Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
19	MENTAL DISEASES & DISORDERS	568	96.27	7.2
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	22	3.73	2.6
All		590	100.0	7.1

***MDC by Patient County of Residence
and Type of Care for 2009
Humboldt County***

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	3	4.41	11
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	8	11.76	7.3
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	5	7.35	9.0
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	1	1.47	17
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	14	20.59	22
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	2	2.94	4.5
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	2	2.94	21
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	1	1.47	53
13	FEMALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	1	1.47	15
16	BLOOD, BLOOD FORMING ORGANS, IMMUNOLOGICAL, DISEASES & DISORDERS	1	1.47	10
17	MYELOPROLIFERATIVE DISEASES & POORLY DIFFERENTIATED NEOPLASMS	1	1.47	1.0
19	MENTAL DISEASES & DISORDERS	3	4.41	730
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	26	38.24	6.0
All		68	100.0	43