

**Type of Care by Patient County of Residence
for 2010
Merced County**

	Number of Discharges	Percent of Subtotal	Average Length of Stay
Acute Care	26,411	96.69	4.2
Chemical Dependency Recovery Care	2	0.01	3.0
Physical Rehabilitation Care	65	0.24	17
Psychiatric Care	706	2.58	5.8
Skilled Nursing/Intermediate Care	132	0.48	63
All	27,316	100.0	4.6

***Disposition by Patient County of Residence
for 2010
Merced County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	162	0.00	12
01 - Routine (Home)	2,964,599	74.66	3.6
02 - Acute Care within the admitting hospital	9,793	0.25	64
03 - Other Care with the admitting hospital	20,666	0.52	9.0
04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital	32,649	0.82	8.1
05 - Acute Care at another hospital	83,795	2.11	10
06 - Other Care (not SN/IC) at another hospital	34,381	0.87	9.8
07 - SN/IC at another facility	305,209	7.69	8.8
08 - Residential Care facility	36,313	0.91	9.4
09 - Prison/Jail	20,022	0.50	5.3
10 - Left Against Medical Advice	45,467	1.14	3.2
11 - Died	76,630	1.93	16
12 - Home Health Service	330,832	8.33	7.1
13 - Other	10,404	0.26	11
All	3,970,922	100.0	5.0

***Disposition by Patient County of Residence
and Type of Care for 2010
Merced County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	21,451	81.22	3.4
02 - Acute Care within the admitting hospital	2	0.01	212
03 - Other Care with the admitting hospital	25	0.09	16
04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital	117	0.44	7.7
05 - Acute Care at another hospital	745	2.82	4.2
06 - Other Care (not SN/IC) at another hospital	227	0.86	10
07 - SN/IC at another facility	1,833	6.94	8.6
08 - Residential Care facility	105	0.40	5.4
09 - Prison/Jail	69	0.26	4.1
10 - Left Against Medical Advice	201	0.76	2.8
11 - Died	532	2.01	8.6
12 - Home Health Service	1,093	4.14	7.9
13 - Other	11	0.04	4.1
All	26,411	100.0	4.2

***Disposition by Patient County of Residence
and Type of Care for 2010
Merced County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	1	50.00	1.0
08 - Residential Care facility	1	50.00	5.0
All	2	100.0	3.0

***Disposition by Patient County of Residence
and Type of Care for 2010
Merced County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	36	55.38	19
02 - Acute Care within the admitting hospital	4	6.15	9.3
04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital	2	3.08	13
05 - Acute Care at another hospital	2	3.08	17
06 - Other Care (not SN/IC) at another hospital	1	1.54	5.0
07 - SN/IC at another facility	4	6.15	17
12 - Home Health Service	16	24.62	15
All	65	100.0	17

***Disposition by Patient County of Residence
and Type of Care for 2010
Merced County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	634	89.80	5.1
05 - Acute Care at another hospital	4	0.57	9.3
06 - Other Care (not SN/IC) at another hospital	6	0.85	4.3
07 - SN/IC at another facility	23	3.26	15
08 - Residential Care facility	27	3.82	11
09 - Prison/Jail	1	0.14	1.0
10 - Left Against Medical Advice	7	0.99	9.3
13 - Other	4	0.57	17
All	706	100.0	5.8

***Disposition by Patient County of Residence
and Type of Care for 2010
Merced County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	20	15.15	14
02 - Acute Care within the admitting hospital	26	19.70	208
05 - Acute Care at another hospital	1	0.76	2.0
06 - Other Care (not SN/IC) at another hospital	2	1.52	69
07 - SN/IC at another facility	4	3.03	12
08 - Residential Care facility	4	3.03	20
10 - Left Against Medical Advice	2	1.52	16
11 - Died	9	6.82	65
12 - Home Health Service	64	48.48	28
All	132	100.0	63

***Gender by Patient County of Residence
for 2010
Merced County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	11,069	40.52	5.0
2 - Female	16,243	59.46	4.3
4 - Unknown	4	0.01	1.5
All	27,316	100.0	4.6

***Gender by Patient County of Residence
and Type of Care for 2010
Merced County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	10,625	40.23	4.8
2 - Female	15,782	59.76	3.9
4 - Unknown	4	0.02	1.5
All	26,411	100.0	4.2

***Gender by Patient County of Residence
and Type of Care for 2010
Merced County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
2 - Female	2	100.0	3.0
All	2	100.0	3.0

***Gender by Patient County of Residence
and Type of Care for 2010
Merced County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	39	60.00	17
2 - Female	26	40.00	17
All	65	100.0	17

***Gender by Patient County of Residence
and Type of Care for 2010
Merced County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	359	50.85	5.9
2 - Female	347	49.15	5.7
All	706	100.0	5.8

***Gender by Patient County of Residence
and Type of Care for 2010
Merced County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	46	34.85	45
2 - Female	86	65.15	73
All	132	100.0	63

***Expected Payer by Patient County of Residence
for 2010
Merced County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	8,040	29.43	5.8
02 - Medi-Cal	10,795	39.52	4.3
03 - Private Coverage	6,599	24.16	3.4
04 - Workers' Compensatio	168	0.62	4.2
05 - County Indigent Prog	372	1.36	4.2
06 - Other Government	423	1.55	5.4
07 - Other Indigent	107	0.39	3.8
08 - Self-Pay	758	2.77	5.0
09 - Other Payer	54	0.20	6.9
All	27,316	100.0	4.6

***Expected Payer by Patient County of Residence
and Type of Care for 2010
Merced County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	7,839	29.68	5.6
02 - Medi-Cal	10,393	39.35	3.7
03 - Private Coverage	6,437	24.37	3.3
04 - Workers' Compensatio	162	0.61	3.7
05 - County Indigent Prog	361	1.37	4.1
06 - Other Government	415	1.57	5.3
07 - Other Indigent	107	0.41	3.8
08 - Self-Pay	645	2.44	4.5
09 - Other Payer	52	0.20	7.0
All	26,411	100.0	4.2

***Expected Payer by Patient County of Residence
and Type of Care for 2010
Merced County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	1	50.00	5.0
03 - Private Coverage	1	50.00	1.0
All	2	100.0	3.0

***Expected Payer by Patient County of Residence
and Type of Care for 2010
Merced County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	18	27.69	14
02 - Medi-Cal	25	38.46	16
03 - Private Coverage	15	23.08	18
04 - Workers' Compensatio	6	9.23	18
06 - Other Government	1	1.54	53
All	65	100.0	17

***Expected Payer by Patient County of Residence
and Type of Care for 2010
Merced County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	102	14.45	7.3
02 - Medi-Cal	343	48.58	5.9
03 - Private Coverage	137	19.41	5.5
05 - County Indigent Prog	11	1.56	7.4
06 - Other Government	7	0.99	5.4
08 - Self-Pay	104	14.73	4.2
09 - Other Payer	2	0.28	4.0
All	706	100.0	5.8

***Expected Payer by Patient County of Residence
and Type of Care for 2010
Merced County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	80	60.61	16
02 - Medi-Cal	34	25.76	184
03 - Private Coverage	9	6.82	35
08 - Self-Pay	9	6.82	51
All	132	100.0	63

***Race Group by Patient County of Residence
for 2010
Merced County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	158	0.58	5.4
1 - White	12,418	45.46	5.1
2 - Black	1,247	4.57	5.1
3 - Hispanic	11,611	42.51	3.9
4 - Asian/Pacific Islander	1,285	4.70	4.2
5 - Native American/Eskimo/Ale	17	0.06	2.8
6 - Other	580	2.12	5.5
All	27,316	100.0	4.6

***Race Group by Patient County of Residence
and Type of Care for 2010
Merced County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	136	0.51	5.2
1 - White	11,911	45.10	4.6
2 - Black	1,196	4.53	5.0
3 - Hispanic	11,352	42.98	3.7
4 - Asian/Pacific Islander	1,251	4.74	4.0
5 - Native American/Eskimo/Ale	15	0.06	3.0
6 - Other	550	2.08	5.4
All	26,411	100.0	4.2

***Race Group by Patient County of Residence
and Type of Care for 2010
Merced County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - White	1	50.00	5.0
3 - Hispanic	1	50.00	1.0
All	2	100.0	3.0

***Race Group by Patient County of Residence
and Type of Care for 2010
Merced County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	4	6.15	18
1 - White	18	27.69	19
2 - Black	3	4.62	13
3 - Hispanic	36	55.38	16
4 - Asian/Pacific Islander	3	4.62	10
6 - Other	1	1.54	17
All	65	100.0	17

***Race Group by Patient County of Residence
and Type of Care for 2010
Merced County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	18	2.55	3.6
1 - White	392	55.52	5.5
2 - Black	47	6.66	5.7
3 - Hispanic	198	28.05	6.5
4 - Asian/Pacific Islander	28	3.97	6.0
5 - Native American/Eskimo/Ale	2	0.28	1.5
6 - Other	21	2.97	5.6
All	706	100.0	5.8

***Race Group by Patient County of Residence
and Type of Care for 2010
Merced County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - White	96	72.73	68
2 - Black	1	0.76	83
3 - Hispanic	24	18.18	58
4 - Asian/Pacific Islander	3	2.27	63
6 - Other	8	6.06	13
All	132	100.0	63

**Source of Admission by Patient County of Residence
for 2010
Merced County**

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Invalid	3	0.01	2.0
1 - Home	20,548	75.22	4.1
2 - Residential Care Facility	109	0.40	6.4
3 - Ambulatory Surgery	108	0.40	2.4
4 - Skilled Nursing/Intermedia	779	2.85	7.7
5 - Acute Inpatient Hospital C	1,064	3.90	17
6 - Other Inpatient Hospital C	99	0.36	15
7 - Newborn (born in admitting	4,221	15.45	2.6
8 - Prison/Jail	70	0.26	4.9
9 - Other	315	1.15	7.5
All	27,316	100.0	4.6

**Source of Admission by Patient County of Residence
and Type of Care for 2010
Merced County**

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Invalid	3	0.01	2.0
1 - Home	19,933	75.47	4.0
2 - Residential Care Facility	89	0.34	5.8
3 - Ambulatory Surgery	107	0.41	2.4
4 - Skilled Nursing/Intermedia	763	2.89	7.5
5 - Acute Inpatient Hospital C	875	3.31	12
6 - Other Inpatient Hospital C	81	0.31	7.4
7 - Newborn (born in admitting	4,220	15.98	2.6
8 - Prison/Jail	60	0.23	4.6
9 - Other	280	1.06	7.4
All	26,411	100.0	4.2

***Source of Admission by Patient County of Residence
and Type of Care for 2010
Merced County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	2	100.0	3.0
All	2	100.0	3.0

**Source of Admission by Patient County of Residence
and Type of Care for 2010
Merced County**

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
4 - Skilled Nursing/Intermedia	1	1.54	29
5 - Acute Inpatient Hospital C	55	84.62	17
6 - Other Inpatient Hospital C	8	12.31	16
9 - Other	1	1.54	16
All	65	100.0	17

**Source of Admission by Patient County of Residence
and Type of Care for 2010
Merced County**

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	604	85.55	5.2
2 - Residential Care Facility	20	2.83	9.2
4 - Skilled Nursing/Intermedia	15	2.12	14
5 - Acute Inpatient Hospital C	17	2.41	7.6
6 - Other Inpatient Hospital C	7	0.99	6.7
8 - Prison/Jail	10	1.42	7.0
9 - Other	33	4.67	8.7
All	706	100.0	5.8

**Source of Admission by Patient County of Residence
and Type of Care for 2010
Merced County**

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	9	6.82	137
3 - Ambulatory Surgery	1	0.76	7.0
5 - Acute Inpatient Hospital C	117	88.64	54
6 - Other Inpatient Hospital C	3	2.27	248
7 - Newborn (born in admitting	1	0.76	1.0
9 - Other	1	0.76	8.0
All	132	100.0	63

**MS-DRG by Patient County of Residence
for 2010
Merced County**

		Number of Discharges	Percent of Subtotal	Average Length of Stay
001	HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM WITH MCC	2	0.01	49
003	ECMO OR TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITH MAJOR O.R.	25	0.09	49
004	TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITHOUT MAJOR O.R.	18	0.07	39
005	LIVER TRANSPLANT WITH MCC OR INTESTINAL TRANSPLANT	2	0.01	30
009	BONE MARROW TRANSPLANT	5	0.02	22
011	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH MCC	2	0.01	14
012	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH CC	2	0.01	16
020	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH MCC	4	0.01	23
021	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH CC	2	0.01	18
022	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITHOUT CC/MCC	1	0.00	17
023	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITH MCC OR CHEMO IMPLANT	9	0.03	19
024	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITHOUT MCC	1	0.00	8.0
025	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH MCC	27	0.10	12
026	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH CC	23	0.08	6.3
027	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITHOUT CC/MCC	36	0.13	3.8
028	SPINAL PROCEDURES WITH MCC	3	0.01	5.7
029	SPINAL PROCEDURES WITH CC OR SPINAL NEUROSTIMULATORS	9	0.03	5.6
030	SPINAL PROCEDURES WITHOUT CC/MCC	6	0.02	4.8
031	VENTRICULAR SHUNT PROCEDURES WITH MCC	5	0.02	17
032	VENTRICULAR SHUNT PROCEDURES WITH CC	12	0.04	1.9

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Merced County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
033	VENTRICULAR SHUNT PROCEDURES WITHOUT CC/MCC	8	0.03	3.5
035	CAROTID ARTERY STENT PROCEDURE WITH CC	3	0.01	2.0
037	EXTRACRANIAL PROCEDURES WITH MCC	6	0.02	7.8
038	EXTRACRANIAL PROCEDURES WITH CC	15	0.05	4.1
039	EXTRACRANIAL PROCEDURES WITHOUT CC/MCC	69	0.25	1.7
040	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH MCC	13	0.05	14
041	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH CC OR PERIPH NEUROSTIM	19	0.07	6.5
042	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITHOUT CC/MCC	8	0.03	2.3
052	SPINAL DISORDERS & INJURIES WITH CC/MCC	1	0.00	.00
053	SPINAL DISORDERS & INJURIES WITHOUT CC/MCC	2	0.01	.00
054	NERVOUS SYSTEM NEOPLASMS WITH MCC	16	0.06	7.9
055	NERVOUS SYSTEM NEOPLASMS WITHOUT MCC	21	0.08	4.4
056	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC	8	0.03	8.4
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	37	0.14	85
058	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH MCC	2	0.01	5.5
059	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH CC	3	0.01	9.3
060	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITHOUT CC/MCC	5	0.02	4.2
061	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH MCC	3	0.01	10
062	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH CC	5	0.02	4.0
063	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITHOUT CC/MCC	2	0.01	4.0
064	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC	95	0.35	11
065	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC	146	0.53	4.8

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Merced County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
066	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC	84	0.31	3.4
067	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITH MCC	3	0.01	4.7
068	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITHOUT MCC	9	0.03	4.2
069	TRANSIENT ISCHEMIA	128	0.47	2.3
070	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH MCC	11	0.04	8.1
071	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH CC	8	0.03	6.5
072	NONSPECIFIC CEREBROVASCULAR DISORDERS WITHOUT CC/MCC	2	0.01	1.5
073	CRANIAL & PERIPHERAL NERVE DISORDERS WITH MCC	21	0.08	4.6
074	CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC	64	0.23	4.0
075	VIRAL MENINGITIS WITH CC/MCC	6	0.02	5.5
076	VIRAL MENINGITIS WITHOUT CC/MCC	20	0.07	2.3
077	HYPERTENSIVE ENCEPHALOPATHY WITH MCC	2	0.01	3.0
080	NONTRAUMATIC STUPOR & COMA WITH MCC	3	0.01	5.3
081	NONTRAUMATIC STUPOR & COMA WITHOUT MCC	21	0.08	2.8
082	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH MCC	3	0.01	8.3
083	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH CC	5	0.02	4.4
084	TRAUMATIC STUPOR & COMA, COMA >1 HR WITHOUT CC/MCC	4	0.01	4.0
085	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH MCC	12	0.04	11
086	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH CC	12	0.04	4.2
087	TRAUMATIC STUPOR & COMA, COMA <1 HR WITHOUT CC/MCC	37	0.14	1.8
088	CONCUSSION WITH MCC	2	0.01	4.5
089	CONCUSSION WITH CC	4	0.01	3.0

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Merced County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
090	CONCUSSION WITHOUT CC/MCC	9	0.03	1.3
091	OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC	8	0.03	5.3
092	OTHER DISORDERS OF NERVOUS SYSTEM WITH CC	21	0.08	4.1
093	OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC	25	0.09	2.1
094	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH MCC	3	0.01	19
095	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH CC	3	0.01	10
096	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITHOUT CC/MCC	2	0.01	3.0
097	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH MCC	5	0.02	8.0
098	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH CC	3	0.01	5.7
099	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITHOUT CC/MCC	2	0.01	4.5
100	SEIZURES WITH MCC	31	0.11	5.7
101	SEIZURES WITHOUT MCC	129	0.47	3.0
102	HEADACHES WITH MCC	5	0.02	5.6
103	HEADACHES WITHOUT MCC	58	0.21	2.2
114	ORBITAL PROCEDURES WITHOUT CC/MCC	1	0.00	3.0
115	EXTRAOCULAR PROCEDURES EXCEPT ORBIT	4	0.01	3.0
121	ACUTE MAJOR EYE INFECTIONS WITH CC/MCC	4	0.01	3.8
122	ACUTE MAJOR EYE INFECTIONS WITHOUT CC/MCC	3	0.01	2.3
123	NEUROLOGICAL EYE DISORDERS	1	0.00	1.0
124	OTHER DISORDERS OF THE EYE WITH MCC	2	0.01	2.0
125	OTHER DISORDERS OF THE EYE WITHOUT MCC	7	0.03	1.9
129	MAJOR HEAD & NECK PROCEDURES WITH CC/MCC OR MAJOR DEVICE	1	0.00	5.0

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Merced County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
130	MAJOR HEAD & NECK PROCEDURES WITHOUT CC/MCC	1	0.00	2.0
131	CRANIAL/FACIAL PROCEDURES WITH CC/MCC	6	0.02	4.8
132	CRANIAL/FACIAL PROCEDURES WITHOUT CC/MCC	20	0.07	1.7
133	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITH CC/MCC	13	0.05	3.8
134	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITHOUT CC/MCC	39	0.14	1.6
135	SINUS & MASTOID PROCEDURES WITH CC/MCC	1	0.00	13
137	MOUTH PROCEDURES WITH CC/MCC	1	0.00	1.0
146	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH MCC	2	0.01	5.0
149	DYSEQUILIBRIUM	22	0.08	2.4
150	EPISTAXIS WITH MCC	1	0.00	3.0
151	EPISTAXIS WITHOUT MCC	6	0.02	3.7
152	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITH MCC	8	0.03	5.0
153	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITHOUT MCC	57	0.21	2.1
154	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH MCC	2	0.01	4.5
155	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH CC	12	0.04	5.0
156	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITHOUT CC/MCC	12	0.04	1.8
157	DENTAL & ORAL DISEASES WITH MCC	4	0.01	5.5
158	DENTAL & ORAL DISEASES WITH CC	9	0.03	3.4
159	DENTAL & ORAL DISEASES WITHOUT CC/MCC	11	0.04	3.8
163	MAJOR CHEST PROCEDURES WITH MCC	16	0.06	15
164	MAJOR CHEST PROCEDURES WITH CC	35	0.13	6.0
165	MAJOR CHEST PROCEDURES WITHOUT CC/MCC	27	0.10	4.0

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Merced County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
166	OTHER RESP SYSTEM O.R. PROCEDURES WITH MCC	17	0.06	18
167	OTHER RESP SYSTEM O.R. PROCEDURES WITH CC	13	0.05	5.7
168	OTHER RESP SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	5	0.02	2.0
175	PULMONARY EMBOLISM WITH MCC	14	0.05	6.7
176	PULMONARY EMBOLISM WITHOUT MCC	41	0.15	4.5
177	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC	105	0.38	11
178	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC	76	0.28	8.5
179	RESPIRATORY INFECTIONS & INFLAMMATIONS WITHOUT CC/MCC	19	0.07	7.2
180	RESPIRATORY NEOPLASMS WITH MCC	23	0.08	12
181	RESPIRATORY NEOPLASMS WITH CC	26	0.10	4.8
182	RESPIRATORY NEOPLASMS WITHOUT CC/MCC	1	0.00	4.0
183	MAJOR CHEST TRAUMA WITH MCC	5	0.02	8.8
184	MAJOR CHEST TRAUMA WITH CC	11	0.04	3.0
185	MAJOR CHEST TRAUMA WITHOUT CC/MCC	7	0.03	1.7
186	PLEURAL EFFUSION WITH MCC	7	0.03	6.9
187	PLEURAL EFFUSION WITH CC	8	0.03	8.5
188	PLEURAL EFFUSION WITHOUT CC/MCC	2	0.01	1.0
189	PULMONARY EDEMA & RESPIRATORY FAILURE	140	0.51	9.3
190	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC	224	0.82	5.5
191	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC	141	0.52	4.3
192	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC	129	0.47	3.5
193	SIMPLE PNEUMONIA & PLEURISY WITH MCC	200	0.73	6.7

(Continued)

**MS-DRG by Patient County of Residence
for 2010
Merced County**

		Number of Discharges	Percent of Subtotal	Average Length of Stay
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	308	1.13	4.4
195	SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC	223	0.82	3.1
196	INTERSTITIAL LUNG DISEASE WITH MCC	5	0.02	6.4
197	INTERSTITIAL LUNG DISEASE WITH CC	7	0.03	5.1
198	INTERSTITIAL LUNG DISEASE WITHOUT CC/MCC	7	0.03	2.9
199	PNEUMOTHORAX WITH MCC	7	0.03	8.0
200	PNEUMOTHORAX WITH CC	14	0.05	5.3
201	PNEUMOTHORAX WITHOUT CC/MCC	16	0.06	2.6
202	BRONCHITIS & ASTHMA WITH CC/MCC	161	0.59	3.6
203	BRONCHITIS & ASTHMA WITHOUT CC/MCC	260	0.95	2.2
204	RESPIRATORY SIGNS & SYMPTOMS	36	0.13	2.3
205	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITH MCC	10	0.04	6.3
206	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITHOUT MCC	36	0.13	4.1
207	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS	50	0.18	19
208	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS	103	0.38	7.9
215	OTHER HEART ASSIST SYSTEM IMPLANT	1	0.00	21
216	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH MCC	7	0.03	18
217	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH CC	5	0.02	9.4
218	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITHOUT CC/MCC	1	0.00	5.0
219	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH MCC	16	0.06	11
220	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH CC	23	0.08	7.2
221	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITHOUT CC/MCC	4	0.01	6.0

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Merced County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
222	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITH MCC	3	0.01	10
223	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITHOUT MCC	4	0.01	3.0
224	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITH MCC	5	0.02	6.0
225	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITHOUT MCC	6	0.02	4.3
226	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITH MCC	7	0.03	15
227	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITHOUT MCC	20	0.07	4.8
228	OTHER CARDIOTHORACIC PROCEDURES WITH MCC	8	0.03	23
229	OTHER CARDIOTHORACIC PROCEDURES WITH CC	6	0.02	7.7
230	OTHER CARDIOTHORACIC PROCEDURES WITHOUT CC/MCC	1	0.00	1.0
231	CORONARY BYPASS WITH PTCA WITH MCC	1	0.00	11
232	CORONARY BYPASS WITH PTCA WITHOUT MCC	5	0.02	6.6
233	CORONARY BYPASS WITH CARDIAC CATH WITH MCC	20	0.07	16
234	CORONARY BYPASS WITH CARDIAC CATH WITHOUT MCC	47	0.17	8.5
235	CORONARY BYPASS WITHOUT CARDIAC CATH WITH MCC	8	0.03	10
236	CORONARY BYPASS WITHOUT CARDIAC CATH WITHOUT MCC	40	0.15	7.3
237	MAJOR CARDIOVASC PROCEDURES WITH MCC OR THORACIC AORTIC ANEURYSM REPAIR	36	0.13	11
238	MAJOR CARDIOVASC PROCEDURES WITHOUT MCC	45	0.16	4.1
239	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH MCC	10	0.04	9.6
240	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH CC	7	0.03	8.1
241	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITHOUT CC/MCC	1	0.00	3.0
242	PERMANENT CARDIAC PACEMAKER IMPLANT WITH MCC	19	0.07	7.9
243	PERMANENT CARDIAC PACEMAKER IMPLANT WITH CC	15	0.05	5.1

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Merced County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
244	PERMANENT CARDIAC PACEMAKER IMPLANT WITHOUT CC/MCC	31	0.11	3.2
245	AICD GENERATOR PROCEDURES	2	0.01	1.5
246	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITH MCC OR 4+ VESSELS/STENTS	39	0.14	4.5
247	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITHOUT MCC	151	0.55	2.1
248	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITH MCC OR 4+ VES/STENTS	14	0.05	6.1
249	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITHOUT MCC	32	0.12	2.3
250	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITH MCC	1	0.00	2.0
251	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITHOUT MCC	28	0.10	3.0
252	OTHER VASCULAR PROCEDURES WITH MCC	44	0.16	11
253	OTHER VASCULAR PROCEDURES WITH CC	49	0.18	6.4
254	OTHER VASCULAR PROCEDURES WITHOUT CC/MCC	49	0.18	2.7
255	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH MCC	5	0.02	11
256	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH CC	3	0.01	13
259	CARDIAC PACEMAKER DEVICE REPLACEMENT WITHOUT MCC	3	0.01	.67
260	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH MCC	1	0.00	5.0
261	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH CC	2	0.01	2.5
262	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITHOUT CC/MCC	3	0.01	4.3
264	OTHER CIRCULATORY SYSTEM O.R. PROCEDURES	18	0.07	9.1
265	AICD LEAD PROCEDURES	1	0.00	3.0
280	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH MCC	74	0.27	6.5
281	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH CC	55	0.20	3.5
282	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITHOUT CC/MCC	78	0.29	3.0

(Continued)

**MS-DRG by Patient County of Residence
for 2010
Merced County**

		Number of Discharges	Percent of Subtotal	Average Length of Stay
283	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH MCC	13	0.05	4.0
284	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH CC	4	0.01	2.5
285	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITHOUT CC/MCC	1	0.00	1.0
286	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITH MCC	39	0.14	9.1
287	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITHOUT MCC	162	0.59	3.0
288	ACUTE & SUBACUTE ENDOCARDITIS WITH MCC	3	0.01	18
289	ACUTE & SUBACUTE ENDOCARDITIS WITH CC	2	0.01	7.0
291	HEART FAILURE & SHOCK WITH MCC	278	1.02	6.4
292	HEART FAILURE & SHOCK WITH CC	145	0.53	4.7
293	HEART FAILURE & SHOCK WITHOUT CC/MCC	93	0.34	3.1
294	DEEP VEIN THROMBOPHLEBITIS WITH CC/MCC	2	0.01	6.0
296	CARDIAC ARREST, UNEXPLAINED WITH MCC	2	0.01	1.5
297	CARDIAC ARREST, UNEXPLAINED WITH CC	1	0.00	.00
299	PERIPHERAL VASCULAR DISORDERS WITH MCC	41	0.15	8.2
300	PERIPHERAL VASCULAR DISORDERS WITH CC	75	0.27	6.6
301	PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC	49	0.18	3.9
302	ATHEROSCLEROSIS WITH MCC	15	0.05	3.4
303	ATHEROSCLEROSIS WITHOUT MCC	79	0.29	2.3
304	HYPERTENSION WITH MCC	2	0.01	6.0
305	HYPERTENSION WITHOUT MCC	41	0.15	2.1
306	CARDIAC CONGENITAL & VALVULAR DISORDERS WITH MCC	1	0.00	3.0
307	CARDIAC CONGENITAL & VALVULAR DISORDERS WITHOUT MCC	4	0.01	2.5

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Merced County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
308	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH MCC	53	0.19	4.3
309	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC	88	0.32	3.7
310	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITHOUT CC/MCC	145	0.53	2.2
311	ANGINA PECTORIS	46	0.17	1.7
312	SYNCOPE & COLLAPSE	119	0.44	2.4
313	CHEST PAIN	452	1.65	1.7
314	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC	70	0.26	7.2
315	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC	22	0.08	4.9
316	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITHOUT CC/MCC	18	0.07	2.9
326	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH MCC	22	0.08	30
327	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH CC	15	0.05	9.7
328	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITHOUT CC/MCC	31	0.11	3.3
329	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	56	0.21	17
330	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH CC	97	0.36	8.6
331	MAJOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	47	0.17	4.8
332	RECTAL RESECTION WITH MCC	2	0.01	9.5
333	RECTAL RESECTION WITH CC	4	0.01	7.8
334	RECTAL RESECTION WITHOUT CC/MCC	4	0.01	4.3
335	PERITONEAL ADHESIOLYSIS WITH MCC	9	0.03	13
336	PERITONEAL ADHESIOLYSIS WITH CC	22	0.08	6.1
337	PERITONEAL ADHESIOLYSIS WITHOUT CC/MCC	30	0.11	3.2
338	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	4	0.01	7.0

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Merced County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
339	APPENECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	20	0.07	6.1
340	APPENECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	64	0.23	3.9
341	APPENECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	4	0.01	4.5
342	APPENECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	18	0.07	3.0
343	APPENECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	262	0.96	1.6
344	MINOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	1	0.00	4.0
345	MINOR SMALL & LARGE BOWEL PROCEDURES WITH CC	9	0.03	5.9
346	MINOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	9	0.03	4.2
347	ANAL & STOMAL PROCEDURES WITH MCC	2	0.01	6.5
348	ANAL & STOMAL PROCEDURES WITH CC	11	0.04	5.9
349	ANAL & STOMAL PROCEDURES WITHOUT CC/MCC	18	0.07	2.3
351	INGUINAL & FEMORAL HERNIA PROCEDURES WITH CC	5	0.02	2.4
352	INGUINAL & FEMORAL HERNIA PROCEDURES WITHOUT CC/MCC	6	0.02	2.2
353	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH MCC	2	0.01	37
354	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH CC	25	0.09	4.2
355	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITHOUT CC/MCC	34	0.12	2.4
356	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH MCC	19	0.07	14
357	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH CC	7	0.03	5.7
358	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	9	0.03	4.0
368	MAJOR ESOPHAGEAL DISORDERS WITH MCC	8	0.03	5.1
369	MAJOR ESOPHAGEAL DISORDERS WITH CC	12	0.04	3.8
370	MAJOR ESOPHAGEAL DISORDERS WITHOUT CC/MCC	13	0.05	2.2

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Merced County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
371	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH MCC	33	0.12	11
372	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH CC	45	0.16	5.8
373	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITHOUT CC/MCC	25	0.09	4.0
374	DIGESTIVE MALIGNANCY WITH MCC	11	0.04	27
375	DIGESTIVE MALIGNANCY WITH CC	23	0.08	8.4
376	DIGESTIVE MALIGNANCY WITHOUT CC/MCC	1	0.00	1.0
377	G.I. HEMORRHAGE WITH MCC	72	0.26	5.3
378	G.I. HEMORRHAGE WITH CC	148	0.54	3.6
379	G.I. HEMORRHAGE WITHOUT CC/MCC	87	0.32	2.7
380	COMPLICATED PEPTIC ULCER WITH MCC	1	0.00	6.0
381	COMPLICATED PEPTIC ULCER WITH CC	5	0.02	5.8
382	COMPLICATED PEPTIC ULCER WITHOUT CC/MCC	4	0.01	3.3
383	UNCOMPLICATED PEPTIC ULCER WITH MCC	1	0.00	9.0
384	UNCOMPLICATED PEPTIC ULCER WITHOUT MCC	11	0.04	3.1
385	INFLAMMATORY BOWEL DISEASE WITH MCC	3	0.01	6.0
386	INFLAMMATORY BOWEL DISEASE WITH CC	16	0.06	3.8
387	INFLAMMATORY BOWEL DISEASE WITHOUT CC/MCC	19	0.07	5.4
388	G.I. OBSTRUCTION WITH MCC	30	0.11	7.1
389	G.I. OBSTRUCTION WITH CC	47	0.17	4.5
390	G.I. OBSTRUCTION WITHOUT CC/MCC	59	0.22	2.6
391	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITH MCC	76	0.28	4.7
392	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC	447	1.64	3.3

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Merced County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
393	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH MCC	26	0.10	9.2
394	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH CC	60	0.22	4.1
395	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	40	0.15	2.1
405	PANCREAS, LIVER & SHUNT PROCEDURES WITH MCC	11	0.04	8.7
406	PANCREAS, LIVER & SHUNT PROCEDURES WITH CC	16	0.06	12
407	PANCREAS, LIVER & SHUNT PROCEDURES WITHOUT CC/MCC	6	0.02	6.3
408	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH MCC	2	0.01	20
409	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH CC	3	0.01	8.3
411	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH MCC	1	0.00	8.0
412	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH CC	4	0.01	5.8
414	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH MCC	6	0.02	8.5
415	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH CC	6	0.02	7.2
416	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	4	0.01	4.3
417	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH MCC	61	0.22	5.2
418	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH CC	89	0.33	4.1
419	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	191	0.70	2.4
420	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH MCC	3	0.01	12
422	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITHOUT CC/MCC	2	0.01	3.0
423	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH MCC	5	0.02	15
425	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITHOUT CC/MCC	1	0.00	6.0

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Merced County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
432	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH MCC	64	0.23	5.6
433	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH CC	22	0.08	4.3
435	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITH MCC	16	0.06	8.5
436	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITH CC	13	0.05	6.1
437	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITHOUT CC/MCC	3	0.01	5.3
438	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH MCC	42	0.15	7.1
439	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH CC	58	0.21	4.7
440	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITHOUT CC/MCC	72	0.26	3.3
441	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH MCC	96	0.35	6.7
442	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH CC	60	0.22	4.4
443	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITHOUT CC/MCC	20	0.07	3.9
444	DISORDERS OF THE BILIARY TRACT WITH MCC	20	0.07	5.5
445	DISORDERS OF THE BILIARY TRACT WITH CC	26	0.10	4.5
446	DISORDERS OF THE BILIARY TRACT WITHOUT CC/MCC	39	0.14	2.7
453	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH MCC	5	0.02	12
454	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH CC	7	0.03	5.3
455	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITHOUT CC/MCC	14	0.05	3.6
456	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH MCC	1	0.00	17
457	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH CC	6	0.02	6.2
458	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITHOUT CC/MCC	2	0.01	5.0
459	SPINAL FUSION EXCEPT CERVICAL WITH MCC	4	0.01	9.3
460	SPINAL FUSION EXCEPT CERVICAL WITHOUT MCC	69	0.25	3.9

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Merced County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
461	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITH MCC	1	0.00	4.0
462	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITHOUT MCC	3	0.01	3.7
463	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH MCC	5	0.02	11
464	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH CC	15	0.05	13
465	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITHOUT CC/MCC	9	0.03	6.2
466	REVISION OF HIP OR KNEE REPLACEMENT WITH MCC	2	0.01	7.0
467	REVISION OF HIP OR KNEE REPLACEMENT WITH CC	13	0.05	4.8
468	REVISION OF HIP OR KNEE REPLACEMENT WITHOUT CC/MCC	17	0.06	2.9
469	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITH MCC	22	0.08	6.5
470	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITHOUT MCC	468	1.71	3.3
471	CERVICAL SPINAL FUSION WITH MCC	3	0.01	8.3
472	CERVICAL SPINAL FUSION WITH CC	15	0.05	2.4
473	CERVICAL SPINAL FUSION WITHOUT CC/MCC	52	0.19	1.7
474	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH MCC	4	0.01	30
475	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH CC	5	0.02	11
476	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITHOUT CC/MCC	4	0.01	6.3
477	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	1	0.00	7.0
478	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	4	0.01	7.3
479	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	2	0.01	2.0
480	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH MCC	32	0.12	8.7
481	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH CC	77	0.28	5.6
482	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITHOUT CC/MCC	43	0.16	3.5

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Merced County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
483	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITH CC/MCC	7	0.03	4.0
484	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITHOUT CC/MCC	12	0.04	1.5
485	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH MCC	1	0.00	5.0
486	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH CC	2	0.01	5.0
487	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	2	0.01	3.0
488	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITH CC/MCC	3	0.01	5.0
489	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	15	0.05	2.3
490	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITH CC/MCC OR DISC DEVICE/NEUROSTIM	29	0.11	4.3
491	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITHOUT CC/MCC	71	0.26	2.4
492	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH MCC	6	0.02	10
493	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH CC	33	0.12	3.7
494	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITHOUT CC/MCC	75	0.27	2.2
495	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH MCC	3	0.01	28
496	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH CC	9	0.03	4.0
497	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITHOUT CC/MCC	19	0.07	2.5
498	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITH CC/MCC	3	0.01	1.7
499	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITHOUT CC/MCC	4	0.01	1.0
500	SOFT TISSUE PROCEDURES WITH MCC	4	0.01	24
501	SOFT TISSUE PROCEDURES WITH CC	12	0.04	6.3
502	SOFT TISSUE PROCEDURES WITHOUT CC/MCC	13	0.05	2.2
503	FOOT PROCEDURES WITH MCC	1	0.00	11
504	FOOT PROCEDURES WITH CC	3	0.01	3.3

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Merced County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
505	FOOT PROCEDURES WITHOUT CC/MCC	6	0.02	2.2
506	MAJOR THUMB OR JOINT PROCEDURES	1	0.00	2.0
507	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITH CC/MCC	2	0.01	4.0
508	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITHOUT CC/MCC	2	0.01	4.0
511	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH CC	5	0.02	2.0
512	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITHOUT CC/MCC	21	0.08	1.2
513	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITH CC/MCC	4	0.01	1.5
514	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITHOUT CC/MCC	7	0.03	2.1
515	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH MCC	10	0.04	7.5
516	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH CC	9	0.03	4.6
517	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITHOUT CC/MCC	9	0.03	1.8
533	FRACTURES OF FEMUR WITH MCC	2	0.01	15
534	FRACTURES OF FEMUR WITHOUT MCC	6	0.02	2.2
535	FRACTURES OF HIP & PELVIS WITH MCC	9	0.03	6.1
536	FRACTURES OF HIP & PELVIS WITHOUT MCC	18	0.07	4.7
538	SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITHOUT CC/MCC	2	0.01	1.5
539	OSTEOMYELITIS WITH MCC	6	0.02	6.5
540	OSTEOMYELITIS WITH CC	7	0.03	8.6
541	OSTEOMYELITIS WITHOUT CC/MCC	3	0.01	13
542	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH MCC	3	0.01	19
543	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH CC	13	0.05	4.2
544	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITHOUT CC/MCC	4	0.01	2.5

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Merced County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
545	CONNECTIVE TISSUE DISORDERS WITH MCC	12	0.04	5.3
546	CONNECTIVE TISSUE DISORDERS WITH CC	8	0.03	5.5
547	CONNECTIVE TISSUE DISORDERS WITHOUT CC/MCC	16	0.06	4.4
549	SEPTIC ARTHRITIS WITH CC	1	0.00	2.0
551	MEDICAL BACK PROBLEMS WITH MCC	14	0.05	4.9
552	MEDICAL BACK PROBLEMS WITHOUT MCC	70	0.26	3.6
553	BONE DISEASES & ARTHROPATHIES WITH MCC	4	0.01	4.3
554	BONE DISEASES & ARTHROPATHIES WITHOUT MCC	13	0.05	2.8
555	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITH MCC	5	0.02	11
556	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC	23	0.08	6.2
557	TENDONITIS, MYOSITIS & BURSITIS WITH MCC	7	0.03	4.1
558	TENDONITIS, MYOSITIS & BURSITIS WITHOUT MCC	18	0.07	2.5
559	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	4	0.01	10
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	5	0.02	37
561	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	1	0.00	1.0
562	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITH MCC	10	0.04	7.3
563	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC	28	0.10	3.3
564	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH MCC	2	0.01	18
565	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH CC	7	0.03	2.6
566	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITHOUT CC/MCC	6	0.02	2.8
573	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH MCC	7	0.03	22
574	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH CC	16	0.06	8.5

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Merced County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
575	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	3	0.01	3.3
576	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH MCC	1	0.00	19
577	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH CC	5	0.02	11
578	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	6	0.02	2.0
579	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH MCC	5	0.02	9.6
580	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH CC	18	0.07	3.9
581	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITHOUT CC/MCC	34	0.12	2.0
582	MASTECTOMY FOR MALIGNANCY WITH CC/MCC	10	0.04	2.4
583	MASTECTOMY FOR MALIGNANCY WITHOUT CC/MCC	30	0.11	1.5
584	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITH CC/MCC	1	0.00	2.0
585	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITHOUT CC/MCC	12	0.04	1.6
592	SKIN ULCERS WITH MCC	5	0.02	8.8
593	SKIN ULCERS WITH CC	11	0.04	6.2
595	MAJOR SKIN DISORDERS WITH MCC	1	0.00	1.0
596	MAJOR SKIN DISORDERS WITHOUT MCC	4	0.01	5.8
600	NON-MALIGNANT BREAST DISORDERS WITH CC/MCC	2	0.01	2.5
601	NON-MALIGNANT BREAST DISORDERS WITHOUT CC/MCC	2	0.01	4.5
602	CELLULITIS WITH MCC	36	0.13	8.3
603	CELLULITIS WITHOUT MCC	247	0.90	4.7
604	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITH MCC	6	0.02	2.8
605	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITHOUT MCC	32	0.12	2.1
606	MINOR SKIN DISORDERS WITH MCC	1	0.00	2.0

(Continued)

**MS-DRG by Patient County of Residence
for 2010
Merced County**

		Number of Discharges	Percent of Subtotal	Average Length of Stay
607	MINOR SKIN DISORDERS WITHOUT MCC	9	0.03	2.6
614	ADRENAL & PITUITARY PROCEDURES WITH CC/MCC	2	0.01	4.0
615	ADRENAL & PITUITARY PROCEDURES WITHOUT CC/MCC	3	0.01	2.0
616	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH MCC	3	0.01	15
617	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH CC	16	0.06	8.5
619	O.R. PROCEDURES FOR OBESITY WITH MCC	2	0.01	3.5
620	O.R. PROCEDURES FOR OBESITY WITH CC	13	0.05	2.0
621	O.R. PROCEDURES FOR OBESITY WITHOUT CC/MCC	145	0.53	1.4
622	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH MCC	2	0.01	10
623	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH CC	9	0.03	8.8
625	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH MCC	2	0.01	5.5
626	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH CC	14	0.05	2.3
627	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITHOUT CC/MCC	50	0.18	1.6
628	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH MCC	2	0.01	3.0
629	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH CC	8	0.03	7.1
630	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITHOUT CC/MCC	1	0.00	1.0
637	DIABETES WITH MCC	51	0.19	5.0
638	DIABETES WITH CC	90	0.33	3.5
639	DIABETES WITHOUT CC/MCC	97	0.36	2.6
640	NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC	79	0.29	4.5
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	199	0.73	2.9
642	INBORN ERRORS OF METABOLISM	24	0.09	3.8

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Merced County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
643	ENDOCRINE DISORDERS WITH MCC	9	0.03	6.4
644	ENDOCRINE DISORDERS WITH CC	18	0.07	5.4
645	ENDOCRINE DISORDERS WITHOUT CC/MCC	21	0.08	2.5
652	KIDNEY TRANSPLANT	17	0.06	5.5
653	MAJOR BLADDER PROCEDURES WITH MCC	1	0.00	8.0
654	MAJOR BLADDER PROCEDURES WITH CC	3	0.01	9.3
655	MAJOR BLADDER PROCEDURES WITHOUT CC/MCC	2	0.01	5.5
656	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH MCC	4	0.01	6.0
657	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH CC	10	0.04	6.3
658	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITHOUT CC/MCC	17	0.06	3.1
659	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH MCC	5	0.02	24
660	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH CC	10	0.04	5.3
661	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITHOUT CC/MCC	17	0.06	2.5
662	MINOR BLADDER PROCEDURES WITH MCC	1	0.00	13
663	MINOR BLADDER PROCEDURES WITH CC	1	0.00	1.0
664	MINOR BLADDER PROCEDURES WITHOUT CC/MCC	3	0.01	1.0
667	PROSTATECTOMY WITHOUT CC/MCC	2	0.01	1.0
668	TRANSURETHRAL PROCEDURES WITH MCC	3	0.01	5.3
669	TRANSURETHRAL PROCEDURES WITH CC	12	0.04	7.3
670	TRANSURETHRAL PROCEDURES WITHOUT CC/MCC	11	0.04	2.2
671	URETHRAL PROCEDURES WITH CC/MCC	4	0.01	6.0
672	URETHRAL PROCEDURES WITHOUT CC/MCC	1	0.00	2.0

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Merced County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
673	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH MCC	17	0.06	12
674	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH CC	12	0.04	8.4
675	OTHER KIDNEY & URINARY TRACT PROCEDURES WITHOUT CC/MCC	3	0.01	1.0
682	RENAL FAILURE WITH MCC	108	0.40	6.8
683	RENAL FAILURE WITH CC	147	0.54	4.9
684	RENAL FAILURE WITHOUT CC/MCC	28	0.10	3.1
685	ADMIT FOR RENAL DIALYSIS	5	0.02	3.0
686	KIDNEY & URINARY TRACT NEOPLASMS WITH MCC	1	0.00	4.0
687	KIDNEY & URINARY TRACT NEOPLASMS WITH CC	5	0.02	4.2
689	KIDNEY & URINARY TRACT INFECTIONS WITH MCC	69	0.25	5.0
690	KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC	265	0.97	3.8
691	URINARY STONES WITH ESW LITHOTRIPSY WITH CC/MCC	2	0.01	6.5
693	URINARY STONES WITHOUT ESW LITHOTRIPSY WITH MCC	9	0.03	3.4
694	URINARY STONES WITHOUT ESW LITHOTRIPSY WITHOUT MCC	35	0.13	2.3
696	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITHOUT MCC	7	0.03	1.9
698	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH MCC	28	0.10	9.9
699	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH CC	24	0.09	2.9
700	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITHOUT CC/MCC	17	0.06	2.7
707	MAJOR MALE PELVIC PROCEDURES WITH CC/MCC	4	0.01	3.5
708	MAJOR MALE PELVIC PROCEDURES WITHOUT CC/MCC	24	0.09	2.3
709	PENIS PROCEDURES WITH CC/MCC	5	0.02	2.8
710	PENIS PROCEDURES WITHOUT CC/MCC	28	0.10	2.0

(Continued)

**MS-DRG by Patient County of Residence
for 2010
Merced County**

		Number of Discharges	Percent of Subtotal	Average Length of Stay
711	TESTES PROCEDURES WITH CC/MCC	1	0.00	2.0
712	TESTES PROCEDURES WITHOUT CC/MCC	4	0.01	.75
713	TRANSURETHRAL PROSTATECTOMY WITH CC/MCC	11	0.04	2.5
714	TRANSURETHRAL PROSTATECTOMY WITHOUT CC/MCC	56	0.21	1.8
716	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE FOR MALIGNANCY WITHOUT CC/MCC	3	0.01	1.3
717	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE EXCEPT MALIGNANCY WITH CC/MCC	1	0.00	1.0
718	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE EXCEPT MALIGNANCY WITHOUT CC/MCC	1	0.00	1.0
723	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH CC	2	0.01	5.5
724	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	4	0.01	10
725	BENIGN PROSTATIC HYPERTROPHY WITH MCC	2	0.01	4.0
726	BENIGN PROSTATIC HYPERTROPHY WITHOUT MCC	4	0.01	2.5
727	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITH MCC	2	0.01	10
728	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITHOUT MCC	12	0.04	3.7
730	OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	2	0.01	2.5
734	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITH CC/MCC	2	0.01	6.5
735	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITHOUT CC/MCC	4	0.01	1.8
736	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH MCC	2	0.01	6.5
737	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH CC	6	0.02	4.5
739	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH MCC	3	0.01	21
740	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH CC	10	0.04	3.3
741	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITHOUT CC/MCC	27	0.10	2.2
742	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITH CC/MCC	64	0.23	3.1

(Continued)

**MS-DRG by Patient County of Residence
for 2010
Merced County**

		Number of Discharges	Percent of Subtotal	Average Length of Stay
743	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITHOUT CC/MCC	292	1.07	2.0
744	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITH CC/MCC	3	0.01	1.3
745	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITHOUT CC/MCC	8	0.03	1.9
746	VAGINA, CERVIX & VULVA PROCEDURES WITH CC/MCC	4	0.01	2.5
747	VAGINA, CERVIX & VULVA PROCEDURES WITHOUT CC/MCC	13	0.05	1.5
748	FEMALE REPRODUCTIVE SYSTEM RECONSTRUCTIVE PROCEDURES	19	0.07	1.4
749	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITH CC/MCC	1	0.00	4.0
750	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	6	0.02	1.8
754	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH MCC	2	0.01	6.5
755	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH CC	3	0.01	3.3
757	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH MCC	1	0.00	11
758	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH CC	5	0.02	2.6
759	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	4	0.01	2.0
760	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITH CC/MCC	6	0.02	2.2
761	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITHOUT CC/MCC	18	0.07	1.2
765	CESAREAN SECTION WITH CC/MCC	386	1.41	3.9
766	CESAREAN SECTION WITHOUT CC/MCC	902	3.30	2.6
767	VAGINAL DELIVERY WITH STERILIZATION &/OR D&C	195	0.71	2.1
769	POSTPARTUM & POST ABORTION DIAGNOSIS WITH O.R. PROCEDURE	16	0.06	3.6
770	ABORTION WITH D&C, ASPIRATION CURETTAGE OR HYSTEROTOMY	36	0.13	1.1
774	VAGINAL DELIVERY WITH COMPLICATING DIAGNOSIS	231	0.85	2.4
775	VAGINAL DELIVERY WITHOUT COMPLICATING DIAGNOSIS	2,464	9.02	2.0

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Merced County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
776	POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE	60	0.22	2.9
777	ECTOPIC PREGNANCY	30	0.11	1.4
778	THREATENED ABORTION	40	0.15	2.4
779	ABORTION WITHOUT D&C	30	0.11	1.4
780	FALSE LABOR	7	0.03	.57
781	OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS	162	0.59	2.8
782	OTHER ANTEPARTUM DIAGNOSIS WITHOUT MEDICAL COMPLICATIONS	28	0.10	1.1
789	NEONATES, DIED OR TRANSFERRED TO ANOTHER ACUTE CARE FACILITY	232	0.85	1.2
790	EXTREME IMMATURETY OR RESPIRATORY DISTRESS SYNDROME, NEONATE	102	0.37	33
791	PREMATURITY WITH MAJOR PROBLEMS	57	0.21	23
792	PREMATURITY WITHOUT MAJOR PROBLEMS	184	0.67	5.5
793	FULL TERM NEONATE WITH MAJOR PROBLEMS	105	0.38	5.5
794	NEONATE WITH OTHER SIGNIFICANT PROBLEMS	460	1.68	2.5
795	NORMAL NEWBORN	3,403	12.46	1.8
799	SPLENECTOMY WITH MCC	1	0.00	17
800	SPLENECTOMY WITH CC	1	0.00	5.0
801	SPLENECTOMY WITHOUT CC/MCC	2	0.01	6.0
803	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH CC	3	0.01	11
804	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITHOUT CC/MCC	3	0.01	3.0
808	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH MCC	14	0.05	5.7
809	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH CC	27	0.10	5.1
810	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITHOUT CC/MCC	2	0.01	2.5

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Merced County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
811	RED BLOOD CELL DISORDERS WITH MCC	61	0.22	4.8
812	RED BLOOD CELL DISORDERS WITHOUT MCC	176	0.64	2.9
813	COAGULATION DISORDERS	34	0.12	3.9
814	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH MCC	4	0.01	5.0
815	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH CC	7	0.03	2.6
816	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITHOUT CC/MCC	5	0.02	2.4
820	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH MCC	2	0.01	21
821	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH CC	2	0.01	3.0
822	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITHOUT CC/MCC	4	0.01	2.8
823	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH MCC	2	0.01	15
824	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH CC	2	0.01	14
825	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	4	0.01	3.3
827	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH CC	5	0.02	4.6
828	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITHOUT CC/MCC	1	0.00	2.0
829	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITH CC/MCC	1	0.00	4.0
830	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	1	0.00	1.0
834	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH MCC	15	0.05	12
835	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH CC	6	0.02	16
836	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITHOUT CC/MCC	7	0.03	10
837	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS OR WITH HIGH DOSE CHEMO AGENT WITH MCC	2	0.01	37
838	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITH CC OR HIGH DOSE CHEMO AGENT	6	0.02	16
839	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITHOUT CC/MCC	14	0.05	5.7

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Merced County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
840	LYMPHOMA & NON-ACUTE LEUKEMIA WITH MCC	11	0.04	11
841	LYMPHOMA & NON-ACUTE LEUKEMIA WITH CC	8	0.03	8.1
842	LYMPHOMA & NON-ACUTE LEUKEMIA WITHOUT CC/MCC	4	0.01	3.0
843	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH MCC	4	0.01	7.3
844	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH CC	7	0.03	4.6
846	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH MCC	3	0.01	7.3
847	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH CC	40	0.15	3.4
848	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITHOUT CC/MCC	19	0.07	3.1
849	RADIOTHERAPY	2	0.01	3.0
853	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH MCC	88	0.32	18
854	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH CC	12	0.04	13
855	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITHOUT CC/MCC	1	0.00	8.0
856	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH MCC	19	0.07	15
857	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH CC	16	0.06	8.1
858	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITHOUT CC/MCC	6	0.02	4.7
862	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITH MCC	21	0.08	8.7
863	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC	47	0.17	4.5
864	FEVER	52	0.19	3.5
865	VIRAL ILLNESS WITH MCC	2	0.01	12
866	VIRAL ILLNESS WITHOUT MCC	26	0.10	1.8
867	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH MCC	21	0.08	8.6
869	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITHOUT CC/MCC	1	0.00	4.0

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Merced County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
870	SEPTICEMIA OR SEVERE SEPSIS WITH MECH VENT 96+ HOURS	47	0.17	21
871	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC	512	1.87	7.9
872	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC	149	0.55	5.4
876	O.R. PROCEDURE WITH PRINCIPAL DIAGNOSIS OF MENTAL ILLNESS	1	0.00	3.0
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	12	0.04	2.2
881	DEPRESSIVE NEUROSES	45	0.16	2.4
882	NEUROSES EXCEPT DEPRESSIVE	22	0.08	3.3
883	DISORDERS OF PERSONALITY & IMPULSE CONTROL	6	0.02	7.3
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	12	0.04	10
885	PSYCHOSES	608	2.23	6.2
886	BEHAVIORAL & DEVELOPMENTAL DISORDERS	6	0.02	3.3
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	8	0.03	1.9
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	14	0.05	5.9
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	62	0.23	3.5
901	WOUND DEBRIDE EMENTS FOR INJURIES WITH MCC	2	0.01	19
902	WOUND DEBRIDE EMENTS FOR INJURIES WITH CC	4	0.01	5.8
903	WOUND DEBRIDE EMENTS FOR INJURIES WITHOUT CC/MCC	1	0.00	1.0
904	SKIN GRAFTS FOR INJURIES WITH CC/MCC	3	0.01	13
905	SKIN GRAFTS FOR INJURIES WITHOUT CC/MCC	2	0.01	2.5
906	HAND PROCEDURES FOR INJURIES	7	0.03	4.1
907	OTHER O.R. PROCEDURES FOR INJURIES WITH MCC	12	0.04	8.8
908	OTHER O.R. PROCEDURES FOR INJURIES WITH CC	16	0.06	6.7

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Merced County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
909	OTHER O.R. PROCEDURES FOR INJURIES WITHOUT CC/MCC	18	0.07	2.2
913	TRAUMATIC INJURY WITH MCC	2	0.01	21
914	TRAUMATIC INJURY WITHOUT MCC	11	0.04	3.0
915	ALLERGIC REACTIONS WITH MCC	3	0.01	1.7
916	ALLERGIC REACTIONS WITHOUT MCC	7	0.03	1.3
917	POISONING & TOXIC EFFECTS OF DRUGS WITH MCC	51	0.19	6.3
918	POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC	79	0.29	1.9
919	COMPLICATIONS OF TREATMENT WITH MCC	15	0.05	7.1
920	COMPLICATIONS OF TREATMENT WITH CC	14	0.05	3.8
921	COMPLICATIONS OF TREATMENT WITHOUT CC/MCC	12	0.04	2.4
922	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITH MCC	2	0.01	11
923	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITHOUT MCC	3	0.01	3.0
927	EXTENSIVE BURNS OR FULL THICKNESS BURNS WITH MECH VENT 96+ HRS WITH SKIN GRAFT	1	0.00	40
929	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITHOUT CC/MCC	2	0.01	14
933	EXTENSIVE BURNS OR FULL THICKNESS BURNS WITH MECH VENT 96+ HRS WITHOUT SKIN GRAFT	1	0.00	.00
934	FULL THICKNESS BURN WITHOUT SKIN GRAFT OR INHAL INJURY	1	0.00	3.0
935	NON-EXTENSIVE BURNS	7	0.03	5.1
939	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH MCC	1	0.00	1.0
940	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC	4	0.01	12
941	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITHOUT CC/MCC	5	0.02	2.4
945	REHABILITATION WITH CC/MCC	124	0.45	29
946	REHABILITATION WITHOUT CC/MCC	66	0.24	34

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Merced County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
947	SIGNS & SYMPTOMS WITH MCC	15	0.05	5.1
948	SIGNS & SYMPTOMS WITHOUT MCC	47	0.17	3.7
949	AFTERCARE WITH CC/MCC	10	0.04	37
950	AFTERCARE WITHOUT CC/MCC	5	0.02	22
951	OTHER FACTORS INFLUENCING HEALTH STATUS	15	0.05	4.6
955	CRANIOTOMY FOR MULTIPLE SIGNIFICANT TRAUMA	2	0.01	10
956	LIMB REATTACHMENT, HIP & FEMUR PROCEDURE FOR MULTIPLE SIGNIFICANT TRAUMA	7	0.03	8.0
957	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH MCC	9	0.03	17
958	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH CC	22	0.08	9.8
959	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	6	0.02	5.3
963	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH MCC	5	0.02	7.6
964	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH CC	13	0.05	4.5
965	OTHER MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	8	0.03	5.4
969	HIV WITH EXTENSIVE O.R. PROCEDURE WITH MCC	2	0.01	17
974	HIV WITH MAJOR RELATED CONDITION WITH MCC	6	0.02	24
975	HIV WITH MAJOR RELATED CONDITION WITH CC	4	0.01	5.8
976	HIV WITH MAJOR RELATED CONDITION WITHOUT CC/MCC	3	0.01	4.3
977	HIV WITH OR WITHOUT OTHER RELATED CONDITION	5	0.02	9.8
981	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	32	0.12	19
982	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	28	0.10	8.9
983	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	16	0.06	3.0
987	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	16	0.06	10

(Continued)

***MS-DRG by Patient County of Residence
for 2010
Merced County***

		Number of Discharges	Percent of Subtotal	Average Length of Stay
988	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	13	0.05	4.8
989	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	14	0.05	3.1
All		27,314	100.0	4.6

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Merced County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
001	HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM WITH MCC	2	0.01	49
003	ECMO OR TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITH MAJOR O.R.	25	0.09	49
004	TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITHOUT MAJOR O.R.	18	0.07	39
005	LIVER TRANSPLANT WITH MCC OR INTESTINAL TRANSPLANT	2	0.01	30
009	BONE MARROW TRANSPLANT	5	0.02	22
011	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH MCC	2	0.01	14
012	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH CC	2	0.01	16
020	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH MCC	4	0.02	23
021	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH CC	2	0.01	18
022	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITHOUT CC/MCC	1	0.00	17
023	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITH MCC OR CHEMO IMPLANT	9	0.03	19
024	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITHOUT MCC	1	0.00	8.0
025	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH MCC	27	0.10	12
026	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH CC	23	0.09	6.3
027	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITHOUT CC/MCC	36	0.14	3.8
028	SPINAL PROCEDURES WITH MCC	3	0.01	5.7
029	SPINAL PROCEDURES WITH CC OR SPINAL NEUROSTIMULATORS	9	0.03	5.6
030	SPINAL PROCEDURES WITHOUT CC/MCC	6	0.02	4.8
031	VENTRICULAR SHUNT PROCEDURES WITH MCC	5	0.02	17

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Merced County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
032	VENTRICULAR SHUNT PROCEDURES WITH CC	12	0.05	1.9
033	VENTRICULAR SHUNT PROCEDURES WITHOUT CC/MCC	8	0.03	3.5
035	CAROTID ARTERY STENT PROCEDURE WITH CC	3	0.01	2.0
037	EXTRACRANIAL PROCEDURES WITH MCC	6	0.02	7.8
038	EXTRACRANIAL PROCEDURES WITH CC	15	0.06	4.1
039	EXTRACRANIAL PROCEDURES WITHOUT CC/MCC	68	0.26	1.7
040	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH MCC	13	0.05	14
041	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH CC OR PERIPH NEUROSTIM	19	0.07	6.5
042	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITHOUT CC/MCC	8	0.03	2.3
052	SPINAL DISORDERS & INJURIES WITH CC/MCC	1	0.00	.00
053	SPINAL DISORDERS & INJURIES WITHOUT CC/MCC	2	0.01	.00
054	NERVOUS SYSTEM NEOPLASMS WITH MCC	16	0.06	7.9
055	NERVOUS SYSTEM NEOPLASMS WITHOUT MCC	21	0.08	4.4
056	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC	8	0.03	8.4
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	29	0.11	4.9
058	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH MCC	2	0.01	5.5
059	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH CC	3	0.01	9.3
060	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITHOUT CC/MCC	5	0.02	4.2
061	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH MCC	3	0.01	10
062	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH CC	5	0.02	4.0
063	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITHOUT CC/MCC	2	0.01	4.0

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Merced County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
064	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC	95	0.36	11
065	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC	146	0.55	4.8
066	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC	84	0.32	3.4
067	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITH MCC	3	0.01	4.7
068	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITHOUT MCC	9	0.03	4.2
069	TRANSIENT ISCHEMIA	128	0.48	2.3
070	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH MCC	11	0.04	8.1
071	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH CC	8	0.03	6.5
072	NONSPECIFIC CEREBROVASCULAR DISORDERS WITHOUT CC/MCC	2	0.01	1.5
073	CRANIAL & PERIPHERAL NERVE DISORDERS WITH MCC	21	0.08	4.6
074	CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC	64	0.24	4.0
075	VIRAL MENINGITIS WITH CC/MCC	6	0.02	5.5
076	VIRAL MENINGITIS WITHOUT CC/MCC	20	0.08	2.3
077	HYPERTENSIVE ENCEPHALOPATHY WITH MCC	2	0.01	3.0
080	NONTRAUMATIC STUPOR & COMA WITH MCC	3	0.01	5.3
081	NONTRAUMATIC STUPOR & COMA WITHOUT MCC	20	0.08	2.9
082	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH MCC	3	0.01	8.3
083	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH CC	5	0.02	4.4
084	TRAUMATIC STUPOR & COMA, COMA >1 HR WITHOUT CC/MCC	4	0.02	4.0
085	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH MCC	12	0.05	11
086	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH CC	12	0.05	4.2

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Merced County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
087	TRAUMATIC STUPOR & COMA, COMA <1 HR WITHOUT CC/MCC	37	0.14	1.8
088	CONCUSSION WITH MCC	2	0.01	4.5
089	CONCUSSION WITH CC	4	0.02	3.0
090	CONCUSSION WITHOUT CC/MCC	9	0.03	1.3
091	OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC	8	0.03	5.3
092	OTHER DISORDERS OF NERVOUS SYSTEM WITH CC	21	0.08	4.1
093	OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC	25	0.09	2.1
094	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH MCC	3	0.01	19
095	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH CC	3	0.01	10
096	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITHOUT CC/MCC	2	0.01	3.0
097	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH MCC	5	0.02	8.0
098	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH CC	3	0.01	5.7
099	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITHOUT CC/MCC	2	0.01	4.5
100	SEIZURES WITH MCC	31	0.12	5.7
101	SEIZURES WITHOUT MCC	129	0.49	3.0
102	HEADACHES WITH MCC	5	0.02	5.6
103	HEADACHES WITHOUT MCC	58	0.22	2.2
114	ORBITAL PROCEDURES WITHOUT CC/MCC	1	0.00	3.0
115	EXTRAOCULAR PROCEDURES EXCEPT ORBIT	4	0.02	3.0
121	ACUTE MAJOR EYE INFECTIONS WITH CC/MCC	4	0.02	3.8
122	ACUTE MAJOR EYE INFECTIONS WITHOUT CC/MCC	3	0.01	2.3

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Merced County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
123	NEUROLOGICAL EYE DISORDERS	1	0.00	1.0
124	OTHER DISORDERS OF THE EYE WITH MCC	2	0.01	2.0
125	OTHER DISORDERS OF THE EYE WITHOUT MCC	7	0.03	1.9
129	MAJOR HEAD & NECK PROCEDURES WITH CC/MCC OR MAJOR DEVICE	1	0.00	5.0
130	MAJOR HEAD & NECK PROCEDURES WITHOUT CC/MCC	1	0.00	2.0
131	CRANIAL/FACIAL PROCEDURES WITH CC/MCC	6	0.02	4.8
132	CRANIAL/FACIAL PROCEDURES WITHOUT CC/MCC	20	0.08	1.7
133	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITH CC/MCC	13	0.05	3.8
134	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITHOUT CC/MCC	39	0.15	1.6
135	SINUS & MASTOID PROCEDURES WITH CC/MCC	1	0.00	13
137	MOUTH PROCEDURES WITH CC/MCC	1	0.00	1.0
146	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH MCC	2	0.01	5.0
149	DYSEQUILIBRIUM	22	0.08	2.4
150	EPISTAXIS WITH MCC	1	0.00	3.0
151	EPISTAXIS WITHOUT MCC	6	0.02	3.7
152	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITH MCC	8	0.03	5.0
153	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITHOUT MCC	57	0.22	2.1
154	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH MCC	2	0.01	4.5
155	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH CC	12	0.05	5.0
156	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITHOUT CC/MCC	12	0.05	1.8
157	DENTAL & ORAL DISEASES WITH MCC	4	0.02	5.5

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Merced County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
158	DENTAL & ORAL DISEASES WITH CC	9	0.03	3.4
159	DENTAL & ORAL DISEASES WITHOUT CC/MCC	11	0.04	3.8
163	MAJOR CHEST PROCEDURES WITH MCC	16	0.06	15
164	MAJOR CHEST PROCEDURES WITH CC	35	0.13	6.0
165	MAJOR CHEST PROCEDURES WITHOUT CC/MCC	27	0.10	4.0
166	OTHER RESP SYSTEM O.R. PROCEDURES WITH MCC	17	0.06	18
167	OTHER RESP SYSTEM O.R. PROCEDURES WITH CC	13	0.05	5.7
168	OTHER RESP SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	5	0.02	2.0
175	PULMONARY EMBOLISM WITH MCC	14	0.05	6.7
176	PULMONARY EMBOLISM WITHOUT MCC	41	0.16	4.5
177	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC	105	0.40	11
178	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC	76	0.29	8.5
179	RESPIRATORY INFECTIONS & INFLAMMATIONS WITHOUT CC/MCC	19	0.07	7.2
180	RESPIRATORY NEOPLASMS WITH MCC	23	0.09	12
181	RESPIRATORY NEOPLASMS WITH CC	26	0.10	4.8
182	RESPIRATORY NEOPLASMS WITHOUT CC/MCC	1	0.00	4.0
183	MAJOR CHEST TRAUMA WITH MCC	5	0.02	8.8
184	MAJOR CHEST TRAUMA WITH CC	11	0.04	3.0
185	MAJOR CHEST TRAUMA WITHOUT CC/MCC	7	0.03	1.7
186	PLEURAL EFFUSION WITH MCC	7	0.03	6.9
187	PLEURAL EFFUSION WITH CC	8	0.03	8.5

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Merced County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
188	PLEURAL EFFUSION WITHOUT CC/MCC	2	0.01	1.0
189	PULMONARY EDEMA & RESPIRATORY FAILURE	138	0.52	6.1
190	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC	224	0.85	5.5
191	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC	141	0.53	4.3
192	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC	129	0.49	3.5
193	SIMPLE PNEUMONIA & PLEURISY WITH MCC	200	0.76	6.7
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	308	1.17	4.4
195	SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC	223	0.84	3.1
196	INTERSTITIAL LUNG DISEASE WITH MCC	5	0.02	6.4
197	INTERSTITIAL LUNG DISEASE WITH CC	7	0.03	5.1
198	INTERSTITIAL LUNG DISEASE WITHOUT CC/MCC	7	0.03	2.9
199	PNEUMOTHORAX WITH MCC	7	0.03	8.0
200	PNEUMOTHORAX WITH CC	14	0.05	5.3
201	PNEUMOTHORAX WITHOUT CC/MCC	16	0.06	2.6
202	BRONCHITIS & ASTHMA WITH CC/MCC	161	0.61	3.6
203	BRONCHITIS & ASTHMA WITHOUT CC/MCC	260	0.98	2.2
204	RESPIRATORY SIGNS & SYMPTOMS	36	0.14	2.3
205	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITH MCC	10	0.04	6.3
206	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITHOUT MCC	36	0.14	4.1
207	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS	50	0.19	19
208	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS	103	0.39	7.9

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Merced County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
215	OTHER HEART ASSIST SYSTEM IMPLANT	1	0.00	21
216	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH MCC	7	0.03	18
217	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH CC	5	0.02	9.4
218	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITHOUT CC/MCC	1	0.00	5.0
219	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH MCC	16	0.06	11
220	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH CC	23	0.09	7.2
221	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITHOUT CC/MCC	4	0.02	6.0
222	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITH MCC	3	0.01	10
223	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITHOUT MCC	4	0.02	3.0
224	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITH MCC	5	0.02	6.0
225	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITHOUT MCC	6	0.02	4.3
226	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITH MCC	7	0.03	15
227	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITHOUT MCC	20	0.08	4.8
228	OTHER CARDIOTHORACIC PROCEDURES WITH MCC	8	0.03	23
229	OTHER CARDIOTHORACIC PROCEDURES WITH CC	6	0.02	7.7
230	OTHER CARDIOTHORACIC PROCEDURES WITHOUT CC/MCC	1	0.00	1.0
231	CORONARY BYPASS WITH PTCA WITH MCC	1	0.00	11
232	CORONARY BYPASS WITH PTCA WITHOUT MCC	5	0.02	6.6
233	CORONARY BYPASS WITH CARDIAC CATH WITH MCC	20	0.08	16
234	CORONARY BYPASS WITH CARDIAC CATH WITHOUT MCC	47	0.18	8.5

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Merced County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
235	CORONARY BYPASS WITHOUT CARDIAC CATH WITH MCC	8	0.03	10
236	CORONARY BYPASS WITHOUT CARDIAC CATH WITHOUT MCC	40	0.15	7.3
237	MAJOR CARDIOVASC PROCEDURES WITH MCC OR THORACIC AORTIC ANEURYSM REPAIR	36	0.14	11
238	MAJOR CARDIOVASC PROCEDURES WITHOUT MCC	45	0.17	4.1
239	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH MCC	10	0.04	9.6
240	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH CC	7	0.03	8.1
241	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITHOUT CC/MCC	1	0.00	3.0
242	PERMANENT CARDIAC PACEMAKER IMPLANT WITH MCC	19	0.07	7.9
243	PERMANENT CARDIAC PACEMAKER IMPLANT WITH CC	15	0.06	5.1
244	PERMANENT CARDIAC PACEMAKER IMPLANT WITHOUT CC/MCC	31	0.12	3.2
245	AICD GENERATOR PROCEDURES	2	0.01	1.5
246	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITH MCC OR 4+ VESSELS/STENTS	39	0.15	4.5
247	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITHOUT MCC	151	0.57	2.1
248	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITH MCC OR 4+ VES/STENTS	14	0.05	6.1
249	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITHOUT MCC	32	0.12	2.3
250	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITH MCC	1	0.00	2.0
251	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITHOUT MCC	28	0.11	3.0
252	OTHER VASCULAR PROCEDURES WITH MCC	44	0.17	11
253	OTHER VASCULAR PROCEDURES WITH CC	49	0.19	6.4
254	OTHER VASCULAR PROCEDURES WITHOUT CC/MCC	49	0.19	2.7
255	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH MCC	5	0.02	11

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Merced County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
256	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH CC	3	0.01	13
259	CARDIAC PACEMAKER DEVICE REPLACEMENT WITHOUT MCC	3	0.01	.67
260	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH MCC	1	0.00	5.0
261	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH CC	2	0.01	2.5
262	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITHOUT CC/MCC	3	0.01	4.3
264	OTHER CIRCULATORY SYSTEM O.R. PROCEDURES	18	0.07	9.1
265	AICD LEAD PROCEDURES	1	0.00	3.0
280	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH MCC	74	0.28	6.5
281	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH CC	55	0.21	3.5
282	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITHOUT CC/MCC	78	0.30	3.0
283	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH MCC	13	0.05	4.0
284	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH CC	4	0.02	2.5
285	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITHOUT CC/MCC	1	0.00	1.0
286	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITH MCC	39	0.15	9.1
287	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITHOUT MCC	162	0.61	3.0
288	ACUTE & SUBACUTE ENDOCARDITIS WITH MCC	3	0.01	18
289	ACUTE & SUBACUTE ENDOCARDITIS WITH CC	2	0.01	7.0
291	HEART FAILURE & SHOCK WITH MCC	278	1.05	6.4
292	HEART FAILURE & SHOCK WITH CC	145	0.55	4.7
293	HEART FAILURE & SHOCK WITHOUT CC/MCC	93	0.35	3.1
294	DEEP VEIN THROMBOPHLEBITIS WITH CC/MCC	2	0.01	6.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Merced County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
296	CARDIAC ARREST, UNEXPLAINED WITH MCC	2	0.01	1.5
297	CARDIAC ARREST, UNEXPLAINED WITH CC	1	0.00	.00
299	PERIPHERAL VASCULAR DISORDERS WITH MCC	41	0.16	8.2
300	PERIPHERAL VASCULAR DISORDERS WITH CC	74	0.28	5.5
301	PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC	49	0.19	3.9
302	ATHEROSCLEROSIS WITH MCC	15	0.06	3.4
303	ATHEROSCLEROSIS WITHOUT MCC	79	0.30	2.3
304	HYPERTENSION WITH MCC	2	0.01	6.0
305	HYPERTENSION WITHOUT MCC	41	0.16	2.1
306	CARDIAC CONGENITAL & VALVULAR DISORDERS WITH MCC	1	0.00	3.0
307	CARDIAC CONGENITAL & VALVULAR DISORDERS WITHOUT MCC	4	0.02	2.5
308	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH MCC	53	0.20	4.3
309	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC	88	0.33	3.7
310	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITHOUT CC/MCC	145	0.55	2.2
311	ANGINA PECTORIS	46	0.17	1.7
312	SYNCOPE & COLLAPSE	119	0.45	2.4
313	CHEST PAIN	452	1.71	1.7
314	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC	70	0.27	7.2
315	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC	22	0.08	4.9
316	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITHOUT CC/MCC	18	0.07	2.9
326	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH MCC	22	0.08	30

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Merced County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
327	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH CC	15	0.06	9.7
328	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITHOUT CC/MCC	31	0.12	3.3
329	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	56	0.21	17
330	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH CC	97	0.37	8.6
331	MAJOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	47	0.18	4.8
332	RECTAL RESECTION WITH MCC	2	0.01	9.5
333	RECTAL RESECTION WITH CC	4	0.02	7.8
334	RECTAL RESECTION WITHOUT CC/MCC	4	0.02	4.3
335	PERITONEAL ADHESIOLYSIS WITH MCC	9	0.03	13
336	PERITONEAL ADHESIOLYSIS WITH CC	22	0.08	6.1
337	PERITONEAL ADHESIOLYSIS WITHOUT CC/MCC	30	0.11	3.2
338	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	4	0.02	7.0
339	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	20	0.08	6.1
340	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	64	0.24	3.9
341	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	4	0.02	4.5
342	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	18	0.07	3.0
343	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	262	0.99	1.6
344	MINOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	1	0.00	4.0
345	MINOR SMALL & LARGE BOWEL PROCEDURES WITH CC	9	0.03	5.9
346	MINOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	9	0.03	4.2
347	ANAL & STOMAL PROCEDURES WITH MCC	2	0.01	6.5

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Merced County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
348	ANAL & STOMAL PROCEDURES WITH CC	11	0.04	5.9
349	ANAL & STOMAL PROCEDURES WITHOUT CC/MCC	17	0.06	2.4
351	INGUINAL & FEMORAL HERNIA PROCEDURES WITH CC	5	0.02	2.4
352	INGUINAL & FEMORAL HERNIA PROCEDURES WITHOUT CC/MCC	6	0.02	2.2
353	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH MCC	2	0.01	37
354	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH CC	25	0.09	4.2
355	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITHOUT CC/MCC	34	0.13	2.4
356	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH MCC	19	0.07	14
357	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH CC	7	0.03	5.7
358	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	9	0.03	4.0
368	MAJOR ESOPHAGEAL DISORDERS WITH MCC	8	0.03	5.1
369	MAJOR ESOPHAGEAL DISORDERS WITH CC	12	0.05	3.8
370	MAJOR ESOPHAGEAL DISORDERS WITHOUT CC/MCC	13	0.05	2.2
371	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH MCC	33	0.12	11
372	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH CC	45	0.17	5.8
373	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITHOUT CC/MCC	25	0.09	4.0
374	DIGESTIVE MALIGNANCY WITH MCC	11	0.04	27
375	DIGESTIVE MALIGNANCY WITH CC	23	0.09	8.4
376	DIGESTIVE MALIGNANCY WITHOUT CC/MCC	1	0.00	1.0
377	G.I. HEMORRHAGE WITH MCC	72	0.27	5.3
378	G.I. HEMORRHAGE WITH CC	148	0.56	3.6

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Merced County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
379	G.I. HEMORRHAGE WITHOUT CC/MCC	87	0.33	2.7
380	COMPLICATED PEPTIC ULCER WITH MCC	1	0.00	6.0
381	COMPLICATED PEPTIC ULCER WITH CC	5	0.02	5.8
382	COMPLICATED PEPTIC ULCER WITHOUT CC/MCC	4	0.02	3.3
383	UNCOMPLICATED PEPTIC ULCER WITH MCC	1	0.00	9.0
384	UNCOMPLICATED PEPTIC ULCER WITHOUT MCC	11	0.04	3.1
385	INFLAMMATORY BOWEL DISEASE WITH MCC	3	0.01	6.0
386	INFLAMMATORY BOWEL DISEASE WITH CC	16	0.06	3.8
387	INFLAMMATORY BOWEL DISEASE WITHOUT CC/MCC	19	0.07	5.4
388	G.I. OBSTRUCTION WITH MCC	30	0.11	7.1
389	G.I. OBSTRUCTION WITH CC	47	0.18	4.5
390	G.I. OBSTRUCTION WITHOUT CC/MCC	59	0.22	2.6
391	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITH MCC	76	0.29	4.7
392	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC	447	1.69	3.3
393	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH MCC	26	0.10	9.2
394	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH CC	59	0.22	4.0
395	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	40	0.15	2.1
405	PANCREAS, LIVER & SHUNT PROCEDURES WITH MCC	11	0.04	8.7
406	PANCREAS, LIVER & SHUNT PROCEDURES WITH CC	16	0.06	12
407	PANCREAS, LIVER & SHUNT PROCEDURES WITHOUT CC/MCC	6	0.02	6.3

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Merced County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
408	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH MCC	2	0.01	20
409	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH CC	3	0.01	8.3
411	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH MCC	1	0.00	8.0
412	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH CC	4	0.02	5.8
414	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH MCC	6	0.02	8.5
415	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH CC	6	0.02	7.2
416	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	4	0.02	4.3
417	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH MCC	61	0.23	5.2
418	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH CC	89	0.34	4.1
419	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	191	0.72	2.4
420	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH MCC	3	0.01	12
422	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITHOUT CC/MCC	2	0.01	3.0
423	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH MCC	5	0.02	15
425	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITHOUT CC/MCC	1	0.00	6.0
432	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH MCC	64	0.24	5.6
433	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH CC	22	0.08	4.3
435	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITH MCC	16	0.06	8.5
436	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITH CC	13	0.05	6.1
437	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITHOUT CC/MCC	3	0.01	5.3

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Merced County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
438	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH MCC	42	0.16	7.1
439	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH CC	58	0.22	4.7
440	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITHOUT CC/MCC	72	0.27	3.3
441	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH MCC	96	0.36	6.7
442	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH CC	60	0.23	4.4
443	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITHOUT CC/MCC	20	0.08	3.9
444	DISORDERS OF THE BILIARY TRACT WITH MCC	20	0.08	5.5
445	DISORDERS OF THE BILIARY TRACT WITH CC	26	0.10	4.5
446	DISORDERS OF THE BILIARY TRACT WITHOUT CC/MCC	39	0.15	2.7
453	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH MCC	5	0.02	12
454	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH CC	7	0.03	5.3
455	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITHOUT CC/MCC	14	0.05	3.6
456	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH MCC	1	0.00	17
457	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH CC	6	0.02	6.2
458	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITHOUT CC/MCC	2	0.01	5.0
459	SPINAL FUSION EXCEPT CERVICAL WITH MCC	4	0.02	9.3
460	SPINAL FUSION EXCEPT CERVICAL WITHOUT MCC	69	0.26	3.9
461	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITH MCC	1	0.00	4.0
462	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITHOUT MCC	3	0.01	3.7
463	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH MCC	5	0.02	11

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Merced County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
464	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH CC	15	0.06	13
465	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITHOUT CC/MCC	9	0.03	6.2
466	REVISION OF HIP OR KNEE REPLACEMENT WITH MCC	2	0.01	7.0
467	REVISION OF HIP OR KNEE REPLACEMENT WITH CC	13	0.05	4.8
468	REVISION OF HIP OR KNEE REPLACEMENT WITHOUT CC/MCC	16	0.06	2.9
469	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITH MCC	22	0.08	6.5
470	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITHOUT MCC	468	1.77	3.3
471	CERVICAL SPINAL FUSION WITH MCC	3	0.01	8.3
472	CERVICAL SPINAL FUSION WITH CC	15	0.06	2.4
473	CERVICAL SPINAL FUSION WITHOUT CC/MCC	52	0.20	1.7
474	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH MCC	4	0.02	30
475	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH CC	5	0.02	11
476	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITHOUT CC/MCC	4	0.02	6.3
477	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	1	0.00	7.0
478	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	4	0.02	7.3
479	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	2	0.01	2.0
480	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH MCC	32	0.12	8.7
481	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH CC	77	0.29	5.6
482	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITHOUT CC/MCC	43	0.16	3.5
483	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITH CC/MCC	7	0.03	4.0
484	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITHOUT CC/MCC	12	0.05	1.5

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Merced County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
485	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH MCC	1	0.00	5.0
486	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH CC	2	0.01	5.0
487	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	2	0.01	3.0
488	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITH CC/MCC	3	0.01	5.0
489	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	15	0.06	2.3
490	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITH CC/MCC OR DISC DEVICE/NEUROSTIM	29	0.11	4.3
491	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITHOUT CC/MCC	71	0.27	2.4
492	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH MCC	6	0.02	10
493	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH CC	33	0.12	3.7
494	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITHOUT CC/MCC	75	0.28	2.2
495	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH MCC	3	0.01	28
496	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH CC	9	0.03	4.0
497	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITHOUT CC/MCC	19	0.07	2.5
498	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITH CC/MCC	3	0.01	1.7
499	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITHOUT CC/MCC	4	0.02	1.0
500	SOFT TISSUE PROCEDURES WITH MCC	4	0.02	24
501	SOFT TISSUE PROCEDURES WITH CC	12	0.05	6.3
502	SOFT TISSUE PROCEDURES WITHOUT CC/MCC	13	0.05	2.2
503	FOOT PROCEDURES WITH MCC	1	0.00	11
504	FOOT PROCEDURES WITH CC	3	0.01	3.3
505	FOOT PROCEDURES WITHOUT CC/MCC	6	0.02	2.2

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Merced County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
506	MAJOR THUMB OR JOINT PROCEDURES	1	0.00	2.0
507	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITH CC/MCC	2	0.01	4.0
508	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITHOUT CC/MCC	2	0.01	4.0
511	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH CC	5	0.02	2.0
512	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITHOUT CC/MCC	21	0.08	1.2
513	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITH CC/MCC	4	0.02	1.5
514	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITHOUT CC/MCC	7	0.03	2.1
515	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH MCC	10	0.04	7.5
516	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH CC	9	0.03	4.6
517	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITHOUT CC/MCC	9	0.03	1.8
533	FRACTURES OF FEMUR WITH MCC	2	0.01	15
534	FRACTURES OF FEMUR WITHOUT MCC	6	0.02	2.2
535	FRACTURES OF HIP & PELVIS WITH MCC	9	0.03	6.1
536	FRACTURES OF HIP & PELVIS WITHOUT MCC	17	0.06	3.9
538	SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITHOUT CC/MCC	2	0.01	1.5
539	OSTEOMYELITIS WITH MCC	6	0.02	6.5
540	OSTEOMYELITIS WITH CC	7	0.03	8.6
541	OSTEOMYELITIS WITHOUT CC/MCC	3	0.01	13
542	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH MCC	3	0.01	19
543	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH CC	13	0.05	4.2
544	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITHOUT CC/MCC	4	0.02	2.5

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Merced County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
545	CONNECTIVE TISSUE DISORDERS WITH MCC	12	0.05	5.3
546	CONNECTIVE TISSUE DISORDERS WITH CC	8	0.03	5.5
547	CONNECTIVE TISSUE DISORDERS WITHOUT CC/MCC	16	0.06	4.4
549	SEPTIC ARTHRITIS WITH CC	1	0.00	2.0
551	MEDICAL BACK PROBLEMS WITH MCC	14	0.05	4.9
552	MEDICAL BACK PROBLEMS WITHOUT MCC	70	0.27	3.6
553	BONE DISEASES & ARTHROPATHIES WITH MCC	4	0.02	4.3
554	BONE DISEASES & ARTHROPATHIES WITHOUT MCC	13	0.05	2.8
555	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITH MCC	3	0.01	2.3
556	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC	20	0.08	3.5
557	TENDONITIS, MYOSITIS & BURSITIS WITH MCC	6	0.02	4.3
558	TENDONITIS, MYOSITIS & BURSITIS WITHOUT MCC	18	0.07	2.5
559	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	4	0.02	10
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	4	0.02	6.3
561	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	1	0.00	1.0
562	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITH MCC	10	0.04	7.3
563	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC	28	0.11	3.3
564	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH MCC	2	0.01	18
565	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH CC	7	0.03	2.6
566	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITHOUT CC/MCC	6	0.02	2.8
573	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH MCC	7	0.03	22

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Merced County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
574	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH CC	16	0.06	8.5
575	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	3	0.01	3.3
576	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH MCC	1	0.00	19
577	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH CC	5	0.02	11
578	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	6	0.02	2.0
579	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH MCC	5	0.02	9.6
580	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH CC	18	0.07	3.9
581	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITHOUT CC/MCC	34	0.13	2.0
582	MASTECTOMY FOR MALIGNANCY WITH CC/MCC	10	0.04	2.4
583	MASTECTOMY FOR MALIGNANCY WITHOUT CC/MCC	30	0.11	1.5
584	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITH CC/MCC	1	0.00	2.0
585	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITHOUT CC/MCC	12	0.05	1.6
592	SKIN ULCERS WITH MCC	5	0.02	8.8
593	SKIN ULCERS WITH CC	11	0.04	6.2
595	MAJOR SKIN DISORDERS WITH MCC	1	0.00	1.0
596	MAJOR SKIN DISORDERS WITHOUT MCC	4	0.02	5.8
600	NON-MALIGNANT BREAST DISORDERS WITH CC/MCC	2	0.01	2.5
601	NON-MALIGNANT BREAST DISORDERS WITHOUT CC/MCC	2	0.01	4.5
602	CELLULITIS WITH MCC	36	0.14	8.3
603	CELLULITIS WITHOUT MCC	246	0.93	4.2
604	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITH MCC	6	0.02	2.8

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Merced County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
605	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITHOUT MCC	32	0.12	2.1
606	MINOR SKIN DISORDERS WITH MCC	1	0.00	2.0
607	MINOR SKIN DISORDERS WITHOUT MCC	9	0.03	2.6
614	ADRENAL & PITUITARY PROCEDURES WITH CC/MCC	2	0.01	4.0
615	ADRENAL & PITUITARY PROCEDURES WITHOUT CC/MCC	3	0.01	2.0
616	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH MCC	3	0.01	15
617	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH CC	16	0.06	8.5
619	O.R. PROCEDURES FOR OBESITY WITH MCC	2	0.01	3.5
620	O.R. PROCEDURES FOR OBESITY WITH CC	13	0.05	2.0
621	O.R. PROCEDURES FOR OBESITY WITHOUT CC/MCC	145	0.55	1.4
622	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH MCC	2	0.01	10
623	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH CC	9	0.03	8.8
625	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH MCC	2	0.01	5.5
626	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH CC	14	0.05	2.3
627	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITHOUT CC/MCC	50	0.19	1.6
628	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH MCC	2	0.01	3.0
629	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH CC	8	0.03	7.1
630	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITHOUT CC/MCC	1	0.00	1.0
637	DIABETES WITH MCC	51	0.19	5.0
638	DIABETES WITH CC	90	0.34	3.5
639	DIABETES WITHOUT CC/MCC	97	0.37	2.6

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Merced County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
640	NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC	79	0.30	4.5
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	198	0.75	2.9
642	INBORN ERRORS OF METABOLISM	24	0.09	3.8
643	ENDOCRINE DISORDERS WITH MCC	9	0.03	6.4
644	ENDOCRINE DISORDERS WITH CC	18	0.07	5.4
645	ENDOCRINE DISORDERS WITHOUT CC/MCC	21	0.08	2.5
652	KIDNEY TRANSPLANT	17	0.06	5.5
653	MAJOR BLADDER PROCEDURES WITH MCC	1	0.00	8.0
654	MAJOR BLADDER PROCEDURES WITH CC	3	0.01	9.3
655	MAJOR BLADDER PROCEDURES WITHOUT CC/MCC	2	0.01	5.5
656	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH MCC	4	0.02	6.0
657	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH CC	10	0.04	6.3
658	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITHOUT CC/MCC	17	0.06	3.1
659	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH MCC	5	0.02	24
660	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH CC	10	0.04	5.3
661	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITHOUT CC/MCC	17	0.06	2.5
662	MINOR BLADDER PROCEDURES WITH MCC	1	0.00	13
663	MINOR BLADDER PROCEDURES WITH CC	1	0.00	1.0
664	MINOR BLADDER PROCEDURES WITHOUT CC/MCC	3	0.01	1.0
667	PROSTATECTOMY WITHOUT CC/MCC	2	0.01	1.0
668	TRANSURETHRAL PROCEDURES WITH MCC	3	0.01	5.3

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Merced County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
669	TRANSURETHRAL PROCEDURES WITH CC	12	0.05	7.3
670	TRANSURETHRAL PROCEDURES WITHOUT CC/MCC	11	0.04	2.2
671	URETHRAL PROCEDURES WITH CC/MCC	4	0.02	6.0
672	URETHRAL PROCEDURES WITHOUT CC/MCC	1	0.00	2.0
673	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH MCC	17	0.06	12
674	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH CC	12	0.05	8.4
675	OTHER KIDNEY & URINARY TRACT PROCEDURES WITHOUT CC/MCC	3	0.01	1.0
682	RENAL FAILURE WITH MCC	108	0.41	6.8
683	RENAL FAILURE WITH CC	147	0.56	4.9
684	RENAL FAILURE WITHOUT CC/MCC	28	0.11	3.1
685	ADMIT FOR RENAL DIALYSIS	5	0.02	3.0
686	KIDNEY & URINARY TRACT NEOPLASMS WITH MCC	1	0.00	4.0
687	KIDNEY & URINARY TRACT NEOPLASMS WITH CC	5	0.02	4.2
689	KIDNEY & URINARY TRACT INFECTIONS WITH MCC	69	0.26	5.0
690	KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC	264	1.00	3.8
691	URINARY STONES WITH ESW LITHOTRIPSY WITH CC/MCC	2	0.01	6.5
693	URINARY STONES WITHOUT ESW LITHOTRIPSY WITH MCC	9	0.03	3.4
694	URINARY STONES WITHOUT ESW LITHOTRIPSY WITHOUT MCC	35	0.13	2.3
696	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITHOUT MCC	7	0.03	1.9
698	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH MCC	28	0.11	9.9
699	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH CC	24	0.09	2.9

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Merced County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
700	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITHOUT CC/MCC	17	0.06	2.7
707	MAJOR MALE PELVIC PROCEDURES WITH CC/MCC	4	0.02	3.5
708	MAJOR MALE PELVIC PROCEDURES WITHOUT CC/MCC	24	0.09	2.3
709	PENIS PROCEDURES WITH CC/MCC	5	0.02	2.8
710	PENIS PROCEDURES WITHOUT CC/MCC	28	0.11	2.0
711	TESTES PROCEDURES WITH CC/MCC	1	0.00	2.0
712	TESTES PROCEDURES WITHOUT CC/MCC	4	0.02	.75
713	TRANSURETHRAL PROSTATECTOMY WITH CC/MCC	11	0.04	2.5
714	TRANSURETHRAL PROSTATECTOMY WITHOUT CC/MCC	56	0.21	1.8
716	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE FOR MALIGNANCY WITHOUT CC/MCC	3	0.01	1.3
717	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE EXCEPT MALIGNANCY WITH CC/MCC	1	0.00	1.0
718	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE EXCEPT MALIGNANCY WITHOUT CC/MCC	1	0.00	1.0
723	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH CC	2	0.01	5.5
724	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	1	0.00	1.0
725	BENIGN PROSTATIC HYPERTROPHY WITH MCC	2	0.01	4.0
726	BENIGN PROSTATIC HYPERTROPHY WITHOUT MCC	4	0.02	2.5
727	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITH MCC	2	0.01	10
728	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITHOUT MCC	12	0.05	3.7
730	OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	2	0.01	2.5
734	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITH CC/MCC	2	0.01	6.5
735	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITHOUT CC/MCC	4	0.02	1.8

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Merced County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
736	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH MCC	2	0.01	6.5
737	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH CC	6	0.02	4.5
739	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH MCC	3	0.01	21
740	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH CC	10	0.04	3.3
741	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITHOUT CC/MCC	27	0.10	2.2
742	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITH CC/MCC	64	0.24	3.1
743	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITHOUT CC/MCC	292	1.11	2.0
744	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITH CC/MCC	3	0.01	1.3
745	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITHOUT CC/MCC	8	0.03	1.9
746	VAGINA, CERVIX & VULVA PROCEDURES WITH CC/MCC	4	0.02	2.5
747	VAGINA, CERVIX & VULVA PROCEDURES WITHOUT CC/MCC	13	0.05	1.5
748	FEMALE REPRODUCTIVE SYSTEM RECONSTRUCTIVE PROCEDURES	19	0.07	1.4
749	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITH CC/MCC	1	0.00	4.0
750	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	6	0.02	1.8
754	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH MCC	2	0.01	6.5
755	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH CC	3	0.01	3.3
757	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH MCC	1	0.00	11
758	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH CC	5	0.02	2.6
759	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	4	0.02	2.0
760	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITH CC/MCC	6	0.02	2.2
761	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITHOUT CC/MCC	18	0.07	1.2

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Merced County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
765	CESAREAN SECTION WITH CC/MCC	386	1.46	3.9
766	CESAREAN SECTION WITHOUT CC/MCC	902	3.42	2.6
767	VAGINAL DELIVERY WITH STERILIZATION &/OR D&C	194	0.73	2.1
769	POSTPARTUM & POST ABORTION DIAGNOSIS WITH O.R. PROCEDURE	16	0.06	3.6
770	ABORTION WITH D&C, ASPIRATION CURETTAGE OR HYSTEROTOMY	36	0.14	1.1
774	VAGINAL DELIVERY WITH COMPLICATING DIAGNOSIS	231	0.87	2.4
775	VAGINAL DELIVERY WITHOUT COMPLICATING DIAGNOSIS	2,463	9.33	2.0
776	POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE	60	0.23	2.9
777	ECTOPIC PREGNANCY	30	0.11	1.4
778	THREATENED ABORTION	40	0.15	2.4
779	ABORTION WITHOUT D&C	30	0.11	1.4
780	FALSE LABOR	7	0.03	.57
781	OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS	162	0.61	2.8
782	OTHER ANTEPARTUM DIAGNOSIS WITHOUT MEDICAL COMPLICATIONS	28	0.11	1.1
789	NEONATES, DIED OR TRANSFERRED TO ANOTHER ACUTE CARE FACILITY	232	0.88	1.2
790	EXTREME IMMATUREITY OR RESPIRATORY DISTRESS SYNDROME, NEONATE	102	0.39	33
791	PREMATURITY WITH MAJOR PROBLEMS	57	0.22	23
792	PREMATURITY WITHOUT MAJOR PROBLEMS	184	0.70	5.5
793	FULL TERM NEONATE WITH MAJOR PROBLEMS	105	0.40	5.5
794	NEONATE WITH OTHER SIGNIFICANT PROBLEMS	460	1.74	2.5
795	NORMAL NEWBORN	3,402	12.88	1.8

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Merced County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
799	SPLENECTOMY WITH MCC	1	0.00	17
800	SPLENECTOMY WITH CC	1	0.00	5.0
801	SPLENECTOMY WITHOUT CC/MCC	2	0.01	6.0
803	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH CC	3	0.01	11
804	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITHOUT CC/MCC	3	0.01	3.0
808	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH MCC	14	0.05	5.7
809	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH CC	27	0.10	5.1
810	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITHOUT CC/MCC	2	0.01	2.5
811	RED BLOOD CELL DISORDERS WITH MCC	61	0.23	4.8
812	RED BLOOD CELL DISORDERS WITHOUT MCC	176	0.67	2.9
813	COAGULATION DISORDERS	34	0.13	3.9
814	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH MCC	4	0.02	5.0
815	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH CC	7	0.03	2.6
816	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITHOUT CC/MCC	5	0.02	2.4
820	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH MCC	2	0.01	21
821	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH CC	2	0.01	3.0
822	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITHOUT CC/MCC	4	0.02	2.8
823	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH MCC	2	0.01	15
824	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH CC	2	0.01	14
825	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	4	0.02	3.3
827	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH CC	5	0.02	4.6

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Merced County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
828	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITHOUT CC/MCC	1	0.00	2.0
829	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITH CC/MCC	1	0.00	4.0
830	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	1	0.00	1.0
834	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH MCC	15	0.06	12
835	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH CC	6	0.02	16
836	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITHOUT CC/MCC	7	0.03	10
837	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS OR WITH HIGH DOSE CHEMO AGENT WITH MCC	2	0.01	37
838	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITH CC OR HIGH DOSE CHEMO AGENT	6	0.02	16
839	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITHOUT CC/MCC	14	0.05	5.7
840	LYMPHOMA & NON-ACUTE LEUKEMIA WITH MCC	11	0.04	11
841	LYMPHOMA & NON-ACUTE LEUKEMIA WITH CC	8	0.03	8.1
842	LYMPHOMA & NON-ACUTE LEUKEMIA WITHOUT CC/MCC	4	0.02	3.0
843	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH MCC	4	0.02	7.3
844	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH CC	7	0.03	4.6
846	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH MCC	3	0.01	7.3
847	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH CC	40	0.15	3.4
848	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITHOUT CC/MCC	19	0.07	3.1
849	RADIOTHERAPY	2	0.01	3.0
853	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH MCC	88	0.33	18
854	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH CC	12	0.05	13

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Merced County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
855	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITHOUT CC/MCC	1	0.00	8.0
856	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH MCC	19	0.07	15
857	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH CC	16	0.06	8.1
858	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITHOUT CC/MCC	6	0.02	4.7
862	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITH MCC	21	0.08	8.7
863	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC	46	0.17	4.2
864	FEVER	52	0.20	3.5
865	VIRAL ILLNESS WITH MCC	2	0.01	12
866	VIRAL ILLNESS WITHOUT MCC	26	0.10	1.8
867	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH MCC	21	0.08	8.6
869	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITHOUT CC/MCC	1	0.00	4.0
870	SEPTICEMIA OR SEVERE SEPSIS WITH MECH VENT 96+ HOURS	47	0.18	21
871	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC	512	1.94	7.9
872	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC	149	0.56	5.4
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	6	0.02	2.5
882	NEUROSES EXCEPT DEPRESSIVE	3	0.01	4.0
883	DISORDERS OF PERSONALITY & IMPULSE CONTROL	1	0.00	9.0
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	10	0.04	8.3
885	PSYCHOSES	9	0.03	4.8
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	8	0.03	1.9
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	14	0.05	5.9

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Merced County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	47	0.18	3.8
901	WOUND DEBRIDE EMENTS FOR INJURIES WITH MCC	2	0.01	19
902	WOUND DEBRIDE EMENTS FOR INJURIES WITH CC	4	0.02	5.8
903	WOUND DEBRIDE EMENTS FOR INJURIES WITHOUT CC/MCC	1	0.00	1.0
904	SKIN GRAFTS FOR INJURIES WITH CC/MCC	3	0.01	13
905	SKIN GRAFTS FOR INJURIES WITHOUT CC/MCC	2	0.01	2.5
906	HAND PROCEDURES FOR INJURIES	7	0.03	4.1
907	OTHER O.R. PROCEDURES FOR INJURIES WITH MCC	12	0.05	8.8
908	OTHER O.R. PROCEDURES FOR INJURIES WITH CC	16	0.06	6.7
909	OTHER O.R. PROCEDURES FOR INJURIES WITHOUT CC/MCC	18	0.07	2.2
913	TRAUMATIC INJURY WITH MCC	2	0.01	21
914	TRAUMATIC INJURY WITHOUT MCC	11	0.04	3.0
915	ALLERGIC REACTIONS WITH MCC	3	0.01	1.7
916	ALLERGIC REACTIONS WITHOUT MCC	7	0.03	1.3
917	POISONING & TOXIC EFFECTS OF DRUGS WITH MCC	51	0.19	6.3
918	POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC	78	0.30	1.8
919	COMPLICATIONS OF TREATMENT WITH MCC	15	0.06	7.1
920	COMPLICATIONS OF TREATMENT WITH CC	14	0.05	3.8
921	COMPLICATIONS OF TREATMENT WITHOUT CC/MCC	12	0.05	2.4
922	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITH MCC	2	0.01	11
923	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITHOUT MCC	3	0.01	3.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Merced County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
927	EXTENSIVE BURNS OR FULL THICKNESS BURNS WITH MECH VENT 96+ HRS WITH SKIN GRAFT	1	0.00	40
929	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITHOUT CC/MCC	2	0.01	14
933	EXTENSIVE BURNS OR FULL THICKNESS BURNS WITH MECH VENT 96+ HRS WITHOUT SKIN GRAFT	1	0.00	.00
934	FULL THICKNESS BURN WITHOUT SKIN GRAFT OR INHAL INJURY	1	0.00	3.0
935	NON-EXTENSIVE BURNS	7	0.03	5.1
939	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH MCC	1	0.00	1.0
940	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC	3	0.01	4.0
941	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITHOUT CC/MCC	5	0.02	2.4
945	REHABILITATION WITH CC/MCC	24	0.09	30
946	REHABILITATION WITHOUT CC/MCC	4	0.02	9.0
947	SIGNS & SYMPTOMS WITH MCC	15	0.06	5.1
948	SIGNS & SYMPTOMS WITHOUT MCC	47	0.18	3.7
949	AFTERCARE WITH CC/MCC	8	0.03	27
950	AFTERCARE WITHOUT CC/MCC	2	0.01	2.5
951	OTHER FACTORS INFLUENCING HEALTH STATUS	13	0.05	2.2
955	CRANIOTOMY FOR MULTIPLE SIGNIFICANT TRAUMA	2	0.01	10
956	LIMB REATTACHMENT, HIP & FEMUR PROCEDURE FOR MULTIPLE SIGNIFICANT TRAUMA	7	0.03	8.0
957	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH MCC	9	0.03	17
958	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH CC	22	0.08	9.8
959	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	6	0.02	5.3

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Merced County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
963	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH MCC	5	0.02	7.6
964	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH CC	12	0.05	4.7
965	OTHER MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	8	0.03	5.4
969	HIV WITH EXTENSIVE O.R. PROCEDURE WITH MCC	2	0.01	17
974	HIV WITH MAJOR RELATED CONDITION WITH MCC	6	0.02	24
975	HIV WITH MAJOR RELATED CONDITION WITH CC	4	0.02	5.8
976	HIV WITH MAJOR RELATED CONDITION WITHOUT CC/MCC	2	0.01	5.5
977	HIV WITH OR WITHOUT OTHER RELATED CONDITION	5	0.02	9.8
981	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	32	0.12	19
982	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	28	0.11	8.9
983	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	16	0.06	3.0
987	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	16	0.06	10
988	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	13	0.05	4.8
989	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	14	0.05	3.1
All		26,409	100.0	4.2

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Merced County**

typcare1=Chemical Dependency Recovery Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	2	100.0	3.0
All		2	100.0	3.0

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Merced County**

typcare1=Physical Rehabilitation Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
536	FRACTURES OF HIP & PELVIS WITHOUT MCC	1	1.54	17
940	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC	1	1.54	34
945	REHABILITATION WITH CC/MCC	56	86.15	17
946	REHABILITATION WITHOUT CC/MCC	6	9.23	18
964	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH CC	1	1.54	2.0
All		65	100.0	17

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Merced County**

typcare1=Psychiatric Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
039	EXTRACRANIAL PROCEDURES WITHOUT CC/MCC	1	0.14	1.0
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	4	0.57	11
081	NONTRAUMATIC STUPOR & COMA WITHOUT MCC	1	0.14	1.0
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	1	0.14	1.0
876	O.R. PROCEDURE WITH PRINCIPAL DIAGNOSIS OF MENTAL ILLNESS	1	0.14	3.0
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	6	0.85	1.8
881	DEPRESSIVE NEUROSES	45	6.37	2.4
882	NEUROSES EXCEPT DEPRESSIVE	19	2.69	3.2
883	DISORDERS OF PERSONALITY & IMPULSE CONTROL	5	0.71	7.0
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	2	0.28	21
885	PSYCHOSES	599	84.84	6.2
886	BEHAVIORAL & DEVELOPMENTAL DISORDERS	6	0.85	3.3
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	13	1.84	2.5
918	POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC	1	0.14	5.0
951	OTHER FACTORS INFLUENCING HEALTH STATUS	1	0.14	1.0
976	HIV WITH MAJOR RELATED CONDITION WITHOUT CC/MCC	1	0.14	2.0
All		706	100.0	5.8

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Merced County**

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	4	3.03	736
189	PULMONARY EDEMA & RESPIRATORY FAILURE	2	1.52	235
300	PERIPHERAL VASCULAR DISORDERS WITH CC	1	0.76	89
349	ANAL & STOMAL PROCEDURES WITHOUT CC/MCC	1	0.76	.00
394	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH CC	1	0.76	8.0
468	REVISION OF HIP OR KNEE REPLACEMENT WITHOUT CC/MCC	1	0.76	3.0
555	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITH MCC	2	1.52	25
556	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC	3	2.27	24
557	TENDONITIS, MYOSITIS & BURSITIS WITH MCC	1	0.76	3.0
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	1	0.76	158
603	CELLULITIS WITHOUT MCC	1	0.76	133
690	KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC	1	0.76	17
724	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	3	2.27	13
767	VAGINAL DELIVERY WITH STERILIZATION &/OR D&C	1	0.76	1.0
775	VAGINAL DELIVERY WITHOUT COMPLICATING DIAGNOSIS	1	0.76	2.0
795	NORMAL NEWBORN	1	0.76	1.0
863	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC	1	0.76	16
945	REHABILITATION WITH CC/MCC	44	33.33	44
946	REHABILITATION WITHOUT CC/MCC	56	42.42	37
949	AFTERCARE WITH CC/MCC	2	1.52	75
950	AFTERCARE WITHOUT CC/MCC	3	2.27	35

(Continued)

***MS-DRG by Patient County of Residence
and Type of Care for 2010
Merced County***

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
951	OTHER FACTORS INFLUENCING HEALTH STATUS	1	0.76	40
All		132	100.0	63

**MDC by Patient County of Residence
for 2010
Merced County**

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	1,413	5.17	7.2
02	EYE, DISEASES & DISORDERS	22	0.08	2.5
03	EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS	233	0.85	3.5
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	2,566	9.39	5.8
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	3,139	11.49	4.5
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	2,202	8.06	5.0
07	HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS	969	3.55	5.1
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	1,648	6.03	4.3
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	515	1.89	4.8
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	875	3.20	3.3
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	913	3.34	5.1
12	MALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	166	0.61	2.5
13	FEMALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	508	1.86	2.3
14	PREGNANCY, CHILDBIRTH, & THE PUERPERIUM	4,591	16.81	2.3
15	NEWBORNS AND NEONATE CONDITIONS BEGAN IN PERINATAL PERIOD	4,543	16.63	3.1
16	BLOOD, BLOOD FORMING ORGANS, IMMUNOLOGICAL, DISEASES & DISORDERS	348	1.27	4.1
17	MYELOPROLIFERATIVE DISEASES & POORLY DIFFERENTIATED NEOPLASMS	178	0.65	7.8
18	INFECTIOUS & PARASITIC DISEASES	1,026	3.76	9.0
19	MENTAL DISEASES & DISORDERS	712	2.61	5.8
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	84	0.31	3.8
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	269	0.98	5.0
22	BURNS	12	0.04	8.9

(Continued)

***MDC by Patient County of Residence
for 2010
Merced County***

		Number of Discharges	Percent of Subtotal	Average Length of Stay
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	292	1.07	23
24	MULTIPLE SIGNFICANT TRAUMA	72	0.26	8.5
25	HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS	20	0.07	13
All		27,316	100.0	4.6

**MDC by Patient County of Residence
and Type of Care for 2010
Merced County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	1,403	5.31	5.1
02	EYE, DISEASES & DISORDERS	22	0.08	2.5
03	EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS	233	0.88	3.5
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	2,564	9.71	5.6
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	3,138	11.88	4.5
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	2,200	8.33	5.0
07	HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS	969	3.67	5.1
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	1,639	6.21	4.2
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	514	1.95	4.6
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	874	3.31	3.3
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	912	3.45	5.1
12	MALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	163	0.62	2.3
13	FEMALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	508	1.92	2.3
14	PREGNANCY, CHILDBIRTH, & THE PUERPERIUM	4,589	17.38	2.3
15	NEWBORNS AND NEONATE CONDITIONS BEGAN IN PERINATAL PERIOD	4,542	17.20	3.1
16	BLOOD, BLOOD FORMING ORGANS,IMMUNOLOGICAL, DISEASES & DISORDERS	348	1.32	4.1
17	MYELOPROLIFERATIVE DISEASES & POORLY DIFFERENTIATED NEOPLASMS	178	0.67	7.8
18	INFECTIOUS & PARASITIC DISEASES	1,025	3.88	9.0
19	MENTAL DISEASES & DISORDERS	29	0.11	5.6
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	69	0.26	4.0
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	268	1.01	5.0

(Continued)

***MDC by Patient County of Residence
and Type of Care for 2010
Merced County***

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
22	BURNS	12	0.05	8.9
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	122	0.46	11
24	MULTIPLE SIGNFICANT TRAUMA	71	0.27	8.6
25	HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS	19	0.07	14
All		26,411	100.0	4.2

***MDC by Patient County of Residence
and Type of Care for 2010
Merced County***

typcare1=Chemical Dependency Recovery Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	2	100.0	3.0
All		2	100.0	3.0

***MDC by Patient County of Residence
and Type of Care for 2010
Merced County***

typcare1=Physical Rehabilitation Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	1	1.54	17
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	63	96.92	17
24	MULTIPLE SIGNFICANT TRAUMA	1	1.54	2.0
All		65	100.0	17

***MDC by Patient County of Residence
and Type of Care for 2010
Merced County***

typcare1=Psychiatric Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	6	0.85	7.3
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	1	0.14	1.0
19	MENTAL DISEASES & DISORDERS	683	96.74	5.8
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	13	1.84	2.5
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	1	0.14	5.0
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	1	0.14	1.0
25	HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS	1	0.14	2.0
All		706	100.0	5.8

***MDC by Patient County of Residence
and Type of Care for 2010
Merced County***

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	4	3.03	736
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	2	1.52	235
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	1	0.76	89
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	2	1.52	4.0
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	8	6.06	36
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	1	0.76	133
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	1	0.76	17
12	MALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	3	2.27	13
14	PREGNANCY, CHILDBIRTH, & THE PUERPERIUM	2	1.52	1.5
15	NEWBORNS AND NEONATE CONDITIONS BEGAN IN PERINATAL PERIOD	1	0.76	1.0
18	INFECTIOUS & PARASITIC DISEASES	1	0.76	16
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	106	80.30	41
All		132	100.0	63