

**Type of Care by Patient County of Residence
for 2010
Riverside County**

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|--|-----------------------------|----------------------------|-------------------------------|
| Acute Care | 213,282 | 93.36 | 4.1 |
| Chemical Dependency Recovery Care | 1,158 | 0.51 | 7.5 |
| Physical Rehabilitation Care | 978 | 0.43 | 16 |
| Psychiatric Care | 11,399 | 4.99 | 6.4 |
| Skilled Nursing/Intermediate Care | 1,638 | 0.72 | 23 |
| All | 228,455 | 100.0 | 4.4 |

***Disposition by Patient County of Residence
for 2010
Riverside County***

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|---|-----------------------------|----------------------------|-------------------------------|
| 00 - Invalid | 162 | 0.00 | 12 |
| 01 - Routine (Home) | 2,964,599 | 74.66 | 3.6 |
| 02 - Acute Care within the admitting hospital | 9,793 | 0.25 | 64 |
| 03 - Other Care with the admitting hospital | 20,666 | 0.52 | 9.0 |
| 04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital | 32,649 | 0.82 | 8.1 |
| 05 - Acute Care at another hospital | 83,795 | 2.11 | 10 |
| 06 - Other Care (not SN/IC) at another hospital | 34,381 | 0.87 | 9.8 |
| 07 - SN/IC at another facility | 305,209 | 7.69 | 8.8 |
| 08 - Residential Care facility | 36,313 | 0.91 | 9.4 |
| 09 - Prison/Jail | 20,022 | 0.50 | 5.3 |
| 10 - Left Against Medical Advice | 45,467 | 1.14 | 3.2 |
| 11 - Died | 76,630 | 1.93 | 16 |
| 12 - Home Health Service | 330,832 | 8.33 | 7.1 |
| 13 - Other | 10,404 | 0.26 | 11 |
| All | 3,970,922 | 100.0 | 5.0 |

***Disposition by Patient County of Residence
and Type of Care for 2010
Riverside County***

typcare1=Acute Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|---|-----------------------------|----------------------------|-------------------------------|
| 00 - Invalid | 3 | 0.00 | 4.0 |
| 01 - Routine (Home) | 164,065 | 76.92 | 3.2 |
| 02 - Acute Care within the admitting hospital | 8 | 0.00 | 8.6 |
| 03 - Other Care with the admitting hospital | 513 | 0.24 | 8.8 |
| 04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital | 1,424 | 0.67 | 6.2 |
| 05 - Acute Care at another hospital | 5,776 | 2.71 | 5.1 |
| 06 - Other Care (not SN/IC) at another hospital | 1,707 | 0.80 | 9.6 |
| 07 - SN/IC at another facility | 16,701 | 7.83 | 7.7 |
| 08 - Residential Care facility | 737 | 0.35 | 5.4 |
| 09 - Prison/Jail | 1,434 | 0.67 | 6.5 |
| 10 - Left Against Medical Advice | 2,334 | 1.09 | 2.6 |
| 11 - Died | 3,726 | 1.75 | 9.4 |
| 12 - Home Health Service | 14,327 | 6.72 | 6.9 |
| 13 - Other | 527 | 0.25 | 6.7 |
| All | 213,282 | 100.0 | 4.1 |

***Disposition by Patient County of Residence
and Type of Care for 2010
Riverside County***

typcare1=Chemical Dependency Recovery Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|---|----------------------|---------------------|------------------------|
| 01 - Routine (Home) | 922 | 79.62 | 8.1 |
| 02 - Acute Care within the admitting hospital | 8 | 0.69 | 2.5 |
| 03 - Other Care with the admitting hospital | 56 | 4.84 | 7.6 |
| 05 - Acute Care at another hospital | 6 | 0.52 | 3.5 |
| 06 - Other Care (not SN/IC) at another hospital | 8 | 0.69 | 3.9 |
| 07 - SN/IC at another facility | 2 | 0.17 | 13 |
| 08 - Residential Care facility | 37 | 3.20 | 4.9 |
| 09 - Prison/Jail | 2 | 0.17 | 3.0 |
| 10 - Left Against Medical Advice | 110 | 9.50 | 4.5 |
| 12 - Home Health Service | 2 | 0.17 | 1.5 |
| 13 - Other | 5 | 0.43 | 2.0 |
| All | 1,158 | 100.0 | 7.5 |

***Disposition by Patient County of Residence
and Type of Care for 2010
Riverside County***

typcare1=Physical Rehabilitation Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|--|----------------------|---------------------|------------------------|
| 01 - Routine (Home) | 444 | 45.40 | 17 |
| 02 - Acute Care within the admitting hospital | 45 | 4.60 | 15 |
| 03 - Other Care with the admitting hospital | 2 | 0.20 | 11 |
| 04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital | 1 | 0.10 | 16 |
| 05 - Acute Care at another hospital | 66 | 6.75 | 9.0 |
| 06 - Other Care (not SN/IC) at another hospital | 4 | 0.41 | 17 |
| 07 - SN/IC at another facility | 100 | 10.22 | 19 |
| 08 - Residential Care facility | 3 | 0.31 | 20 |
| 09 - Prison/Jail | 2 | 0.20 | 34 |
| 10 - Left Against Medical Advice | 4 | 0.41 | 4.8 |
| 12 - Home Health Service | 306 | 31.29 | 15 |
| 13 - Other | 1 | 0.10 | 9.0 |
| All | 978 | 100.0 | 16 |

***Disposition by Patient County of Residence
and Type of Care for 2010
Riverside County***

typcare1=Psychiatric Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|---|-----------------------------|----------------------------|-------------------------------|
| 01 - Routine (Home) | 9,346 | 81.99 | 5.9 |
| 02 - Acute Care within the admitting hospital | 69 | 0.61 | 6.2 |
| 03 - Other Care with the admitting hospital | 10 | 0.09 | 4.9 |
| 04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital | 1 | 0.01 | 6.0 |
| 05 - Acute Care at another hospital | 182 | 1.60 | 5.1 |
| 06 - Other Care (not SN/IC) at another hospital | 82 | 0.72 | 4.3 |
| 07 - SN/IC at another facility | 330 | 2.89 | 21 |
| 08 - Residential Care facility | 1,091 | 9.57 | 7.1 |
| 09 - Prison/Jail | 38 | 0.33 | 3.7 |
| 10 - Left Against Medical Advice | 194 | 1.70 | 4.2 |
| 12 - Home Health Service | 30 | 0.26 | 9.3 |
| 13 - Other | 26 | 0.23 | 9.2 |
| All | 11,399 | 100.0 | 6.4 |

***Disposition by Patient County of Residence
and Type of Care for 2010
Riverside County***

typcare1=Skilled Nursing/Intermediate Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|--|----------------------|---------------------|------------------------|
| 01 - Routine (Home) | 749 | 45.73 | 14 |
| 02 - Acute Care within the admitting hospital | 147 | 8.97 | 45 |
| 03 - Other Care with the admitting hospital | 12 | 0.73 | 13 |
| 04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital | 5 | 0.31 | 43 |
| 05 - Acute Care at another hospital | 57 | 3.48 | 52 |
| 06 - Other Care (not SN/IC) at another hospital | 9 | 0.55 | 44 |
| 07 - SN/IC at another facility | 209 | 12.76 | 19 |
| 08 - Residential Care facility | 12 | 0.73 | 29 |
| 10 - Left Against Medical Advice | 11 | 0.67 | 4.8 |
| 11 - Died | 57 | 3.48 | 111 |
| 12 - Home Health Service | 349 | 21.31 | 15 |
| 13 - Other | 21 | 1.28 | 10 |
| All | 1,638 | 100.0 | 23 |

***Gender by Patient County of Residence
for 2010
Riverside County***

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-------------------|-----------------------------|----------------------------|-------------------------------|
| 1 - Male | 94,595 | 41.41 | 5.0 |
| 2 - Female | 133,857 | 58.59 | 4.0 |
| 3 - Other | 3 | 0.00 | 3.0 |
| All | 228,455 | 100.0 | 4.4 |

***Gender by Patient County of Residence
and Type of Care for 2010
Riverside County***

typcare1=Acute Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-------------------|----------------------|---------------------|------------------------|
| 1 - Male | 86,888 | 40.74 | 4.6 |
| 2 - Female | 126,391 | 59.26 | 3.7 |
| 3 - Other | 3 | 0.00 | 3.0 |
| All | 213,282 | 100.0 | 4.1 |

***Gender by Patient County of Residence
and Type of Care for 2010
Riverside County***

typcare1=Chemical Dependency Recovery Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-------------------|----------------------|---------------------|------------------------|
| 1 - Male | 662 | 57.17 | 7.6 |
| 2 - Female | 496 | 42.83 | 7.4 |
| All | 1,158 | 100.0 | 7.5 |

***Gender by Patient County of Residence
and Type of Care for 2010
Riverside County***

typcare1=Physical Rehabilitation Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-------------------|----------------------|---------------------|------------------------|
| 1 - Male | 530 | 54.19 | 17 |
| 2 - Female | 448 | 45.81 | 15 |
| All | 978 | 100.0 | 16 |

***Gender by Patient County of Residence
and Type of Care for 2010
Riverside County***

typcare1=Psychiatric Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-------------------|----------------------|---------------------|------------------------|
| 1 - Male | 5,766 | 50.58 | 6.4 |
| 2 - Female | 5,633 | 49.42 | 6.5 |
| All | 11,399 | 100.0 | 6.4 |

***Gender by Patient County of Residence
and Type of Care for 2010
Riverside County***

typcare1=Skilled Nursing/Intermediate Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-------------------|----------------------|---------------------|------------------------|
| 1 - Male | 749 | 45.73 | 30 |
| 2 - Female | 889 | 54.27 | 17 |
| All | 1,638 | 100.0 | 23 |

***Expected Payer by Patient County of Residence
for 2010
Riverside County***

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|----------------------------------|----------------------|---------------------|------------------------|
| 00 - Invalid | 5 | 0.00 | 16 |
| 01 - Medicare | 74,461 | 32.59 | 5.2 |
| 02 - Medi-Cal | 57,780 | 25.29 | 4.3 |
| 03 - Private Coverage | 73,860 | 32.33 | 3.6 |
| 04 - Workers' Compensatio | 1,406 | 0.62 | 4.6 |
| 05 - County Indigent Prog | 3,624 | 1.59 | 4.6 |
| 06 - Other Government | 5,802 | 2.54 | 6.1 |
| 07 - Other Indigent | 1,048 | 0.46 | 4.2 |
| 08 - Self-Pay | 10,172 | 4.45 | 4.4 |
| 09 - Other Payer | 297 | 0.13 | 5.3 |
| All | 228,455 | 100.0 | 4.4 |

***Expected Payer by Patient County of Residence
and Type of Care for 2010
Riverside County***

typcare1=Acute Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|----------------------------------|----------------------|---------------------|------------------------|
| 00 - Invalid | 5 | 0.00 | 16 |
| 01 - Medicare | 70,286 | 32.95 | 4.8 |
| 02 - Medi-Cal | 54,768 | 25.68 | 3.8 |
| 03 - Private Coverage | 69,299 | 32.49 | 3.4 |
| 04 - Workers' Compensatio | 1,346 | 0.63 | 4.2 |
| 05 - County Indigent Prog | 2,750 | 1.29 | 4.5 |
| 06 - Other Government | 5,508 | 2.58 | 5.9 |
| 07 - Other Indigent | 993 | 0.47 | 4.1 |
| 08 - Self-Pay | 8,100 | 3.80 | 4.2 |
| 09 - Other Payer | 227 | 0.11 | 3.7 |
| All | 213,282 | 100.0 | 4.1 |

***Expected Payer by Patient County of Residence
and Type of Care for 2010
Riverside County***

typcare1=Chemical Dependency Recovery Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|----------------------------------|-----------------------------|----------------------------|-------------------------------|
| 01 - Medicare | 259 | 22.37 | 6.1 |
| 02 - Medi-Cal | 4 | 0.35 | 3.3 |
| 03 - Private Coverage | 704 | 60.79 | 6.3 |
| 04 - Workers' Compensatio | 2 | 0.17 | 8.5 |
| 06 - Other Government | 35 | 3.02 | 14 |
| 08 - Self-Pay | 142 | 12.26 | 13 |
| 09 - Other Payer | 12 | 1.04 | 23 |
| All | 1,158 | 100.0 | 7.5 |

***Expected Payer by Patient County of Residence
and Type of Care for 2010
Riverside County***

typcare1=Physical Rehabilitation Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|----------------------------------|-----------------------------|----------------------------|-------------------------------|
| 01 - Medicare | 472 | 48.26 | 14 |
| 02 - Medi-Cal | 206 | 21.06 | 18 |
| 03 - Private Coverage | 225 | 23.01 | 17 |
| 04 - Workers' Compensatio | 34 | 3.48 | 18 |
| 05 - County Indigent Prog | 2 | 0.20 | 18 |
| 06 - Other Government | 29 | 2.97 | 18 |
| 07 - Other Indigent | 1 | 0.10 | 3.0 |
| 08 - Self-Pay | 4 | 0.41 | 18 |
| 09 - Other Payer | 5 | 0.51 | 13 |
| All | 978 | 100.0 | 16 |

***Expected Payer by Patient County of Residence
and Type of Care for 2010
Riverside County***

typcare1=Psychiatric Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|----------------------------------|-----------------------------|----------------------------|-------------------------------|
| 01 - Medicare | 2,271 | 19.92 | 10 |
| 02 - Medi-Cal | 2,686 | 23.56 | 5.5 |
| 03 - Private Coverage | 3,340 | 29.30 | 5.9 |
| 04 - Workers' Compensatio | 19 | 0.17 | 8.2 |
| 05 - County Indigent Prog | 869 | 7.62 | 4.9 |
| 06 - Other Government | 222 | 1.95 | 8.5 |
| 07 - Other Indigent | 34 | 0.30 | 4.1 |
| 08 - Self-Pay | 1,910 | 16.76 | 4.5 |
| 09 - Other Payer | 48 | 0.42 | 6.1 |
| All | 11,399 | 100.0 | 6.4 |

***Expected Payer by Patient County of Residence
and Type of Care for 2010
Riverside County***

typcare1=Skilled Nursing/Intermediate Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|----------------------------------|-----------------------------|----------------------------|-------------------------------|
| 01 - Medicare | 1,173 | 71.61 | 13 |
| 02 - Medi-Cal | 116 | 7.08 | 150 |
| 03 - Private Coverage | 292 | 17.83 | 13 |
| 04 - Workers' Compensatio | 5 | 0.31 | 7.0 |
| 05 - County Indigent Prog | 3 | 0.18 | 24 |
| 06 - Other Government | 8 | 0.49 | 4.4 |
| 07 - Other Indigent | 20 | 1.22 | 13 |
| 08 - Self-Pay | 16 | 0.98 | 33 |
| 09 - Other Payer | 5 | 0.31 | 20 |
| All | 1,638 | 100.0 | 23 |

***Race Group by Patient County of Residence
for 2010
Riverside County***

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|---------------------------------------|----------------------|---------------------|------------------------|
| 0 - Unknown | 2,377 | 1.04 | 4.1 |
| 1 - White | 119,423 | 52.27 | 4.6 |
| 2 - Black | 16,889 | 7.39 | 4.9 |
| 3 - Hispanic | 77,228 | 33.80 | 4.1 |
| 4 - Asian/Pacific Islander | 6,680 | 2.92 | 4.3 |
| 5 - Native American/Eskimo/Ale | 549 | 0.24 | 4.8 |
| 6 - Other | 5,309 | 2.32 | 4.1 |
| All | 228,455 | 100.0 | 4.4 |

***Race Group by Patient County of Residence
and Type of Care for 2010
Riverside County***

typcare1=Acute Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|---------------------------------------|----------------------|---------------------|------------------------|
| 0 - Unknown | 2,151 | 1.01 | 3.6 |
| 1 - White | 109,964 | 51.56 | 4.2 |
| 2 - Black | 15,356 | 7.20 | 4.7 |
| 3 - Hispanic | 73,814 | 34.61 | 3.8 |
| 4 - Asian/Pacific Islander | 6,405 | 3.00 | 4.1 |
| 5 - Native American/Eskimo/Ale | 493 | 0.23 | 4.1 |
| 6 - Other | 5,099 | 2.39 | 3.9 |
| All | 213,282 | 100.0 | 4.1 |

***Race Group by Patient County of Residence
and Type of Care for 2010
Riverside County***

typcare1=Chemical Dependency Recovery Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|---------------------------------------|----------------------|---------------------|------------------------|
| 0 - Unknown | 53 | 4.58 | 8.0 |
| 1 - White | 799 | 69.00 | 7.3 |
| 2 - Black | 52 | 4.49 | 7.3 |
| 3 - Hispanic | 206 | 17.79 | 7.3 |
| 4 - Asian/Pacific Islander | 7 | 0.60 | 4.3 |
| 5 - Native American/Eskimo/Ale | 12 | 1.04 | 18 |
| 6 - Other | 29 | 2.50 | 9.3 |
| All | 1,158 | 100.0 | 7.5 |

***Race Group by Patient County of Residence
and Type of Care for 2010
Riverside County***

typcare1=Physical Rehabilitation Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----------------------------------|----------------------|---------------------|------------------------|
| 0 - Unknown | 30 | 3.07 | 14 |
| 1 - White | 567 | 57.98 | 15 |
| 2 - Black | 91 | 9.30 | 17 |
| 3 - Hispanic | 223 | 22.80 | 18 |
| 4 - Asian/Pacific Islander | 41 | 4.19 | 14 |
| 6 - Other | 26 | 2.66 | 19 |
| All | 978 | 100.0 | 16 |

***Race Group by Patient County of Residence
and Type of Care for 2010
Riverside County***

typcare1=Psychiatric Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|---------------------------------------|----------------------|---------------------|------------------------|
| 0 - Unknown | 136 | 1.19 | 7.7 |
| 1 - White | 6,788 | 59.55 | 6.6 |
| 2 - Black | 1,320 | 11.58 | 6.3 |
| 3 - Hispanic | 2,786 | 24.44 | 6.0 |
| 4 - Asian/Pacific Islander | 190 | 1.67 | 6.8 |
| 5 - Native American/Eskimo/Ale | 36 | 0.32 | 6.4 |
| 6 - Other | 143 | 1.25 | 6.6 |
| All | 11,399 | 100.0 | 6.4 |

***Race Group by Patient County of Residence
and Type of Care for 2010
Riverside County***

typcare1=Skilled Nursing/Intermediate Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|---------------------------------------|----------------------|---------------------|------------------------|
| 0 - Unknown | 7 | 0.43 | 11 |
| 1 - White | 1,305 | 79.67 | 20 |
| 2 - Black | 70 | 4.27 | 14 |
| 3 - Hispanic | 199 | 12.15 | 43 |
| 4 - Asian/Pacific Islander | 37 | 2.26 | 18 |
| 5 - Native American/Eskimo/Ale | 8 | 0.49 | 25 |
| 6 - Other | 12 | 0.73 | 20 |
| All | 1,638 | 100.0 | 23 |

**Source of Admission by Patient County of Residence
for 2010
Riverside County**

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|---------------------------------------|----------------------|---------------------|------------------------|
| 0 - Invalid | 3 | 0.00 | 2.7 |
| 1 - Home | 176,389 | 77.21 | 4.0 |
| 2 - Residential Care Facility | 1,232 | 0.54 | 6.3 |
| 3 - Ambulatory Surgery | 2,244 | 0.98 | 2.7 |
| 4 - Skilled Nursing/Intermedia | 3,716 | 1.63 | 8.1 |
| 5 - Acute Inpatient Hospital C | 8,466 | 3.71 | 14 |
| 6 - Other Inpatient Hospital C | 1,333 | 0.58 | 9.3 |
| 7 - Newborn (born in admitting | 29,678 | 12.99 | 2.9 |
| 8 - Prison/Jail | 1,400 | 0.61 | 6.8 |
| 9 - Other | 3,994 | 1.75 | 5.4 |
| All | 228,455 | 100.0 | 4.4 |

**Source of Admission by Patient County of Residence
and Type of Care for 2010
Riverside County**

typcare1=Acute Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|---------------------------------------|----------------------|---------------------|------------------------|
| 0 - Invalid | 3 | 0.00 | 2.7 |
| 1 - Home | 165,693 | 77.69 | 3.9 |
| 2 - Residential Care Facility | 924 | 0.43 | 5.1 |
| 3 - Ambulatory Surgery | 2,241 | 1.05 | 2.7 |
| 4 - Skilled Nursing/Intermedia | 3,535 | 1.66 | 7.5 |
| 5 - Acute Inpatient Hospital C | 5,405 | 2.53 | 13 |
| 6 - Other Inpatient Hospital C | 774 | 0.36 | 7.3 |
| 7 - Newborn (born in admitting | 29,676 | 13.91 | 2.9 |
| 8 - Prison/Jail | 1,364 | 0.64 | 6.8 |
| 9 - Other | 3,667 | 1.72 | 5.2 |
| All | 213,282 | 100.0 | 4.1 |

**Source of Admission by Patient County of Residence
and Type of Care for 2010
Riverside County**

typcare1=Chemical Dependency Recovery Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|--------------------------------|----------------------|---------------------|------------------------|
| 1 - Home | 1,122 | 96.89 | 7.6 |
| 2 - Residential Care Facility | 4 | 0.35 | 7.5 |
| 4 - Skilled Nursing/Intermedia | 1 | 0.09 | 5.0 |
| 5 - Acute Inpatient Hospital C | 14 | 1.21 | 4.7 |
| 6 - Other Inpatient Hospital C | 6 | 0.52 | 3.2 |
| 9 - Other | 11 | 0.95 | 2.7 |
| All | 1,158 | 100.0 | 7.5 |

***Source of Admission by Patient County of Residence
and Type of Care for 2010
Riverside County***

typcare1=Physical Rehabilitation Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|--------------------------------|----------------------|---------------------|------------------------|
| 1 - Home | 42 | 4.29 | 18 |
| 2 - Residential Care Facility | 1 | 0.10 | 117 |
| 4 - Skilled Nursing/Intermedia | 18 | 1.84 | 17 |
| 5 - Acute Inpatient Hospital C | 873 | 89.26 | 16 |
| 6 - Other Inpatient Hospital C | 33 | 3.37 | 20 |
| 9 - Other | 11 | 1.12 | 18 |
| All | 978 | 100.0 | 16 |

**Source of Admission by Patient County of Residence
and Type of Care for 2010
Riverside County**

typcare1=Psychiatric Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|--------------------------------|----------------------|---------------------|------------------------|
| 1 - Home | 9,377 | 82.26 | 6.1 |
| 2 - Residential Care Facility | 303 | 2.66 | 9.8 |
| 3 - Ambulatory Surgery | 3 | 0.03 | 5.3 |
| 4 - Skilled Nursing/Intermedia | 142 | 1.25 | 15 |
| 5 - Acute Inpatient Hospital C | 776 | 6.81 | 7.0 |
| 6 - Other Inpatient Hospital C | 465 | 4.08 | 7.5 |
| 7 - Newborn (born in admitting | 2 | 0.02 | 4.0 |
| 8 - Prison/Jail | 36 | 0.32 | 4.6 |
| 9 - Other | 295 | 2.59 | 5.9 |
| All | 11,399 | 100.0 | 6.4 |

**Source of Admission by Patient County of Residence
and Type of Care for 2010
Riverside County**

typcare1=Skilled Nursing/Intermediate Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|--------------------------------|----------------------|---------------------|------------------------|
| 1 - Home | 155 | 9.46 | 10 |
| 4 - Skilled Nursing/Intermedia | 20 | 1.22 | 51 |
| 5 - Acute Inpatient Hospital C | 1,398 | 85.35 | 22 |
| 6 - Other Inpatient Hospital C | 55 | 3.36 | 47 |
| 9 - Other | 10 | 0.61 | 68 |
| All | 1,638 | 100.0 | 23 |

*MS-DRG by Patient County of Residence
for 2010
Riverside County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 001 | HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM WITH MCC | 10 | 0.00 | 45 |
| 002 | HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM WITHOUT MCC | 4 | 0.00 | 16 |
| 003 | ECMO OR TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITH MAJOR O.R. | 301 | 0.13 | 43 |
| 004 | TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITHOUT MAJOR O.R. | 308 | 0.13 | 37 |
| 005 | LIVER TRANSPLANT WITH MCC OR INTESTINAL TRANSPLANT | 28 | 0.01 | 39 |
| 006 | LIVER TRANSPLANT WITHOUT MCC | 7 | 0.00 | 15 |
| 007 | LUNG TRANSPLANT | 4 | 0.00 | 15 |
| 008 | SIMULTANEOUS PANCREAS/KIDNEY TRANSPLANT | 7 | 0.00 | 9.3 |
| 009 | BONE MARROW TRANSPLANT | 59 | 0.03 | 34 |
| 011 | TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH MCC | 33 | 0.01 | 12 |
| 012 | TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH CC | 24 | 0.01 | 11 |
| 013 | TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITHOUT CC/MCC | 11 | 0.00 | 8.1 |
| 020 | INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH MCC | 36 | 0.02 | 15 |
| 021 | INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH CC | 8 | 0.00 | 21 |
| 022 | INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITHOUT CC/MCC | 14 | 0.01 | 8.2 |
| 023 | CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITH MCC OR CHEMO IMPLANT | 71 | 0.03 | 14 |
| 024 | CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITHOUT MCC | 35 | 0.02 | 8.9 |
| 025 | CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH MCC | 212 | 0.09 | 14 |
| 026 | CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH CC | 195 | 0.09 | 8.4 |
| 027 | CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITHOUT CC/MCC | 255 | 0.11 | 3.8 |

(Continued)

**MS-DRG by Patient County of Residence
for 2010
Riverside County**

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|-----------------------------|----------------------------|-------------------------------|
| 028 | SPINAL PROCEDURES WITH MCC | 33 | 0.01 | 14 |
| 029 | SPINAL PROCEDURES WITH CC OR SPINAL NEUROSTIMULATORS | 60 | 0.03 | 6.4 |
| 030 | SPINAL PROCEDURES WITHOUT CC/MCC | 86 | 0.04 | 3.5 |
| 031 | VENTRICULAR SHUNT PROCEDURES WITH MCC | 27 | 0.01 | 13 |
| 032 | VENTRICULAR SHUNT PROCEDURES WITH CC | 45 | 0.02 | 5.6 |
| 033 | VENTRICULAR SHUNT PROCEDURES WITHOUT CC/MCC | 48 | 0.02 | 2.5 |
| 034 | CAROTID ARTERY STENT PROCEDURE WITH MCC | 10 | 0.00 | 14 |
| 035 | CAROTID ARTERY STENT PROCEDURE WITH CC | 16 | 0.01 | 2.9 |
| 036 | CAROTID ARTERY STENT PROCEDURE WITHOUT CC/MCC | 39 | 0.02 | 1.8 |
| 037 | EXTRACRANIAL PROCEDURES WITH MCC | 33 | 0.01 | 9.8 |
| 038 | EXTRACRANIAL PROCEDURES WITH CC | 88 | 0.04 | 3.5 |
| 039 | EXTRACRANIAL PROCEDURES WITHOUT CC/MCC | 344 | 0.15 | 1.6 |
| 040 | PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH MCC | 47 | 0.02 | 78 |
| 041 | PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH CC OR PERIPH NEUROSTIM | 98 | 0.04 | 6.7 |
| 042 | PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITHOUT CC/MCC | 67 | 0.03 | 2.5 |
| 052 | SPINAL DISORDERS & INJURIES WITH CC/MCC | 40 | 0.02 | 34 |
| 053 | SPINAL DISORDERS & INJURIES WITHOUT CC/MCC | 18 | 0.01 | 4.4 |
| 054 | NERVOUS SYSTEM NEOPLASMS WITH MCC | 87 | 0.04 | 6.5 |
| 055 | NERVOUS SYSTEM NEOPLASMS WITHOUT MCC | 194 | 0.08 | 4.6 |
| 056 | DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC | 100 | 0.04 | 13 |
| 057 | DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC | 343 | 0.15 | 5.4 |
| 058 | MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH MCC | 11 | 0.00 | 6.5 |

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Riverside County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 059 | MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH CC | 39 | 0.02 | 7.9 |
| 060 | MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITHOUT CC/MCC | 48 | 0.02 | 4.1 |
| 061 | ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH MCC | 21 | 0.01 | 9.8 |
| 062 | ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH CC | 28 | 0.01 | 6.9 |
| 063 | ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITHOUT CC/MCC | 7 | 0.00 | 3.1 |
| 064 | INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC | 699 | 0.31 | 7.5 |
| 065 | INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC | 1,087 | 0.48 | 5.3 |
| 066 | INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC | 846 | 0.37 | 2.9 |
| 067 | NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITH MCC | 13 | 0.01 | 3.8 |
| 068 | NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITHOUT MCC | 97 | 0.04 | 3.1 |
| 069 | TRANSIENT ISCHEMIA | 861 | 0.38 | 2.2 |
| 070 | NONSPECIFIC CEREBROVASCULAR DISORDERS WITH MCC | 110 | 0.05 | 7.3 |
| 071 | NONSPECIFIC CEREBROVASCULAR DISORDERS WITH CC | 106 | 0.05 | 4.3 |
| 072 | NONSPECIFIC CEREBROVASCULAR DISORDERS WITHOUT CC/MCC | 68 | 0.03 | 2.4 |
| 073 | CRANIAL & PERIPHERAL NERVE DISORDERS WITH MCC | 106 | 0.05 | 6.7 |
| 074 | CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC | 411 | 0.18 | 4.2 |
| 075 | VIRAL MENINGITIS WITH CC/MCC | 55 | 0.02 | 6.3 |
| 076 | VIRAL MENINGITIS WITHOUT CC/MCC | 162 | 0.07 | 2.9 |
| 077 | HYPERTENSIVE ENCEPHALOPATHY WITH MCC | 21 | 0.01 | 5.7 |
| 078 | HYPERTENSIVE ENCEPHALOPATHY WITH CC | 20 | 0.01 | 3.4 |
| 079 | HYPERTENSIVE ENCEPHALOPATHY WITHOUT CC/MCC | 9 | 0.00 | 2.7 |
| 080 | NONTRAUMATIC STUPOR & COMA WITH MCC | 84 | 0.04 | 5.4 |

(Continued)

**MS-DRG by Patient County of Residence
for 2010
Riverside County**

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|------------|---|-----------------------------|----------------------------|-------------------------------|
| 081 | NONTRAUMATIC STUPOR & COMA WITHOUT MCC | 283 | 0.12 | 7.3 |
| 082 | TRAUMATIC STUPOR & COMA, COMA >1 HR WITH MCC | 44 | 0.02 | 5.3 |
| 083 | TRAUMATIC STUPOR & COMA, COMA >1 HR WITH CC | 37 | 0.02 | 5.1 |
| 084 | TRAUMATIC STUPOR & COMA, COMA >1 HR WITHOUT CC/MCC | 72 | 0.03 | 3.0 |
| 085 | TRAUMATIC STUPOR & COMA, COMA <1 HR WITH MCC | 98 | 0.04 | 7.3 |
| 086 | TRAUMATIC STUPOR & COMA, COMA <1 HR WITH CC | 157 | 0.07 | 4.6 |
| 087 | TRAUMATIC STUPOR & COMA, COMA <1 HR WITHOUT CC/MCC | 284 | 0.12 | 2.7 |
| 088 | CONCUSSION WITH MCC | 12 | 0.01 | 5.6 |
| 089 | CONCUSSION WITH CC | 56 | 0.02 | 2.1 |
| 090 | CONCUSSION WITHOUT CC/MCC | 132 | 0.06 | 1.3 |
| 091 | OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC | 125 | 0.05 | 7.5 |
| 092 | OTHER DISORDERS OF NERVOUS SYSTEM WITH CC | 172 | 0.08 | 4.6 |
| 093 | OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC | 249 | 0.11 | 2.3 |
| 094 | BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH MCC | 34 | 0.01 | 18 |
| 095 | BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH CC | 26 | 0.01 | 11 |
| 096 | BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITHOUT CC/MCC | 34 | 0.01 | 7.5 |
| 097 | NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH MCC | 25 | 0.01 | 15 |
| 098 | NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH CC | 13 | 0.01 | 7.2 |
| 099 | NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITHOUT CC/MCC | 37 | 0.02 | 4.2 |
| 100 | SEIZURES WITH MCC | 287 | 0.13 | 5.7 |
| 101 | SEIZURES WITHOUT MCC | 1,124 | 0.49 | 2.8 |
| 102 | HEADACHES WITH MCC | 19 | 0.01 | 2.7 |

(Continued)

**MS-DRG by Patient County of Residence
for 2010
Riverside County**

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|-----------------------------|----------------------------|-------------------------------|
| 103 | HEADACHES WITHOUT MCC | 332 | 0.15 | 2.4 |
| 113 | ORBITAL PROCEDURES WITH CC/MCC | 17 | 0.01 | 4.1 |
| 114 | ORBITAL PROCEDURES WITHOUT CC/MCC | 22 | 0.01 | 1.6 |
| 115 | EXTRAOCULAR PROCEDURES EXCEPT ORBIT | 30 | 0.01 | 3.5 |
| 116 | INTRAOCULAR PROCEDURES WITH CC/MCC | 7 | 0.00 | 5.3 |
| 117 | INTRAOCULAR PROCEDURES WITHOUT CC/MCC | 19 | 0.01 | 5.2 |
| 121 | ACUTE MAJOR EYE INFECTIONS WITH CC/MCC | 18 | 0.01 | 4.4 |
| 122 | ACUTE MAJOR EYE INFECTIONS WITHOUT CC/MCC | 30 | 0.01 | 3.0 |
| 123 | NEUROLOGICAL EYE DISORDERS | 64 | 0.03 | 3.5 |
| 124 | OTHER DISORDERS OF THE EYE WITH MCC | 18 | 0.01 | 4.3 |
| 125 | OTHER DISORDERS OF THE EYE WITHOUT MCC | 97 | 0.04 | 2.8 |
| 129 | MAJOR HEAD & NECK PROCEDURES WITH CC/MCC OR MAJOR DEVICE | 31 | 0.01 | 4.2 |
| 130 | MAJOR HEAD & NECK PROCEDURES WITHOUT CC/MCC | 38 | 0.02 | 2.4 |
| 131 | CRANIAL/FACIAL PROCEDURES WITH CC/MCC | 42 | 0.02 | 6.8 |
| 132 | CRANIAL/FACIAL PROCEDURES WITHOUT CC/MCC | 195 | 0.09 | 1.5 |
| 133 | OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITH CC/MCC | 81 | 0.04 | 5.7 |
| 134 | OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITHOUT CC/MCC | 332 | 0.15 | 1.6 |
| 135 | SINUS & MASTOID PROCEDURES WITH CC/MCC | 7 | 0.00 | 7.3 |
| 136 | SINUS & MASTOID PROCEDURES WITHOUT CC/MCC | 10 | 0.00 | 2.0 |
| 137 | MOUTH PROCEDURES WITH CC/MCC | 11 | 0.00 | 4.0 |
| 138 | MOUTH PROCEDURES WITHOUT CC/MCC | 23 | 0.01 | 2.1 |
| 139 | SALIVARY GLAND PROCEDURES | 21 | 0.01 | 1.9 |

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Riverside County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 146 | EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH MCC | 5 | 0.00 | 8.0 |
| 147 | EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH CC | 17 | 0.01 | 4.9 |
| 148 | EAR, NOSE, MOUTH & THROAT MALIGNANCY WITHOUT CC/MCC | 6 | 0.00 | 1.2 |
| 149 | DYSEQUILIBRIUM | 338 | 0.15 | 2.0 |
| 150 | EPISTAXIS WITH MCC | 5 | 0.00 | 3.4 |
| 151 | EPISTAXIS WITHOUT MCC | 54 | 0.02 | 2.3 |
| 152 | OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITH MCC | 53 | 0.02 | 5.5 |
| 153 | OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITHOUT MCC | 473 | 0.21 | 2.2 |
| 154 | OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH MCC | 22 | 0.01 | 6.1 |
| 155 | OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH CC | 75 | 0.03 | 4.7 |
| 156 | OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITHOUT CC/MCC | 108 | 0.05 | 2.4 |
| 157 | DENTAL & ORAL DISEASES WITH MCC | 27 | 0.01 | 4.5 |
| 158 | DENTAL & ORAL DISEASES WITH CC | 78 | 0.03 | 4.5 |
| 159 | DENTAL & ORAL DISEASES WITHOUT CC/MCC | 56 | 0.02 | 2.2 |
| 163 | MAJOR CHEST PROCEDURES WITH MCC | 157 | 0.07 | 15 |
| 164 | MAJOR CHEST PROCEDURES WITH CC | 157 | 0.07 | 6.8 |
| 165 | MAJOR CHEST PROCEDURES WITHOUT CC/MCC | 176 | 0.08 | 4.8 |
| 166 | OTHER RESP SYSTEM O.R. PROCEDURES WITH MCC | 138 | 0.06 | 19 |
| 167 | OTHER RESP SYSTEM O.R. PROCEDURES WITH CC | 112 | 0.05 | 7.1 |
| 168 | OTHER RESP SYSTEM O.R. PROCEDURES WITHOUT CC/MCC | 45 | 0.02 | 4.2 |
| 175 | PULMONARY EMBOLISM WITH MCC | 185 | 0.08 | 6.2 |
| 176 | PULMONARY EMBOLISM WITHOUT MCC | 438 | 0.19 | 4.0 |

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Riverside County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 177 | RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC | 518 | 0.23 | 10 |
| 178 | RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC | 369 | 0.16 | 7.8 |
| 179 | RESPIRATORY INFECTIONS & INFLAMMATIONS WITHOUT CC/MCC | 157 | 0.07 | 6.5 |
| 180 | RESPIRATORY NEOPLASMS WITH MCC | 219 | 0.10 | 7.6 |
| 181 | RESPIRATORY NEOPLASMS WITH CC | 281 | 0.12 | 5.0 |
| 182 | RESPIRATORY NEOPLASMS WITHOUT CC/MCC | 35 | 0.02 | 3.7 |
| 183 | MAJOR CHEST TRAUMA WITH MCC | 32 | 0.01 | 5.1 |
| 184 | MAJOR CHEST TRAUMA WITH CC | 71 | 0.03 | 3.3 |
| 185 | MAJOR CHEST TRAUMA WITHOUT CC/MCC | 44 | 0.02 | 2.2 |
| 186 | PLEURAL EFFUSION WITH MCC | 107 | 0.05 | 7.0 |
| 187 | PLEURAL EFFUSION WITH CC | 106 | 0.05 | 3.4 |
| 188 | PLEURAL EFFUSION WITHOUT CC/MCC | 49 | 0.02 | 3.1 |
| 189 | PULMONARY EDEMA & RESPIRATORY FAILURE | 699 | 0.31 | 9.0 |
| 190 | CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC | 1,085 | 0.47 | 5.1 |
| 191 | CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC | 907 | 0.40 | 4.2 |
| 192 | CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC | 1,104 | 0.48 | 4.1 |
| 193 | SIMPLE PNEUMONIA & PLEURISY WITH MCC | 1,128 | 0.49 | 7.5 |
| 194 | SIMPLE PNEUMONIA & PLEURISY WITH CC | 2,251 | 0.99 | 4.3 |
| 195 | SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC | 1,646 | 0.72 | 3.0 |
| 196 | INTERSTITIAL LUNG DISEASE WITH MCC | 73 | 0.03 | 6.4 |
| 197 | INTERSTITIAL LUNG DISEASE WITH CC | 61 | 0.03 | 4.9 |
| 198 | INTERSTITIAL LUNG DISEASE WITHOUT CC/MCC | 49 | 0.02 | 5.2 |

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Riverside County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 199 | PNEUMOTHORAX WITH MCC | 55 | 0.02 | 6.7 |
| 200 | PNEUMOTHORAX WITH CC | 132 | 0.06 | 3.6 |
| 201 | PNEUMOTHORAX WITHOUT CC/MCC | 108 | 0.05 | 3.2 |
| 202 | BRONCHITIS & ASTHMA WITH CC/MCC | 672 | 0.29 | 3.7 |
| 203 | BRONCHITIS & ASTHMA WITHOUT CC/MCC | 1,369 | 0.60 | 2.3 |
| 204 | RESPIRATORY SIGNS & SYMPTOMS | 329 | 0.14 | 2.8 |
| 205 | OTHER RESPIRATORY SYSTEM DIAGNOSIS WITH MCC | 81 | 0.04 | 9.7 |
| 206 | OTHER RESPIRATORY SYSTEM DIAGNOSIS WITHOUT MCC | 346 | 0.15 | 2.4 |
| 207 | RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS | 629 | 0.28 | 41 |
| 208 | RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS | 773 | 0.34 | 6.0 |
| 216 | CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH MCC | 92 | 0.04 | 17 |
| 217 | CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH CC | 60 | 0.03 | 9.6 |
| 218 | CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITHOUT CC/MCC | 25 | 0.01 | 7.8 |
| 219 | CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH MCC | 136 | 0.06 | 11 |
| 220 | CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH CC | 166 | 0.07 | 7.2 |
| 221 | CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITHOUT CC/MCC | 89 | 0.04 | 5.4 |
| 222 | CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITH MCC | 32 | 0.01 | 10 |
| 223 | CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITHOUT MCC | 31 | 0.01 | 4.5 |
| 224 | CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITH MCC | 30 | 0.01 | 8.8 |
| 225 | CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITHOUT MCC | 40 | 0.02 | 4.7 |
| 226 | CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITH MCC | 82 | 0.04 | 54 |
| 227 | CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITHOUT MCC | 263 | 0.12 | 2.3 |

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Riverside County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 228 | OTHER CARDIOTHORACIC PROCEDURES WITH MCC | 51 | 0.02 | 16 |
| 229 | OTHER CARDIOTHORACIC PROCEDURES WITH CC | 67 | 0.03 | 5.9 |
| 230 | OTHER CARDIOTHORACIC PROCEDURES WITHOUT CC/MCC | 37 | 0.02 | 2.9 |
| 231 | CORONARY BYPASS WITH PTCA WITH MCC | 14 | 0.01 | 15 |
| 232 | CORONARY BYPASS WITH PTCA WITHOUT MCC | 17 | 0.01 | 8.5 |
| 233 | CORONARY BYPASS WITH CARDIAC CATH WITH MCC | 164 | 0.07 | 12 |
| 234 | CORONARY BYPASS WITH CARDIAC CATH WITHOUT MCC | 308 | 0.13 | 8.0 |
| 235 | CORONARY BYPASS WITHOUT CARDIAC CATH WITH MCC | 69 | 0.03 | 12 |
| 236 | CORONARY BYPASS WITHOUT CARDIAC CATH WITHOUT MCC | 203 | 0.09 | 6.1 |
| 237 | MAJOR CARDIOVASC PROCEDURES WITH MCC OR THORACIC AORTIC ANEURYSM REPAIR | 238 | 0.10 | 12 |
| 238 | MAJOR CARDIOVASC PROCEDURES WITHOUT MCC | 331 | 0.14 | 4.3 |
| 239 | AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH MCC | 84 | 0.04 | 18 |
| 240 | AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH CC | 87 | 0.04 | 8.3 |
| 241 | AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITHOUT CC/MCC | 16 | 0.01 | 6.4 |
| 242 | PERMANENT CARDIAC PACEMAKER IMPLANT WITH MCC | 153 | 0.07 | 8.0 |
| 243 | PERMANENT CARDIAC PACEMAKER IMPLANT WITH CC | 292 | 0.13 | 4.1 |
| 244 | PERMANENT CARDIAC PACEMAKER IMPLANT WITHOUT CC/MCC | 434 | 0.19 | 2.4 |
| 245 | AICD GENERATOR PROCEDURES | 51 | 0.02 | 2.7 |
| 246 | PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITH MCC OR 4+ VESSELS/STENTS | 429 | 0.19 | 4.6 |
| 247 | PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITHOUT MCC | 1,797 | 0.79 | 2.0 |
| 248 | PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITH MCC OR 4+ VES/STENTS | 106 | 0.05 | 5.6 |
| 249 | PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITHOUT MCC | 413 | 0.18 | 2.1 |

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Riverside County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 250 | PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITH MCC | 66 | 0.03 | 5.6 |
| 251 | PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITHOUT MCC | 426 | 0.19 | 1.9 |
| 252 | OTHER VASCULAR PROCEDURES WITH MCC | 281 | 0.12 | 7.7 |
| 253 | OTHER VASCULAR PROCEDURES WITH CC | 287 | 0.13 | 5.9 |
| 254 | OTHER VASCULAR PROCEDURES WITHOUT CC/MCC | 293 | 0.13 | 2.6 |
| 255 | UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH MCC | 33 | 0.01 | 8.5 |
| 256 | UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH CC | 43 | 0.02 | 6.7 |
| 257 | UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITHOUT CC/MCC | 4 | 0.00 | 3.8 |
| 258 | CARDIAC PACEMAKER DEVICE REPLACEMENT WITH MCC | 5 | 0.00 | 6.2 |
| 259 | CARDIAC PACEMAKER DEVICE REPLACEMENT WITHOUT MCC | 43 | 0.02 | 2.4 |
| 260 | CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH MCC | 14 | 0.01 | 7.4 |
| 261 | CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH CC | 28 | 0.01 | 3.9 |
| 262 | CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITHOUT CC/MCC | 28 | 0.01 | 2.2 |
| 263 | VEIN LIGATION & STRIPPING | 12 | 0.01 | 2.9 |
| 264 | OTHER CIRCULATORY SYSTEM O.R. PROCEDURES | 231 | 0.10 | 8.7 |
| 265 | AICD LEAD PROCEDURES | 8 | 0.00 | 4.6 |
| 280 | ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH MCC | 773 | 0.34 | 5.6 |
| 281 | ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH CC | 551 | 0.24 | 3.4 |
| 282 | ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITHOUT CC/MCC | 783 | 0.34 | 2.5 |
| 283 | ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH MCC | 111 | 0.05 | 4.4 |
| 284 | ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH CC | 29 | 0.01 | 1.4 |
| 285 | ACUTE MYOCARDIAL INFARCTION, EXPIRED WITHOUT CC/MCC | 12 | 0.01 | 1.0 |

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Riverside County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|-----------------------------|----------------------------|-------------------------------|
| 286 | CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITH MCC | 296 | 0.13 | 5.9 |
| 287 | CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITHOUT MCC | 1,348 | 0.59 | 3.0 |
| 288 | ACUTE & SUBACUTE ENDOCARDITIS WITH MCC | 35 | 0.02 | 14 |
| 289 | ACUTE & SUBACUTE ENDOCARDITIS WITH CC | 13 | 0.01 | 7.8 |
| 290 | ACUTE & SUBACUTE ENDOCARDITIS WITHOUT CC/MCC | 4 | 0.00 | 2.8 |
| 291 | HEART FAILURE & SHOCK WITH MCC | 1,830 | 0.80 | 5.7 |
| 292 | HEART FAILURE & SHOCK WITH CC | 1,581 | 0.69 | 4.0 |
| 293 | HEART FAILURE & SHOCK WITHOUT CC/MCC | 1,091 | 0.48 | 2.7 |
| 294 | DEEP VEIN THROMBOPHLEBITIS WITH CC/MCC | 11 | 0.00 | 5.7 |
| 295 | DEEP VEIN THROMBOPHLEBITIS WITHOUT CC/MCC | 4 | 0.00 | 4.0 |
| 296 | CARDIAC ARREST, UNEXPLAINED WITH MCC | 17 | 0.01 | 2.9 |
| 297 | CARDIAC ARREST, UNEXPLAINED WITH CC | 5 | 0.00 | .20 |
| 298 | CARDIAC ARREST, UNEXPLAINED WITHOUT CC/MCC | 2 | 0.00 | .50 |
| 299 | PERIPHERAL VASCULAR DISORDERS WITH MCC | 294 | 0.13 | 5.9 |
| 300 | PERIPHERAL VASCULAR DISORDERS WITH CC | 458 | 0.20 | 4.5 |
| 301 | PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC | 353 | 0.15 | 3.0 |
| 302 | ATHEROSCLEROSIS WITH MCC | 112 | 0.05 | 3.5 |
| 303 | ATHEROSCLEROSIS WITHOUT MCC | 911 | 0.40 | 2.4 |
| 304 | HYPERTENSION WITH MCC | 38 | 0.02 | 5.0 |
| 305 | HYPERTENSION WITHOUT MCC | 402 | 0.18 | 2.7 |
| 306 | CARDIAC CONGENITAL & VALVULAR DISORDERS WITH MCC | 35 | 0.02 | 5.2 |
| 307 | CARDIAC CONGENITAL & VALVULAR DISORDERS WITHOUT MCC | 75 | 0.03 | 3.4 |

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Riverside County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 308 | CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH MCC | 607 | 0.27 | 4.8 |
| 309 | CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC | 883 | 0.39 | 3.1 |
| 310 | CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITHOUT CC/MCC | 1,672 | 0.73 | 2.0 |
| 311 | ANGINA PECTORIS | 587 | 0.26 | 2.3 |
| 312 | SYNCOPE & COLLAPSE | 1,617 | 0.71 | 2.3 |
| 313 | CHEST PAIN | 5,509 | 2.41 | 1.8 |
| 314 | OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC | 593 | 0.26 | 7.1 |
| 315 | OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC | 300 | 0.13 | 4.1 |
| 316 | OTHER CIRCULATORY SYSTEM DIAGNOSIS WITHOUT CC/MCC | 160 | 0.07 | 2.4 |
| 326 | STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH MCC | 140 | 0.06 | 18 |
| 327 | STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH CC | 164 | 0.07 | 8.4 |
| 328 | STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITHOUT CC/MCC | 260 | 0.11 | 3.4 |
| 329 | MAJOR SMALL & LARGE BOWEL PROCEDURES WITH MCC | 528 | 0.23 | 16 |
| 330 | MAJOR SMALL & LARGE BOWEL PROCEDURES WITH CC | 810 | 0.35 | 8.3 |
| 331 | MAJOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC | 510 | 0.22 | 5.1 |
| 332 | RECTAL RESECTION WITH MCC | 27 | 0.01 | 11 |
| 333 | RECTAL RESECTION WITH CC | 77 | 0.03 | 7.6 |
| 334 | RECTAL RESECTION WITHOUT CC/MCC | 63 | 0.03 | 4.6 |
| 335 | PERITONEAL ADHESIOLYSIS WITH MCC | 81 | 0.04 | 13 |
| 336 | PERITONEAL ADHESIOLYSIS WITH CC | 179 | 0.08 | 7.8 |
| 337 | PERITONEAL ADHESIOLYSIS WITHOUT CC/MCC | 244 | 0.11 | 4.3 |
| 338 | APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC | 38 | 0.02 | 7.5 |

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Riverside County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 339 | APPENECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH CC | 103 | 0.05 | 6.4 |
| 340 | APPENECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC | 393 | 0.17 | 3.7 |
| 341 | APPENECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC | 33 | 0.01 | 6.7 |
| 342 | APPENECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH CC | 141 | 0.06 | 2.7 |
| 343 | APPENECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC | 1,740 | 0.76 | 1.5 |
| 344 | MINOR SMALL & LARGE BOWEL PROCEDURES WITH MCC | 9 | 0.00 | 9.4 |
| 345 | MINOR SMALL & LARGE BOWEL PROCEDURES WITH CC | 63 | 0.03 | 6.6 |
| 346 | MINOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC | 57 | 0.02 | 4.8 |
| 347 | ANAL & STOMAL PROCEDURES WITH MCC | 22 | 0.01 | 7.3 |
| 348 | ANAL & STOMAL PROCEDURES WITH CC | 51 | 0.02 | 4.4 |
| 349 | ANAL & STOMAL PROCEDURES WITHOUT CC/MCC | 151 | 0.07 | 2.6 |
| 350 | INGUINAL & FEMORAL HERNIA PROCEDURES WITH MCC | 17 | 0.01 | 8.8 |
| 351 | INGUINAL & FEMORAL HERNIA PROCEDURES WITH CC | 61 | 0.03 | 3.6 |
| 352 | INGUINAL & FEMORAL HERNIA PROCEDURES WITHOUT CC/MCC | 142 | 0.06 | 1.7 |
| 353 | HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH MCC | 45 | 0.02 | 8.1 |
| 354 | HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH CC | 140 | 0.06 | 4.5 |
| 355 | HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITHOUT CC/MCC | 307 | 0.13 | 2.5 |
| 356 | OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH MCC | 72 | 0.03 | 14 |
| 357 | OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH CC | 81 | 0.04 | 6.0 |
| 358 | OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC | 68 | 0.03 | 3.5 |
| 368 | MAJOR ESOPHAGEAL DISORDERS WITH MCC | 51 | 0.02 | 5.4 |
| 369 | MAJOR ESOPHAGEAL DISORDERS WITH CC | 75 | 0.03 | 3.6 |

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Riverside County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 370 | MAJOR ESOPHAGEAL DISORDERS WITHOUT CC/MCC | 32 | 0.01 | 2.7 |
| 371 | MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH MCC | 292 | 0.13 | 8.3 |
| 372 | MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH CC | 323 | 0.14 | 5.8 |
| 373 | MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITHOUT CC/MCC | 226 | 0.10 | 4.4 |
| 374 | DIGESTIVE MALIGNANCY WITH MCC | 100 | 0.04 | 9.9 |
| 375 | DIGESTIVE MALIGNANCY WITH CC | 209 | 0.09 | 6.0 |
| 376 | DIGESTIVE MALIGNANCY WITHOUT CC/MCC | 43 | 0.02 | 3.3 |
| 377 | G.I. HEMORRHAGE WITH MCC | 566 | 0.25 | 5.8 |
| 378 | G.I. HEMORRHAGE WITH CC | 1,139 | 0.50 | 3.6 |
| 379 | G.I. HEMORRHAGE WITHOUT CC/MCC | 738 | 0.32 | 2.6 |
| 380 | COMPLICATED PEPTIC ULCER WITH MCC | 44 | 0.02 | 7.6 |
| 381 | COMPLICATED PEPTIC ULCER WITH CC | 74 | 0.03 | 4.8 |
| 382 | COMPLICATED PEPTIC ULCER WITHOUT CC/MCC | 49 | 0.02 | 3.4 |
| 383 | UNCOMPLICATED PEPTIC ULCER WITH MCC | 28 | 0.01 | 5.2 |
| 384 | UNCOMPLICATED PEPTIC ULCER WITHOUT MCC | 152 | 0.07 | 3.3 |
| 385 | INFLAMMATORY BOWEL DISEASE WITH MCC | 53 | 0.02 | 8.3 |
| 386 | INFLAMMATORY BOWEL DISEASE WITH CC | 153 | 0.07 | 5.3 |
| 387 | INFLAMMATORY BOWEL DISEASE WITHOUT CC/MCC | 165 | 0.07 | 4.9 |
| 388 | G.I. OBSTRUCTION WITH MCC | 243 | 0.11 | 7.0 |
| 389 | G.I. OBSTRUCTION WITH CC | 533 | 0.23 | 4.2 |
| 390 | G.I. OBSTRUCTION WITHOUT CC/MCC | 777 | 0.34 | 2.8 |
| 391 | ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITH MCC | 686 | 0.30 | 4.5 |

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Riverside County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 392 | ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC | 4,044 | 1.77 | 2.9 |
| 393 | OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH MCC | 316 | 0.14 | 6.0 |
| 394 | OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH CC | 575 | 0.25 | 4.2 |
| 395 | OTHER DIGESTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC | 416 | 0.18 | 2.4 |
| 405 | PANCREAS, LIVER & SHUNT PROCEDURES WITH MCC | 59 | 0.03 | 13 |
| 406 | PANCREAS, LIVER & SHUNT PROCEDURES WITH CC | 63 | 0.03 | 8.6 |
| 407 | PANCREAS, LIVER & SHUNT PROCEDURES WITHOUT CC/MCC | 40 | 0.02 | 5.0 |
| 408 | BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH MCC | 19 | 0.01 | 12 |
| 409 | BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH CC | 12 | 0.01 | 7.5 |
| 410 | BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC | 9 | 0.00 | 6.7 |
| 411 | CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH MCC | 7 | 0.00 | 12 |
| 412 | CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH CC | 7 | 0.00 | 5.1 |
| 413 | CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITHOUT CC/MCC | 20 | 0.01 | 5.9 |
| 414 | CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH MCC | 84 | 0.04 | 12 |
| 415 | CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH CC | 96 | 0.04 | 6.6 |
| 416 | CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC | 118 | 0.05 | 4.0 |
| 417 | LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH MCC | 344 | 0.15 | 6.6 |
| 418 | LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH CC | 580 | 0.25 | 4.4 |
| 419 | LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC | 1,567 | 0.69 | 2.4 |
| 420 | HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH MCC | 12 | 0.01 | 9.0 |

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Riverside County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 421 | HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH CC | 11 | 0.00 | 9.6 |
| 422 | HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITHOUT CC/MCC | 4 | 0.00 | 6.8 |
| 423 | OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH MCC | 15 | 0.01 | 13 |
| 424 | OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH CC | 8 | 0.00 | 12 |
| 425 | OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITHOUT CC/MCC | 4 | 0.00 | 5.5 |
| 432 | CIRRHOSIS & ALCOHOLIC HEPATITIS WITH MCC | 339 | 0.15 | 7.2 |
| 433 | CIRRHOSIS & ALCOHOLIC HEPATITIS WITH CC | 222 | 0.10 | 4.7 |
| 434 | CIRRHOSIS & ALCOHOLIC HEPATITIS WITHOUT CC/MCC | 19 | 0.01 | 3.2 |
| 435 | MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITH MCC | 131 | 0.06 | 7.9 |
| 436 | MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITH CC | 156 | 0.07 | 5.1 |
| 437 | MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITHOUT CC/MCC | 46 | 0.02 | 3.0 |
| 438 | DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH MCC | 331 | 0.14 | 7.5 |
| 439 | DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH CC | 527 | 0.23 | 4.8 |
| 440 | DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITHOUT CC/MCC | 745 | 0.33 | 3.3 |
| 441 | DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH MCC | 451 | 0.20 | 7.2 |
| 442 | DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH CC | 407 | 0.18 | 4.4 |
| 443 | DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITHOUT CC/MCC | 169 | 0.07 | 3.3 |
| 444 | DISORDERS OF THE BILIARY TRACT WITH MCC | 201 | 0.09 | 5.7 |
| 445 | DISORDERS OF THE BILIARY TRACT WITH CC | 272 | 0.12 | 3.8 |
| 446 | DISORDERS OF THE BILIARY TRACT WITHOUT CC/MCC | 371 | 0.16 | 2.6 |
| 453 | COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH MCC | 29 | 0.01 | 9.4 |
| 454 | COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH CC | 98 | 0.04 | 5.7 |

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Riverside County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 455 | COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITHOUT CC/MCC | 103 | 0.05 | 4.2 |
| 456 | SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH MCC | 32 | 0.01 | 12 |
| 457 | SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH CC | 40 | 0.02 | 7.4 |
| 458 | SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITHOUT CC/MCC | 69 | 0.03 | 5.3 |
| 459 | SPINAL FUSION EXCEPT CERVICAL WITH MCC | 45 | 0.02 | 8.6 |
| 460 | SPINAL FUSION EXCEPT CERVICAL WITHOUT MCC | 1,000 | 0.44 | 3.9 |
| 461 | BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITH MCC | 6 | 0.00 | 9.2 |
| 462 | BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITHOUT MCC | 92 | 0.04 | 3.5 |
| 463 | WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH MCC | 68 | 0.03 | 24 |
| 464 | WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH CC | 95 | 0.04 | 11 |
| 465 | WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITHOUT CC/MCC | 67 | 0.03 | 4.9 |
| 466 | REVISION OF HIP OR KNEE REPLACEMENT WITH MCC | 37 | 0.02 | 11 |
| 467 | REVISION OF HIP OR KNEE REPLACEMENT WITH CC | 130 | 0.06 | 4.8 |
| 468 | REVISION OF HIP OR KNEE REPLACEMENT WITHOUT CC/MCC | 258 | 0.11 | 3.3 |
| 469 | MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITH MCC | 221 | 0.10 | 7.9 |
| 470 | MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITHOUT MCC | 4,760 | 2.08 | 3.1 |
| 471 | CERVICAL SPINAL FUSION WITH MCC | 41 | 0.02 | 9.9 |
| 472 | CERVICAL SPINAL FUSION WITH CC | 140 | 0.06 | 3.3 |
| 473 | CERVICAL SPINAL FUSION WITHOUT CC/MCC | 605 | 0.26 | 2.0 |
| 474 | AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH MCC | 23 | 0.01 | 12 |
| 475 | AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH CC | 33 | 0.01 | 8.9 |
| 476 | AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITHOUT CC/MCC | 21 | 0.01 | 3.9 |

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Riverside County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|-----------------------------|----------------------------|-------------------------------|
| 477 | BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC | 20 | 0.01 | 15 |
| 478 | BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC | 91 | 0.04 | 6.3 |
| 479 | BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC | 75 | 0.03 | 4.1 |
| 480 | HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH MCC | 192 | 0.08 | 8.4 |
| 481 | HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH CC | 546 | 0.24 | 5.0 |
| 482 | HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITHOUT CC/MCC | 632 | 0.28 | 3.6 |
| 483 | MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITH CC/MCC | 66 | 0.03 | 4.0 |
| 484 | MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITHOUT CC/MCC | 228 | 0.10 | 1.8 |
| 485 | KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH MCC | 14 | 0.01 | 13 |
| 486 | KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH CC | 15 | 0.01 | 5.7 |
| 487 | KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC | 31 | 0.01 | 5.0 |
| 488 | KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITH CC/MCC | 36 | 0.02 | 5.1 |
| 489 | KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC | 137 | 0.06 | 1.9 |
| 490 | BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITH CC/MCC OR DISC DEVICE/NEUROSTIM | 259 | 0.11 | 5.2 |
| 491 | BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITHOUT CC/MCC | 721 | 0.32 | 2.1 |
| 492 | LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH MCC | 59 | 0.03 | 8.0 |
| 493 | LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH CC | 224 | 0.10 | 5.1 |
| 494 | LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITHOUT CC/MCC | 800 | 0.35 | 2.3 |
| 495 | LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH MCC | 23 | 0.01 | 14 |
| 496 | LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH CC | 88 | 0.04 | 4.5 |
| 497 | LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITHOUT CC/MCC | 232 | 0.10 | 2.3 |
| 498 | LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITH CC/MCC | 23 | 0.01 | 5.5 |

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Riverside County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 499 | LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITHOUT CC/MCC | 25 | 0.01 | 2.0 |
| 500 | SOFT TISSUE PROCEDURES WITH MCC | 31 | 0.01 | 9.7 |
| 501 | SOFT TISSUE PROCEDURES WITH CC | 92 | 0.04 | 5.5 |
| 502 | SOFT TISSUE PROCEDURES WITHOUT CC/MCC | 155 | 0.07 | 2.3 |
| 503 | FOOT PROCEDURES WITH MCC | 13 | 0.01 | 8.8 |
| 504 | FOOT PROCEDURES WITH CC | 33 | 0.01 | 5.6 |
| 505 | FOOT PROCEDURES WITHOUT CC/MCC | 79 | 0.03 | 2.2 |
| 506 | MAJOR THUMB OR JOINT PROCEDURES | 14 | 0.01 | 3.8 |
| 507 | MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITH CC/MCC | 5 | 0.00 | 4.4 |
| 508 | MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITHOUT CC/MCC | 32 | 0.01 | 1.8 |
| 509 | ARTHROSCOPY | 7 | 0.00 | 1.9 |
| 510 | SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH MCC | 16 | 0.01 | 6.3 |
| 511 | SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH CC | 51 | 0.02 | 3.5 |
| 512 | SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITHOUT CC/MCC | 191 | 0.08 | 1.8 |
| 513 | HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITH CC/MCC | 41 | 0.02 | 3.3 |
| 514 | HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITHOUT CC/MCC | 68 | 0.03 | 1.7 |
| 515 | OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH MCC | 20 | 0.01 | 14 |
| 516 | OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH CC | 62 | 0.03 | 6.5 |
| 517 | OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITHOUT CC/MCC | 105 | 0.05 | 2.6 |
| 533 | FRACTURES OF FEMUR WITH MCC | 7 | 0.00 | 7.3 |
| 534 | FRACTURES OF FEMUR WITHOUT MCC | 66 | 0.03 | 3.1 |
| 535 | FRACTURES OF HIP & PELVIS WITH MCC | 79 | 0.03 | 6.1 |

(Continued)

**MS-DRG by Patient County of Residence
for 2010
Riverside County**

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|-----------------------------|----------------------------|-------------------------------|
| 536 | FRACTURES OF HIP & PELVIS WITHOUT MCC | 318 | 0.14 | 3.3 |
| 537 | SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITH CC/MCC | 10 | 0.00 | 3.3 |
| 538 | SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITHOUT CC/MCC | 10 | 0.00 | 3.1 |
| 539 | OSTEOMYELITIS WITH MCC | 49 | 0.02 | 12 |
| 540 | OSTEOMYELITIS WITH CC | 73 | 0.03 | 7.5 |
| 541 | OSTEOMYELITIS WITHOUT CC/MCC | 36 | 0.02 | 6.7 |
| 542 | PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH MCC | 39 | 0.02 | 9.1 |
| 543 | PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH CC | 121 | 0.05 | 5.5 |
| 544 | PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITHOUT CC/MCC | 52 | 0.02 | 3.6 |
| 545 | CONNECTIVE TISSUE DISORDERS WITH MCC | 73 | 0.03 | 8.1 |
| 546 | CONNECTIVE TISSUE DISORDERS WITH CC | 113 | 0.05 | 3.9 |
| 547 | CONNECTIVE TISSUE DISORDERS WITHOUT CC/MCC | 137 | 0.06 | 2.9 |
| 548 | SEPTIC ARTHRITIS WITH MCC | 10 | 0.00 | 8.1 |
| 549 | SEPTIC ARTHRITIS WITH CC | 17 | 0.01 | 5.5 |
| 550 | SEPTIC ARTHRITIS WITHOUT CC/MCC | 15 | 0.01 | 3.2 |
| 551 | MEDICAL BACK PROBLEMS WITH MCC | 134 | 0.06 | 7.1 |
| 552 | MEDICAL BACK PROBLEMS WITHOUT MCC | 829 | 0.36 | 3.2 |
| 553 | BONE DISEASES & ARTHROPATHIES WITH MCC | 26 | 0.01 | 6.2 |
| 554 | BONE DISEASES & ARTHROPATHIES WITHOUT MCC | 150 | 0.07 | 3.4 |
| 555 | SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITH MCC | 25 | 0.01 | 5.9 |
| 556 | SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC | 213 | 0.09 | 3.3 |
| 557 | TENDONITIS, MYOSITIS & BURSITIS WITH MCC | 61 | 0.03 | 7.3 |

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Riverside County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 558 | TENDONITIS, MYOSITIS & BURSITIS WITHOUT MCC | 202 | 0.09 | 3.7 |
| 559 | AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC | 32 | 0.01 | 9.5 |
| 560 | AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC | 97 | 0.04 | 6.0 |
| 561 | AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC | 210 | 0.09 | 3.7 |
| 562 | FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITH MCC | 37 | 0.02 | 4.6 |
| 563 | FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC | 413 | 0.18 | 2.5 |
| 564 | OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH MCC | 32 | 0.01 | 6.8 |
| 565 | OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH CC | 51 | 0.02 | 5.4 |
| 566 | OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITHOUT CC/MCC | 56 | 0.02 | 5.1 |
| 573 | SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH MCC | 61 | 0.03 | 22 |
| 574 | SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH CC | 102 | 0.04 | 13 |
| 575 | SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC | 74 | 0.03 | 4.8 |
| 576 | SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH MCC | 5 | 0.00 | 7.2 |
| 577 | SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH CC | 38 | 0.02 | 5.5 |
| 578 | SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC | 73 | 0.03 | 2.7 |
| 579 | OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH MCC | 39 | 0.02 | 11 |
| 580 | OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH CC | 192 | 0.08 | 4.6 |
| 581 | OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITHOUT CC/MCC | 340 | 0.15 | 2.2 |
| 582 | MASTECTOMY FOR MALIGNANCY WITH CC/MCC | 96 | 0.04 | 2.5 |
| 583 | MASTECTOMY FOR MALIGNANCY WITHOUT CC/MCC | 178 | 0.08 | 1.5 |
| 584 | BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITH CC/MCC | 38 | 0.02 | 4.0 |
| 585 | BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITHOUT CC/MCC | 113 | 0.05 | 2.1 |

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Riverside County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|-----------------------------|----------------------------|-------------------------------|
| 592 | SKIN ULCERS WITH MCC | 54 | 0.02 | 14 |
| 593 | SKIN ULCERS WITH CC | 93 | 0.04 | 8.2 |
| 594 | SKIN ULCERS WITHOUT CC/MCC | 14 | 0.01 | 3.1 |
| 595 | MAJOR SKIN DISORDERS WITH MCC | 19 | 0.01 | 9.8 |
| 596 | MAJOR SKIN DISORDERS WITHOUT MCC | 81 | 0.04 | 4.5 |
| 597 | MALIGNANT BREAST DISORDERS WITH MCC | 9 | 0.00 | 13 |
| 598 | MALIGNANT BREAST DISORDERS WITH CC | 23 | 0.01 | 6.0 |
| 599 | MALIGNANT BREAST DISORDERS WITHOUT CC/MCC | 5 | 0.00 | 2.6 |
| 600 | NON-MALIGNANT BREAST DISORDERS WITH CC/MCC | 23 | 0.01 | 4.6 |
| 601 | NON-MALIGNANT BREAST DISORDERS WITHOUT CC/MCC | 32 | 0.01 | 3.2 |
| 602 | CELLULITIS WITH MCC | 334 | 0.15 | 8.2 |
| 603 | CELLULITIS WITHOUT MCC | 2,070 | 0.91 | 4.1 |
| 604 | TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITH MCC | 37 | 0.02 | 5.9 |
| 605 | TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITHOUT MCC | 344 | 0.15 | 2.0 |
| 606 | MINOR SKIN DISORDERS WITH MCC | 21 | 0.01 | 5.4 |
| 607 | MINOR SKIN DISORDERS WITHOUT MCC | 173 | 0.08 | 3.2 |
| 614 | ADRENAL & PITUITARY PROCEDURES WITH CC/MCC | 43 | 0.02 | 8.7 |
| 615 | ADRENAL & PITUITARY PROCEDURES WITHOUT CC/MCC | 37 | 0.02 | 3.5 |
| 616 | AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH MCC | 16 | 0.01 | 14 |
| 617 | AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH CC | 111 | 0.05 | 8.7 |
| 618 | AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITHOUT CC/MCC | 2 | 0.00 | 15 |
| 619 | O.R. PROCEDURES FOR OBESITY WITH MCC | 17 | 0.01 | 6.1 |

(Continued)

**MS-DRG by Patient County of Residence
for 2010
Riverside County**

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|-----------------------------|----------------------------|-------------------------------|
| 620 | O.R. PROCEDURES FOR OBESITY WITH CC | 134 | 0.06 | 2.7 |
| 621 | O.R. PROCEDURES FOR OBESITY WITHOUT CC/MCC | 956 | 0.42 | 1.9 |
| 622 | SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH MCC | 9 | 0.00 | 17 |
| 623 | SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH CC | 33 | 0.01 | 9.3 |
| 624 | SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITHOUT CC/MCC | 6 | 0.00 | 4.3 |
| 625 | THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH MCC | 15 | 0.01 | 7.0 |
| 626 | THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH CC | 81 | 0.04 | 2.6 |
| 627 | THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITHOUT CC/MCC | 455 | 0.20 | 1.4 |
| 628 | OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH MCC | 36 | 0.02 | 8.5 |
| 629 | OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH CC | 62 | 0.03 | 7.9 |
| 630 | OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITHOUT CC/MCC | 8 | 0.00 | 2.5 |
| 637 | DIABETES WITH MCC | 325 | 0.14 | 5.5 |
| 638 | DIABETES WITH CC | 770 | 0.34 | 4.2 |
| 639 | DIABETES WITHOUT CC/MCC | 845 | 0.37 | 2.5 |
| 640 | NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC | 655 | 0.29 | 4.1 |
| 641 | NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC | 1,899 | 0.83 | 3.0 |
| 642 | INBORN ERRORS OF METABOLISM | 43 | 0.02 | 8.2 |
| 643 | ENDOCRINE DISORDERS WITH MCC | 79 | 0.03 | 6.6 |
| 644 | ENDOCRINE DISORDERS WITH CC | 131 | 0.06 | 5.3 |
| 645 | ENDOCRINE DISORDERS WITHOUT CC/MCC | 189 | 0.08 | 2.6 |
| 652 | KIDNEY TRANSPLANT | 91 | 0.04 | 6.1 |
| 653 | MAJOR BLADDER PROCEDURES WITH MCC | 33 | 0.01 | 17 |

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Riverside County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|-----------------------------|----------------------------|-------------------------------|
| 654 | MAJOR BLADDER PROCEDURES WITH CC | 52 | 0.02 | 9.4 |
| 655 | MAJOR BLADDER PROCEDURES WITHOUT CC/MCC | 18 | 0.01 | 6.7 |
| 656 | KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH MCC | 52 | 0.02 | 11 |
| 657 | KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH CC | 83 | 0.04 | 6.2 |
| 658 | KIDNEY & URETER PROCEDURES FOR NEOPLASM WITHOUT CC/MCC | 132 | 0.06 | 3.8 |
| 659 | KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH MCC | 69 | 0.03 | 11 |
| 660 | KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH CC | 142 | 0.06 | 4.6 |
| 661 | KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITHOUT CC/MCC | 140 | 0.06 | 2.8 |
| 662 | MINOR BLADDER PROCEDURES WITH MCC | 7 | 0.00 | 14 |
| 663 | MINOR BLADDER PROCEDURES WITH CC | 19 | 0.01 | 2.6 |
| 664 | MINOR BLADDER PROCEDURES WITHOUT CC/MCC | 63 | 0.03 | 1.4 |
| 665 | PROSTATECTOMY WITH MCC | 3 | 0.00 | 9.3 |
| 666 | PROSTATECTOMY WITH CC | 8 | 0.00 | 5.0 |
| 667 | PROSTATECTOMY WITHOUT CC/MCC | 29 | 0.01 | 1.9 |
| 668 | TRANSURETHRAL PROCEDURES WITH MCC | 42 | 0.02 | 6.6 |
| 669 | TRANSURETHRAL PROCEDURES WITH CC | 131 | 0.06 | 3.2 |
| 670 | TRANSURETHRAL PROCEDURES WITHOUT CC/MCC | 125 | 0.05 | 2.4 |
| 671 | URETHRAL PROCEDURES WITH CC/MCC | 6 | 0.00 | 5.0 |
| 672 | URETHRAL PROCEDURES WITHOUT CC/MCC | 12 | 0.01 | 2.8 |
| 673 | OTHER KIDNEY & URINARY TRACT PROCEDURES WITH MCC | 102 | 0.04 | 11 |
| 674 | OTHER KIDNEY & URINARY TRACT PROCEDURES WITH CC | 90 | 0.04 | 6.2 |
| 675 | OTHER KIDNEY & URINARY TRACT PROCEDURES WITHOUT CC/MCC | 31 | 0.01 | 2.1 |

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Riverside County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|-----------------------------|----------------------------|-------------------------------|
| 682 | RENAL FAILURE WITH MCC | 786 | 0.34 | 7.6 |
| 683 | RENAL FAILURE WITH CC | 1,054 | 0.46 | 4.9 |
| 684 | RENAL FAILURE WITHOUT CC/MCC | 334 | 0.15 | 3.1 |
| 685 | ADMIT FOR RENAL DIALYSIS | 12 | 0.01 | 3.2 |
| 686 | KIDNEY & URINARY TRACT NEOPLASMS WITH MCC | 21 | 0.01 | 9.1 |
| 687 | KIDNEY & URINARY TRACT NEOPLASMS WITH CC | 34 | 0.01 | 4.5 |
| 688 | KIDNEY & URINARY TRACT NEOPLASMS WITHOUT CC/MCC | 7 | 0.00 | 2.1 |
| 689 | KIDNEY & URINARY TRACT INFECTIONS WITH MCC | 592 | 0.26 | 5.7 |
| 690 | KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC | 2,141 | 0.94 | 3.7 |
| 691 | URINARY STONES WITH ESW LITHOTRIPSY WITH CC/MCC | 14 | 0.01 | 4.1 |
| 692 | URINARY STONES WITH ESW LITHOTRIPSY WITHOUT CC/MCC | 11 | 0.00 | 1.2 |
| 693 | URINARY STONES WITHOUT ESW LITHOTRIPSY WITH MCC | 44 | 0.02 | 4.0 |
| 694 | URINARY STONES WITHOUT ESW LITHOTRIPSY WITHOUT MCC | 306 | 0.13 | 2.2 |
| 695 | KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITH MCC | 17 | 0.01 | 6.0 |
| 696 | KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITHOUT MCC | 108 | 0.05 | 2.7 |
| 697 | URETHRAL STRICTURE | 6 | 0.00 | 1.3 |
| 698 | OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH MCC | 272 | 0.12 | 6.1 |
| 699 | OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH CC | 328 | 0.14 | 4.3 |
| 700 | OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITHOUT CC/MCC | 144 | 0.06 | 3.0 |
| 707 | MAJOR MALE PELVIC PROCEDURES WITH CC/MCC | 84 | 0.04 | 3.9 |
| 708 | MAJOR MALE PELVIC PROCEDURES WITHOUT CC/MCC | 321 | 0.14 | 1.8 |
| 709 | PENIS PROCEDURES WITH CC/MCC | 15 | 0.01 | 6.6 |

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Riverside County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|-----------------------------|----------------------------|-------------------------------|
| 710 | PENIS PROCEDURES WITHOUT CC/MCC | 50 | 0.02 | 1.8 |
| 711 | TESTES PROCEDURES WITH CC/MCC | 14 | 0.01 | 5.4 |
| 712 | TESTES PROCEDURES WITHOUT CC/MCC | 41 | 0.02 | 1.2 |
| 713 | TRANSURETHRAL PROSTATECTOMY WITH CC/MCC | 58 | 0.03 | 3.4 |
| 714 | TRANSURETHRAL PROSTATECTOMY WITHOUT CC/MCC | 252 | 0.11 | 1.4 |
| 715 | OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE FOR MALIGNANCY WITH CC/MCC | 8 | 0.00 | 11 |
| 716 | OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE FOR MALIGNANCY WITHOUT CC/MCC | 3 | 0.00 | 2.3 |
| 717 | OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE EXCEPT MALIGNANCY WITH CC/MCC | 4 | 0.00 | 10 |
| 718 | OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE EXCEPT MALIGNANCY WITHOUT CC/MCC | 2 | 0.00 | 2.0 |
| 722 | MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH MCC | 4 | 0.00 | 5.5 |
| 723 | MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH CC | 11 | 0.00 | 5.6 |
| 724 | MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC | 14 | 0.01 | 1.8 |
| 725 | BENIGN PROSTATIC HYPERTROPHY WITH MCC | 15 | 0.01 | 3.6 |
| 726 | BENIGN PROSTATIC HYPERTROPHY WITHOUT MCC | 30 | 0.01 | 2.8 |
| 727 | INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITH MCC | 30 | 0.01 | 7.5 |
| 728 | INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITHOUT MCC | 112 | 0.05 | 3.8 |
| 729 | OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITH CC/MCC | 21 | 0.01 | 4.5 |
| 730 | OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC | 16 | 0.01 | 2.4 |
| 734 | PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITH CC/MCC | 37 | 0.02 | 6.9 |
| 735 | PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITHOUT CC/MCC | 45 | 0.02 | 2.8 |
| 736 | UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH MCC | 16 | 0.01 | 8.9 |
| 737 | UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH CC | 56 | 0.02 | 6.1 |

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Riverside County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 738 | UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITHOUT CC/MCC | 26 | 0.01 | 3.8 |
| 739 | UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH MCC | 11 | 0.00 | 10 |
| 740 | UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH CC | 74 | 0.03 | 5.1 |
| 741 | UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITHOUT CC/MCC | 147 | 0.06 | 2.6 |
| 742 | UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITH CC/MCC | 483 | 0.21 | 3.4 |
| 743 | UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITHOUT CC/MCC | 2,674 | 1.17 | 2.1 |
| 744 | D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITH CC/MCC | 37 | 0.02 | 4.6 |
| 745 | D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITHOUT CC/MCC | 104 | 0.05 | 2.0 |
| 746 | VAGINA, CERVIX & VULVA PROCEDURES WITH CC/MCC | 47 | 0.02 | 4.5 |
| 747 | VAGINA, CERVIX & VULVA PROCEDURES WITHOUT CC/MCC | 147 | 0.06 | 1.7 |
| 748 | FEMALE REPRODUCTIVE SYSTEM RECONSTRUCTIVE PROCEDURES | 396 | 0.17 | 1.4 |
| 749 | OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITH CC/MCC | 23 | 0.01 | 7.9 |
| 750 | OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC | 17 | 0.01 | 2.4 |
| 754 | MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH MCC | 20 | 0.01 | 9.5 |
| 755 | MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH CC | 49 | 0.02 | 5.8 |
| 756 | MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC | 15 | 0.01 | 2.9 |
| 757 | INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH MCC | 20 | 0.01 | 8.3 |
| 758 | INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH CC | 41 | 0.02 | 4.8 |
| 759 | INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC | 67 | 0.03 | 3.1 |
| 760 | MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITH CC/MCC | 82 | 0.04 | 3.1 |
| 761 | MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITHOUT CC/MCC | 181 | 0.08 | 1.5 |
| 765 | CESAREAN SECTION WITH CC/MCC | 2,811 | 1.23 | 4.3 |

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Riverside County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|-----------------------------|----------------------------|-------------------------------|
| 766 | CESAREAN SECTION WITHOUT CC/MCC | 6,906 | 3.02 | 2.8 |
| 767 | VAGINAL DELIVERY WITH STERILIZATION &/OR D&C | 424 | 0.19 | 2.4 |
| 768 | VAGINAL DELIVERY WITH O.R. PROCEDURE EXCEPT STERIL &/OR D&C | 10 | 0.00 | 2.9 |
| 769 | POSTPARTUM & POST ABORTION DIAGNOSIS WITH O.R. PROCEDURE | 93 | 0.04 | 4.1 |
| 770 | ABORTION WITH D&C, ASPIRATION CURETTAGE OR HYSTEROTOMY | 229 | 0.10 | 1.3 |
| 774 | VAGINAL DELIVERY WITH COMPLICATING DIAGNOSIS | 1,947 | 0.85 | 2.5 |
| 775 | VAGINAL DELIVERY WITHOUT COMPLICATING DIAGNOSIS | 17,596 | 7.70 | 1.8 |
| 776 | POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE | 319 | 0.14 | 2.7 |
| 777 | ECTOPIC PREGNANCY | 225 | 0.10 | 2.0 |
| 778 | THREATENED ABORTION | 501 | 0.22 | 2.7 |
| 779 | ABORTION WITHOUT D&C | 178 | 0.08 | 1.4 |
| 780 | FALSE LABOR | 54 | 0.02 | .63 |
| 781 | OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS | 1,458 | 0.64 | 2.9 |
| 782 | OTHER ANTEPARTUM DIAGNOSIS WITHOUT MEDICAL COMPLICATIONS | 365 | 0.16 | 2.6 |
| 789 | NEONATES, DIED OR TRANSFERRED TO ANOTHER ACUTE CARE FACILITY | 760 | 0.33 | 3.7 |
| 790 | EXTREME IMMATURETY OR RESPIRATORY DISTRESS SYNDROME, NEONATE | 486 | 0.21 | 40 |
| 791 | PREMATURITY WITH MAJOR PROBLEMS | 595 | 0.26 | 19 |
| 792 | PREMATURITY WITHOUT MAJOR PROBLEMS | 1,180 | 0.52 | 5.6 |
| 793 | FULL TERM NEONATE WITH MAJOR PROBLEMS | 1,471 | 0.64 | 6.3 |
| 794 | NEONATE WITH OTHER SIGNIFICANT PROBLEMS | 4,102 | 1.80 | 2.4 |
| 795 | NORMAL NEWBORN | 22,722 | 9.95 | 1.8 |
| 799 | SPLENECTOMY WITH MCC | 8 | 0.00 | 8.4 |

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Riverside County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 800 | SPLENECTOMY WITH CC | 9 | 0.00 | 4.9 |
| 801 | SPLENECTOMY WITHOUT CC/MCC | 22 | 0.01 | 3.6 |
| 802 | OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH MCC | 7 | 0.00 | 13 |
| 803 | OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH CC | 14 | 0.01 | 5.6 |
| 804 | OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITHOUT CC/MCC | 26 | 0.01 | 2.8 |
| 808 | MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH MCC | 128 | 0.06 | 7.3 |
| 809 | MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH CC | 255 | 0.11 | 5.5 |
| 810 | MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITHOUT CC/MCC | 66 | 0.03 | 4.0 |
| 811 | RED BLOOD CELL DISORDERS WITH MCC | 411 | 0.18 | 5.4 |
| 812 | RED BLOOD CELL DISORDERS WITHOUT MCC | 1,420 | 0.62 | 2.9 |
| 813 | COAGULATION DISORDERS | 263 | 0.12 | 3.4 |
| 814 | RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH MCC | 21 | 0.01 | 9.9 |
| 815 | RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH CC | 78 | 0.03 | 5.1 |
| 816 | RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITHOUT CC/MCC | 88 | 0.04 | 3.3 |
| 820 | LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH MCC | 21 | 0.01 | 25 |
| 821 | LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH CC | 26 | 0.01 | 8.7 |
| 822 | LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITHOUT CC/MCC | 28 | 0.01 | 3.0 |
| 823 | LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH MCC | 21 | 0.01 | 13 |
| 824 | LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH CC | 26 | 0.01 | 7.8 |
| 825 | LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC | 30 | 0.01 | 4.7 |
| 826 | MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH MCC | 11 | 0.00 | 16 |
| 827 | MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH CC | 28 | 0.01 | 7.3 |

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Riverside County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 828 | MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITHOUT CC/MCC | 21 | 0.01 | 4.9 |
| 829 | MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITH CC/MCC | 18 | 0.01 | 12 |
| 830 | MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC | 9 | 0.00 | 2.9 |
| 834 | ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH MCC | 79 | 0.03 | 26 |
| 835 | ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH CC | 84 | 0.04 | 15 |
| 836 | ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITHOUT CC/MCC | 46 | 0.02 | 6.1 |
| 837 | CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS OR WITH HIGH DOSE CHEMO AGENT WITH MCC | 31 | 0.01 | 21 |
| 838 | CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITH CC OR HIGH DOSE CHEMO AGENT | 51 | 0.02 | 12 |
| 839 | CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITHOUT CC/MCC | 128 | 0.06 | 6.4 |
| 840 | LYMPHOMA & NON-ACUTE LEUKEMIA WITH MCC | 102 | 0.04 | 11 |
| 841 | LYMPHOMA & NON-ACUTE LEUKEMIA WITH CC | 108 | 0.05 | 6.9 |
| 842 | LYMPHOMA & NON-ACUTE LEUKEMIA WITHOUT CC/MCC | 62 | 0.03 | 4.5 |
| 843 | OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH MCC | 17 | 0.01 | 9.0 |
| 844 | OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH CC | 40 | 0.02 | 4.8 |
| 845 | OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITHOUT CC/MCC | 9 | 0.00 | 4.7 |
| 846 | CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH MCC | 75 | 0.03 | 8.5 |
| 847 | CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH CC | 568 | 0.25 | 3.9 |
| 848 | CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITHOUT CC/MCC | 63 | 0.03 | 4.4 |
| 849 | RADIOTHERAPY | 18 | 0.01 | 3.2 |
| 853 | INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH MCC | 486 | 0.21 | 20 |
| 854 | INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH CC | 58 | 0.03 | 8.8 |
| 855 | INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITHOUT CC/MCC | 7 | 0.00 | 5.3 |

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Riverside County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 856 | POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH MCC | 88 | 0.04 | 16 |
| 857 | POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH CC | 105 | 0.05 | 7.6 |
| 858 | POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITHOUT CC/MCC | 55 | 0.02 | 5.5 |
| 862 | POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITH MCC | 162 | 0.07 | 9.2 |
| 863 | POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC | 377 | 0.17 | 4.8 |
| 864 | FEVER | 283 | 0.12 | 3.2 |
| 865 | VIRAL ILLNESS WITH MCC | 45 | 0.02 | 7.6 |
| 866 | VIRAL ILLNESS WITHOUT MCC | 202 | 0.09 | 3.2 |
| 867 | OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH MCC | 98 | 0.04 | 13 |
| 868 | OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH CC | 44 | 0.02 | 8.5 |
| 869 | OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITHOUT CC/MCC | 19 | 0.01 | 4.7 |
| 870 | SEPTICEMIA OR SEVERE SEPSIS WITH MECH VENT 96+ HOURS | 459 | 0.20 | 19 |
| 871 | SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC | 3,135 | 1.37 | 7.7 |
| 872 | SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC | 1,093 | 0.48 | 5.0 |
| 876 | O.R. PROCEDURE WITH PRINCIPAL DIAGNOSIS OF MENTAL ILLNESS | 4 | 0.00 | 11 |
| 880 | ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION | 175 | 0.08 | 2.3 |
| 881 | DEPRESSIVE NEUROSES | 423 | 0.19 | 3.3 |
| 882 | NEUROSES EXCEPT DEPRESSIVE | 188 | 0.08 | 3.2 |
| 883 | DISORDERS OF PERSONALITY & IMPULSE CONTROL | 353 | 0.15 | 5.7 |
| 884 | ORGANIC DISTURBANCES & MENTAL RETARDATION | 205 | 0.09 | 6.1 |
| 885 | PSYCHOSES | 10,387 | 4.55 | 6.7 |
| 886 | BEHAVIORAL & DEVELOPMENTAL DISORDERS | 55 | 0.02 | 3.0 |

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Riverside County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 887 | OTHER MENTAL DISORDER DIAGNOSIS | 13 | 0.01 | 3.8 |
| 894 | ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA | 173 | 0.08 | 3.7 |
| 895 | ALCOHOL/DRUG ABUSE OR DEPENDENCE WITH REHABILITATION THERAPY | 447 | 0.20 | 12 |
| 896 | ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC | 150 | 0.07 | 6.9 |
| 897 | ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC | 1,232 | 0.54 | 4.5 |
| 901 | WOUND DEBRIDE EMENTS FOR INJURIES WITH MCC | 13 | 0.01 | 30 |
| 902 | WOUND DEBRIDE EMENTS FOR INJURIES WITH CC | 21 | 0.01 | 5.8 |
| 903 | WOUND DEBRIDE EMENTS FOR INJURIES WITHOUT CC/MCC | 21 | 0.01 | 3.1 |
| 904 | SKIN GRAFTS FOR INJURIES WITH CC/MCC | 25 | 0.01 | 9.2 |
| 905 | SKIN GRAFTS FOR INJURIES WITHOUT CC/MCC | 19 | 0.01 | 4.3 |
| 906 | HAND PROCEDURES FOR INJURIES | 50 | 0.02 | 3.3 |
| 907 | OTHER O.R. PROCEDURES FOR INJURIES WITH MCC | 109 | 0.05 | 17 |
| 908 | OTHER O.R. PROCEDURES FOR INJURIES WITH CC | 163 | 0.07 | 6.2 |
| 909 | OTHER O.R. PROCEDURES FOR INJURIES WITHOUT CC/MCC | 137 | 0.06 | 3.0 |
| 913 | TRAUMATIC INJURY WITH MCC | 19 | 0.01 | 5.2 |
| 914 | TRAUMATIC INJURY WITHOUT MCC | 154 | 0.07 | 2.3 |
| 915 | ALLERGIC REACTIONS WITH MCC | 14 | 0.01 | 4.8 |
| 916 | ALLERGIC REACTIONS WITHOUT MCC | 64 | 0.03 | 1.9 |
| 917 | POISONING & TOXIC EFFECTS OF DRUGS WITH MCC | 387 | 0.17 | 4.9 |
| 918 | POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC | 846 | 0.37 | 2.2 |
| 919 | COMPLICATIONS OF TREATMENT WITH MCC | 155 | 0.07 | 8.9 |
| 920 | COMPLICATIONS OF TREATMENT WITH CC | 202 | 0.09 | 4.4 |

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Riverside County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 921 | COMPLICATIONS OF TREATMENT WITHOUT CC/MCC | 159 | 0.07 | 2.4 |
| 922 | OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITH MCC | 44 | 0.02 | 7.0 |
| 923 | OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITHOUT MCC | 117 | 0.05 | 2.8 |
| 927 | EXTENSIVE BURNS OR FULL THICKNESS BURNS WITH MECH VENT 96+ HRS WITH SKIN GRAFT | 8 | 0.00 | 42 |
| 928 | FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITH CC/MCC | 17 | 0.01 | 14 |
| 929 | FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITHOUT CC/MCC | 25 | 0.01 | 7.0 |
| 933 | EXTENSIVE BURNS OR FULL THICKNESS BURNS WITH MECH VENT 96+ HRS WITHOUT SKIN GRAFT | 1 | 0.00 | 9.0 |
| 934 | FULL THICKNESS BURN WITHOUT SKIN GRAFT OR INHAL INJURY | 15 | 0.01 | 6.1 |
| 935 | NON-EXTENSIVE BURNS | 128 | 0.06 | 3.9 |
| 939 | O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH MCC | 15 | 0.01 | 16 |
| 940 | O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC | 43 | 0.02 | 5.0 |
| 941 | O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITHOUT CC/MCC | 60 | 0.03 | 2.4 |
| 945 | REHABILITATION WITH CC/MCC | 1,050 | 0.46 | 13 |
| 946 | REHABILITATION WITHOUT CC/MCC | 343 | 0.15 | 7.8 |
| 947 | SIGNS & SYMPTOMS WITH MCC | 161 | 0.07 | 5.7 |
| 948 | SIGNS & SYMPTOMS WITHOUT MCC | 661 | 0.29 | 3.2 |
| 949 | AFTERCARE WITH CC/MCC | 124 | 0.05 | 9.9 |
| 950 | AFTERCARE WITHOUT CC/MCC | 60 | 0.03 | 5.9 |
| 951 | OTHER FACTORS INFLUENCING HEALTH STATUS | 184 | 0.08 | 2.7 |
| 955 | CRANIOTOMY FOR MULTIPLE SIGNIFICANT TRAUMA | 19 | 0.01 | 14 |
| 956 | LIMB REATTACHMENT, HIP & FEMUR PROCEDURE FOR MULTIPLE SIGNIFICANT TRAUMA | 80 | 0.04 | 11 |
| 957 | OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH MCC | 59 | 0.03 | 16 |

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Riverside County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 958 | OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH CC | 67 | 0.03 | 11 |
| 959 | OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC | 35 | 0.02 | 5.1 |
| 963 | OTHER MULTIPLE SIGNIFICANT TRAUMA WITH MCC | 37 | 0.02 | 10 |
| 964 | OTHER MULTIPLE SIGNIFICANT TRAUMA WITH CC | 101 | 0.04 | 5.7 |
| 965 | OTHER MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC | 60 | 0.03 | 3.5 |
| 969 | HIV WITH EXTENSIVE O.R. PROCEDURE WITH MCC | 7 | 0.00 | 14 |
| 974 | HIV WITH MAJOR RELATED CONDITION WITH MCC | 87 | 0.04 | 12 |
| 975 | HIV WITH MAJOR RELATED CONDITION WITH CC | 63 | 0.03 | 8.1 |
| 976 | HIV WITH MAJOR RELATED CONDITION WITHOUT CC/MCC | 41 | 0.02 | 6.0 |
| 977 | HIV WITH OR WITHOUT OTHER RELATED CONDITION | 47 | 0.02 | 5.7 |
| 981 | EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC | 275 | 0.12 | 17 |
| 982 | EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC | 219 | 0.10 | 6.9 |
| 983 | EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC | 221 | 0.10 | 3.1 |
| 985 | PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC | 3 | 0.00 | 6.3 |
| 986 | PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC | 3 | 0.00 | 4.3 |
| 987 | NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC | 65 | 0.03 | 13 |
| 988 | NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC | 111 | 0.05 | 6.8 |
| 989 | NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC | 86 | 0.04 | 2.4 |
| 999 | UNGROUPABLE | 1 | 0.00 | 5.0 |
| All | | 228,442 | 100.0 | 4.4 |

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Riverside County**

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 001 | HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM WITH MCC | 10 | 0.00 | 45 |
| 002 | HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM WITHOUT MCC | 4 | 0.00 | 16 |
| 003 | ECMO OR TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITH MAJOR O.R. | 301 | 0.14 | 43 |
| 004 | TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITHOUT MAJOR O.R. | 308 | 0.14 | 37 |
| 005 | LIVER TRANSPLANT WITH MCC OR INTESTINAL TRANSPLANT | 28 | 0.01 | 39 |
| 006 | LIVER TRANSPLANT WITHOUT MCC | 7 | 0.00 | 15 |
| 007 | LUNG TRANSPLANT | 4 | 0.00 | 15 |
| 008 | SIMULTANEOUS PANCREAS/KIDNEY TRANSPLANT | 7 | 0.00 | 9.3 |
| 009 | BONE MARROW TRANSPLANT | 59 | 0.03 | 34 |
| 011 | TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH MCC | 33 | 0.02 | 12 |
| 012 | TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH CC | 24 | 0.01 | 11 |
| 013 | TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITHOUT CC/MCC | 11 | 0.01 | 8.1 |
| 020 | INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH MCC | 36 | 0.02 | 15 |
| 021 | INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH CC | 8 | 0.00 | 21 |
| 022 | INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITHOUT CC/MCC | 14 | 0.01 | 8.2 |
| 023 | CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITH MCC OR CHEMO IMPLANT | 71 | 0.03 | 14 |
| 024 | CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITHOUT MCC | 35 | 0.02 | 8.9 |
| 025 | CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH MCC | 212 | 0.10 | 14 |
| 026 | CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH CC | 195 | 0.09 | 8.4 |

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Riverside County**

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|-----------------------------|----------------------------|-------------------------------|
| 027 | CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITHOUT CC/MCC | 255 | 0.12 | 3.8 |
| 028 | SPINAL PROCEDURES WITH MCC | 33 | 0.02 | 14 |
| 029 | SPINAL PROCEDURES WITH CC OR SPINAL NEUROSTIMULATORS | 60 | 0.03 | 6.4 |
| 030 | SPINAL PROCEDURES WITHOUT CC/MCC | 86 | 0.04 | 3.5 |
| 031 | VENTRICULAR SHUNT PROCEDURES WITH MCC | 27 | 0.01 | 13 |
| 032 | VENTRICULAR SHUNT PROCEDURES WITH CC | 45 | 0.02 | 5.6 |
| 033 | VENTRICULAR SHUNT PROCEDURES WITHOUT CC/MCC | 48 | 0.02 | 2.5 |
| 034 | CAROTID ARTERY STENT PROCEDURE WITH MCC | 10 | 0.00 | 14 |
| 035 | CAROTID ARTERY STENT PROCEDURE WITH CC | 16 | 0.01 | 2.9 |
| 036 | CAROTID ARTERY STENT PROCEDURE WITHOUT CC/MCC | 39 | 0.02 | 1.8 |
| 037 | EXTRACRANIAL PROCEDURES WITH MCC | 33 | 0.02 | 9.8 |
| 038 | EXTRACRANIAL PROCEDURES WITH CC | 88 | 0.04 | 3.5 |
| 039 | EXTRACRANIAL PROCEDURES WITHOUT CC/MCC | 344 | 0.16 | 1.6 |
| 040 | PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH MCC | 46 | 0.02 | 16 |
| 041 | PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH CC OR PERIPH NEUROSTIM | 97 | 0.05 | 6.7 |
| 042 | PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITHOUT CC/MCC | 67 | 0.03 | 2.5 |
| 052 | SPINAL DISORDERS & INJURIES WITH CC/MCC | 18 | 0.01 | 39 |
| 053 | SPINAL DISORDERS & INJURIES WITHOUT CC/MCC | 17 | 0.01 | 3.1 |
| 054 | NERVOUS SYSTEM NEOPLASMS WITH MCC | 86 | 0.04 | 6.6 |
| 055 | NERVOUS SYSTEM NEOPLASMS WITHOUT MCC | 185 | 0.09 | 3.8 |
| 056 | DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC | 90 | 0.04 | 12 |

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Riverside County**

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 057 | DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC | 303 | 0.14 | 4.0 |
| 058 | MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH MCC | 11 | 0.01 | 6.5 |
| 059 | MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH CC | 36 | 0.02 | 7.0 |
| 060 | MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITHOUT CC/MCC | 47 | 0.02 | 3.8 |
| 061 | ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH MCC | 21 | 0.01 | 9.8 |
| 062 | ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH CC | 28 | 0.01 | 6.9 |
| 063 | ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITHOUT CC/MCC | 7 | 0.00 | 3.1 |
| 064 | INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC | 681 | 0.32 | 7.2 |
| 065 | INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC | 1,032 | 0.48 | 4.6 |
| 066 | INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC | 840 | 0.39 | 2.8 |
| 067 | NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITH MCC | 13 | 0.01 | 3.8 |
| 068 | NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITHOUT MCC | 97 | 0.05 | 3.1 |
| 069 | TRANSIENT ISCHEMIA | 861 | 0.40 | 2.2 |
| 070 | NONSPECIFIC CEREBROVASCULAR DISORDERS WITH MCC | 107 | 0.05 | 6.3 |
| 071 | NONSPECIFIC CEREBROVASCULAR DISORDERS WITH CC | 105 | 0.05 | 4.2 |
| 072 | NONSPECIFIC CEREBROVASCULAR DISORDERS WITHOUT CC/MCC | 67 | 0.03 | 2.4 |
| 073 | CRANIAL & PERIPHERAL NERVE DISORDERS WITH MCC | 102 | 0.05 | 6.4 |
| 074 | CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC | 402 | 0.19 | 3.7 |
| 075 | VIRAL MENINGITIS WITH CC/MCC | 55 | 0.03 | 6.3 |
| 076 | VIRAL MENINGITIS WITHOUT CC/MCC | 162 | 0.08 | 2.9 |
| 077 | HYPERTENSIVE ENCEPHALOPATHY WITH MCC | 21 | 0.01 | 5.7 |

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Riverside County**

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 078 | HYPERTENSIVE ENCEPHALOPATHY WITH CC | 20 | 0.01 | 3.4 |
| 079 | HYPERTENSIVE ENCEPHALOPATHY WITHOUT CC/MCC | 9 | 0.00 | 2.7 |
| 080 | NONTRAUMATIC STUPOR & COMA WITH MCC | 84 | 0.04 | 5.4 |
| 081 | NONTRAUMATIC STUPOR & COMA WITHOUT MCC | 275 | 0.13 | 2.8 |
| 082 | TRAUMATIC STUPOR & COMA, COMA >1 HR WITH MCC | 43 | 0.02 | 4.8 |
| 083 | TRAUMATIC STUPOR & COMA, COMA >1 HR WITH CC | 36 | 0.02 | 4.7 |
| 084 | TRAUMATIC STUPOR & COMA, COMA >1 HR WITHOUT CC/MCC | 72 | 0.03 | 3.0 |
| 085 | TRAUMATIC STUPOR & COMA, COMA <1 HR WITH MCC | 90 | 0.04 | 6.9 |
| 086 | TRAUMATIC STUPOR & COMA, COMA <1 HR WITH CC | 151 | 0.07 | 3.9 |
| 087 | TRAUMATIC STUPOR & COMA, COMA <1 HR WITHOUT CC/MCC | 282 | 0.13 | 2.7 |
| 088 | CONCUSSION WITH MCC | 12 | 0.01 | 5.6 |
| 089 | CONCUSSION WITH CC | 56 | 0.03 | 2.1 |
| 090 | CONCUSSION WITHOUT CC/MCC | 132 | 0.06 | 1.3 |
| 091 | OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC | 112 | 0.05 | 6.7 |
| 092 | OTHER DISORDERS OF NERVOUS SYSTEM WITH CC | 167 | 0.08 | 4.1 |
| 093 | OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC | 245 | 0.11 | 2.3 |
| 094 | BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH MCC | 30 | 0.01 | 17 |
| 095 | BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH CC | 26 | 0.01 | 11 |
| 096 | BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITHOUT CC/MCC | 32 | 0.02 | 6.7 |
| 097 | NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH MCC | 24 | 0.01 | 14 |
| 098 | NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH CC | 13 | 0.01 | 7.2 |

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Riverside County**

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 099 | NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITHOUT CC/MCC | 37 | 0.02 | 4.2 |
| 100 | SEIZURES WITH MCC | 286 | 0.13 | 5.7 |
| 101 | SEIZURES WITHOUT MCC | 1,121 | 0.53 | 2.8 |
| 102 | HEADACHES WITH MCC | 19 | 0.01 | 2.7 |
| 103 | HEADACHES WITHOUT MCC | 332 | 0.16 | 2.4 |
| 113 | ORBITAL PROCEDURES WITH CC/MCC | 17 | 0.01 | 4.1 |
| 114 | ORBITAL PROCEDURES WITHOUT CC/MCC | 22 | 0.01 | 1.6 |
| 115 | EXTRAOCULAR PROCEDURES EXCEPT ORBIT | 30 | 0.01 | 3.5 |
| 116 | INTRAOCULAR PROCEDURES WITH CC/MCC | 7 | 0.00 | 5.3 |
| 117 | INTRAOCULAR PROCEDURES WITHOUT CC/MCC | 19 | 0.01 | 5.2 |
| 121 | ACUTE MAJOR EYE INFECTIONS WITH CC/MCC | 18 | 0.01 | 4.4 |
| 122 | ACUTE MAJOR EYE INFECTIONS WITHOUT CC/MCC | 30 | 0.01 | 3.0 |
| 123 | NEUROLOGICAL EYE DISORDERS | 64 | 0.03 | 3.5 |
| 124 | OTHER DISORDERS OF THE EYE WITH MCC | 18 | 0.01 | 4.3 |
| 125 | OTHER DISORDERS OF THE EYE WITHOUT MCC | 97 | 0.05 | 2.8 |
| 129 | MAJOR HEAD & NECK PROCEDURES WITH CC/MCC OR MAJOR DEVICE | 31 | 0.01 | 4.2 |
| 130 | MAJOR HEAD & NECK PROCEDURES WITHOUT CC/MCC | 38 | 0.02 | 2.4 |
| 131 | CRANIAL/FACIAL PROCEDURES WITH CC/MCC | 42 | 0.02 | 6.8 |
| 132 | CRANIAL/FACIAL PROCEDURES WITHOUT CC/MCC | 195 | 0.09 | 1.5 |
| 133 | OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITH CC/MCC | 81 | 0.04 | 5.7 |
| 134 | OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITHOUT CC/MCC | 332 | 0.16 | 1.6 |

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Riverside County**

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 135 | SINUS & MASTOID PROCEDURES WITH CC/MCC | 7 | 0.00 | 7.3 |
| 136 | SINUS & MASTOID PROCEDURES WITHOUT CC/MCC | 10 | 0.00 | 2.0 |
| 137 | MOUTH PROCEDURES WITH CC/MCC | 11 | 0.01 | 4.0 |
| 138 | MOUTH PROCEDURES WITHOUT CC/MCC | 23 | 0.01 | 2.1 |
| 139 | SALIVARY GLAND PROCEDURES | 21 | 0.01 | 1.9 |
| 146 | EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH MCC | 5 | 0.00 | 8.0 |
| 147 | EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH CC | 16 | 0.01 | 3.7 |
| 148 | EAR, NOSE, MOUTH & THROAT MALIGNANCY WITHOUT CC/MCC | 6 | 0.00 | 1.2 |
| 149 | DYSEQUILIBRIUM | 337 | 0.16 | 2.0 |
| 150 | EPISTAXIS WITH MCC | 5 | 0.00 | 3.4 |
| 151 | EPISTAXIS WITHOUT MCC | 54 | 0.03 | 2.3 |
| 152 | OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITH MCC | 53 | 0.02 | 5.5 |
| 153 | OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITHOUT MCC | 471 | 0.22 | 2.2 |
| 154 | OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH MCC | 22 | 0.01 | 6.1 |
| 155 | OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH CC | 71 | 0.03 | 4.3 |
| 156 | OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITHOUT CC/MCC | 108 | 0.05 | 2.4 |
| 157 | DENTAL & ORAL DISEASES WITH MCC | 27 | 0.01 | 4.5 |
| 158 | DENTAL & ORAL DISEASES WITH CC | 76 | 0.04 | 4.5 |
| 159 | DENTAL & ORAL DISEASES WITHOUT CC/MCC | 56 | 0.03 | 2.2 |
| 163 | MAJOR CHEST PROCEDURES WITH MCC | 157 | 0.07 | 15 |
| 164 | MAJOR CHEST PROCEDURES WITH CC | 157 | 0.07 | 6.8 |

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Riverside County**

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|-----------------------------|----------------------------|-------------------------------|
| 165 | MAJOR CHEST PROCEDURES WITHOUT CC/MCC | 176 | 0.08 | 4.8 |
| 166 | OTHER RESP SYSTEM O.R. PROCEDURES WITH MCC | 138 | 0.06 | 19 |
| 167 | OTHER RESP SYSTEM O.R. PROCEDURES WITH CC | 112 | 0.05 | 7.1 |
| 168 | OTHER RESP SYSTEM O.R. PROCEDURES WITHOUT CC/MCC | 45 | 0.02 | 4.2 |
| 175 | PULMONARY EMBOLISM WITH MCC | 181 | 0.08 | 6.2 |
| 176 | PULMONARY EMBOLISM WITHOUT MCC | 433 | 0.20 | 4.0 |
| 177 | RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC | 515 | 0.24 | 10 |
| 178 | RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC | 367 | 0.17 | 7.7 |
| 179 | RESPIRATORY INFECTIONS & INFLAMMATIONS WITHOUT CC/MCC | 156 | 0.07 | 6.5 |
| 180 | RESPIRATORY NEOPLASMS WITH MCC | 214 | 0.10 | 7.5 |
| 181 | RESPIRATORY NEOPLASMS WITH CC | 280 | 0.13 | 4.9 |
| 182 | RESPIRATORY NEOPLASMS WITHOUT CC/MCC | 35 | 0.02 | 3.7 |
| 183 | MAJOR CHEST TRAUMA WITH MCC | 32 | 0.02 | 5.1 |
| 184 | MAJOR CHEST TRAUMA WITH CC | 71 | 0.03 | 3.3 |
| 185 | MAJOR CHEST TRAUMA WITHOUT CC/MCC | 44 | 0.02 | 2.2 |
| 186 | PLEURAL EFFUSION WITH MCC | 106 | 0.05 | 7.1 |
| 187 | PLEURAL EFFUSION WITH CC | 105 | 0.05 | 3.4 |
| 188 | PLEURAL EFFUSION WITHOUT CC/MCC | 49 | 0.02 | 3.1 |
| 189 | PULMONARY EDEMA & RESPIRATORY FAILURE | 676 | 0.32 | 6.2 |
| 190 | CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC | 1,080 | 0.51 | 5.1 |
| 191 | CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC | 901 | 0.42 | 4.2 |

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Riverside County**

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|-------------------------|---------------------------|------------------------------|
| 192 | CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC | 1,091 | 0.51 | 3.2 |
| 193 | SIMPLE PNEUMONIA & PLEURISY WITH MCC | 1,116 | 0.52 | 6.7 |
| 194 | SIMPLE PNEUMONIA & PLEURISY WITH CC | 2,225 | 1.04 | 4.2 |
| 195 | SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC | 1,632 | 0.77 | 2.9 |
| 196 | INTERSTITIAL LUNG DISEASE WITH MCC | 73 | 0.03 | 6.4 |
| 197 | INTERSTITIAL LUNG DISEASE WITH CC | 61 | 0.03 | 4.9 |
| 198 | INTERSTITIAL LUNG DISEASE WITHOUT CC/MCC | 49 | 0.02 | 5.2 |
| 199 | PNEUMOTHORAX WITH MCC | 55 | 0.03 | 6.7 |
| 200 | PNEUMOTHORAX WITH CC | 132 | 0.06 | 3.6 |
| 201 | PNEUMOTHORAX WITHOUT CC/MCC | 106 | 0.05 | 3.2 |
| 202 | BRONCHITIS & ASTHMA WITH CC/MCC | 669 | 0.31 | 3.6 |
| 203 | BRONCHITIS & ASTHMA WITHOUT CC/MCC | 1,369 | 0.64 | 2.3 |
| 204 | RESPIRATORY SIGNS & SYMPTOMS | 322 | 0.15 | 2.4 |
| 205 | OTHER RESPIRATORY SYSTEM DIAGNOSIS WITH MCC | 79 | 0.04 | 4.6 |
| 206 | OTHER RESPIRATORY SYSTEM DIAGNOSIS WITHOUT MCC | 344 | 0.16 | 2.4 |
| 207 | RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS | 585 | 0.27 | 21 |
| 208 | RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS | 772 | 0.36 | 6.0 |
| 216 | CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH MCC | 92 | 0.04 | 17 |
| 217 | CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH CC | 60 | 0.03 | 9.6 |
| 218 | CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITHOUT CC/MCC | 25 | 0.01 | 7.8 |
| 219 | CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH MCC | 136 | 0.06 | 11 |

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Riverside County**

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 220 | CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH CC | 166 | 0.08 | 7.2 |
| 221 | CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITHOUT CC/MCC | 89 | 0.04 | 5.4 |
| 222 | CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITH MCC | 32 | 0.02 | 10 |
| 223 | CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITHOUT MCC | 31 | 0.01 | 4.5 |
| 224 | CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITH MCC | 30 | 0.01 | 8.8 |
| 225 | CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITHOUT MCC | 40 | 0.02 | 4.7 |
| 226 | CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITH MCC | 82 | 0.04 | 54 |
| 227 | CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITHOUT MCC | 263 | 0.12 | 2.3 |
| 228 | OTHER CARDIOTHORACIC PROCEDURES WITH MCC | 51 | 0.02 | 16 |
| 229 | OTHER CARDIOTHORACIC PROCEDURES WITH CC | 67 | 0.03 | 5.9 |
| 230 | OTHER CARDIOTHORACIC PROCEDURES WITHOUT CC/MCC | 37 | 0.02 | 2.9 |
| 231 | CORONARY BYPASS WITH PTCA WITH MCC | 14 | 0.01 | 15 |
| 232 | CORONARY BYPASS WITH PTCA WITHOUT MCC | 17 | 0.01 | 8.5 |
| 233 | CORONARY BYPASS WITH CARDIAC CATH WITH MCC | 164 | 0.08 | 12 |
| 234 | CORONARY BYPASS WITH CARDIAC CATH WITHOUT MCC | 308 | 0.14 | 8.0 |
| 235 | CORONARY BYPASS WITHOUT CARDIAC CATH WITH MCC | 69 | 0.03 | 12 |
| 236 | CORONARY BYPASS WITHOUT CARDIAC CATH WITHOUT MCC | 203 | 0.10 | 6.1 |
| 237 | MAJOR CARDIOVASC PROCEDURES WITH MCC OR THORACIC AORTIC ANEURYSM REPAIR | 238 | 0.11 | 12 |
| 238 | MAJOR CARDIOVASC PROCEDURES WITHOUT MCC | 331 | 0.16 | 4.3 |
| 239 | AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH MCC | 84 | 0.04 | 18 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Riverside County*

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 240 | AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH CC | 87 | 0.04 | 8.3 |
| 241 | AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITHOUT CC/MCC | 16 | 0.01 | 6.4 |
| 242 | PERMANENT CARDIAC PACEMAKER IMPLANT WITH MCC | 153 | 0.07 | 8.0 |
| 243 | PERMANENT CARDIAC PACEMAKER IMPLANT WITH CC | 292 | 0.14 | 4.1 |
| 244 | PERMANENT CARDIAC PACEMAKER IMPLANT WITHOUT CC/MCC | 434 | 0.20 | 2.4 |
| 245 | AICD GENERATOR PROCEDURES | 51 | 0.02 | 2.7 |
| 246 | PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITH MCC OR 4+ VESSELS/STENTS | 429 | 0.20 | 4.6 |
| 247 | PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITHOUT MCC | 1,797 | 0.84 | 2.0 |
| 248 | PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITH MCC OR 4+ VES/STENTS | 106 | 0.05 | 5.6 |
| 249 | PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITHOUT MCC | 413 | 0.19 | 2.1 |
| 250 | PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITH MCC | 66 | 0.03 | 5.6 |
| 251 | PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITHOUT MCC | 426 | 0.20 | 1.9 |
| 252 | OTHER VASCULAR PROCEDURES WITH MCC | 281 | 0.13 | 7.7 |
| 253 | OTHER VASCULAR PROCEDURES WITH CC | 287 | 0.13 | 5.9 |
| 254 | OTHER VASCULAR PROCEDURES WITHOUT CC/MCC | 293 | 0.14 | 2.6 |
| 255 | UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH MCC | 33 | 0.02 | 8.5 |
| 256 | UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH CC | 43 | 0.02 | 6.7 |
| 257 | UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITHOUT CC/MCC | 4 | 0.00 | 3.8 |
| 258 | CARDIAC PACEMAKER DEVICE REPLACEMENT WITH MCC | 5 | 0.00 | 6.2 |
| 259 | CARDIAC PACEMAKER DEVICE REPLACEMENT WITHOUT MCC | 43 | 0.02 | 2.4 |
| 260 | CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH MCC | 14 | 0.01 | 7.4 |

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Riverside County**

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|-----------------------------|----------------------------|-------------------------------|
| 261 | CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH CC | 28 | 0.01 | 3.9 |
| 262 | CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITHOUT CC/MCC | 28 | 0.01 | 2.2 |
| 263 | VEIN LIGATION & STRIPPING | 12 | 0.01 | 2.9 |
| 264 | OTHER CIRCULATORY SYSTEM O.R. PROCEDURES | 231 | 0.11 | 8.7 |
| 265 | AICD LEAD PROCEDURES | 8 | 0.00 | 4.6 |
| 280 | ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH MCC | 772 | 0.36 | 5.6 |
| 281 | ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH CC | 550 | 0.26 | 3.4 |
| 282 | ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITHOUT CC/MCC | 782 | 0.37 | 2.5 |
| 283 | ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH MCC | 111 | 0.05 | 4.4 |
| 284 | ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH CC | 29 | 0.01 | 1.4 |
| 285 | ACUTE MYOCARDIAL INFARCTION, EXPIRED WITHOUT CC/MCC | 12 | 0.01 | 1.0 |
| 286 | CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITH MCC | 296 | 0.14 | 5.9 |
| 287 | CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITHOUT MCC | 1,348 | 0.63 | 3.0 |
| 288 | ACUTE & SUBACUTE ENDOCARDITIS WITH MCC | 35 | 0.02 | 14 |
| 289 | ACUTE & SUBACUTE ENDOCARDITIS WITH CC | 13 | 0.01 | 7.8 |
| 290 | ACUTE & SUBACUTE ENDOCARDITIS WITHOUT CC/MCC | 4 | 0.00 | 2.8 |
| 291 | HEART FAILURE & SHOCK WITH MCC | 1,820 | 0.85 | 5.7 |
| 292 | HEART FAILURE & SHOCK WITH CC | 1,579 | 0.74 | 3.9 |
| 293 | HEART FAILURE & SHOCK WITHOUT CC/MCC | 1,080 | 0.51 | 2.7 |
| 294 | DEEP VEIN THROMBOPHLEBITIS WITH CC/MCC | 11 | 0.01 | 5.7 |
| 295 | DEEP VEIN THROMBOPHLEBITIS WITHOUT CC/MCC | 4 | 0.00 | 4.0 |

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Riverside County**

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|-----------------------------|----------------------------|-------------------------------|
| 296 | CARDIAC ARREST, UNEXPLAINED WITH MCC | 17 | 0.01 | 2.9 |
| 297 | CARDIAC ARREST, UNEXPLAINED WITH CC | 5 | 0.00 | .20 |
| 298 | CARDIAC ARREST, UNEXPLAINED WITHOUT CC/MCC | 2 | 0.00 | .50 |
| 299 | PERIPHERAL VASCULAR DISORDERS WITH MCC | 291 | 0.14 | 5.9 |
| 300 | PERIPHERAL VASCULAR DISORDERS WITH CC | 449 | 0.21 | 4.3 |
| 301 | PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC | 348 | 0.16 | 2.9 |
| 302 | ATHEROSCLEROSIS WITH MCC | 112 | 0.05 | 3.5 |
| 303 | ATHEROSCLEROSIS WITHOUT MCC | 910 | 0.43 | 2.4 |
| 304 | HYPERTENSION WITH MCC | 37 | 0.02 | 4.9 |
| 305 | HYPERTENSION WITHOUT MCC | 399 | 0.19 | 2.6 |
| 306 | CARDIAC CONGENITAL & VALVULAR DISORDERS WITH MCC | 35 | 0.02 | 5.2 |
| 307 | CARDIAC CONGENITAL & VALVULAR DISORDERS WITHOUT MCC | 75 | 0.04 | 3.4 |
| 308 | CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH MCC | 605 | 0.28 | 4.8 |
| 309 | CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC | 882 | 0.41 | 3.1 |
| 310 | CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITHOUT CC/MCC | 1,670 | 0.78 | 2.0 |
| 311 | ANGINA PECTORIS | 587 | 0.28 | 2.3 |
| 312 | SYNCOPE & COLLAPSE | 1,612 | 0.76 | 2.3 |
| 313 | CHEST PAIN | 5,505 | 2.58 | 1.8 |
| 314 | OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC | 589 | 0.28 | 7.1 |
| 315 | OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC | 298 | 0.14 | 4.0 |
| 316 | OTHER CIRCULATORY SYSTEM DIAGNOSIS WITHOUT CC/MCC | 158 | 0.07 | 2.4 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Riverside County*

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 326 | STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH MCC | 140 | 0.07 | 18 |
| 327 | STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH CC | 164 | 0.08 | 8.4 |
| 328 | STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITHOUT CC/MCC | 260 | 0.12 | 3.4 |
| 329 | MAJOR SMALL & LARGE BOWEL PROCEDURES WITH MCC | 528 | 0.25 | 16 |
| 330 | MAJOR SMALL & LARGE BOWEL PROCEDURES WITH CC | 810 | 0.38 | 8.3 |
| 331 | MAJOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC | 510 | 0.24 | 5.1 |
| 332 | RECTAL RESECTION WITH MCC | 27 | 0.01 | 11 |
| 333 | RECTAL RESECTION WITH CC | 77 | 0.04 | 7.6 |
| 334 | RECTAL RESECTION WITHOUT CC/MCC | 63 | 0.03 | 4.6 |
| 335 | PERITONEAL ADHESIOLYSIS WITH MCC | 81 | 0.04 | 13 |
| 336 | PERITONEAL ADHESIOLYSIS WITH CC | 179 | 0.08 | 7.8 |
| 337 | PERITONEAL ADHESIOLYSIS WITHOUT CC/MCC | 244 | 0.11 | 4.3 |
| 338 | APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC | 38 | 0.02 | 7.5 |
| 339 | APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH CC | 103 | 0.05 | 6.4 |
| 340 | APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC | 393 | 0.18 | 3.7 |
| 341 | APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC | 33 | 0.02 | 6.7 |
| 342 | APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH CC | 141 | 0.07 | 2.7 |
| 343 | APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC | 1,740 | 0.82 | 1.5 |
| 344 | MINOR SMALL & LARGE BOWEL PROCEDURES WITH MCC | 9 | 0.00 | 9.4 |
| 345 | MINOR SMALL & LARGE BOWEL PROCEDURES WITH CC | 63 | 0.03 | 6.6 |
| 346 | MINOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC | 57 | 0.03 | 4.8 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Riverside County*

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 347 | ANAL & STOMAL PROCEDURES WITH MCC | 22 | 0.01 | 7.3 |
| 348 | ANAL & STOMAL PROCEDURES WITH CC | 51 | 0.02 | 4.4 |
| 349 | ANAL & STOMAL PROCEDURES WITHOUT CC/MCC | 151 | 0.07 | 2.6 |
| 350 | INGUINAL & FEMORAL HERNIA PROCEDURES WITH MCC | 17 | 0.01 | 8.8 |
| 351 | INGUINAL & FEMORAL HERNIA PROCEDURES WITH CC | 61 | 0.03 | 3.6 |
| 352 | INGUINAL & FEMORAL HERNIA PROCEDURES WITHOUT CC/MCC | 142 | 0.07 | 1.7 |
| 353 | HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH MCC | 45 | 0.02 | 8.1 |
| 354 | HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH CC | 140 | 0.07 | 4.5 |
| 355 | HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITHOUT CC/MCC | 307 | 0.14 | 2.5 |
| 356 | OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH MCC | 72 | 0.03 | 14 |
| 357 | OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH CC | 81 | 0.04 | 6.0 |
| 358 | OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC | 68 | 0.03 | 3.5 |
| 368 | MAJOR ESOPHAGEAL DISORDERS WITH MCC | 51 | 0.02 | 5.4 |
| 369 | MAJOR ESOPHAGEAL DISORDERS WITH CC | 75 | 0.04 | 3.6 |
| 370 | MAJOR ESOPHAGEAL DISORDERS WITHOUT CC/MCC | 32 | 0.02 | 2.7 |
| 371 | MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH MCC | 290 | 0.14 | 8.3 |
| 372 | MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH CC | 321 | 0.15 | 5.8 |
| 373 | MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITHOUT CC/MCC | 224 | 0.11 | 4.4 |
| 374 | DIGESTIVE MALIGNANCY WITH MCC | 100 | 0.05 | 9.9 |
| 375 | DIGESTIVE MALIGNANCY WITH CC | 208 | 0.10 | 6.0 |
| 376 | DIGESTIVE MALIGNANCY WITHOUT CC/MCC | 43 | 0.02 | 3.3 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Riverside County*

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 377 | G.I. HEMORRHAGE WITH MCC | 566 | 0.27 | 5.8 |
| 378 | G.I. HEMORRHAGE WITH CC | 1,136 | 0.53 | 3.6 |
| 379 | G.I. HEMORRHAGE WITHOUT CC/MCC | 732 | 0.34 | 2.6 |
| 380 | COMPLICATED PEPTIC ULCER WITH MCC | 44 | 0.02 | 7.6 |
| 381 | COMPLICATED PEPTIC ULCER WITH CC | 74 | 0.03 | 4.8 |
| 382 | COMPLICATED PEPTIC ULCER WITHOUT CC/MCC | 49 | 0.02 | 3.4 |
| 383 | UNCOMPLICATED PEPTIC ULCER WITH MCC | 28 | 0.01 | 5.2 |
| 384 | UNCOMPLICATED PEPTIC ULCER WITHOUT MCC | 151 | 0.07 | 3.2 |
| 385 | INFLAMMATORY BOWEL DISEASE WITH MCC | 53 | 0.02 | 8.3 |
| 386 | INFLAMMATORY BOWEL DISEASE WITH CC | 152 | 0.07 | 5.3 |
| 387 | INFLAMMATORY BOWEL DISEASE WITHOUT CC/MCC | 165 | 0.08 | 4.9 |
| 388 | G.I. OBSTRUCTION WITH MCC | 242 | 0.11 | 6.9 |
| 389 | G.I. OBSTRUCTION WITH CC | 532 | 0.25 | 4.2 |
| 390 | G.I. OBSTRUCTION WITHOUT CC/MCC | 775 | 0.36 | 2.8 |
| 391 | ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITH MCC | 685 | 0.32 | 4.4 |
| 392 | ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC | 4,028 | 1.89 | 2.9 |
| 393 | OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH MCC | 316 | 0.15 | 6.0 |
| 394 | OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH CC | 574 | 0.27 | 4.2 |
| 395 | OTHER DIGESTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC | 413 | 0.19 | 2.3 |
| 405 | PANCREAS, LIVER & SHUNT PROCEDURES WITH MCC | 59 | 0.03 | 13 |
| 406 | PANCREAS, LIVER & SHUNT PROCEDURES WITH CC | 63 | 0.03 | 8.6 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Riverside County*

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 407 | PANCREAS, LIVER & SHUNT PROCEDURES WITHOUT CC/MCC | 40 | 0.02 | 5.0 |
| 408 | BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH MCC | 19 | 0.01 | 12 |
| 409 | BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH CC | 12 | 0.01 | 7.5 |
| 410 | BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC | 9 | 0.00 | 6.7 |
| 411 | CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH MCC | 7 | 0.00 | 12 |
| 412 | CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH CC | 7 | 0.00 | 5.1 |
| 413 | CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITHOUT CC/MCC | 20 | 0.01 | 5.9 |
| 414 | CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH MCC | 84 | 0.04 | 12 |
| 415 | CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH CC | 96 | 0.05 | 6.6 |
| 416 | CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC | 118 | 0.06 | 4.0 |
| 417 | LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH MCC | 343 | 0.16 | 6.6 |
| 418 | LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH CC | 580 | 0.27 | 4.4 |
| 419 | LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC | 1,567 | 0.73 | 2.4 |
| 420 | HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH MCC | 12 | 0.01 | 9.0 |
| 421 | HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH CC | 11 | 0.01 | 9.6 |
| 422 | HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITHOUT CC/MCC | 4 | 0.00 | 6.8 |
| 423 | OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH MCC | 15 | 0.01 | 13 |
| 424 | OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH CC | 8 | 0.00 | 12 |
| 425 | OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITHOUT CC/MCC | 4 | 0.00 | 5.5 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Riverside County*

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 432 | CIRRHOSIS & ALCOHOLIC HEPATITIS WITH MCC | 339 | 0.16 | 7.2 |
| 433 | CIRRHOSIS & ALCOHOLIC HEPATITIS WITH CC | 222 | 0.10 | 4.7 |
| 434 | CIRRHOSIS & ALCOHOLIC HEPATITIS WITHOUT CC/MCC | 19 | 0.01 | 3.2 |
| 435 | MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITH MCC | 131 | 0.06 | 7.9 |
| 436 | MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITH CC | 155 | 0.07 | 5.1 |
| 437 | MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITHOUT CC/MCC | 46 | 0.02 | 3.0 |
| 438 | DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH MCC | 328 | 0.15 | 7.5 |
| 439 | DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH CC | 525 | 0.25 | 4.8 |
| 440 | DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITHOUT CC/MCC | 744 | 0.35 | 3.3 |
| 441 | DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH MCC | 451 | 0.21 | 7.2 |
| 442 | DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH CC | 405 | 0.19 | 4.4 |
| 443 | DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITHOUT CC/MCC | 169 | 0.08 | 3.3 |
| 444 | DISORDERS OF THE BILIARY TRACT WITH MCC | 201 | 0.09 | 5.7 |
| 445 | DISORDERS OF THE BILIARY TRACT WITH CC | 271 | 0.13 | 3.8 |
| 446 | DISORDERS OF THE BILIARY TRACT WITHOUT CC/MCC | 371 | 0.17 | 2.6 |
| 453 | COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH MCC | 29 | 0.01 | 9.4 |
| 454 | COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH CC | 98 | 0.05 | 5.7 |
| 455 | COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITHOUT CC/MCC | 103 | 0.05 | 4.2 |
| 456 | SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH MCC | 32 | 0.02 | 12 |
| 457 | SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH CC | 40 | 0.02 | 7.4 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Riverside County*

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 458 | SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITHOUT CC/MCC | 69 | 0.03 | 5.3 |
| 459 | SPINAL FUSION EXCEPT CERVICAL WITH MCC | 45 | 0.02 | 8.6 |
| 460 | SPINAL FUSION EXCEPT CERVICAL WITHOUT MCC | 1,000 | 0.47 | 3.9 |
| 461 | BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITH MCC | 6 | 0.00 | 9.2 |
| 462 | BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITHOUT MCC | 92 | 0.04 | 3.5 |
| 463 | WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH MCC | 68 | 0.03 | 24 |
| 464 | WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH CC | 95 | 0.04 | 11 |
| 465 | WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITHOUT CC/MCC | 67 | 0.03 | 4.9 |
| 466 | REVISION OF HIP OR KNEE REPLACEMENT WITH MCC | 37 | 0.02 | 11 |
| 467 | REVISION OF HIP OR KNEE REPLACEMENT WITH CC | 130 | 0.06 | 4.8 |
| 468 | REVISION OF HIP OR KNEE REPLACEMENT WITHOUT CC/MCC | 258 | 0.12 | 3.3 |
| 469 | MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITH MCC | 221 | 0.10 | 7.9 |
| 470 | MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITHOUT MCC | 4,759 | 2.23 | 3.1 |
| 471 | CERVICAL SPINAL FUSION WITH MCC | 41 | 0.02 | 9.9 |
| 472 | CERVICAL SPINAL FUSION WITH CC | 140 | 0.07 | 3.3 |
| 473 | CERVICAL SPINAL FUSION WITHOUT CC/MCC | 605 | 0.28 | 2.0 |
| 474 | AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH MCC | 23 | 0.01 | 12 |
| 475 | AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH CC | 33 | 0.02 | 8.9 |
| 476 | AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITHOUT CC/MCC | 21 | 0.01 | 3.9 |
| 477 | BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC | 19 | 0.01 | 15 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Riverside County*

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 478 | BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC | 91 | 0.04 | 6.3 |
| 479 | BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC | 75 | 0.04 | 4.1 |
| 480 | HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH MCC | 192 | 0.09 | 8.4 |
| 481 | HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH CC | 546 | 0.26 | 5.0 |
| 482 | HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITHOUT CC/MCC | 632 | 0.30 | 3.6 |
| 483 | MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITH CC/MCC | 66 | 0.03 | 4.0 |
| 484 | MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITHOUT CC/MCC | 228 | 0.11 | 1.8 |
| 485 | KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH MCC | 14 | 0.01 | 13 |
| 486 | KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH CC | 15 | 0.01 | 5.7 |
| 487 | KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC | 31 | 0.01 | 5.0 |
| 488 | KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITH CC/MCC | 36 | 0.02 | 5.1 |
| 489 | KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC | 137 | 0.06 | 1.9 |
| 490 | BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITH CC/MCC OR DISC DEVICE/NEUROSTIM | 259 | 0.12 | 5.2 |
| 491 | BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITHOUT CC/MCC | 721 | 0.34 | 2.1 |
| 492 | LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH MCC | 59 | 0.03 | 8.0 |
| 493 | LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH CC | 224 | 0.11 | 5.1 |
| 494 | LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITHOUT CC/MCC | 800 | 0.38 | 2.3 |
| 495 | LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH MCC | 23 | 0.01 | 14 |
| 496 | LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH CC | 88 | 0.04 | 4.5 |
| 497 | LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITHOUT CC/MCC | 232 | 0.11 | 2.3 |
| 498 | LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITH CC/MCC | 23 | 0.01 | 5.5 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Riverside County*

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 499 | LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITHOUT CC/MCC | 25 | 0.01 | 2.0 |
| 500 | SOFT TISSUE PROCEDURES WITH MCC | 31 | 0.01 | 9.7 |
| 501 | SOFT TISSUE PROCEDURES WITH CC | 92 | 0.04 | 5.5 |
| 502 | SOFT TISSUE PROCEDURES WITHOUT CC/MCC | 155 | 0.07 | 2.3 |
| 503 | FOOT PROCEDURES WITH MCC | 13 | 0.01 | 8.8 |
| 504 | FOOT PROCEDURES WITH CC | 33 | 0.02 | 5.6 |
| 505 | FOOT PROCEDURES WITHOUT CC/MCC | 79 | 0.04 | 2.2 |
| 506 | MAJOR THUMB OR JOINT PROCEDURES | 14 | 0.01 | 3.8 |
| 507 | MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITH CC/MCC | 5 | 0.00 | 4.4 |
| 508 | MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITHOUT CC/MCC | 32 | 0.02 | 1.8 |
| 509 | ARTHROSCOPY | 7 | 0.00 | 1.9 |
| 510 | SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH MCC | 16 | 0.01 | 6.3 |
| 511 | SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH CC | 51 | 0.02 | 3.5 |
| 512 | SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITHOUT CC/MCC | 191 | 0.09 | 1.8 |
| 513 | HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITH CC/MCC | 41 | 0.02 | 3.3 |
| 514 | HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITHOUT CC/MCC | 68 | 0.03 | 1.7 |
| 515 | OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH MCC | 20 | 0.01 | 14 |
| 516 | OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH CC | 62 | 0.03 | 6.5 |
| 517 | OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITHOUT CC/MCC | 105 | 0.05 | 2.6 |
| 533 | FRACTURES OF FEMUR WITH MCC | 7 | 0.00 | 7.3 |
| 534 | FRACTURES OF FEMUR WITHOUT MCC | 64 | 0.03 | 2.9 |

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Riverside County**

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 535 | FRACTURES OF HIP & PELVIS WITH MCC | 78 | 0.04 | 6.1 |
| 536 | FRACTURES OF HIP & PELVIS WITHOUT MCC | 308 | 0.14 | 3.1 |
| 537 | SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITH CC/MCC | 10 | 0.00 | 3.3 |
| 538 | SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITHOUT CC/MCC | 10 | 0.00 | 3.1 |
| 539 | OSTEOMYELITIS WITH MCC | 46 | 0.02 | 11 |
| 540 | OSTEOMYELITIS WITH CC | 70 | 0.03 | 7.4 |
| 541 | OSTEOMYELITIS WITHOUT CC/MCC | 33 | 0.02 | 6.2 |
| 542 | PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH MCC | 39 | 0.02 | 9.1 |
| 543 | PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH CC | 119 | 0.06 | 5.4 |
| 544 | PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITHOUT CC/MCC | 50 | 0.02 | 3.2 |
| 545 | CONNECTIVE TISSUE DISORDERS WITH MCC | 73 | 0.03 | 8.1 |
| 546 | CONNECTIVE TISSUE DISORDERS WITH CC | 113 | 0.05 | 3.9 |
| 547 | CONNECTIVE TISSUE DISORDERS WITHOUT CC/MCC | 137 | 0.06 | 2.9 |
| 548 | SEPTIC ARTHRITIS WITH MCC | 9 | 0.00 | 5.9 |
| 549 | SEPTIC ARTHRITIS WITH CC | 16 | 0.01 | 5.3 |
| 550 | SEPTIC ARTHRITIS WITHOUT CC/MCC | 15 | 0.01 | 3.2 |
| 551 | MEDICAL BACK PROBLEMS WITH MCC | 126 | 0.06 | 6.4 |
| 552 | MEDICAL BACK PROBLEMS WITHOUT MCC | 801 | 0.38 | 3.0 |
| 553 | BONE DISEASES & ARTHROPATHIES WITH MCC | 25 | 0.01 | 6.0 |
| 554 | BONE DISEASES & ARTHROPATHIES WITHOUT MCC | 138 | 0.06 | 2.8 |
| 555 | SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITH MCC | 23 | 0.01 | 5.7 |

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Riverside County**

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 556 | SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC | 201 | 0.09 | 2.7 |
| 557 | TENDONITIS, MYOSITIS & BURSITIS WITH MCC | 60 | 0.03 | 7.4 |
| 558 | TENDONITIS, MYOSITIS & BURSITIS WITHOUT MCC | 200 | 0.09 | 3.7 |
| 559 | AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC | 24 | 0.01 | 10 |
| 560 | AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC | 56 | 0.03 | 4.0 |
| 561 | AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC | 105 | 0.05 | 2.7 |
| 562 | FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITH MCC | 37 | 0.02 | 4.6 |
| 563 | FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC | 409 | 0.19 | 2.3 |
| 564 | OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH MCC | 31 | 0.01 | 6.2 |
| 565 | OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH CC | 47 | 0.02 | 4.6 |
| 566 | OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITHOUT CC/MCC | 40 | 0.02 | 3.0 |
| 573 | SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH MCC | 61 | 0.03 | 22 |
| 574 | SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH CC | 101 | 0.05 | 13 |
| 575 | SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC | 74 | 0.03 | 4.8 |
| 576 | SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH MCC | 5 | 0.00 | 7.2 |
| 577 | SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH CC | 38 | 0.02 | 5.5 |
| 578 | SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC | 73 | 0.03 | 2.7 |
| 579 | OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH MCC | 39 | 0.02 | 11 |
| 580 | OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH CC | 192 | 0.09 | 4.6 |
| 581 | OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITHOUT CC/MCC | 340 | 0.16 | 2.2 |
| 582 | MASTECTOMY FOR MALIGNANCY WITH CC/MCC | 96 | 0.05 | 2.5 |

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Riverside County**

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|-----------------------------|----------------------------|-------------------------------|
| 583 | MASTECTOMY FOR MALIGNANCY WITHOUT CC/MCC | 178 | 0.08 | 1.5 |
| 584 | BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITH CC/MCC | 38 | 0.02 | 4.0 |
| 585 | BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITHOUT CC/MCC | 113 | 0.05 | 2.1 |
| 592 | SKIN ULCERS WITH MCC | 53 | 0.02 | 13 |
| 593 | SKIN ULCERS WITH CC | 91 | 0.04 | 7.8 |
| 594 | SKIN ULCERS WITHOUT CC/MCC | 14 | 0.01 | 3.1 |
| 595 | MAJOR SKIN DISORDERS WITH MCC | 19 | 0.01 | 9.8 |
| 596 | MAJOR SKIN DISORDERS WITHOUT MCC | 80 | 0.04 | 4.4 |
| 597 | MALIGNANT BREAST DISORDERS WITH MCC | 9 | 0.00 | 13 |
| 598 | MALIGNANT BREAST DISORDERS WITH CC | 22 | 0.01 | 6.2 |
| 599 | MALIGNANT BREAST DISORDERS WITHOUT CC/MCC | 5 | 0.00 | 2.6 |
| 600 | NON-MALIGNANT BREAST DISORDERS WITH CC/MCC | 23 | 0.01 | 4.6 |
| 601 | NON-MALIGNANT BREAST DISORDERS WITHOUT CC/MCC | 32 | 0.02 | 3.2 |
| 602 | CELLULITIS WITH MCC | 329 | 0.15 | 7.8 |
| 603 | CELLULITIS WITHOUT MCC | 2,041 | 0.96 | 4.0 |
| 604 | TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITH MCC | 37 | 0.02 | 5.9 |
| 605 | TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITHOUT MCC | 342 | 0.16 | 2.0 |
| 606 | MINOR SKIN DISORDERS WITH MCC | 21 | 0.01 | 5.4 |
| 607 | MINOR SKIN DISORDERS WITHOUT MCC | 172 | 0.08 | 3.2 |
| 614 | ADRENAL & PITUITARY PROCEDURES WITH CC/MCC | 43 | 0.02 | 8.7 |
| 615 | ADRENAL & PITUITARY PROCEDURES WITHOUT CC/MCC | 37 | 0.02 | 3.5 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Riverside County*

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 616 | AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH MCC | 16 | 0.01 | 14 |
| 617 | AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH CC | 111 | 0.05 | 8.7 |
| 618 | AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITHOUT CC/MCC | 2 | 0.00 | 15 |
| 619 | O.R. PROCEDURES FOR OBESITY WITH MCC | 17 | 0.01 | 6.1 |
| 620 | O.R. PROCEDURES FOR OBESITY WITH CC | 134 | 0.06 | 2.7 |
| 621 | O.R. PROCEDURES FOR OBESITY WITHOUT CC/MCC | 956 | 0.45 | 1.9 |
| 622 | SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH MCC | 9 | 0.00 | 17 |
| 623 | SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH CC | 33 | 0.02 | 9.3 |
| 624 | SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITHOUT CC/MCC | 6 | 0.00 | 4.3 |
| 625 | THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH MCC | 15 | 0.01 | 7.0 |
| 626 | THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH CC | 81 | 0.04 | 2.6 |
| 627 | THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITHOUT CC/MCC | 455 | 0.21 | 1.4 |
| 628 | OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH MCC | 36 | 0.02 | 8.5 |
| 629 | OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH CC | 62 | 0.03 | 7.9 |
| 630 | OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITHOUT CC/MCC | 8 | 0.00 | 2.5 |
| 637 | DIABETES WITH MCC | 323 | 0.15 | 5.4 |
| 638 | DIABETES WITH CC | 764 | 0.36 | 4.1 |
| 639 | DIABETES WITHOUT CC/MCC | 843 | 0.40 | 2.5 |
| 640 | NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC | 652 | 0.31 | 4.1 |
| 641 | NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC | 1,880 | 0.88 | 3.0 |
| 642 | INBORN ERRORS OF METABOLISM | 41 | 0.02 | 5.6 |

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Riverside County**

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|-------------------------|---------------------------|------------------------------|
| 643 | ENDOCRINE DISORDERS WITH MCC | 79 | 0.04 | 6.6 |
| 644 | ENDOCRINE DISORDERS WITH CC | 129 | 0.06 | 5.1 |
| 645 | ENDOCRINE DISORDERS WITHOUT CC/MCC | 187 | 0.09 | 2.5 |
| 652 | KIDNEY TRANSPLANT | 91 | 0.04 | 6.1 |
| 653 | MAJOR BLADDER PROCEDURES WITH MCC | 33 | 0.02 | 17 |
| 654 | MAJOR BLADDER PROCEDURES WITH CC | 52 | 0.02 | 9.4 |
| 655 | MAJOR BLADDER PROCEDURES WITHOUT CC/MCC | 18 | 0.01 | 6.7 |
| 656 | KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH MCC | 52 | 0.02 | 11 |
| 657 | KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH CC | 83 | 0.04 | 6.2 |
| 658 | KIDNEY & URETER PROCEDURES FOR NEOPLASM WITHOUT CC/MCC | 132 | 0.06 | 3.8 |
| 659 | KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH MCC | 69 | 0.03 | 11 |
| 660 | KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH CC | 142 | 0.07 | 4.6 |
| 661 | KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITHOUT CC/MCC | 140 | 0.07 | 2.8 |
| 662 | MINOR BLADDER PROCEDURES WITH MCC | 7 | 0.00 | 14 |
| 663 | MINOR BLADDER PROCEDURES WITH CC | 19 | 0.01 | 2.6 |
| 664 | MINOR BLADDER PROCEDURES WITHOUT CC/MCC | 63 | 0.03 | 1.4 |
| 665 | PROSTATECTOMY WITH MCC | 3 | 0.00 | 9.3 |
| 666 | PROSTATECTOMY WITH CC | 8 | 0.00 | 5.0 |
| 667 | PROSTATECTOMY WITHOUT CC/MCC | 29 | 0.01 | 1.9 |
| 668 | TRANSURETHRAL PROCEDURES WITH MCC | 42 | 0.02 | 6.6 |
| 669 | TRANSURETHRAL PROCEDURES WITH CC | 131 | 0.06 | 3.2 |

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Riverside County**

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|-----------------------------|----------------------------|-------------------------------|
| 670 | TRANSURETHRAL PROCEDURES WITHOUT CC/MCC | 125 | 0.06 | 2.4 |
| 671 | URETHRAL PROCEDURES WITH CC/MCC | 6 | 0.00 | 5.0 |
| 672 | URETHRAL PROCEDURES WITHOUT CC/MCC | 12 | 0.01 | 2.8 |
| 673 | OTHER KIDNEY & URINARY TRACT PROCEDURES WITH MCC | 102 | 0.05 | 11 |
| 674 | OTHER KIDNEY & URINARY TRACT PROCEDURES WITH CC | 90 | 0.04 | 6.2 |
| 675 | OTHER KIDNEY & URINARY TRACT PROCEDURES WITHOUT CC/MCC | 31 | 0.01 | 2.1 |
| 682 | RENAL FAILURE WITH MCC | 780 | 0.37 | 7.6 |
| 683 | RENAL FAILURE WITH CC | 1,047 | 0.49 | 4.8 |
| 684 | RENAL FAILURE WITHOUT CC/MCC | 329 | 0.15 | 3.0 |
| 685 | ADMIT FOR RENAL DIALYSIS | 12 | 0.01 | 3.2 |
| 686 | KIDNEY & URINARY TRACT NEOPLASMS WITH MCC | 19 | 0.01 | 8.8 |
| 687 | KIDNEY & URINARY TRACT NEOPLASMS WITH CC | 34 | 0.02 | 4.5 |
| 688 | KIDNEY & URINARY TRACT NEOPLASMS WITHOUT CC/MCC | 7 | 0.00 | 2.1 |
| 689 | KIDNEY & URINARY TRACT INFECTIONS WITH MCC | 586 | 0.27 | 5.2 |
| 690 | KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC | 2,119 | 0.99 | 3.3 |
| 691 | URINARY STONES WITH ESW LITHOTRIPSY WITH CC/MCC | 14 | 0.01 | 4.1 |
| 692 | URINARY STONES WITH ESW LITHOTRIPSY WITHOUT CC/MCC | 11 | 0.01 | 1.2 |
| 693 | URINARY STONES WITHOUT ESW LITHOTRIPSY WITH MCC | 44 | 0.02 | 4.0 |
| 694 | URINARY STONES WITHOUT ESW LITHOTRIPSY WITHOUT MCC | 305 | 0.14 | 2.2 |
| 695 | KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITH MCC | 17 | 0.01 | 6.0 |
| 696 | KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITHOUT MCC | 107 | 0.05 | 2.7 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Riverside County*

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 697 | URETHRAL STRICTURE | 6 | 0.00 | 1.3 |
| 698 | OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH MCC | 270 | 0.13 | 6.2 |
| 699 | OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH CC | 326 | 0.15 | 4.3 |
| 700 | OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITHOUT CC/MCC | 143 | 0.07 | 2.9 |
| 707 | MAJOR MALE PELVIC PROCEDURES WITH CC/MCC | 84 | 0.04 | 3.9 |
| 708 | MAJOR MALE PELVIC PROCEDURES WITHOUT CC/MCC | 321 | 0.15 | 1.8 |
| 709 | PENIS PROCEDURES WITH CC/MCC | 15 | 0.01 | 6.6 |
| 710 | PENIS PROCEDURES WITHOUT CC/MCC | 50 | 0.02 | 1.8 |
| 711 | TESTES PROCEDURES WITH CC/MCC | 14 | 0.01 | 5.4 |
| 712 | TESTES PROCEDURES WITHOUT CC/MCC | 41 | 0.02 | 1.2 |
| 713 | TRANSURETHRAL PROSTATECTOMY WITH CC/MCC | 58 | 0.03 | 3.4 |
| 714 | TRANSURETHRAL PROSTATECTOMY WITHOUT CC/MCC | 252 | 0.12 | 1.4 |
| 715 | OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE FOR MALIGNANCY WITH CC/MCC | 8 | 0.00 | 11 |
| 716 | OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE FOR MALIGNANCY WITHOUT CC/MCC | 3 | 0.00 | 2.3 |
| 717 | OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE EXCEPT MALIGNANCY WITH CC/MCC | 4 | 0.00 | 10 |
| 718 | OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE EXCEPT MALIGNANCY WITHOUT CC/MCC | 2 | 0.00 | 2.0 |
| 722 | MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH MCC | 4 | 0.00 | 5.5 |
| 723 | MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH CC | 9 | 0.00 | 4.2 |
| 724 | MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC | 14 | 0.01 | 1.8 |
| 725 | BENIGN PROSTATIC HYPERTROPHY WITH MCC | 15 | 0.01 | 3.6 |
| 726 | BENIGN PROSTATIC HYPERTROPHY WITHOUT MCC | 30 | 0.01 | 2.8 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Riverside County*

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 727 | INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITH MCC | 29 | 0.01 | 7.7 |
| 728 | INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITHOUT MCC | 111 | 0.05 | 3.7 |
| 729 | OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITH CC/MCC | 21 | 0.01 | 4.5 |
| 730 | OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC | 16 | 0.01 | 2.4 |
| 734 | PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITH CC/MCC | 37 | 0.02 | 6.9 |
| 735 | PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITHOUT CC/MCC | 45 | 0.02 | 2.8 |
| 736 | UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH MCC | 16 | 0.01 | 8.9 |
| 737 | UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH CC | 56 | 0.03 | 6.1 |
| 738 | UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITHOUT CC/MCC | 26 | 0.01 | 3.8 |
| 739 | UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH MCC | 11 | 0.01 | 10 |
| 740 | UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH CC | 74 | 0.03 | 5.1 |
| 741 | UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITHOUT CC/MCC | 147 | 0.07 | 2.6 |
| 742 | UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITH CC/MCC | 483 | 0.23 | 3.4 |
| 743 | UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITHOUT CC/MCC | 2,674 | 1.25 | 2.1 |
| 744 | D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITH CC/MCC | 37 | 0.02 | 4.6 |
| 745 | D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITHOUT CC/MCC | 104 | 0.05 | 2.0 |
| 746 | VAGINA, CERVIX & VULVA PROCEDURES WITH CC/MCC | 47 | 0.02 | 4.5 |
| 747 | VAGINA, CERVIX & VULVA PROCEDURES WITHOUT CC/MCC | 147 | 0.07 | 1.7 |
| 748 | FEMALE REPRODUCTIVE SYSTEM RECONSTRUCTIVE PROCEDURES | 396 | 0.19 | 1.4 |
| 749 | OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITH CC/MCC | 23 | 0.01 | 7.9 |
| 750 | OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC | 17 | 0.01 | 2.4 |

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Riverside County**

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 754 | MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH MCC | 20 | 0.01 | 9.5 |
| 755 | MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH CC | 49 | 0.02 | 5.8 |
| 756 | MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC | 15 | 0.01 | 2.9 |
| 757 | INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH MCC | 20 | 0.01 | 8.3 |
| 758 | INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH CC | 40 | 0.02 | 4.5 |
| 759 | INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC | 67 | 0.03 | 3.1 |
| 760 | MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITH CC/MCC | 82 | 0.04 | 3.1 |
| 761 | MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITHOUT CC/MCC | 180 | 0.08 | 1.5 |
| 765 | CESAREAN SECTION WITH CC/MCC | 2,810 | 1.32 | 4.3 |
| 766 | CESAREAN SECTION WITHOUT CC/MCC | 6,904 | 3.24 | 2.8 |
| 767 | VAGINAL DELIVERY WITH STERILIZATION &/OR D&C | 424 | 0.20 | 2.4 |
| 768 | VAGINAL DELIVERY WITH O.R. PROCEDURE EXCEPT STERIL &/OR D&C | 10 | 0.00 | 2.9 |
| 769 | POSTPARTUM & POST ABORTION DIAGNOSIS WITH O.R. PROCEDURE | 93 | 0.04 | 4.1 |
| 770 | ABORTION WITH D&C, ASPIRATION CURETTAGE OR HYSTEROTOMY | 229 | 0.11 | 1.3 |
| 774 | VAGINAL DELIVERY WITH COMPLICATING DIAGNOSIS | 1,947 | 0.91 | 2.5 |
| 775 | VAGINAL DELIVERY WITHOUT COMPLICATING DIAGNOSIS | 17,595 | 8.25 | 1.8 |
| 776 | POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE | 309 | 0.14 | 2.6 |
| 777 | ECTOPIC PREGNANCY | 225 | 0.11 | 2.0 |
| 778 | THREATENED ABORTION | 501 | 0.23 | 2.7 |
| 779 | ABORTION WITHOUT D&C | 178 | 0.08 | 1.4 |
| 780 | FALSE LABOR | 54 | 0.03 | .63 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Riverside County*

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 781 | OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS | 1,424 | 0.67 | 2.8 |
| 782 | OTHER ANTEPARTUM DIAGNOSIS WITHOUT MEDICAL COMPLICATIONS | 365 | 0.17 | 2.6 |
| 789 | NEONATES, DIED OR TRANSFERRED TO ANOTHER ACUTE CARE FACILITY | 760 | 0.36 | 3.7 |
| 790 | EXTREME IMMATURETY OR RESPIRATORY DISTRESS SYNDROME, NEONATE | 486 | 0.23 | 40 |
| 791 | PREMATURITY WITH MAJOR PROBLEMS | 595 | 0.28 | 19 |
| 792 | PREMATURITY WITHOUT MAJOR PROBLEMS | 1,180 | 0.55 | 5.6 |
| 793 | FULL TERM NEONATE WITH MAJOR PROBLEMS | 1,471 | 0.69 | 6.3 |
| 794 | NEONATE WITH OTHER SIGNIFICANT PROBLEMS | 4,102 | 1.92 | 2.4 |
| 795 | NORMAL NEWBORN | 22,722 | 10.65 | 1.8 |
| 799 | SPLENECTOMY WITH MCC | 8 | 0.00 | 8.4 |
| 800 | SPLENECTOMY WITH CC | 9 | 0.00 | 4.9 |
| 801 | SPLENECTOMY WITHOUT CC/MCC | 22 | 0.01 | 3.6 |
| 802 | OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH MCC | 7 | 0.00 | 13 |
| 803 | OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH CC | 14 | 0.01 | 5.6 |
| 804 | OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITHOUT CC/MCC | 26 | 0.01 | 2.8 |
| 808 | MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH MCC | 128 | 0.06 | 7.3 |
| 809 | MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH CC | 255 | 0.12 | 5.5 |
| 810 | MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITHOUT CC/MCC | 66 | 0.03 | 4.0 |
| 811 | RED BLOOD CELL DISORDERS WITH MCC | 410 | 0.19 | 5.4 |
| 812 | RED BLOOD CELL DISORDERS WITHOUT MCC | 1,416 | 0.66 | 2.9 |
| 813 | COAGULATION DISORDERS | 260 | 0.12 | 3.4 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Riverside County*

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 814 | RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH MCC | 21 | 0.01 | 9.9 |
| 815 | RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH CC | 76 | 0.04 | 4.6 |
| 816 | RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITHOUT CC/MCC | 88 | 0.04 | 3.3 |
| 820 | LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH MCC | 21 | 0.01 | 25 |
| 821 | LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH CC | 26 | 0.01 | 8.7 |
| 822 | LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITHOUT CC/MCC | 28 | 0.01 | 3.0 |
| 823 | LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH MCC | 21 | 0.01 | 13 |
| 824 | LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH CC | 26 | 0.01 | 7.8 |
| 825 | LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC | 30 | 0.01 | 4.7 |
| 826 | MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH MCC | 11 | 0.01 | 16 |
| 827 | MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH CC | 28 | 0.01 | 7.3 |
| 828 | MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITHOUT CC/MCC | 21 | 0.01 | 4.9 |
| 829 | MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITH CC/MCC | 18 | 0.01 | 12 |
| 830 | MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC | 9 | 0.00 | 2.9 |
| 834 | ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH MCC | 78 | 0.04 | 27 |
| 835 | ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH CC | 84 | 0.04 | 15 |
| 836 | ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITHOUT CC/MCC | 46 | 0.02 | 6.1 |
| 837 | CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS OR WITH HIGH DOSE CHEMO AGENT WITH MCC | 31 | 0.01 | 21 |
| 838 | CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITH CC OR HIGH DOSE CHEMO AGENT | 51 | 0.02 | 12 |
| 839 | CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITHOUT CC/MCC | 128 | 0.06 | 6.4 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Riverside County*

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 840 | LYMPHOMA & NON-ACUTE LEUKEMIA WITH MCC | 102 | 0.05 | 11 |
| 841 | LYMPHOMA & NON-ACUTE LEUKEMIA WITH CC | 107 | 0.05 | 6.9 |
| 842 | LYMPHOMA & NON-ACUTE LEUKEMIA WITHOUT CC/MCC | 62 | 0.03 | 4.5 |
| 843 | OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH MCC | 16 | 0.01 | 7.6 |
| 844 | OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH CC | 39 | 0.02 | 4.8 |
| 845 | OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITHOUT CC/MCC | 8 | 0.00 | 4.5 |
| 846 | CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH MCC | 75 | 0.04 | 8.5 |
| 847 | CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH CC | 568 | 0.27 | 3.9 |
| 848 | CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITHOUT CC/MCC | 63 | 0.03 | 4.4 |
| 849 | RADIOTHERAPY | 18 | 0.01 | 3.2 |
| 853 | INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH MCC | 486 | 0.23 | 20 |
| 854 | INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH CC | 58 | 0.03 | 8.8 |
| 855 | INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITHOUT CC/MCC | 7 | 0.00 | 5.3 |
| 856 | POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH MCC | 88 | 0.04 | 16 |
| 857 | POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH CC | 105 | 0.05 | 7.6 |
| 858 | POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITHOUT CC/MCC | 55 | 0.03 | 5.5 |
| 862 | POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITH MCC | 160 | 0.08 | 9.2 |
| 863 | POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC | 373 | 0.17 | 4.5 |
| 864 | FEVER | 282 | 0.13 | 3.2 |
| 865 | VIRAL ILLNESS WITH MCC | 45 | 0.02 | 7.6 |
| 866 | VIRAL ILLNESS WITHOUT MCC | 202 | 0.09 | 3.2 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Riverside County*

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 867 | OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH MCC | 98 | 0.05 | 13 |
| 868 | OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH CC | 43 | 0.02 | 8.6 |
| 869 | OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITHOUT CC/MCC | 18 | 0.01 | 4.7 |
| 870 | SEPTICEMIA OR SEVERE SEPSIS WITH MECH VENT 96+ HOURS | 459 | 0.22 | 19 |
| 871 | SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC | 3,126 | 1.47 | 7.7 |
| 872 | SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC | 1,084 | 0.51 | 5.0 |
| 876 | O.R. PROCEDURE WITH PRINCIPAL DIAGNOSIS OF MENTAL ILLNESS | 4 | 0.00 | 11 |
| 880 | ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION | 141 | 0.07 | 2.0 |
| 881 | DEPRESSIVE NEUROSES | 31 | 0.01 | 5.2 |
| 882 | NEUROSES EXCEPT DEPRESSIVE | 19 | 0.01 | 4.4 |
| 883 | DISORDERS OF PERSONALITY & IMPULSE CONTROL | 14 | 0.01 | 8.3 |
| 884 | ORGANIC DISTURBANCES & MENTAL RETARDATION | 167 | 0.08 | 4.0 |
| 885 | PSYCHOSES | 346 | 0.16 | 7.2 |
| 886 | BEHAVIORAL & DEVELOPMENTAL DISORDERS | 6 | 0.00 | 1.5 |
| 887 | OTHER MENTAL DISORDER DIAGNOSIS | 11 | 0.01 | 2.6 |
| 894 | ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA | 62 | 0.03 | 2.4 |
| 895 | ALCOHOL/DRUG ABUSE OR DEPENDENCE WITH REHABILITATION THERAPY | 2 | 0.00 | 4.0 |
| 896 | ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC | 137 | 0.06 | 6.4 |
| 897 | ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC | 430 | 0.20 | 3.9 |
| 901 | WOUND DEBRIDE EMENTS FOR INJURIES WITH MCC | 13 | 0.01 | 30 |
| 902 | WOUND DEBRIDE EMENTS FOR INJURIES WITH CC | 21 | 0.01 | 5.8 |

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Riverside County**

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 903 | WOUND DEBRIDE EMENTS FOR INJURIES WITHOUT CC/MCC | 21 | 0.01 | 3.1 |
| 904 | SKIN GRAFTS FOR INJURIES WITH CC/MCC | 25 | 0.01 | 9.2 |
| 905 | SKIN GRAFTS FOR INJURIES WITHOUT CC/MCC | 19 | 0.01 | 4.3 |
| 906 | HAND PROCEDURES FOR INJURIES | 50 | 0.02 | 3.3 |
| 907 | OTHER O.R. PROCEDURES FOR INJURIES WITH MCC | 109 | 0.05 | 17 |
| 908 | OTHER O.R. PROCEDURES FOR INJURIES WITH CC | 163 | 0.08 | 6.2 |
| 909 | OTHER O.R. PROCEDURES FOR INJURIES WITHOUT CC/MCC | 137 | 0.06 | 3.0 |
| 913 | TRAUMATIC INJURY WITH MCC | 18 | 0.01 | 3.0 |
| 914 | TRAUMATIC INJURY WITHOUT MCC | 154 | 0.07 | 2.3 |
| 915 | ALLERGIC REACTIONS WITH MCC | 14 | 0.01 | 4.8 |
| 916 | ALLERGIC REACTIONS WITHOUT MCC | 63 | 0.03 | 1.9 |
| 917 | POISONING & TOXIC EFFECTS OF DRUGS WITH MCC | 386 | 0.18 | 4.9 |
| 918 | POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC | 839 | 0.39 | 2.2 |
| 919 | COMPLICATIONS OF TREATMENT WITH MCC | 154 | 0.07 | 8.9 |
| 920 | COMPLICATIONS OF TREATMENT WITH CC | 201 | 0.09 | 4.3 |
| 921 | COMPLICATIONS OF TREATMENT WITHOUT CC/MCC | 158 | 0.07 | 2.4 |
| 922 | OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITH MCC | 44 | 0.02 | 7.0 |
| 923 | OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITHOUT MCC | 116 | 0.05 | 2.8 |
| 927 | EXTENSIVE BURNS OR FULL THICKNESS BURNS WITH MECH VENT 96+ HRS WITH SKIN GRAFT | 8 | 0.00 | 42 |
| 928 | FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITH CC/MCC | 16 | 0.01 | 14 |
| 929 | FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITHOUT CC/MCC | 25 | 0.01 | 7.0 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Riverside County*

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 933 | EXTENSIVE BURNS OR FULL THICKNESS BURNS WITH MECH VENT 96+ HRS WITHOUT SKIN GRAFT | 1 | 0.00 | 9.0 |
| 934 | FULL THICKNESS BURN WITHOUT SKIN GRAFT OR INHAL INJURY | 15 | 0.01 | 6.1 |
| 935 | NON-EXTENSIVE BURNS | 128 | 0.06 | 3.9 |
| 939 | O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH MCC | 11 | 0.01 | 11 |
| 940 | O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC | 41 | 0.02 | 5.0 |
| 941 | O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITHOUT CC/MCC | 59 | 0.03 | 2.3 |
| 945 | REHABILITATION WITH CC/MCC | 24 | 0.01 | 20 |
| 946 | REHABILITATION WITHOUT CC/MCC | 3 | 0.00 | 9.0 |
| 947 | SIGNS & SYMPTOMS WITH MCC | 137 | 0.06 | 4.7 |
| 948 | SIGNS & SYMPTOMS WITHOUT MCC | 628 | 0.29 | 2.8 |
| 949 | AFTERCARE WITH CC/MCC | 30 | 0.01 | 8.1 |
| 950 | AFTERCARE WITHOUT CC/MCC | 17 | 0.01 | 4.1 |
| 951 | OTHER FACTORS INFLUENCING HEALTH STATUS | 119 | 0.06 | 2.3 |
| 955 | CRANIOTOMY FOR MULTIPLE SIGNIFICANT TRAUMA | 19 | 0.01 | 14 |
| 956 | LIMB REATTACHMENT, HIP & FEMUR PROCEDURE FOR MULTIPLE SIGNIFICANT TRAUMA | 80 | 0.04 | 11 |
| 957 | OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH MCC | 59 | 0.03 | 16 |
| 958 | OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH CC | 67 | 0.03 | 11 |
| 959 | OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC | 35 | 0.02 | 5.1 |
| 963 | OTHER MULTIPLE SIGNIFICANT TRAUMA WITH MCC | 31 | 0.01 | 6.5 |
| 964 | OTHER MULTIPLE SIGNIFICANT TRAUMA WITH CC | 94 | 0.04 | 5.1 |

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Riverside County**

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 965 | OTHER MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC | 57 | 0.03 | 3.2 |
| 969 | HIV WITH EXTENSIVE O.R. PROCEDURE WITH MCC | 7 | 0.00 | 14 |
| 974 | HIV WITH MAJOR RELATED CONDITION WITH MCC | 87 | 0.04 | 12 |
| 975 | HIV WITH MAJOR RELATED CONDITION WITH CC | 62 | 0.03 | 8.2 |
| 976 | HIV WITH MAJOR RELATED CONDITION WITHOUT CC/MCC | 39 | 0.02 | 6.1 |
| 977 | HIV WITH OR WITHOUT OTHER RELATED CONDITION | 46 | 0.02 | 5.8 |
| 981 | EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC | 275 | 0.13 | 17 |
| 982 | EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC | 218 | 0.10 | 6.9 |
| 983 | EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC | 221 | 0.10 | 3.1 |
| 985 | PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC | 3 | 0.00 | 6.3 |
| 986 | PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC | 3 | 0.00 | 4.3 |
| 987 | NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC | 65 | 0.03 | 13 |
| 988 | NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC | 110 | 0.05 | 6.8 |
| 989 | NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC | 86 | 0.04 | 2.4 |
| 999 | UNGROUPABLE | 1 | 0.00 | 5.0 |
| All | | 213,269 | 100.0 | 4.1 |

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Riverside County**

typcare1=Chemical Dependency Recovery Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|------------|---|-----------------------------|----------------------------|-------------------------------|
| 074 | CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC | 1 | 0.09 | 10 |
| 155 | OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH CC | 2 | 0.17 | 18 |
| 202 | BRONCHITIS & ASTHMA WITH CC/MCC | 1 | 0.09 | 2.0 |
| 392 | ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC | 1 | 0.09 | 33 |
| 470 | MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITHOUT MCC | 1 | 0.09 | 2.0 |
| 642 | INBORN ERRORS OF METABOLISM | 1 | 0.09 | 29 |
| 812 | RED BLOOD CELL DISORDERS WITHOUT MCC | 1 | 0.09 | 1.0 |
| 884 | ORGANIC DISTURBANCES & MENTAL RETARDATION | 1 | 0.09 | 2.0 |
| 885 | PSYCHOSES | 4 | 0.35 | 10 |
| 894 | ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA | 105 | 9.07 | 4.5 |
| 895 | ALCOHOL/DRUG ABUSE OR DEPENDENCE WITH REHABILITATION THERAPY | 434 | 37.48 | 12 |
| 896 | ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC | 10 | 0.86 | 5.6 |
| 897 | ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC | 581 | 50.17 | 4.9 |
| 945 | REHABILITATION WITH CC/MCC | 5 | 0.43 | 7.2 |
| 946 | REHABILITATION WITHOUT CC/MCC | 4 | 0.35 | 4.3 |
| 951 | OTHER FACTORS INFLUENCING HEALTH STATUS | 6 | 0.52 | 6.8 |
| All | | 1,158 | 100.0 | 7.5 |

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Riverside County*

typcare1=Physical Rehabilitation Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 041 | PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH CC OR PERIPH NEUROSTIM | 1 | 0.10 | 10 |
| 052 | SPINAL DISORDERS & INJURIES WITH CC/MCC | 18 | 1.84 | 30 |
| 053 | SPINAL DISORDERS & INJURIES WITHOUT CC/MCC | 1 | 0.10 | 28 |
| 054 | NERVOUS SYSTEM NEOPLASMS WITH MCC | 1 | 0.10 | 4.0 |
| 055 | NERVOUS SYSTEM NEOPLASMS WITHOUT MCC | 7 | 0.72 | 16 |
| 056 | DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC | 3 | 0.31 | 19 |
| 057 | DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC | 8 | 0.82 | 18 |
| 059 | MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH CC | 3 | 0.31 | 19 |
| 064 | INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC | 17 | 1.74 | 22 |
| 065 | INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC | 55 | 5.62 | 19 |
| 066 | INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC | 1 | 0.10 | 10 |
| 070 | NONSPECIFIC CEREBROVASCULAR DISORDERS WITH MCC | 2 | 0.20 | 50 |
| 071 | NONSPECIFIC CEREBROVASCULAR DISORDERS WITH CC | 1 | 0.10 | 13 |
| 073 | CRANIAL & PERIPHERAL NERVE DISORDERS WITH MCC | 4 | 0.41 | 13 |
| 074 | CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC | 7 | 0.72 | 30 |
| 082 | TRAUMATIC STUPOR & COMA, COMA >1 HR WITH MCC | 1 | 0.10 | 24 |
| 083 | TRAUMATIC STUPOR & COMA, COMA >1 HR WITH CC | 1 | 0.10 | 21 |
| 085 | TRAUMATIC STUPOR & COMA, COMA <1 HR WITH MCC | 6 | 0.61 | 11 |
| 086 | TRAUMATIC STUPOR & COMA, COMA <1 HR WITH CC | 4 | 0.41 | 18 |
| 087 | TRAUMATIC STUPOR & COMA, COMA <1 HR WITHOUT CC/MCC | 1 | 0.10 | 1.0 |
| 091 | OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC | 12 | 1.23 | 16 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Riverside County*

typcare1=Physical Rehabilitation Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 092 | OTHER DISORDERS OF NERVOUS SYSTEM WITH CC | 2 | 0.20 | 13 |
| 094 | BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH MCC | 3 | 0.31 | 23 |
| 096 | BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITHOUT CC/MCC | 1 | 0.10 | 16 |
| 176 | PULMONARY EMBOLISM WITHOUT MCC | 1 | 0.10 | 13 |
| 180 | RESPIRATORY NEOPLASMS WITH MCC | 1 | 0.10 | 20 |
| 189 | PULMONARY EDEMA & RESPIRATORY FAILURE | 1 | 0.10 | 21 |
| 190 | CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC | 2 | 0.20 | 6.5 |
| 191 | CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC | 1 | 0.10 | 10 |
| 192 | CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC | 1 | 0.10 | 8.0 |
| 194 | SIMPLE PNEUMONIA & PLEURISY WITH CC | 1 | 0.10 | 11 |
| 207 | RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS | 2 | 0.20 | 71 |
| 280 | ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH MCC | 1 | 0.10 | 9.0 |
| 291 | HEART FAILURE & SHOCK WITH MCC | 1 | 0.10 | 14 |
| 292 | HEART FAILURE & SHOCK WITH CC | 1 | 0.10 | 10 |
| 299 | PERIPHERAL VASCULAR DISORDERS WITH MCC | 2 | 0.20 | 15 |
| 300 | PERIPHERAL VASCULAR DISORDERS WITH CC | 2 | 0.20 | 13 |
| 301 | PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC | 1 | 0.10 | 10 |
| 303 | ATHEROSCLEROSIS WITHOUT MCC | 1 | 0.10 | 10 |
| 309 | CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC | 1 | 0.10 | 13 |
| 312 | SYNCOPE & COLLAPSE | 1 | 0.10 | 10 |
| 375 | DIGESTIVE MALIGNANCY WITH CC | 1 | 0.10 | 7.0 |

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Riverside County**

typcare1=Physical Rehabilitation Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|-----------------------------|----------------------------|-------------------------------|
| 417 | LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH MCC | 1 | 0.10 | 3.0 |
| 534 | FRACTURES OF FEMUR WITHOUT MCC | 1 | 0.10 | 11 |
| 535 | FRACTURES OF HIP & PELVIS WITH MCC | 1 | 0.10 | 8.0 |
| 536 | FRACTURES OF HIP & PELVIS WITHOUT MCC | 8 | 0.82 | 10 |
| 539 | OSTEOMYELITIS WITH MCC | 1 | 0.10 | 18 |
| 540 | OSTEOMYELITIS WITH CC | 1 | 0.10 | 17 |
| 541 | OSTEOMYELITIS WITHOUT CC/MCC | 2 | 0.20 | 12 |
| 543 | PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH CC | 2 | 0.20 | 9.0 |
| 544 | PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITHOUT CC/MCC | 2 | 0.20 | 14 |
| 549 | SEPTIC ARTHRITIS WITH CC | 1 | 0.10 | 10 |
| 551 | MEDICAL BACK PROBLEMS WITH MCC | 7 | 0.72 | 19 |
| 552 | MEDICAL BACK PROBLEMS WITHOUT MCC | 21 | 2.15 | 8.5 |
| 553 | BONE DISEASES & ARTHROPATHIES WITH MCC | 1 | 0.10 | 10 |
| 554 | BONE DISEASES & ARTHROPATHIES WITHOUT MCC | 11 | 1.12 | 10 |
| 555 | SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITH MCC | 1 | 0.10 | 4.0 |
| 557 | TENDONITIS, MYOSITIS & BURSITIS WITH MCC | 1 | 0.10 | 5.0 |
| 560 | AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC | 2 | 0.20 | 8.5 |
| 561 | AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC | 4 | 0.41 | 4.0 |
| 563 | FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC | 1 | 0.10 | 9.0 |
| 565 | OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH CC | 1 | 0.10 | 15 |
| 603 | CELLULITIS WITHOUT MCC | 1 | 0.10 | 15 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Riverside County*

typcare1=Physical Rehabilitation Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 638 | DIABETES WITH CC | 1 | 0.10 | 16 |
| 644 | ENDOCRINE DISORDERS WITH CC | 1 | 0.10 | 32 |
| 645 | ENDOCRINE DISORDERS WITHOUT CC/MCC | 1 | 0.10 | 18 |
| 683 | RENAL FAILURE WITH CC | 1 | 0.10 | 11 |
| 686 | KIDNEY & URINARY TRACT NEOPLASMS WITH MCC | 2 | 0.20 | 12 |
| 895 | ALCOHOL/DRUG ABUSE OR DEPENDENCE WITH REHABILITATION THERAPY | 1 | 0.10 | 31 |
| 897 | ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC | 1 | 0.10 | 7.0 |
| 913 | TRAUMATIC INJURY WITH MCC | 1 | 0.10 | 44 |
| 928 | FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITH CC/MCC | 1 | 0.10 | 20 |
| 939 | O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH MCC | 3 | 0.31 | 32 |
| 945 | REHABILITATION WITH CC/MCC | 554 | 56.65 | 17 |
| 946 | REHABILITATION WITHOUT CC/MCC | 105 | 10.74 | 11 |
| 947 | SIGNS & SYMPTOMS WITH MCC | 19 | 1.94 | 11 |
| 948 | SIGNS & SYMPTOMS WITHOUT MCC | 18 | 1.84 | 12 |
| 963 | OTHER MULTIPLE SIGNIFICANT TRAUMA WITH MCC | 6 | 0.61 | 31 |
| 964 | OTHER MULTIPLE SIGNIFICANT TRAUMA WITH CC | 7 | 0.72 | 13 |
| 965 | OTHER MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC | 3 | 0.31 | 11 |
| All | | 978 | 100.0 | 16 |

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Riverside County**

typcare1=Psychiatric Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 057 | DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC | 17 | 0.15 | 17 |
| 070 | NONSPECIFIC CEREBROVASCULAR DISORDERS WITH MCC | 1 | 0.01 | 31 |
| 093 | OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC | 1 | 0.01 | 2.0 |
| 101 | SEIZURES WITHOUT MCC | 1 | 0.01 | 6.0 |
| 207 | RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS | 1 | 0.01 | 8.0 |
| 305 | HYPERTENSION WITHOUT MCC | 1 | 0.01 | 3.0 |
| 313 | CHEST PAIN | 1 | 0.01 | .00 |
| 556 | SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC | 1 | 0.01 | 15 |
| 563 | FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC | 1 | 0.01 | 14 |
| 639 | DIABETES WITHOUT CC/MCC | 1 | 0.01 | 2.0 |
| 690 | KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC | 1 | 0.01 | 9.0 |
| 761 | MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITHOUT CC/MCC | 1 | 0.01 | 1.0 |
| 765 | CESAREAN SECTION WITH CC/MCC | 1 | 0.01 | 3.0 |
| 766 | CESAREAN SECTION WITHOUT CC/MCC | 2 | 0.02 | 3.0 |
| 775 | VAGINAL DELIVERY WITHOUT COMPLICATING DIAGNOSIS | 1 | 0.01 | 2.0 |
| 776 | POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE | 10 | 0.09 | 5.4 |
| 781 | OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS | 34 | 0.30 | 6.3 |
| 880 | ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION | 34 | 0.30 | 3.4 |
| 881 | DEPRESSIVE NEUROSES | 392 | 3.44 | 3.2 |
| 882 | NEUROSES EXCEPT DEPRESSIVE | 169 | 1.48 | 3.0 |
| 883 | DISORDERS OF PERSONALITY & IMPULSE CONTROL | 339 | 2.97 | 5.6 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Riverside County*

typcare1=Psychiatric Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 884 | ORGANIC DISTURBANCES & MENTAL RETARDATION | 35 | 0.31 | 15 |
| 885 | PSYCHOSES | 10,035 | 88.03 | 6.7 |
| 886 | BEHAVIORAL & DEVELOPMENTAL DISORDERS | 49 | 0.43 | 3.2 |
| 887 | OTHER MENTAL DISORDER DIAGNOSIS | 2 | 0.02 | 10 |
| 894 | ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA | 6 | 0.05 | 3.5 |
| 895 | ALCOHOL/DRUG ABUSE OR DEPENDENCE WITH REHABILITATION THERAPY | 10 | 0.09 | 15 |
| 896 | ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC | 2 | 0.02 | 3.0 |
| 897 | ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC | 218 | 1.91 | 4.6 |
| 917 | POISONING & TOXIC EFFECTS OF DRUGS WITH MCC | 1 | 0.01 | 12 |
| 918 | POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC | 6 | 0.05 | 3.8 |
| 951 | OTHER FACTORS INFLUENCING HEALTH STATUS | 24 | 0.21 | .17 |
| 977 | HIV WITH OR WITHOUT OTHER RELATED CONDITION | 1 | 0.01 | 1.0 |
| All | | 11,399 | 100.0 | 6.4 |

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Riverside County**

typcare1=Skilled Nursing/Intermediate Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 040 | PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH MCC | 1 | 0.06 | 3E3 |
| 052 | SPINAL DISORDERS & INJURIES WITH CC/MCC | 4 | 0.24 | 32 |
| 055 | NERVOUS SYSTEM NEOPLASMS WITHOUT MCC | 2 | 0.12 | 34 |
| 056 | DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC | 7 | 0.43 | 17 |
| 057 | DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC | 15 | 0.92 | 13 |
| 060 | MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITHOUT CC/MCC | 1 | 0.06 | 19 |
| 064 | INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC | 1 | 0.06 | 6.0 |
| 066 | INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC | 5 | 0.31 | 5.0 |
| 072 | NONSPECIFIC CEREBROVASCULAR DISORDERS WITHOUT CC/MCC | 1 | 0.06 | 4.0 |
| 074 | CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC | 1 | 0.06 | 3.0 |
| 081 | NONTRAUMATIC STUPOR & COMA WITHOUT MCC | 8 | 0.49 | 160 |
| 085 | TRAUMATIC STUPOR & COMA, COMA <1 HR WITH MCC | 2 | 0.12 | 16 |
| 086 | TRAUMATIC STUPOR & COMA, COMA <1 HR WITH CC | 2 | 0.12 | 32 |
| 087 | TRAUMATIC STUPOR & COMA, COMA <1 HR WITHOUT CC/MCC | 1 | 0.06 | 1.0 |
| 091 | OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC | 1 | 0.06 | 4.0 |
| 092 | OTHER DISORDERS OF NERVOUS SYSTEM WITH CC | 3 | 0.18 | 27 |
| 093 | OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC | 3 | 0.18 | 4.3 |
| 094 | BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH MCC | 1 | 0.06 | 31 |
| 096 | BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITHOUT CC/MCC | 1 | 0.06 | 25 |
| 097 | NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH MCC | 1 | 0.06 | 28 |
| 100 | SEIZURES WITH MCC | 1 | 0.06 | 3.0 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Riverside County*

typcare1=Skilled Nursing/Intermediate Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 101 | SEIZURES WITHOUT MCC | 2 | 0.12 | 2.0 |
| 147 | EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH CC | 1 | 0.06 | 25 |
| 149 | DYSEQUILIBRIUM | 1 | 0.06 | 4.0 |
| 153 | OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITHOUT MCC | 2 | 0.12 | 5.0 |
| 155 | OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH CC | 2 | 0.12 | 3.5 |
| 158 | DENTAL & ORAL DISEASES WITH CC | 2 | 0.12 | 5.5 |
| 175 | PULMONARY EMBOLISM WITH MCC | 4 | 0.24 | 3.8 |
| 176 | PULMONARY EMBOLISM WITHOUT MCC | 4 | 0.24 | 4.0 |
| 177 | RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC | 3 | 0.18 | 9.3 |
| 178 | RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC | 2 | 0.12 | 25 |
| 179 | RESPIRATORY INFECTIONS & INFLAMMATIONS WITHOUT CC/MCC | 1 | 0.06 | 10 |
| 180 | RESPIRATORY NEOPLASMS WITH MCC | 4 | 0.24 | 9.5 |
| 181 | RESPIRATORY NEOPLASMS WITH CC | 1 | 0.06 | 22 |
| 186 | PLEURAL EFFUSION WITH MCC | 1 | 0.06 | 1.0 |
| 187 | PLEURAL EFFUSION WITH CC | 1 | 0.06 | 1.0 |
| 189 | PULMONARY EDEMA & RESPIRATORY FAILURE | 22 | 1.34 | 94 |
| 190 | CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC | 3 | 0.18 | 5.0 |
| 191 | CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC | 5 | 0.31 | 3.4 |
| 192 | CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC | 12 | 0.73 | 84 |
| 193 | SIMPLE PNEUMONIA & PLEURISY WITH MCC | 12 | 0.73 | 83 |
| 194 | SIMPLE PNEUMONIA & PLEURISY WITH CC | 25 | 1.53 | 8.7 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Riverside County*

typcare1=Skilled Nursing/Intermediate Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 195 | SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC | 14 | 0.85 | 11 |
| 201 | PNEUMOTHORAX WITHOUT CC/MCC | 2 | 0.12 | 5.0 |
| 202 | BRONCHITIS & ASTHMA WITH CC/MCC | 2 | 0.12 | 21 |
| 204 | RESPIRATORY SIGNS & SYMPTOMS | 7 | 0.43 | 23 |
| 205 | OTHER RESPIRATORY SYSTEM DIAGNOSIS WITH MCC | 2 | 0.12 | 210 |
| 206 | OTHER RESPIRATORY SYSTEM DIAGNOSIS WITHOUT MCC | 2 | 0.12 | 6.0 |
| 207 | RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS | 41 | 2.50 | 324 |
| 208 | RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS | 1 | 0.06 | 7.0 |
| 281 | ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH CC | 1 | 0.06 | 23 |
| 282 | ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITHOUT CC/MCC | 1 | 0.06 | 4.0 |
| 291 | HEART FAILURE & SHOCK WITH MCC | 9 | 0.55 | 4.6 |
| 292 | HEART FAILURE & SHOCK WITH CC | 1 | 0.06 | 13 |
| 293 | HEART FAILURE & SHOCK WITHOUT CC/MCC | 11 | 0.67 | 4.5 |
| 299 | PERIPHERAL VASCULAR DISORDERS WITH MCC | 1 | 0.06 | 5.0 |
| 300 | PERIPHERAL VASCULAR DISORDERS WITH CC | 7 | 0.43 | 14 |
| 301 | PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC | 4 | 0.24 | 6.8 |
| 304 | HYPERTENSION WITH MCC | 1 | 0.06 | 8.0 |
| 305 | HYPERTENSION WITHOUT MCC | 2 | 0.12 | 13 |
| 308 | CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH MCC | 2 | 0.12 | 4.0 |
| 310 | CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITHOUT CC/MCC | 2 | 0.12 | 6.0 |
| 312 | SYNCOPE & COLLAPSE | 4 | 0.24 | 3.8 |

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Riverside County**

typcare1=Skilled Nursing/Intermediate Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 313 | CHEST PAIN | 3 | 0.18 | 3.0 |
| 314 | OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC | 4 | 0.24 | 7.0 |
| 315 | OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC | 2 | 0.12 | 17 |
| 316 | OTHER CIRCULATORY SYSTEM DIAGNOSIS WITHOUT CC/MCC | 2 | 0.12 | 2.0 |
| 371 | MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH MCC | 2 | 0.12 | 6.5 |
| 372 | MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH CC | 2 | 0.12 | 6.5 |
| 373 | MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITHOUT CC/MCC | 2 | 0.12 | 11 |
| 378 | G.I. HEMORRHAGE WITH CC | 3 | 0.18 | 8.3 |
| 379 | G.I. HEMORRHAGE WITHOUT CC/MCC | 6 | 0.37 | 3.2 |
| 384 | UNCOMPLICATED PEPTIC ULCER WITHOUT MCC | 1 | 0.06 | 17 |
| 386 | INFLAMMATORY BOWEL DISEASE WITH CC | 1 | 0.06 | 6.0 |
| 388 | G.I. OBSTRUCTION WITH MCC | 1 | 0.06 | 15 |
| 389 | G.I. OBSTRUCTION WITH CC | 1 | 0.06 | 2.0 |
| 390 | G.I. OBSTRUCTION WITHOUT CC/MCC | 2 | 0.12 | 2.0 |
| 391 | ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITH MCC | 1 | 0.06 | 17 |
| 392 | ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC | 15 | 0.92 | 5.5 |
| 394 | OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH CC | 1 | 0.06 | 10 |
| 395 | OTHER DIGESTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC | 3 | 0.18 | 6.3 |
| 436 | MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITH CC | 1 | 0.06 | 9.0 |
| 438 | DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH MCC | 3 | 0.18 | 10 |
| 439 | DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH CC | 2 | 0.12 | 13 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Riverside County*

typcare1=Skilled Nursing/Intermediate Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 440 | DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITHOUT CC/MCC | 1 | 0.06 | .00 |
| 442 | DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH CC | 2 | 0.12 | 2.5 |
| 445 | DISORDERS OF THE BILIARY TRACT WITH CC | 1 | 0.06 | 3.0 |
| 477 | BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC | 1 | 0.06 | 21 |
| 534 | FRACTURES OF FEMUR WITHOUT MCC | 1 | 0.06 | 11 |
| 536 | FRACTURES OF HIP & PELVIS WITHOUT MCC | 2 | 0.12 | 8.5 |
| 539 | OSTEOMYELITIS WITH MCC | 2 | 0.12 | 23 |
| 540 | OSTEOMYELITIS WITH CC | 2 | 0.12 | 4.0 |
| 541 | OSTEOMYELITIS WITHOUT CC/MCC | 1 | 0.06 | 14 |
| 548 | SEPTIC ARTHRITIS WITH MCC | 1 | 0.06 | 28 |
| 551 | MEDICAL BACK PROBLEMS WITH MCC | 1 | 0.06 | 12 |
| 552 | MEDICAL BACK PROBLEMS WITHOUT MCC | 7 | 0.43 | 8.0 |
| 554 | BONE DISEASES & ARTHROPATHIES WITHOUT MCC | 1 | 0.06 | 7.0 |
| 555 | SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITH MCC | 1 | 0.06 | 12 |
| 556 | SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC | 11 | 0.67 | 13 |
| 558 | TENDONITIS, MYOSITIS & BURSITIS WITHOUT MCC | 2 | 0.12 | 6.0 |
| 559 | AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC | 8 | 0.49 | 7.3 |
| 560 | AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC | 39 | 2.38 | 8.7 |
| 561 | AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC | 101 | 6.17 | 4.7 |
| 563 | FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC | 2 | 0.12 | 26 |
| 564 | OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH MCC | 1 | 0.06 | 24 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Riverside County*

typcare1=Skilled Nursing/Intermediate Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 565 | OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH CC | 3 | 0.18 | 15 |
| 566 | OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITHOUT CC/MCC | 16 | 0.98 | 10 |
| 574 | SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH CC | 1 | 0.06 | 82 |
| 592 | SKIN ULCERS WITH MCC | 1 | 0.06 | 87 |
| 593 | SKIN ULCERS WITH CC | 2 | 0.12 | 25 |
| 596 | MAJOR SKIN DISORDERS WITHOUT MCC | 1 | 0.06 | 8.0 |
| 598 | MALIGNANT BREAST DISORDERS WITH CC | 1 | 0.06 | 2.0 |
| 602 | CELLULITIS WITH MCC | 5 | 0.31 | 34 |
| 603 | CELLULITIS WITHOUT MCC | 28 | 1.71 | 10 |
| 605 | TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITHOUT MCC | 2 | 0.12 | 9.0 |
| 607 | MINOR SKIN DISORDERS WITHOUT MCC | 1 | 0.06 | 1.0 |
| 637 | DIABETES WITH MCC | 2 | 0.12 | 22 |
| 638 | DIABETES WITH CC | 5 | 0.31 | 16 |
| 639 | DIABETES WITHOUT CC/MCC | 1 | 0.06 | 8.0 |
| 640 | NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC | 3 | 0.18 | 7.7 |
| 641 | NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC | 19 | 1.16 | 12 |
| 642 | INBORN ERRORS OF METABOLISM | 1 | 0.06 | 93 |
| 644 | ENDOCRINE DISORDERS WITH CC | 1 | 0.06 | 10 |
| 645 | ENDOCRINE DISORDERS WITHOUT CC/MCC | 1 | 0.06 | 2.0 |
| 682 | RENAL FAILURE WITH MCC | 6 | 0.37 | 18 |
| 683 | RENAL FAILURE WITH CC | 6 | 0.37 | 9.8 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Riverside County*

typcare1=Skilled Nursing/Intermediate Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 684 | RENAL FAILURE WITHOUT CC/MCC | 5 | 0.31 | 6.4 |
| 689 | KIDNEY & URINARY TRACT INFECTIONS WITH MCC | 6 | 0.37 | 58 |
| 690 | KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC | 21 | 1.28 | 51 |
| 694 | URINARY STONES WITHOUT ESW LITHOTRIPSY WITHOUT MCC | 1 | 0.06 | 1.0 |
| 696 | KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITHOUT MCC | 1 | 0.06 | 3.0 |
| 698 | OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH MCC | 2 | 0.12 | 1.5 |
| 699 | OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH CC | 2 | 0.12 | 2.5 |
| 700 | OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITHOUT CC/MCC | 1 | 0.06 | 7.0 |
| 723 | MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH CC | 2 | 0.12 | 12 |
| 727 | INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITH MCC | 1 | 0.06 | 3.0 |
| 728 | INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITHOUT MCC | 1 | 0.06 | 8.0 |
| 758 | INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH CC | 1 | 0.06 | 20 |
| 811 | RED BLOOD CELL DISORDERS WITH MCC | 1 | 0.06 | 18 |
| 812 | RED BLOOD CELL DISORDERS WITHOUT MCC | 3 | 0.18 | 8.3 |
| 813 | COAGULATION DISORDERS | 3 | 0.18 | 5.7 |
| 815 | RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH CC | 2 | 0.12 | 24 |
| 834 | ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH MCC | 1 | 0.06 | 5.0 |
| 841 | LYMPHOMA & NON-ACUTE LEUKEMIA WITH CC | 1 | 0.06 | 3.0 |
| 843 | OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH MCC | 1 | 0.06 | 31 |
| 844 | OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH CC | 1 | 0.06 | 5.0 |
| 845 | OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITHOUT CC/MCC | 1 | 0.06 | 6.0 |

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Riverside County**

typcare1=Skilled Nursing/Intermediate Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 862 | POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITH MCC | 2 | 0.12 | 6.0 |
| 863 | POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC | 4 | 0.24 | 25 |
| 864 | FEVER | 1 | 0.06 | 6.0 |
| 868 | OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH CC | 1 | 0.06 | 1.0 |
| 869 | OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITHOUT CC/MCC | 1 | 0.06 | 5.0 |
| 871 | SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC | 9 | 0.55 | 15 |
| 872 | SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC | 9 | 0.55 | 7.1 |
| 884 | ORGANIC DISTURBANCES & MENTAL RETARDATION | 2 | 0.12 | 32 |
| 885 | PSYCHOSES | 2 | 0.12 | 5.0 |
| 896 | ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC | 1 | 0.06 | 97 |
| 897 | ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC | 2 | 0.12 | 7.0 |
| 916 | ALLERGIC REACTIONS WITHOUT MCC | 1 | 0.06 | 1.0 |
| 918 | POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC | 1 | 0.06 | 1.0 |
| 919 | COMPLICATIONS OF TREATMENT WITH MCC | 1 | 0.06 | 12 |
| 920 | COMPLICATIONS OF TREATMENT WITH CC | 1 | 0.06 | 19 |
| 921 | COMPLICATIONS OF TREATMENT WITHOUT CC/MCC | 1 | 0.06 | 11 |
| 923 | OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITHOUT MCC | 1 | 0.06 | 12 |
| 939 | O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH MCC | 1 | 0.06 | 27 |
| 940 | O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC | 2 | 0.12 | 4.5 |
| 941 | O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITHOUT CC/MCC | 1 | 0.06 | 8.0 |

(Continued)

***MS-DRG by Patient County of Residence
and Type of Care for 2010
Riverside County***

typcare1=Skilled Nursing/Intermediate Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|------------|---|----------------------|---------------------|------------------------|
| 945 | REHABILITATION WITH CC/MCC | 467 | 28.51 | 9.3 |
| 946 | REHABILITATION WITHOUT CC/MCC | 231 | 14.10 | 6.7 |
| 947 | SIGNS & SYMPTOMS WITH MCC | 5 | 0.31 | 13 |
| 948 | SIGNS & SYMPTOMS WITHOUT MCC | 15 | 0.92 | 9.0 |
| 949 | AFTERCARE WITH CC/MCC | 94 | 5.74 | 10 |
| 950 | AFTERCARE WITHOUT CC/MCC | 43 | 2.63 | 6.6 |
| 951 | OTHER FACTORS INFLUENCING HEALTH STATUS | 35 | 2.14 | 4.9 |
| 975 | HIV WITH MAJOR RELATED CONDITION WITH CC | 1 | 0.06 | 4.0 |
| 976 | HIV WITH MAJOR RELATED CONDITION WITHOUT CC/MCC | 2 | 0.12 | 3.5 |
| 982 | EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC | 1 | 0.06 | 7.0 |
| 988 | NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC | 1 | 0.06 | 6.0 |
| All | | 1,638 | 100.0 | 23 |

**MDC by Patient County of Residence
for 2010
Riverside County**

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----------|---|-----------------------------|----------------------------|-------------------------------|
| 00 | UNGROUPABLE | 1 | 0.00 | 5.0 |
| 01 | NERVOUS SYSTEM, DISEASES & DISORDERS | 11,376 | 4.98 | 5.5 |
| 02 | EYE, DISEASES & DISORDERS | 331 | 0.14 | 3.4 |
| 03 | EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS | 2,196 | 0.96 | 3.1 |
| 04 | RESPIRATORY SYSTEM, DISEASES & DISORDERS | 17,215 | 7.54 | 6.9 |
| 05 | CIRCULATORY SYSTEM, DISEASES & DISORDERS | 31,489 | 13.78 | 3.9 |
| 06 | DIGESTIVE SYSTEM, DISEASES & DISORDERS | 19,064 | 8.34 | 4.6 |
| 07 | HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS | 7,548 | 3.30 | 5.0 |
| 08 | MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS | 17,424 | 7.63 | 4.0 |
| 09 | SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS | 4,752 | 2.08 | 4.8 |
| 10 | ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS | 7,177 | 3.14 | 3.5 |
| 11 | KIDNEY AND URINARY TRACT, DISEASES & DISORDERS | 7,810 | 3.42 | 4.9 |
| 12 | MALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS | 1,113 | 0.49 | 2.7 |
| 13 | FEMALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS | 4,834 | 2.12 | 2.6 |
| 14 | PREGNANCY, CHILDBIRTH, & THE PUERPERIUM | 33,128 | 14.50 | 2.3 |
| 15 | NEWBORNS AND NEONATE CONDITIONS BEGAN IN PERINATAL PERIOD | 31,325 | 13.71 | 3.2 |
| 16 | BLOOD, BLOOD FORMING ORGANS,IMMUNOLOGICAL, DISEASES & DISORDERS | 2,865 | 1.25 | 4.3 |
| 17 | MYELOPROLIFERATIVE DISEASES & POORLY DIFFERENTIATED NEOPLASMS | 1,792 | 0.78 | 9.0 |
| 18 | INFECTIOUS & PARASITIC DISEASES | 6,819 | 2.98 | 9.1 |
| 19 | MENTAL DISEASES & DISORDERS | 11,803 | 5.17 | 6.4 |
| 20 | ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES | 2,005 | 0.88 | 6.2 |
| 21 | INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS | 2,781 | 1.22 | 4.6 |

(Continued)

*MDC by Patient County of Residence
for 2010
Riverside County*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 22 | BURNS | 197 | 0.09 | 8.1 |
| 23 | FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES | 2,702 | 1.18 | 8.3 |
| 24 | MULTIPLE SIGNFICANT TRAUMA | 458 | 0.20 | 9.0 |
| 25 | HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS | 250 | 0.11 | 11 |
| All | | 228,455 | 100.0 | 4.4 |

**MDC by Patient County of Residence
and Type of Care for 2010
Riverside County**

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|----|---|----------------------|---------------------|------------------------|
| 00 | UNGROUPABLE | 1 | 0.00 | 5.0 |
| 01 | NERVOUS SYSTEM, DISEASES & DISORDERS | 11,130 | 5.22 | 4.9 |
| 02 | EYE, DISEASES & DISORDERS | 331 | 0.16 | 3.4 |
| 03 | EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS | 2,186 | 1.02 | 3.0 |
| 04 | RESPIRATORY SYSTEM, DISEASES & DISORDERS | 17,032 | 7.99 | 5.8 |
| 05 | CIRCULATORY SYSTEM, DISEASES & DISORDERS | 31,419 | 14.73 | 3.9 |
| 06 | DIGESTIVE SYSTEM, DISEASES & DISORDERS | 19,021 | 8.92 | 4.6 |
| 07 | HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS | 7,537 | 3.53 | 5.0 |
| 08 | MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS | 17,148 | 8.04 | 3.9 |
| 09 | SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS | 4,709 | 2.21 | 4.7 |
| 10 | ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS | 7,139 | 3.35 | 3.5 |
| 11 | KIDNEY AND URINARY TRACT, DISEASES & DISORDERS | 7,755 | 3.64 | 4.8 |
| 12 | MALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS | 1,109 | 0.52 | 2.7 |
| 13 | FEMALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS | 4,832 | 2.27 | 2.6 |
| 14 | PREGNANCY, CHILDBIRTH, & THE PUERPERIUM | 33,080 | 15.51 | 2.3 |
| 15 | NEWBORNS AND NEONATE CONDITIONS BEGAN IN PERINATAL PERIOD | 31,325 | 14.69 | 3.2 |
| 16 | BLOOD, BLOOD FORMING ORGANS, IMMUNOLOGICAL, DISEASES & DISORDERS | 2,855 | 1.34 | 4.2 |
| 17 | MYELOPROLIFERATIVE DISEASES & POORLY DIFFERENTIATED NEOPLASMS | 1,787 | 0.84 | 9.0 |
| 18 | INFECTIOUS & PARASITIC DISEASES | 6,792 | 3.18 | 9.1 |
| 19 | MENTAL DISEASES & DISORDERS | 739 | 0.35 | 5.2 |
| 20 | ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES | 634 | 0.30 | 4.3 |

(Continued)

***MDC by Patient County of Residence
and Type of Care for 2010
Riverside County***

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|------------|--|-------------------------|---------------------------|------------------------------|
| 21 | INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS | 2,767 | 1.30 | 4.6 |
| 22 | BURNS | 196 | 0.09 | 8.1 |
| 23 | FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES | 1,070 | 0.50 | 3.7 |
| 24 | MULTIPLE SIGNFICANT TRAUMA | 442 | 0.21 | 8.7 |
| 25 | HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS | 246 | 0.12 | 11 |
| All | | 213,282 | 100.0 | 4.1 |

***MDC by Patient County of Residence
and Type of Care for 2010
Riverside County***

typcare1=Chemical Dependency Recovery Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|------------|---|-----------------------------|----------------------------|-------------------------------|
| 01 | NERVOUS SYSTEM, DISEASES & DISORDERS | 1 | 0.09 | 10 |
| 03 | EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS | 2 | 0.17 | 18 |
| 04 | RESPIRATORY SYSTEM, DISEASES & DISORDERS | 1 | 0.09 | 2.0 |
| 06 | DIGESTIVE SYSTEM, DISEASES & DISORDERS | 1 | 0.09 | 33 |
| 08 | MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS | 1 | 0.09 | 2.0 |
| 10 | ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS | 1 | 0.09 | 29 |
| 16 | BLOOD, BLOOD FORMING ORGANS,IMMUNOLOGICAL, DISEASES & DISORDERS | 1 | 0.09 | 1.0 |
| 19 | MENTAL DISEASES & DISORDERS | 5 | 0.43 | 8.4 |
| 20 | ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES | 1,130 | 97.58 | 7.4 |
| 23 | FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES | 15 | 1.30 | 6.3 |
| All | | 1,158 | 100.0 | 7.5 |

**MDC by Patient County of Residence
and Type of Care for 2010
Riverside County**

typcare1=Physical Rehabilitation Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 01 | NERVOUS SYSTEM, DISEASES & DISORDERS | 160 | 16.36 | 20 |
| 04 | RESPIRATORY SYSTEM, DISEASES & DISORDERS | 10 | 1.02 | 24 |
| 05 | CIRCULATORY SYSTEM, DISEASES & DISORDERS | 11 | 1.12 | 12 |
| 06 | DIGESTIVE SYSTEM, DISEASES & DISORDERS | 1 | 0.10 | 7.0 |
| 07 | HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS | 1 | 0.10 | 3.0 |
| 08 | MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS | 69 | 7.06 | 10 |
| 09 | SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS | 1 | 0.10 | 15 |
| 10 | ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS | 3 | 0.31 | 22 |
| 11 | KIDNEY AND URINARY TRACT, DISEASES & DISORDERS | 3 | 0.31 | 12 |
| 20 | ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES | 2 | 0.20 | 19 |
| 21 | INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS | 1 | 0.10 | 44 |
| 22 | BURNS | 1 | 0.10 | 20 |
| 23 | FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES | 699 | 71.47 | 15 |
| 24 | MULTIPLE SIGNFICANT TRAUMA | 16 | 1.64 | 19 |
| All | | 978 | 100.0 | 16 |

**MDC by Patient County of Residence
and Type of Care for 2010
Riverside County**

typcare1=Psychiatric Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 01 | NERVOUS SYSTEM, DISEASES & DISORDERS | 20 | 0.18 | 17 |
| 04 | RESPIRATORY SYSTEM, DISEASES & DISORDERS | 1 | 0.01 | 8.0 |
| 05 | CIRCULATORY SYSTEM, DISEASES & DISORDERS | 2 | 0.02 | 1.5 |
| 08 | MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS | 2 | 0.02 | 15 |
| 10 | ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS | 1 | 0.01 | 2.0 |
| 11 | KIDNEY AND URINARY TRACT, DISEASES & DISORDERS | 1 | 0.01 | 9.0 |
| 13 | FEMALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS | 1 | 0.01 | 1.0 |
| 14 | PREGNANCY, CHILDBIRTH, & THE PUERPERIUM | 48 | 0.42 | 5.8 |
| 19 | MENTAL DISEASES & DISORDERS | 11,055 | 96.98 | 6.5 |
| 20 | ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES | 236 | 2.07 | 5.0 |
| 21 | INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS | 7 | 0.06 | 5.0 |
| 23 | FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES | 24 | 0.21 | .17 |
| 25 | HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS | 1 | 0.01 | 1.0 |
| All | | 11,399 | 100.0 | 6.4 |

***MDC by Patient County of Residence
and Type of Care for 2010
Riverside County***

typcare1=Skilled Nursing/Intermediate Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 01 | NERVOUS SYSTEM, DISEASES & DISORDERS | 65 | 3.97 | 78 |
| 03 | EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS | 8 | 0.49 | 7.1 |
| 04 | RESPIRATORY SYSTEM, DISEASES & DISORDERS | 171 | 10.44 | 109 |
| 05 | CIRCULATORY SYSTEM, DISEASES & DISORDERS | 57 | 3.48 | 7.1 |
| 06 | DIGESTIVE SYSTEM, DISEASES & DISORDERS | 41 | 2.50 | 6.4 |
| 07 | HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS | 10 | 0.61 | 7.3 |
| 08 | MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS | 204 | 12.45 | 7.6 |
| 09 | SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS | 42 | 2.56 | 17 |
| 10 | ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS | 33 | 2.01 | 15 |
| 11 | KIDNEY AND URINARY TRACT, DISEASES & DISORDERS | 51 | 3.11 | 32 |
| 12 | MALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS | 4 | 0.24 | 8.8 |
| 13 | FEMALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS | 1 | 0.06 | 20 |
| 16 | BLOOD, BLOOD FORMING ORGANS,IMMUNOLOGICAL, DISEASES & DISORDERS | 9 | 0.55 | 12 |
| 17 | MYELOPROLIFERATIVE DISEASES & POORLY DIFFERENTIATED NEOPLASMS | 5 | 0.31 | 10 |
| 18 | INFECTIOUS & PARASITIC DISEASES | 27 | 1.65 | 12 |
| 19 | MENTAL DISEASES & DISORDERS | 4 | 0.24 | 18 |
| 20 | ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES | 3 | 0.18 | 37 |
| 21 | INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS | 6 | 0.37 | 9.3 |
| 23 | FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES | 894 | 54.58 | 8.5 |
| 25 | HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS | 3 | 0.18 | 3.7 |
| All | | 1,638 | 100.0 | 23 |