

**Type of Care by Patient County of Residence
for 2009
Santa Barbara County**

	Number of Discharges	Percent of Subtotal	Average Length of Stay
Acute Care	36,787	92.02	3.8
Chemical Dependency Recovery Care	35	0.09	11
Physical Rehabilitation Care	466	1.17	15
Psychiatric Care	1,976	4.94	7.9
Skilled Nursing/Intermediate Care	715	1.79	40
All	39,979	100.0	4.8

**Disposition by Patient County of Residence
for 2009
Santa Barbara County**

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	278	0.01	11
01 - Routine (Home)	3,004,054	75.38	3.6
02 - Acute Care within the admitting hospital	10,153	0.25	53
03 - Other Care with the admitting hospital	20,525	0.52	9.0
04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital	34,806	0.87	7.9
05 - Acute Care at another hospital	82,489	2.07	11
06 - Other Care (not SN/IC) at another hospital	35,667	0.89	9.8
07 - SN/IC at another facility	293,004	7.35	8.8
08 - Residential Care facility	35,985	0.90	10
09 - Prison/Jail	19,746	0.50	5.7
10 - Left Against Medical Advice	43,300	1.09	3.3
11 - Died	79,937	2.01	17
12 - Home Health Service	313,429	7.86	7.3
13 - Other	11,793	0.30	11
All	3,985,166	100.0	5.0

***Disposition by Patient County of Residence
and Type of Care for 2009
Santa Barbara County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	22	0.06	11
01 - Routine (Home)	28,934	78.65	3.0
02 - Acute Care within the admitting hospital	3	0.01	6.3
03 - Other Care with the admitting hospital	212	0.58	9.6
04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital	637	1.73	7.3
05 - Acute Care at another hospital	364	0.99	5.2
06 - Other Care (not SN/IC) at another hospital	307	0.83	7.7
07 - SN/IC at another facility	2,092	5.69	7.1
08 - Residential Care facility	109	0.30	5.8
09 - Prison/Jail	114	0.31	4.4
10 - Left Against Medical Advice	141	0.38	2.3
11 - Died	782	2.13	7.5
12 - Home Health Service	2,735	7.43	6.6
13 - Other	335	0.91	7.8
All	36,787	100.0	3.8

***Disposition by Patient County of Residence
and Type of Care for 2009
Santa Barbara County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	29	82.86	12
03 - Other Care with the admitting hospital	1	2.86	12
05 - Acute Care at another hospital	1	2.86	.00
08 - Residential Care facility	1	2.86	2.0
10 - Left Against Medical Advice	3	8.57	11
All	35	100.0	11

***Disposition by Patient County of Residence
and Type of Care for 2009
Santa Barbara County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	99	21.24	15
02 - Acute Care within the admitting hospital	16	3.43	8.2
03 - Other Care with the admitting hospital	1	0.21	26
05 - Acute Care at another hospital	22	4.72	11
06 - Other Care (not SN/IC) at another hospital	5	1.07	12
07 - SN/IC at another facility	17	3.65	17
10 - Left Against Medical Advice	2	0.43	1.0
12 - Home Health Service	301	64.59	16
13 - Other	3	0.64	11
All	466	100.0	15

***Disposition by Patient County of Residence
and Type of Care for 2009
Santa Barbara County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	1,682	85.12	7.3
02 - Acute Care within the admitting hospital	5	0.25	8.8
03 - Other Care with the admitting hospital	5	0.25	4.4
04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital	1	0.05	16
05 - Acute Care at another hospital	12	0.61	13
06 - Other Care (not SN/IC) at another hospital	67	3.39	8.8
07 - SN/IC at another facility	18	0.91	28
08 - Residential Care facility	48	2.43	20
09 - Prison/Jail	9	0.46	6.1
10 - Left Against Medical Advice	79	4.00	4.2
12 - Home Health Service	1	0.05	14
13 - Other	49	2.48	13
All	1,976	100.0	7.9

***Disposition by Patient County of Residence
and Type of Care for 2009
Santa Barbara County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	1	0.14	7.0
01 - Routine (Home)	367	51.33	26
02 - Acute Care within the admitting hospital	143	20.00	64
05 - Acute Care at another hospital	7	0.98	44
06 - Other Care (not SN/IC) at another hospital	4	0.56	24
07 - SN/IC at another facility	42	5.87	15
08 - Residential Care facility	30	4.20	32
09 - Prison/Jail	1	0.14	50
10 - Left Against Medical Advice	1	0.14	2.0
11 - Died	87	12.17	83
12 - Home Health Service	22	3.08	12
13 - Other	10	1.40	30
All	715	100.0	40

***Gender by Patient County of Residence
for 2009
Santa Barbara County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	16,349	40.89	5.1
2 - Female	23,630	59.11	4.6
All	39,979	100.0	4.8

***Gender by Patient County of Residence
and Type of Care for 2009
Santa Barbara County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	14,878	40.44	4.3
2 - Female	21,909	59.56	3.5
All	36,787	100.0	3.8

***Gender by Patient County of Residence
and Type of Care for 2009
Santa Barbara County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	20	57.14	8.8
2 - Female	15	42.86	14
All	35	100.0	11

***Gender by Patient County of Residence
and Type of Care for 2009
Santa Barbara County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	227	48.71	16
2 - Female	239	51.29	15
All	466	100.0	15

***Gender by Patient County of Residence
and Type of Care for 2009
Santa Barbara County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	956	48.38	7.9
2 - Female	1,020	51.62	7.8
All	1,976	100.0	7.9

***Gender by Patient County of Residence
and Type of Care for 2009
Santa Barbara County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	268	37.48	31
2 - Female	447	62.52	45
All	715	100.0	40

***Expected Payer by Patient County of Residence
for 2009
Santa Barbara County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	1	0.00	8.0
01 - Medicare	13,288	33.24	5.8
02 - Medi-Cal	10,695	26.75	4.9
03 - Private Coverage	12,613	31.55	3.8
04 - Workers' Compensatio	265	0.66	3.9
05 - County Indigent Prog	808	2.02	5.9
06 - Other Government	910	2.28	4.1
07 - Other Indigent	16	0.04	4.4
08 - Self-Pay	1,239	3.10	3.8
09 - Other Payer	144	0.36	3.4
All	39,979	100.0	4.8

***Expected Payer by Patient County of Residence
and Type of Care for 2009
Santa Barbara County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	1	0.00	8.0
01 - Medicare	11,878	32.29	4.6
02 - Medi-Cal	10,385	28.23	3.5
03 - Private Coverage	11,718	31.85	3.4
04 - Workers' Compensatio	248	0.67	3.4
05 - County Indigent Prog	362	0.98	4.1
06 - Other Government	869	2.36	3.8
07 - Other Indigent	10	0.03	3.1
08 - Self-Pay	1,174	3.19	3.2
09 - Other Payer	142	0.39	3.4
All	36,787	100.0	3.8

***Expected Payer by Patient County of Residence
and Type of Care for 2009
Santa Barbara County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	5	14.29	6.6
03 - Private Coverage	11	31.43	11
06 - Other Government	7	20.00	12
08 - Self-Pay	12	34.29	12
All	35	100.0	11

***Expected Payer by Patient County of Residence
and Type of Care for 2009
Santa Barbara County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	281	60.30	15
02 - Medi-Cal	40	8.58	21
03 - Private Coverage	132	28.33	15
04 - Workers' Compensatio	9	1.93	14
05 - County Indigent Prog	1	0.21	18
06 - Other Government	2	0.43	9.5
08 - Self-Pay	1	0.21	26
All	466	100.0	15

***Expected Payer by Patient County of Residence
and Type of Care for 2009
Santa Barbara County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	568	28.74	9.2
02 - Medi-Cal	177	8.96	13
03 - Private Coverage	703	35.58	6.0
04 - Workers' Compensatio	7	0.35	7.3
05 - County Indigent Prog	445	22.52	7.3
06 - Other Government	31	1.57	8.1
07 - Other Indigent	6	0.30	6.5
08 - Self-Pay	37	1.87	3.7
09 - Other Payer	2	0.10	7.0
All	1,976	100.0	7.9

***Expected Payer by Patient County of Residence
and Type of Care for 2009
Santa Barbara County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	556	77.76	25
02 - Medi-Cal	93	13.01	135
03 - Private Coverage	49	6.85	27
04 - Workers' Compensatio	1	0.14	23
06 - Other Government	1	0.14	37
08 - Self-Pay	15	2.10	41
All	715	100.0	40

***Race Group by Patient County of Residence
for 2009
Santa Barbara County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	359	0.90	5.1
1 - White	23,536	58.87	5.3
2 - Black	876	2.19	5.1
3 - Hispanic	13,958	34.91	4.0
4 - Asian/Pacific Islander	951	2.38	4.2
5 - Native American/Eskimo/Ale	60	0.15	3.8
6 - Other	239	0.60	5.8
All	39,979	100.0	4.8

***Race Group by Patient County of Residence
and Type of Care for 2009
Santa Barbara County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	323	0.88	4.5
1 - White	21,042	57.20	4.0
2 - Black	792	2.15	4.4
3 - Hispanic	13,465	36.60	3.5
4 - Asian/Pacific Islander	898	2.44	3.6
5 - Native American/Eskimo/Ale	49	0.13	3.1
6 - Other	218	0.59	4.6
All	36,787	100.0	3.8

***Race Group by Patient County of Residence
and Type of Care for 2009
Santa Barbara County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - White	32	91.43	11
3 - Hispanic	2	5.71	12
4 - Asian/Pacific Islander	1	2.86	5.0
All	35	100.0	11

***Race Group by Patient County of Residence
and Type of Care for 2009
Santa Barbara County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	11	2.36	16
1 - White	359	77.04	15
2 - Black	11	2.36	25
3 - Hispanic	76	16.31	15
4 - Asian/Pacific Islander	7	1.50	17
6 - Other	2	0.43	6.5
All	466	100.0	15

***Race Group by Patient County of Residence
and Type of Care for 2009
Santa Barbara County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	25	1.27	9.1
1 - White	1,529	77.38	7.8
2 - Black	60	3.04	5.7
3 - Hispanic	304	15.38	8.2
4 - Asian/Pacific Islander	33	1.67	8.4
5 - Native American/Eskimo/Ale	11	0.56	7.0
6 - Other	14	0.71	14
All	1,976	100.0	7.9

***Race Group by Patient County of Residence
and Type of Care for 2009
Santa Barbara County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - White	574	80.28	39
2 - Black	13	1.82	31
3 - Hispanic	111	15.52	46
4 - Asian/Pacific Islander	12	1.68	29
6 - Other	5	0.70	32
All	715	100.0	40

***Source of Admission by Patient County of Residence
for 2009
Santa Barbara County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	31,071	77.72	4.1
2 - Residential Care Facility	73	0.18	7.2
3 - Ambulatory Surgery	81	0.20	3.8
4 - Skilled Nursing/Intermedia	223	0.56	8.1
5 - Acute Inpatient Hospital C	2,183	5.46	19
6 - Other Inpatient Hospital C	256	0.64	13
7 - Newborn (born in admitting	5,974	14.94	3.1
8 - Prison/Jail	35	0.09	12
9 - Other	83	0.21	9.4
All	39,979	100.0	4.8

**Source of Admission by Patient County of Residence
and Type of Care for 2009
Santa Barbara County**

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	29,064	79.01	3.8
2 - Residential Care Facility	66	0.18	6.4
3 - Ambulatory Surgery	80	0.22	3.3
4 - Skilled Nursing/Intermedia	214	0.58	7.1
5 - Acute Inpatient Hospital C	1,261	3.43	8.3
6 - Other Inpatient Hospital C	52	0.14	5.0
7 - Newborn (born in admitting	5,973	16.24	3.1
8 - Prison/Jail	12	0.03	3.3
9 - Other	65	0.18	5.7
All	36,787	100.0	3.8

***Source of Admission by Patient County of Residence
and Type of Care for 2009
Santa Barbara County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	34	97.14	11
5 - Acute Inpatient Hospital C	1	2.86	5.0
All	35	100.0	11

**Source of Admission by Patient County of Residence
and Type of Care for 2009
Santa Barbara County**

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	117	25.11	15
5 - Acute Inpatient Hospital C	220	47.21	16
6 - Other Inpatient Hospital C	124	26.61	15
9 - Other	5	1.07	13
All	466	100.0	15

**Source of Admission by Patient County of Residence
and Type of Care for 2009
Santa Barbara County**

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	1,825	92.36	7.3
2 - Residential Care Facility	5	0.25	5.8
4 - Skilled Nursing/Intermedia	1	0.05	10
5 - Acute Inpatient Hospital C	33	1.67	8.3
6 - Other Inpatient Hospital C	80	4.05	17
7 - Newborn (born in admitting	1	0.05	8.0
8 - Prison/Jail	23	1.16	16
9 - Other	8	0.40	18
All	1,976	100.0	7.9

**Source of Admission by Patient County of Residence
and Type of Care for 2009
Santa Barbara County**

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	31	4.34	46
2 - Residential Care Facility	2	0.28	35
3 - Ambulatory Surgery	1	0.14	41
4 - Skilled Nursing/Intermedia	8	1.12	35
5 - Acute Inpatient Hospital C	668	93.43	40
9 - Other	5	0.70	40
All	715	100.0	40

*MS-DRG by Patient County of Residence
for 2009
Santa Barbara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
001	HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM WITH MCC	4	0.01	60
003	ECMO OR TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITH MAJOR O.R.	31	0.08	56
004	TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITHOUT MAJOR O.R.	28	0.07	37
005	LIVER TRANSPLANT WITH MCC OR INTESTINAL TRANSPLANT	5	0.01	30
007	LUNG TRANSPLANT	5	0.01	11
008	SIMULTANEOUS PANCREAS/KIDNEY TRANSPLANT	1	0.00	9.0
009	BONE MARROW TRANSPLANT	21	0.05	27
011	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH MCC	3	0.01	32
012	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH CC	6	0.02	12
013	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITHOUT CC/MCC	4	0.01	5.8
020	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH MCC	4	0.01	32
021	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH CC	11	0.03	9.8
022	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITHOUT CC/MCC	1	0.00	7.0
023	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITH MCC OR CHEMO IMPLANT	15	0.04	31
024	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITHOUT MCC	15	0.04	12
025	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH MCC	44	0.11	14
026	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH CC	55	0.14	6.6
027	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITHOUT CC/MCC	109	0.27	3.1
028	SPINAL PROCEDURES WITH MCC	8	0.02	16
029	SPINAL PROCEDURES WITH CC OR SPINAL NEUROSTIMULATORS	13	0.03	6.2

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Santa Barbara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
030	SPINAL PROCEDURES WITHOUT CC/MCC	25	0.06	3.1
031	VENTRICULAR SHUNT PROCEDURES WITH MCC	5	0.01	39
032	VENTRICULAR SHUNT PROCEDURES WITH CC	13	0.03	8.5
033	VENTRICULAR SHUNT PROCEDURES WITHOUT CC/MCC	7	0.02	2.9
034	CAROTID ARTERY STENT PROCEDURE WITH MCC	6	0.02	11
035	CAROTID ARTERY STENT PROCEDURE WITH CC	7	0.02	4.6
036	CAROTID ARTERY STENT PROCEDURE WITHOUT CC/MCC	16	0.04	3.1
037	EXTRACRANIAL PROCEDURES WITH MCC	9	0.02	8.6
038	EXTRACRANIAL PROCEDURES WITH CC	23	0.06	3.1
039	EXTRACRANIAL PROCEDURES WITHOUT CC/MCC	97	0.24	1.4
040	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH MCC	17	0.04	13
041	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH CC OR PERIPH NEUROSTIM	14	0.04	4.7
042	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITHOUT CC/MCC	17	0.04	1.7
052	SPINAL DISORDERS & INJURIES WITH CC/MCC	7	0.02	30
053	SPINAL DISORDERS & INJURIES WITHOUT CC/MCC	3	0.01	1.3
054	NERVOUS SYSTEM NEOPLASMS WITH MCC	13	0.03	6.5
055	NERVOUS SYSTEM NEOPLASMS WITHOUT MCC	51	0.13	3.6
056	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC	10	0.03	11
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	62	0.16	43
059	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH CC	2	0.01	7.0
060	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITHOUT CC/MCC	7	0.02	4.9
061	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH MCC	6	0.02	14

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Santa Barbara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
062	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH CC	9	0.02	5.0
063	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITHOUT CC/MCC	4	0.01	3.3
064	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC	116	0.29	7.1
065	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC	199	0.50	4.9
066	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC	177	0.44	3.1
067	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITH MCC	2	0.01	4.0
068	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITHOUT MCC	11	0.03	2.1
069	TRANSIENT ISCHEMIA	89	0.22	2.2
070	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH MCC	11	0.03	17
071	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH CC	11	0.03	3.2
072	NONSPECIFIC CEREBROVASCULAR DISORDERS WITHOUT CC/MCC	8	0.02	2.9
073	CRANIAL & PERIPHERAL NERVE DISORDERS WITH MCC	8	0.02	8.5
074	CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC	43	0.11	3.3
075	VIRAL MENINGITIS WITH CC/MCC	9	0.02	3.2
076	VIRAL MENINGITIS WITHOUT CC/MCC	34	0.09	2.4
077	HYPERTENSIVE ENCEPHALOPATHY WITH MCC	1	0.00	3.0
078	HYPERTENSIVE ENCEPHALOPATHY WITH CC	5	0.01	2.2
079	HYPERTENSIVE ENCEPHALOPATHY WITHOUT CC/MCC	1	0.00	2.0
080	NONTRAUMATIC STUPOR & COMA WITH MCC	2	0.01	3.0
081	NONTRAUMATIC STUPOR & COMA WITHOUT MCC	19	0.05	2.6
082	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH MCC	4	0.01	16
083	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH CC	11	0.03	2.9

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Santa Barbara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
084	TRAUMATIC STUPOR & COMA, COMA >1 HR WITHOUT CC/MCC	26	0.07	2.4
085	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH MCC	13	0.03	7.8
086	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH CC	37	0.09	3.8
087	TRAUMATIC STUPOR & COMA, COMA <1 HR WITHOUT CC/MCC	91	0.23	2.2
088	CONCUSSION WITH MCC	4	0.01	5.0
089	CONCUSSION WITH CC	12	0.03	2.5
090	CONCUSSION WITHOUT CC/MCC	12	0.03	1.6
091	OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC	21	0.05	5.5
092	OTHER DISORDERS OF NERVOUS SYSTEM WITH CC	25	0.06	4.5
093	OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC	32	0.08	2.3
094	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH MCC	5	0.01	9.6
095	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH CC	8	0.02	13
096	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITHOUT CC/MCC	2	0.01	14
097	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH MCC	7	0.02	12
098	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH CC	5	0.01	7.2
099	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITHOUT CC/MCC	7	0.02	4.3
100	SEIZURES WITH MCC	34	0.09	5.1
101	SEIZURES WITHOUT MCC	147	0.37	2.5
102	HEADACHES WITH MCC	8	0.02	2.3
103	HEADACHES WITHOUT MCC	61	0.15	3.6
113	ORBITAL PROCEDURES WITH CC/MCC	4	0.01	8.0
114	ORBITAL PROCEDURES WITHOUT CC/MCC	8	0.02	1.9

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Santa Barbara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
115	EXTRAOCULAR PROCEDURES EXCEPT ORBIT	5	0.01	3.6
116	INTRAOCULAR PROCEDURES WITH CC/MCC	1	0.00	1.0
117	INTRAOCULAR PROCEDURES WITHOUT CC/MCC	3	0.01	1.0
121	ACUTE MAJOR EYE INFECTIONS WITH CC/MCC	2	0.01	3.5
122	ACUTE MAJOR EYE INFECTIONS WITHOUT CC/MCC	5	0.01	3.4
123	NEUROLOGICAL EYE DISORDERS	4	0.01	1.8
125	OTHER DISORDERS OF THE EYE WITHOUT MCC	16	0.04	2.4
129	MAJOR HEAD & NECK PROCEDURES WITH CC/MCC OR MAJOR DEVICE	4	0.01	7.5
130	MAJOR HEAD & NECK PROCEDURES WITHOUT CC/MCC	8	0.02	3.1
131	CRANIAL/FACIAL PROCEDURES WITH CC/MCC	12	0.03	4.1
132	CRANIAL/FACIAL PROCEDURES WITHOUT CC/MCC	51	0.13	1.8
133	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITH CC/MCC	14	0.04	4.4
134	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITHOUT CC/MCC	55	0.14	2.1
136	SINUS & MASTOID PROCEDURES WITHOUT CC/MCC	4	0.01	2.3
137	MOUTH PROCEDURES WITH CC/MCC	5	0.01	3.2
138	MOUTH PROCEDURES WITHOUT CC/MCC	3	0.01	2.0
139	SALIVARY GLAND PROCEDURES	8	0.02	1.6
146	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH MCC	2	0.01	5.0
147	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH CC	3	0.01	3.0
148	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITHOUT CC/MCC	2	0.01	2.5
149	DYSEQUILIBRIUM	41	0.10	2.0
150	EPISTAXIS WITH MCC	2	0.01	2.0

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Santa Barbara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
151	EPISTAXIS WITHOUT MCC	13	0.03	2.5
152	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITH MCC	16	0.04	5.7
153	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITHOUT MCC	102	0.26	2.6
154	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH MCC	7	0.02	7.9
155	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH CC	12	0.03	2.3
156	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITHOUT CC/MCC	12	0.03	1.8
157	DENTAL & ORAL DISEASES WITH MCC	5	0.01	3.2
158	DENTAL & ORAL DISEASES WITH CC	21	0.05	3.3
159	DENTAL & ORAL DISEASES WITHOUT CC/MCC	15	0.04	2.0
163	MAJOR CHEST PROCEDURES WITH MCC	25	0.06	13
164	MAJOR CHEST PROCEDURES WITH CC	34	0.09	5.5
165	MAJOR CHEST PROCEDURES WITHOUT CC/MCC	53	0.13	3.2
166	OTHER RESP SYSTEM O.R. PROCEDURES WITH MCC	39	0.10	15
167	OTHER RESP SYSTEM O.R. PROCEDURES WITH CC	35	0.09	5.5
168	OTHER RESP SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	17	0.04	3.1
175	PULMONARY EMBOLISM WITH MCC	23	0.06	3.8
176	PULMONARY EMBOLISM WITHOUT MCC	95	0.24	3.3
177	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC	118	0.30	7.6
178	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC	102	0.26	5.7
179	RESPIRATORY INFECTIONS & INFLAMMATIONS WITHOUT CC/MCC	63	0.16	4.8
180	RESPIRATORY NEOPLASMS WITH MCC	44	0.11	5.7
181	RESPIRATORY NEOPLASMS WITH CC	51	0.13	4.6

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Santa Barbara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
182	RESPIRATORY NEOPLASMS WITHOUT CC/MCC	5	0.01	1.0
183	MAJOR CHEST TRAUMA WITH MCC	10	0.03	6.4
184	MAJOR CHEST TRAUMA WITH CC	18	0.05	4.2
185	MAJOR CHEST TRAUMA WITHOUT CC/MCC	6	0.02	3.2
186	PLEURAL EFFUSION WITH MCC	12	0.03	2.7
187	PLEURAL EFFUSION WITH CC	21	0.05	3.7
188	PLEURAL EFFUSION WITHOUT CC/MCC	2	0.01	5.0
189	PULMONARY EDEMA & RESPIRATORY FAILURE	139	0.35	6.0
190	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC	100	0.25	5.1
191	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC	107	0.27	4.1
192	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC	142	0.36	3.2
193	SIMPLE PNEUMONIA & PLEURISY WITH MCC	163	0.41	5.0
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	341	0.85	3.9
195	SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC	303	0.76	2.9
196	INTERSTITIAL LUNG DISEASE WITH MCC	18	0.05	6.3
197	INTERSTITIAL LUNG DISEASE WITH CC	17	0.04	3.2
198	INTERSTITIAL LUNG DISEASE WITHOUT CC/MCC	7	0.02	2.9
199	PNEUMOTHORAX WITH MCC	4	0.01	2.8
200	PNEUMOTHORAX WITH CC	27	0.07	3.2
201	PNEUMOTHORAX WITHOUT CC/MCC	20	0.05	2.4
202	BRONCHITIS & ASTHMA WITH CC/MCC	92	0.23	3.6
203	BRONCHITIS & ASTHMA WITHOUT CC/MCC	145	0.36	2.3

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Santa Barbara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
204	RESPIRATORY SIGNS & SYMPTOMS	23	0.06	2.1
205	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITH MCC	19	0.05	6.0
206	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITHOUT MCC	56	0.14	2.4
207	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS	52	0.13	32
208	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS	99	0.25	7.0
215	OTHER HEART ASSIST SYSTEM IMPLANT	1	0.00	35
216	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH MCC	15	0.04	18
217	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH CC	19	0.05	11
218	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITHOUT CC/MCC	11	0.03	7.5
219	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH MCC	15	0.04	10
220	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH CC	39	0.10	6.8
221	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITHOUT CC/MCC	25	0.06	4.8
222	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITH MCC	4	0.01	9.5
223	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITHOUT MCC	4	0.01	6.3
224	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITH MCC	3	0.01	10
225	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITHOUT MCC	4	0.01	5.8
226	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITH MCC	9	0.02	8.3
227	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITHOUT MCC	38	0.10	2.7
228	OTHER CARDIOTHORACIC PROCEDURES WITH MCC	10	0.03	28
229	OTHER CARDIOTHORACIC PROCEDURES WITH CC	15	0.04	14
230	OTHER CARDIOTHORACIC PROCEDURES WITHOUT CC/MCC	4	0.01	6.3
231	CORONARY BYPASS WITH PTCA WITH MCC	2	0.01	12

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Santa Barbara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
232	CORONARY BYPASS WITH PTCA WITHOUT MCC	2	0.01	11
233	CORONARY BYPASS WITH CARDIAC CATH WITH MCC	21	0.05	14
234	CORONARY BYPASS WITH CARDIAC CATH WITHOUT MCC	57	0.14	7.5
235	CORONARY BYPASS WITHOUT CARDIAC CATH WITH MCC	5	0.01	11
236	CORONARY BYPASS WITHOUT CARDIAC CATH WITHOUT MCC	46	0.12	5.4
237	MAJOR CARDIOVASC PROCEDURES WITH MCC OR THORACIC AORTIC ANEURYSM REPAIR	41	0.10	14
238	MAJOR CARDIOVASC PROCEDURES WITHOUT MCC	87	0.22	4.1
239	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH MCC	13	0.03	12
240	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH CC	22	0.06	11
241	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITHOUT CC/MCC	5	0.01	11
242	PERMANENT CARDIAC PACEMAKER IMPLANT WITH MCC	28	0.07	6.4
243	PERMANENT CARDIAC PACEMAKER IMPLANT WITH CC	66	0.17	3.4
244	PERMANENT CARDIAC PACEMAKER IMPLANT WITHOUT CC/MCC	124	0.31	1.8
245	AICD GENERATOR PROCEDURES	7	0.02	3.4
246	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITH MCC OR 4+ VESSELS/STENTS	52	0.13	5.0
247	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITHOUT MCC	348	0.87	1.9
248	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITH MCC OR 4+ VES/STENTS	20	0.05	7.7
249	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITHOUT MCC	66	0.17	2.3
250	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITH MCC	11	0.03	3.3
251	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITHOUT MCC	59	0.15	2.7
252	OTHER VASCULAR PROCEDURES WITH MCC	23	0.06	6.7
253	OTHER VASCULAR PROCEDURES WITH CC	55	0.14	5.1

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Santa Barbara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
254	OTHER VASCULAR PROCEDURES WITHOUT CC/MCC	73	0.18	2.6
255	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH MCC	3	0.01	4.7
256	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH CC	5	0.01	4.6
257	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITHOUT CC/MCC	1	0.00	9.0
258	CARDIAC PACEMAKER DEVICE REPLACEMENT WITH MCC	1	0.00	3.0
259	CARDIAC PACEMAKER DEVICE REPLACEMENT WITHOUT MCC	5	0.01	1.4
260	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH MCC	4	0.01	8.0
261	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH CC	3	0.01	4.7
262	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITHOUT CC/MCC	4	0.01	2.8
263	VEIN LIGATION & STRIPPING	2	0.01	3.0
264	OTHER CIRCULATORY SYSTEM O.R. PROCEDURES	27	0.07	8.8
265	AICD LEAD PROCEDURES	2	0.01	6.5
280	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH MCC	63	0.16	6.4
281	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH CC	44	0.11	4.1
282	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITHOUT CC/MCC	49	0.12	2.5
283	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH MCC	20	0.05	4.3
284	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH CC	6	0.02	1.5
285	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITHOUT CC/MCC	2	0.01	1.0
286	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITH MCC	18	0.05	9.6
287	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITHOUT MCC	165	0.41	2.2
288	ACUTE & SUBACUTE ENDOCARDITIS WITH MCC	2	0.01	16
289	ACUTE & SUBACUTE ENDOCARDITIS WITH CC	6	0.02	5.3

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Santa Barbara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
290	ACUTE & SUBACUTE ENDOCARDITIS WITHOUT CC/MCC	3	0.01	5.3
291	HEART FAILURE & SHOCK WITH MCC	264	0.66	6.3
292	HEART FAILURE & SHOCK WITH CC	217	0.54	3.8
293	HEART FAILURE & SHOCK WITHOUT CC/MCC	186	0.47	2.9
294	DEEP VEIN THROMBOPHLEBITIS WITH CC/MCC	5	0.01	4.4
296	CARDIAC ARREST, UNEXPLAINED WITH MCC	1	0.00	.00
297	CARDIAC ARREST, UNEXPLAINED WITH CC	1	0.00	2.0
298	CARDIAC ARREST, UNEXPLAINED WITHOUT CC/MCC	3	0.01	.33
299	PERIPHERAL VASCULAR DISORDERS WITH MCC	23	0.06	5.4
300	PERIPHERAL VASCULAR DISORDERS WITH CC	48	0.12	3.8
301	PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC	34	0.09	3.0
302	ATHEROSCLEROSIS WITH MCC	10	0.03	5.4
303	ATHEROSCLEROSIS WITHOUT MCC	48	0.12	2.7
304	HYPERTENSION WITH MCC	4	0.01	4.3
305	HYPERTENSION WITHOUT MCC	44	0.11	7.5
306	CARDIAC CONGENITAL & VALVULAR DISORDERS WITH MCC	9	0.02	9.0
307	CARDIAC CONGENITAL & VALVULAR DISORDERS WITHOUT MCC	10	0.03	2.7
308	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH MCC	60	0.15	3.9
309	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC	123	0.31	3.8
310	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITHOUT CC/MCC	175	0.44	1.9
311	ANGINA PECTORIS	27	0.07	1.8
312	SYNCOPE & COLLAPSE	177	0.44	2.3

(Continued)

**MS-DRG by Patient County of Residence
for 2009
Santa Barbara County**

		Number of Discharges	Percent of Subtotal	Average Length of Stay
313	CHEST PAIN	251	0.63	1.3
314	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC	83	0.21	6.7
315	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC	55	0.14	3.3
316	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITHOUT CC/MCC	28	0.07	2.1
326	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH MCC	21	0.05	13
327	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH CC	35	0.09	7.7
328	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITHOUT CC/MCC	71	0.18	3.2
329	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	92	0.23	13
330	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH CC	153	0.38	8.3
331	MAJOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	111	0.28	4.4
332	RECTAL RESECTION WITH MCC	3	0.01	13
333	RECTAL RESECTION WITH CC	9	0.02	8.8
334	RECTAL RESECTION WITHOUT CC/MCC	15	0.04	4.9
335	PERITONEAL ADHESIOLYSIS WITH MCC	13	0.03	24
336	PERITONEAL ADHESIOLYSIS WITH CC	29	0.07	6.5
337	PERITONEAL ADHESIOLYSIS WITHOUT CC/MCC	46	0.12	4.4
338	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	5	0.01	11
339	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	26	0.07	6.2
340	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	90	0.23	3.8
341	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	1	0.00	2.0
342	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	19	0.05	2.5
343	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	373	0.93	1.3

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Santa Barbara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
344	MINOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	2	0.01	4.5
345	MINOR SMALL & LARGE BOWEL PROCEDURES WITH CC	9	0.02	8.0
346	MINOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	13	0.03	4.5
347	ANAL & STOMAL PROCEDURES WITH MCC	2	0.01	3.5
348	ANAL & STOMAL PROCEDURES WITH CC	10	0.03	3.2
349	ANAL & STOMAL PROCEDURES WITHOUT CC/MCC	22	0.06	1.9
350	INGUINAL & FEMORAL HERNIA PROCEDURES WITH MCC	2	0.01	8.5
351	INGUINAL & FEMORAL HERNIA PROCEDURES WITH CC	9	0.02	4.1
352	INGUINAL & FEMORAL HERNIA PROCEDURES WITHOUT CC/MCC	24	0.06	1.5
353	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH MCC	3	0.01	5.7
354	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH CC	26	0.07	4.1
355	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITHOUT CC/MCC	86	0.22	2.0
356	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH MCC	14	0.04	6.4
357	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH CC	21	0.05	5.2
358	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	14	0.04	3.2
368	MAJOR ESOPHAGEAL DISORDERS WITH MCC	9	0.02	7.0
369	MAJOR ESOPHAGEAL DISORDERS WITH CC	22	0.06	4.1
370	MAJOR ESOPHAGEAL DISORDERS WITHOUT CC/MCC	8	0.02	2.3
371	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH MCC	17	0.04	6.4
372	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH CC	52	0.13	5.5
373	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITHOUT CC/MCC	47	0.12	3.6
374	DIGESTIVE MALIGNANCY WITH MCC	11	0.03	7.6

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Santa Barbara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
375	DIGESTIVE MALIGNANCY WITH CC	42	0.11	6.0
376	DIGESTIVE MALIGNANCY WITHOUT CC/MCC	7	0.02	2.1
377	G.I. HEMORRHAGE WITH MCC	98	0.25	5.3
378	G.I. HEMORRHAGE WITH CC	221	0.55	3.4
379	G.I. HEMORRHAGE WITHOUT CC/MCC	141	0.35	2.6
380	COMPLICATED PEPTIC ULCER WITH MCC	6	0.02	9.2
381	COMPLICATED PEPTIC ULCER WITH CC	10	0.03	3.1
382	COMPLICATED PEPTIC ULCER WITHOUT CC/MCC	12	0.03	3.3
383	UNCOMPLICATED PEPTIC ULCER WITH MCC	2	0.01	4.5
384	UNCOMPLICATED PEPTIC ULCER WITHOUT MCC	17	0.04	2.7
385	INFLAMMATORY BOWEL DISEASE WITH MCC	4	0.01	3.0
386	INFLAMMATORY BOWEL DISEASE WITH CC	23	0.06	4.9
387	INFLAMMATORY BOWEL DISEASE WITHOUT CC/MCC	21	0.05	3.9
388	G.I. OBSTRUCTION WITH MCC	43	0.11	4.9
389	G.I. OBSTRUCTION WITH CC	114	0.29	3.6
390	G.I. OBSTRUCTION WITHOUT CC/MCC	126	0.32	2.5
391	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITH MCC	90	0.23	4.8
392	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC	536	1.34	2.7
393	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH MCC	43	0.11	6.3
394	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH CC	71	0.18	4.0
395	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	63	0.16	3.0
405	PANCREAS, LIVER & SHUNT PROCEDURES WITH MCC	15	0.04	18

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Santa Barbara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
406	PANCREAS, LIVER & SHUNT PROCEDURES WITH CC	22	0.06	9.2
407	PANCREAS, LIVER & SHUNT PROCEDURES WITHOUT CC/MCC	9	0.02	8.4
408	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH MCC	2	0.01	12
410	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	4	0.01	4.5
411	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH MCC	2	0.01	6.5
412	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH CC	1	0.00	3.0
413	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITHOUT CC/MCC	8	0.02	2.9
414	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH MCC	10	0.03	16
415	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH CC	7	0.02	7.7
416	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	10	0.03	3.6
417	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH MCC	53	0.13	6.3
418	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH CC	106	0.27	3.5
419	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	361	0.90	1.7
420	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH MCC	2	0.01	12
421	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH CC	2	0.01	3.5
422	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITHOUT CC/MCC	3	0.01	4.0
423	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH MCC	2	0.01	29
424	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH CC	4	0.01	5.5
432	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH MCC	58	0.15	5.5
433	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH CC	19	0.05	5.3

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Santa Barbara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
434	CIRRHOSIS & ALCOHOLIC HEPATITIS WITHOUT CC/MCC	3	0.01	6.7
435	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITH MCC	27	0.07	4.8
436	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITH CC	29	0.07	4.7
437	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITHOUT CC/MCC	10	0.03	2.0
438	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH MCC	34	0.09	5.6
439	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH CC	86	0.22	4.0
440	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITHOUT CC/MCC	93	0.23	3.1
441	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH MCC	59	0.15	5.4
442	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH CC	83	0.21	4.1
443	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITHOUT CC/MCC	33	0.08	2.9
444	DISORDERS OF THE BILIARY TRACT WITH MCC	25	0.06	5.8
445	DISORDERS OF THE BILIARY TRACT WITH CC	36	0.09	3.6
446	DISORDERS OF THE BILIARY TRACT WITHOUT CC/MCC	40	0.10	2.0
453	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH MCC	1	0.00	14
454	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH CC	15	0.04	6.1
455	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITHOUT CC/MCC	23	0.06	3.9
456	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH MCC	3	0.01	9.7
457	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH CC	9	0.02	6.3
458	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITHOUT CC/MCC	12	0.03	4.6
459	SPINAL FUSION EXCEPT CERVICAL WITH MCC	6	0.02	6.2
460	SPINAL FUSION EXCEPT CERVICAL WITHOUT MCC	213	0.53	3.6
461	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITH MCC	1	0.00	9.0

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Santa Barbara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
462	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITHOUT MCC	18	0.05	4.3
463	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH MCC	12	0.03	15
464	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH CC	24	0.06	15
465	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITHOUT CC/MCC	10	0.03	4.1
466	REVISION OF HIP OR KNEE REPLACEMENT WITH MCC	7	0.02	7.6
467	REVISION OF HIP OR KNEE REPLACEMENT WITH CC	40	0.10	4.6
468	REVISION OF HIP OR KNEE REPLACEMENT WITHOUT CC/MCC	52	0.13	3.6
469	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITH MCC	38	0.10	9.2
470	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITHOUT MCC	1,064	2.66	3.4
471	CERVICAL SPINAL FUSION WITH MCC	6	0.02	9.5
472	CERVICAL SPINAL FUSION WITH CC	24	0.06	3.6
473	CERVICAL SPINAL FUSION WITHOUT CC/MCC	130	0.33	1.4
474	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH MCC	4	0.01	8.0
475	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH CC	3	0.01	15
476	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITHOUT CC/MCC	4	0.01	6.8
477	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	8	0.02	13
478	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	23	0.06	7.1
479	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	24	0.06	4.0
480	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH MCC	50	0.13	7.7
481	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH CC	134	0.34	5.2
482	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITHOUT CC/MCC	114	0.29	3.7
483	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITH CC/MCC	15	0.04	3.4

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Santa Barbara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
484	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITHOUT CC/MCC	49	0.12	2.2
485	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH MCC	1	0.00	5.0
486	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH CC	7	0.02	6.6
487	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	2	0.01	3.5
488	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITH CC/MCC	11	0.03	2.7
489	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	31	0.08	2.8
490	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITH CC/MCC OR DISC DEVICE/NEUROSTIM	62	0.16	3.1
491	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITHOUT CC/MCC	359	0.90	1.2
492	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH MCC	10	0.03	8.5
493	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH CC	46	0.12	3.9
494	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITHOUT CC/MCC	204	0.51	2.1
495	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH MCC	7	0.02	8.3
496	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH CC	16	0.04	6.4
497	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITHOUT CC/MCC	29	0.07	1.9
498	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITH CC/MCC	1	0.00	4.0
499	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITHOUT CC/MCC	9	0.02	2.0
500	SOFT TISSUE PROCEDURES WITH MCC	4	0.01	16
501	SOFT TISSUE PROCEDURES WITH CC	20	0.05	5.1
502	SOFT TISSUE PROCEDURES WITHOUT CC/MCC	42	0.11	2.0
504	FOOT PROCEDURES WITH CC	8	0.02	3.4
505	FOOT PROCEDURES WITHOUT CC/MCC	15	0.04	1.8
506	MAJOR THUMB OR JOINT PROCEDURES	1	0.00	1.0

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Santa Barbara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
507	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITH CC/MCC	2	0.01	4.5
508	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITHOUT CC/MCC	9	0.02	2.0
510	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH MCC	4	0.01	4.3
511	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH CC	16	0.04	4.6
512	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITHOUT CC/MCC	58	0.15	1.6
513	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITH CC/MCC	1	0.00	1.0
514	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITHOUT CC/MCC	3	0.01	1.7
515	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH MCC	10	0.03	12
516	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH CC	28	0.07	5.3
517	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITHOUT CC/MCC	59	0.15	2.8
534	FRACTURES OF FEMUR WITHOUT MCC	11	0.03	1.7
535	FRACTURES OF HIP & PELVIS WITH MCC	11	0.03	5.7
536	FRACTURES OF HIP & PELVIS WITHOUT MCC	59	0.15	4.0
537	SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITH CC/MCC	1	0.00	5.0
538	SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITHOUT CC/MCC	3	0.01	1.3
539	OSTEOMYELITIS WITH MCC	5	0.01	13
540	OSTEOMYELITIS WITH CC	12	0.03	6.4
541	OSTEOMYELITIS WITHOUT CC/MCC	2	0.01	2.5
542	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH MCC	8	0.02	7.3
543	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH CC	29	0.07	6.1
544	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITHOUT CC/MCC	10	0.03	3.2
545	CONNECTIVE TISSUE DISORDERS WITH MCC	9	0.02	8.1

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Santa Barbara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
546	CONNECTIVE TISSUE DISORDERS WITH CC	17	0.04	3.4
547	CONNECTIVE TISSUE DISORDERS WITHOUT CC/MCC	21	0.05	3.9
549	SEPTIC ARTHRITIS WITH CC	2	0.01	5.5
550	SEPTIC ARTHRITIS WITHOUT CC/MCC	2	0.01	3.0
551	MEDICAL BACK PROBLEMS WITH MCC	20	0.05	5.4
552	MEDICAL BACK PROBLEMS WITHOUT MCC	173	0.43	3.4
553	BONE DISEASES & ARTHROPATHIES WITH MCC	3	0.01	7.0
554	BONE DISEASES & ARTHROPATHIES WITHOUT MCC	18	0.05	3.6
555	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITH MCC	4	0.01	2.5
556	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC	32	0.08	2.3
557	TENDONITIS, MYOSITIS & BURSITIS WITH MCC	9	0.02	5.4
558	TENDONITIS, MYOSITIS & BURSITIS WITHOUT MCC	27	0.07	3.6
559	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	1	0.00	14
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	6	0.02	4.3
561	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	11	0.03	3.1
562	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITH MCC	8	0.02	4.4
563	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC	76	0.19	2.4
564	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH MCC	4	0.01	8.3
565	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH CC	9	0.02	6.3
566	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITHOUT CC/MCC	6	0.02	2.3
573	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH MCC	3	0.01	9.3
574	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH CC	11	0.03	15

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Santa Barbara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
575	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	8	0.02	3.3
576	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH MCC	2	0.01	18
577	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH CC	7	0.02	3.6
578	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	18	0.05	2.4
579	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH MCC	2	0.01	23
580	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH CC	32	0.08	3.9
581	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITHOUT CC/MCC	64	0.16	1.5
582	MASTECTOMY FOR MALIGNANCY WITH CC/MCC	18	0.05	2.3
583	MASTECTOMY FOR MALIGNANCY WITHOUT CC/MCC	33	0.08	1.7
584	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITH CC/MCC	3	0.01	1.0
585	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITHOUT CC/MCC	19	0.05	1.5
592	SKIN ULCERS WITH MCC	5	0.01	9.6
593	SKIN ULCERS WITH CC	11	0.03	226
594	SKIN ULCERS WITHOUT CC/MCC	2	0.01	3.0
595	MAJOR SKIN DISORDERS WITH MCC	2	0.01	2.0
596	MAJOR SKIN DISORDERS WITHOUT MCC	7	0.02	3.7
597	MALIGNANT BREAST DISORDERS WITH MCC	2	0.01	2.5
598	MALIGNANT BREAST DISORDERS WITH CC	2	0.01	4.5
599	MALIGNANT BREAST DISORDERS WITHOUT CC/MCC	1	0.00	2.0
601	NON-MALIGNANT BREAST DISORDERS WITHOUT CC/MCC	3	0.01	2.7
602	CELLULITIS WITH MCC	28	0.07	6.8
603	CELLULITIS WITHOUT MCC	259	0.65	3.5

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Santa Barbara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
604	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITH MCC	3	0.01	3.7
605	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITHOUT MCC	52	0.13	2.4
606	MINOR SKIN DISORDERS WITH MCC	4	0.01	6.0
607	MINOR SKIN DISORDERS WITHOUT MCC	13	0.03	3.9
614	ADRENAL & PITUITARY PROCEDURES WITH CC/MCC	13	0.03	2.6
615	ADRENAL & PITUITARY PROCEDURES WITHOUT CC/MCC	19	0.05	2.2
617	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH CC	6	0.02	6.8
620	O.R. PROCEDURES FOR OBESITY WITH CC	18	0.05	2.7
621	O.R. PROCEDURES FOR OBESITY WITHOUT CC/MCC	165	0.41	1.4
622	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH MCC	1	0.00	8.0
623	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH CC	3	0.01	6.0
625	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH MCC	1	0.00	1.0
626	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH CC	21	0.05	2.1
627	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITHOUT CC/MCC	134	0.34	1.1
628	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH MCC	1	0.00	28
629	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH CC	8	0.02	4.6
630	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITHOUT CC/MCC	2	0.01	2.0
637	DIABETES WITH MCC	56	0.14	4.1
638	DIABETES WITH CC	98	0.25	2.8
639	DIABETES WITHOUT CC/MCC	93	0.23	2.1
640	NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC	106	0.27	3.7
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	296	0.74	2.8

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Santa Barbara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
642	INBORN ERRORS OF METABOLISM	11	0.03	4.0
643	ENDOCRINE DISORDERS WITH MCC	7	0.02	5.6
644	ENDOCRINE DISORDERS WITH CC	28	0.07	3.7
645	ENDOCRINE DISORDERS WITHOUT CC/MCC	21	0.05	2.2
652	KIDNEY TRANSPLANT	12	0.03	5.2
653	MAJOR BLADDER PROCEDURES WITH MCC	3	0.01	10
654	MAJOR BLADDER PROCEDURES WITH CC	11	0.03	8.5
655	MAJOR BLADDER PROCEDURES WITHOUT CC/MCC	6	0.02	4.5
656	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH MCC	10	0.03	9.4
657	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH CC	18	0.05	5.0
658	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITHOUT CC/MCC	28	0.07	3.8
659	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH MCC	8	0.02	7.8
660	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH CC	30	0.08	4.4
661	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITHOUT CC/MCC	33	0.08	2.2
662	MINOR BLADDER PROCEDURES WITH MCC	2	0.01	16
663	MINOR BLADDER PROCEDURES WITH CC	5	0.01	5.2
664	MINOR BLADDER PROCEDURES WITHOUT CC/MCC	9	0.02	2.3
666	PROSTATECTOMY WITH CC	1	0.00	2.0
667	PROSTATECTOMY WITHOUT CC/MCC	11	0.03	1.5
668	TRANSURETHRAL PROCEDURES WITH MCC	4	0.01	15
669	TRANSURETHRAL PROCEDURES WITH CC	13	0.03	3.4
670	TRANSURETHRAL PROCEDURES WITHOUT CC/MCC	17	0.04	.88

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Santa Barbara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
671	URETHRAL PROCEDURES WITH CC/MCC	1	0.00	6.0
672	URETHRAL PROCEDURES WITHOUT CC/MCC	4	0.01	5.0
673	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH MCC	25	0.06	12
674	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH CC	30	0.08	6.5
675	OTHER KIDNEY & URINARY TRACT PROCEDURES WITHOUT CC/MCC	6	0.02	2.0
682	RENAL FAILURE WITH MCC	75	0.19	5.9
683	RENAL FAILURE WITH CC	112	0.28	4.2
684	RENAL FAILURE WITHOUT CC/MCC	27	0.07	3.2
685	ADMIT FOR RENAL DIALYSIS	2	0.01	2.0
686	KIDNEY & URINARY TRACT NEOPLASMS WITH MCC	1	0.00	5.0
687	KIDNEY & URINARY TRACT NEOPLASMS WITH CC	2	0.01	10
688	KIDNEY & URINARY TRACT NEOPLASMS WITHOUT CC/MCC	1	0.00	1.0
689	KIDNEY & URINARY TRACT INFECTIONS WITH MCC	78	0.20	4.1
690	KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC	360	0.90	4.5
691	URINARY STONES WITH ESW LITHOTRIPSY WITH CC/MCC	3	0.01	1.3
693	URINARY STONES WITHOUT ESW LITHOTRIPSY WITH MCC	4	0.01	5.3
694	URINARY STONES WITHOUT ESW LITHOTRIPSY WITHOUT MCC	36	0.09	1.7
695	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITH MCC	4	0.01	1.8
696	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITHOUT MCC	13	0.03	2.6
697	URETHRAL STRICTURE	1	0.00	2.0
698	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH MCC	19	0.05	4.4
699	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH CC	40	0.10	2.9

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Santa Barbara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
700	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITHOUT CC/MCC	23	0.06	2.7
707	MAJOR MALE PELVIC PROCEDURES WITH CC/MCC	15	0.04	3.3
708	MAJOR MALE PELVIC PROCEDURES WITHOUT CC/MCC	101	0.25	1.5
709	PENIS PROCEDURES WITH CC/MCC	2	0.01	3.5
710	PENIS PROCEDURES WITHOUT CC/MCC	6	0.02	1.7
711	TESTES PROCEDURES WITH CC/MCC	6	0.02	3.3
712	TESTES PROCEDURES WITHOUT CC/MCC	7	0.02	.71
713	TRANSURETHRAL PROSTATECTOMY WITH CC/MCC	16	0.04	1.6
714	TRANSURETHRAL PROSTATECTOMY WITHOUT CC/MCC	77	0.19	1.0
716	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE FOR MALIGNANCY WITHOUT CC/MCC	1	0.00	4.0
717	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE EXCEPT MALIGNANCY WITH CC/MCC	2	0.01	2.0
722	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH MCC	1	0.00	5.0
723	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH CC	5	0.01	9.6
725	BENIGN PROSTATIC HYPERTROPHY WITH MCC	1	0.00	2.0
726	BENIGN PROSTATIC HYPERTROPHY WITHOUT MCC	5	0.01	2.2
727	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITH MCC	2	0.01	4.0
728	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITHOUT MCC	18	0.05	3.0
729	OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITH CC/MCC	1	0.00	2.0
734	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITH CC/MCC	6	0.02	6.0
735	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITHOUT CC/MCC	9	0.02	2.9
737	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH CC	14	0.04	6.1
738	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITHOUT CC/MCC	8	0.02	2.9

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Santa Barbara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
739	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH MCC	1	0.00	9.0
740	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH CC	11	0.03	4.5
741	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITHOUT CC/MCC	39	0.10	2.0
742	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITH CC/MCC	73	0.18	3.5
743	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITHOUT CC/MCC	416	1.04	2.3
744	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITH CC/MCC	12	0.03	2.6
745	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITHOUT CC/MCC	8	0.02	.88
746	VAGINA, CERVIX & VULVA PROCEDURES WITH CC/MCC	5	0.01	6.4
747	VAGINA, CERVIX & VULVA PROCEDURES WITHOUT CC/MCC	18	0.05	1.8
748	FEMALE REPRODUCTIVE SYSTEM RECONSTRUCTIVE PROCEDURES	58	0.15	1.6
749	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITH CC/MCC	2	0.01	1.0
750	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	5	0.01	1.6
754	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH MCC	3	0.01	3.3
755	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH CC	4	0.01	5.8
756	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	2	0.01	2.5
758	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH CC	4	0.01	4.5
759	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	10	0.03	2.9
760	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITH CC/MCC	13	0.03	3.8
761	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITHOUT CC/MCC	25	0.06	1.7
765	CESAREAN SECTION WITH CC/MCC	476	1.19	4.4
766	CESAREAN SECTION WITHOUT CC/MCC	1,331	3.33	3.4
767	VAGINAL DELIVERY WITH STERILIZATION &/OR D&C	98	0.25	2.3

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Santa Barbara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
768	VAGINAL DELIVERY WITH O.R. PROCEDURE EXCEPT STERIL &/OR D&C	2	0.01	3.5
769	POSTPARTUM & POST ABORTION DIAGNOSIS WITH O.R. PROCEDURE	17	0.04	3.3
770	ABORTION WITH D&C, ASPIRATION CURETTAGE OR HYSTEROTOMY	40	0.10	1.1
774	VAGINAL DELIVERY WITH COMPLICATING DIAGNOSIS	385	0.96	2.6
775	VAGINAL DELIVERY WITHOUT COMPLICATING DIAGNOSIS	3,607	9.02	2.0
776	POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE	30	0.08	2.6
777	ECTOPIC PREGNANCY	28	0.07	2.7
778	THREATENED ABORTION	51	0.13	3.3
779	ABORTION WITHOUT D&C	32	0.08	1.5
780	FALSE LABOR	3	0.01	.67
781	OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS	186	0.47	3.5
782	OTHER ANTEPARTUM DIAGNOSIS WITHOUT MEDICAL COMPLICATIONS	48	0.12	3.2
789	NEONATES, DIED OR TRANSFERRED TO ANOTHER ACUTE CARE FACILITY	84	0.21	4.3
790	EXTREME IMMATURETY OR RESPIRATORY DISTRESS SYNDROME, NEONATE	78	0.20	42
791	PREMATURITY WITH MAJOR PROBLEMS	96	0.24	20
792	PREMATURITY WITHOUT MAJOR PROBLEMS	208	0.52	6.0
793	FULL TERM NEONATE WITH MAJOR PROBLEMS	231	0.58	6.8
794	NEONATE WITH OTHER SIGNIFICANT PROBLEMS	705	1.76	2.6
795	NORMAL NEWBORN	4,760	11.91	2.1
800	SPLENECTOMY WITH CC	2	0.01	6.0
801	SPLENECTOMY WITHOUT CC/MCC	1	0.00	5.0
803	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH CC	3	0.01	5.0

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Santa Barbara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
804	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITHOUT CC/MCC	3	0.01	1.3
808	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH MCC	16	0.04	5.3
809	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH CC	37	0.09	4.0
810	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITHOUT CC/MCC	10	0.03	3.0
811	RED BLOOD CELL DISORDERS WITH MCC	35	0.09	4.2
812	RED BLOOD CELL DISORDERS WITHOUT MCC	135	0.34	2.4
813	COAGULATION DISORDERS	40	0.10	3.5
815	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH CC	11	0.03	3.5
816	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITHOUT CC/MCC	9	0.02	3.4
820	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH MCC	2	0.01	33
821	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH CC	8	0.02	8.0
822	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITHOUT CC/MCC	4	0.01	6.0
823	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH MCC	5	0.01	18
824	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH CC	8	0.02	5.1
825	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	12	0.03	3.7
826	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH MCC	2	0.01	21
827	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH CC	11	0.03	7.4
828	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITHOUT CC/MCC	4	0.01	2.5
829	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITH CC/MCC	1	0.00	.00
830	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	3	0.01	4.0
834	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH MCC	14	0.04	18
835	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH CC	13	0.03	17

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Santa Barbara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
836	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITHOUT CC/MCC	3	0.01	6.3
837	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS OR WITH HIGH DOSE CHEMO AGENT WITH MCC	4	0.01	11
838	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITH CC OR HIGH DOSE CHEMO AGENT	5	0.01	28
839	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITHOUT CC/MCC	12	0.03	4.2
840	LYMPHOMA & NON-ACUTE LEUKEMIA WITH MCC	19	0.05	7.1
841	LYMPHOMA & NON-ACUTE LEUKEMIA WITH CC	23	0.06	6.4
842	LYMPHOMA & NON-ACUTE LEUKEMIA WITHOUT CC/MCC	28	0.07	3.5
843	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH MCC	1	0.00	7.0
844	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH CC	5	0.01	5.8
845	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITHOUT CC/MCC	3	0.01	3.0
846	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH MCC	8	0.02	6.1
847	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH CC	213	0.53	3.3
848	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITHOUT CC/MCC	20	0.05	4.0
849	RADIOTHERAPY	3	0.01	4.0
853	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH MCC	147	0.37	13
854	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH CC	32	0.08	7.9
855	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITHOUT CC/MCC	1	0.00	.00
856	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH MCC	16	0.04	11
857	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH CC	27	0.07	8.1
858	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITHOUT CC/MCC	8	0.02	6.4
862	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITH MCC	19	0.05	8.5
863	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC	56	0.14	4.8

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Santa Barbara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
864	FEVER	63	0.16	2.6
865	VIRAL ILLNESS WITH MCC	3	0.01	3.0
866	VIRAL ILLNESS WITHOUT MCC	41	0.10	2.1
867	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH MCC	9	0.02	19
868	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH CC	6	0.02	7.2
869	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITHOUT CC/MCC	7	0.02	2.9
870	SEPTICEMIA OR SEVERE SEPSIS WITH MECH VENT 96+ HOURS	63	0.16	19
871	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC	673	1.68	6.4
872	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC	262	0.66	5.5
876	O.R. PROCEDURE WITH PRINCIPAL DIAGNOSIS OF MENTAL ILLNESS	1	0.00	4.0
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	24	0.06	4.6
881	DEPRESSIVE NEUROSES	71	0.18	4.0
882	NEUROSES EXCEPT DEPRESSIVE	24	0.06	5.7
883	DISORDERS OF PERSONALITY & IMPULSE CONTROL	8	0.02	18
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	45	0.11	9.2
885	PSYCHOSES	1,410	3.53	8.6
886	BEHAVIORAL & DEVELOPMENTAL DISORDERS	3	0.01	3.7
887	OTHER MENTAL DISORDER DIAGNOSIS	6	0.02	19
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	28	0.07	2.9
895	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITH REHABILITATION THERAPY	30	0.08	11
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	39	0.10	6.1
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	455	1.14	5.1

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Santa Barbara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
901	WOUND DEBRIDE EMENTS FOR INJURIES WITH MCC	1	0.00	29
902	WOUND DEBRIDE EMENTS FOR INJURIES WITH CC	2	0.01	18
903	WOUND DEBRIDE EMENTS FOR INJURIES WITHOUT CC/MCC	1	0.00	1.0
904	SKIN GRAFTS FOR INJURIES WITH CC/MCC	1	0.00	5.0
905	SKIN GRAFTS FOR INJURIES WITHOUT CC/MCC	2	0.01	4.0
906	HAND PROCEDURES FOR INJURIES	3	0.01	8.0
907	OTHER O.R. PROCEDURES FOR INJURIES WITH MCC	18	0.05	17
908	OTHER O.R. PROCEDURES FOR INJURIES WITH CC	21	0.05	5.3
909	OTHER O.R. PROCEDURES FOR INJURIES WITHOUT CC/MCC	32	0.08	2.5
913	TRAUMATIC INJURY WITH MCC	3	0.01	6.7
914	TRAUMATIC INJURY WITHOUT MCC	49	0.12	2.1
915	ALLERGIC REACTIONS WITH MCC	3	0.01	3.3
916	ALLERGIC REACTIONS WITHOUT MCC	8	0.02	1.3
917	POISONING & TOXIC EFFECTS OF DRUGS WITH MCC	72	0.18	3.8
918	POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC	195	0.49	2.6
919	COMPLICATIONS OF TREATMENT WITH MCC	17	0.04	6.1
920	COMPLICATIONS OF TREATMENT WITH CC	31	0.08	4.5
921	COMPLICATIONS OF TREATMENT WITHOUT CC/MCC	39	0.10	2.1
922	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITH MCC	1	0.00	3.0
923	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITHOUT MCC	9	0.02	3.1
927	EXTENSIVE BURNS OR FULL THICKNESS BURNS WITH MECH VENT 96+ HRS WITH SKIN GRAFT	2	0.01	30
928	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITH CC/MCC	10	0.03	6.3

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Santa Barbara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
929	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITHOUT CC/MCC	9	0.02	6.7
934	FULL THICKNESS BURN WITHOUT SKIN GRAFT OR INHAL INJURY	4	0.01	5.5
935	NON-EXTENSIVE BURNS	14	0.04	4.6
939	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH MCC	4	0.01	21
940	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC	5	0.01	15
941	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITHOUT CC/MCC	14	0.04	4.1
945	REHABILITATION WITH CC/MCC	793	1.98	28
946	REHABILITATION WITHOUT CC/MCC	268	0.67	21
947	SIGNS & SYMPTOMS WITH MCC	21	0.05	5.3
948	SIGNS & SYMPTOMS WITHOUT MCC	93	0.23	3.6
949	AFTERCARE WITH CC/MCC	2	0.01	16
950	AFTERCARE WITHOUT CC/MCC	1	0.00	13
951	OTHER FACTORS INFLUENCING HEALTH STATUS	44	0.11	3.7
955	CRANIOTOMY FOR MULTIPLE SIGNIFICANT TRAUMA	10	0.03	6.5
956	LIMB REATTACHMENT, HIP & FEMUR PROCEDURE FOR MULTIPLE SIGNIFICANT TRAUMA	21	0.05	8.6
957	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH MCC	11	0.03	16
958	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH CC	13	0.03	5.8
959	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	6	0.02	4.2
963	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH MCC	4	0.01	11
964	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH CC	15	0.04	6.9
965	OTHER MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	7	0.02	3.9
969	HIV WITH EXTENSIVE O.R. PROCEDURE WITH MCC	1	0.00	10

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Santa Barbara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
970	HIV WITH EXTENSIVE O.R. PROCEDURE WITHOUT MCC	3	0.01	3.3
974	HIV WITH MAJOR RELATED CONDITION WITH MCC	12	0.03	9.7
975	HIV WITH MAJOR RELATED CONDITION WITH CC	3	0.01	9.7
976	HIV WITH MAJOR RELATED CONDITION WITHOUT CC/MCC	1	0.00	3.0
977	HIV WITH OR WITHOUT OTHER RELATED CONDITION	4	0.01	3.5
981	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	32	0.08	16
982	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	39	0.10	6.2
983	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	25	0.06	3.2
987	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	10	0.03	16
988	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	13	0.03	8.8
989	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	9	0.02	2.0
999	UNGROUPABLE	1	0.00	2.0
All		39,979	100.0	4.8

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Santa Barbara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
001	HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM WITH MCC	4	0.01	60
003	ECMO OR TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITH MAJOR O.R.	31	0.08	56
004	TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITHOUT MAJOR O.R.	28	0.08	37
005	LIVER TRANSPLANT WITH MCC OR INTESTINAL TRANSPLANT	5	0.01	30
007	LUNG TRANSPLANT	5	0.01	11
008	SIMULTANEOUS PANCREAS/KIDNEY TRANSPLANT	1	0.00	9.0
009	BONE MARROW TRANSPLANT	21	0.06	27
011	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH MCC	3	0.01	32
012	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH CC	6	0.02	12
013	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITHOUT CC/MCC	4	0.01	5.8
020	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH MCC	4	0.01	32
021	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH CC	11	0.03	9.8
022	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITHOUT CC/MCC	1	0.00	7.0
023	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITH MCC OR CHEMO IMPLANT	15	0.04	31
024	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITHOUT MCC	15	0.04	12
025	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH MCC	44	0.12	14
026	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH CC	55	0.15	6.6
027	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITHOUT CC/MCC	109	0.30	3.1
028	SPINAL PROCEDURES WITH MCC	8	0.02	16

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Santa Barbara County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
029	SPINAL PROCEDURES WITH CC OR SPINAL NEUROSTIMULATORS	13	0.04	6.2
030	SPINAL PROCEDURES WITHOUT CC/MCC	25	0.07	3.1
031	VENTRICULAR SHUNT PROCEDURES WITH MCC	5	0.01	39
032	VENTRICULAR SHUNT PROCEDURES WITH CC	13	0.04	8.5
033	VENTRICULAR SHUNT PROCEDURES WITHOUT CC/MCC	7	0.02	2.9
034	CAROTID ARTERY STENT PROCEDURE WITH MCC	6	0.02	11
035	CAROTID ARTERY STENT PROCEDURE WITH CC	7	0.02	4.6
036	CAROTID ARTERY STENT PROCEDURE WITHOUT CC/MCC	16	0.04	3.1
037	EXTRACRANIAL PROCEDURES WITH MCC	9	0.02	8.6
038	EXTRACRANIAL PROCEDURES WITH CC	23	0.06	3.1
039	EXTRACRANIAL PROCEDURES WITHOUT CC/MCC	97	0.26	1.4
040	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH MCC	17	0.05	13
041	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH CC OR PERIPH NEUROSTIM	14	0.04	4.7
042	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITHOUT CC/MCC	17	0.05	1.7
052	SPINAL DISORDERS & INJURIES WITH CC/MCC	5	0.01	6.4
053	SPINAL DISORDERS & INJURIES WITHOUT CC/MCC	3	0.01	1.3
054	NERVOUS SYSTEM NEOPLASMS WITH MCC	13	0.04	6.5
055	NERVOUS SYSTEM NEOPLASMS WITHOUT MCC	51	0.14	3.6
056	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC	9	0.02	12
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	49	0.13	4.4
059	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH CC	2	0.01	7.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Santa Barbara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
060	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITHOUT CC/MCC	7	0.02	4.9
061	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH MCC	6	0.02	14
062	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH CC	9	0.02	5.0
063	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITHOUT CC/MCC	4	0.01	3.3
064	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC	116	0.32	7.1
065	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC	199	0.54	4.9
066	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC	177	0.48	3.1
067	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITH MCC	2	0.01	4.0
068	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITHOUT MCC	11	0.03	2.1
069	TRANSIENT ISCHEMIA	89	0.24	2.2
070	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH MCC	11	0.03	17
071	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH CC	11	0.03	3.2
072	NONSPECIFIC CEREBROVASCULAR DISORDERS WITHOUT CC/MCC	8	0.02	2.9
073	CRANIAL & PERIPHERAL NERVE DISORDERS WITH MCC	8	0.02	8.5
074	CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC	43	0.12	3.3
075	VIRAL MENINGITIS WITH CC/MCC	9	0.02	3.2
076	VIRAL MENINGITIS WITHOUT CC/MCC	34	0.09	2.4
077	HYPERTENSIVE ENCEPHALOPATHY WITH MCC	1	0.00	3.0
078	HYPERTENSIVE ENCEPHALOPATHY WITH CC	5	0.01	2.2
079	HYPERTENSIVE ENCEPHALOPATHY WITHOUT CC/MCC	1	0.00	2.0
080	NONTRAUMATIC STUPOR & COMA WITH MCC	2	0.01	3.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Santa Barbara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
081	NONTRAUMATIC STUPOR & COMA WITHOUT MCC	18	0.05	2.7
082	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH MCC	4	0.01	16
083	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH CC	10	0.03	2.8
084	TRAUMATIC STUPOR & COMA, COMA >1 HR WITHOUT CC/MCC	26	0.07	2.4
085	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH MCC	13	0.04	7.8
086	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH CC	37	0.10	3.8
087	TRAUMATIC STUPOR & COMA, COMA <1 HR WITHOUT CC/MCC	91	0.25	2.2
088	CONCUSSION WITH MCC	4	0.01	5.0
089	CONCUSSION WITH CC	12	0.03	2.5
090	CONCUSSION WITHOUT CC/MCC	12	0.03	1.6
091	OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC	21	0.06	5.5
092	OTHER DISORDERS OF NERVOUS SYSTEM WITH CC	24	0.07	4.6
093	OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC	32	0.09	2.3
094	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH MCC	5	0.01	9.6
095	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH CC	8	0.02	13
096	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITHOUT CC/MCC	2	0.01	14
097	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH MCC	7	0.02	12
098	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH CC	5	0.01	7.2
099	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITHOUT CC/MCC	7	0.02	4.3
100	SEIZURES WITH MCC	34	0.09	5.1
101	SEIZURES WITHOUT MCC	147	0.40	2.5

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Santa Barbara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
102	HEADACHES WITH MCC	8	0.02	2.3
103	HEADACHES WITHOUT MCC	60	0.16	3.6
113	ORBITAL PROCEDURES WITH CC/MCC	4	0.01	8.0
114	ORBITAL PROCEDURES WITHOUT CC/MCC	8	0.02	1.9
115	EXTRAOCULAR PROCEDURES EXCEPT ORBIT	5	0.01	3.6
116	INTRAOCULAR PROCEDURES WITH CC/MCC	1	0.00	1.0
117	INTRAOCULAR PROCEDURES WITHOUT CC/MCC	3	0.01	1.0
121	ACUTE MAJOR EYE INFECTIONS WITH CC/MCC	2	0.01	3.5
122	ACUTE MAJOR EYE INFECTIONS WITHOUT CC/MCC	5	0.01	3.4
123	NEUROLOGICAL EYE DISORDERS	4	0.01	1.8
125	OTHER DISORDERS OF THE EYE WITHOUT MCC	16	0.04	2.4
129	MAJOR HEAD & NECK PROCEDURES WITH CC/MCC OR MAJOR DEVICE	4	0.01	7.5
130	MAJOR HEAD & NECK PROCEDURES WITHOUT CC/MCC	8	0.02	3.1
131	CRANIAL/FACIAL PROCEDURES WITH CC/MCC	12	0.03	4.1
132	CRANIAL/FACIAL PROCEDURES WITHOUT CC/MCC	51	0.14	1.8
133	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITH CC/MCC	14	0.04	4.4
134	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITHOUT CC/MCC	55	0.15	2.1
136	SINUS & MASTOID PROCEDURES WITHOUT CC/MCC	4	0.01	2.3
137	MOUTH PROCEDURES WITH CC/MCC	5	0.01	3.2
138	MOUTH PROCEDURES WITHOUT CC/MCC	3	0.01	2.0
139	SALIVARY GLAND PROCEDURES	8	0.02	1.6

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Santa Barbara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
146	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH MCC	2	0.01	5.0
147	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH CC	3	0.01	3.0
148	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITHOUT CC/MCC	2	0.01	2.5
149	DYSEQUILIBRIUM	41	0.11	2.0
150	EPISTAXIS WITH MCC	2	0.01	2.0
151	EPISTAXIS WITHOUT MCC	13	0.04	2.5
152	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITH MCC	16	0.04	5.7
153	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITHOUT MCC	102	0.28	2.6
154	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH MCC	7	0.02	7.9
155	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH CC	12	0.03	2.3
156	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITHOUT CC/MCC	12	0.03	1.8
157	DENTAL & ORAL DISEASES WITH MCC	5	0.01	3.2
158	DENTAL & ORAL DISEASES WITH CC	20	0.05	3.2
159	DENTAL & ORAL DISEASES WITHOUT CC/MCC	15	0.04	2.0
163	MAJOR CHEST PROCEDURES WITH MCC	25	0.07	13
164	MAJOR CHEST PROCEDURES WITH CC	34	0.09	5.5
165	MAJOR CHEST PROCEDURES WITHOUT CC/MCC	53	0.14	3.2
166	OTHER RESP SYSTEM O.R. PROCEDURES WITH MCC	38	0.10	13
167	OTHER RESP SYSTEM O.R. PROCEDURES WITH CC	35	0.10	5.5
168	OTHER RESP SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	17	0.05	3.1
175	PULMONARY EMBOLISM WITH MCC	23	0.06	3.8

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Santa Barbara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
176	PULMONARY EMBOLISM WITHOUT MCC	95	0.26	3.3
177	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC	117	0.32	7.6
178	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC	100	0.27	5.7
179	RESPIRATORY INFECTIONS & INFLAMMATIONS WITHOUT CC/MCC	63	0.17	4.8
180	RESPIRATORY NEOPLASMS WITH MCC	43	0.12	5.8
181	RESPIRATORY NEOPLASMS WITH CC	50	0.14	4.4
182	RESPIRATORY NEOPLASMS WITHOUT CC/MCC	5	0.01	1.0
183	MAJOR CHEST TRAUMA WITH MCC	10	0.03	6.4
184	MAJOR CHEST TRAUMA WITH CC	18	0.05	4.2
185	MAJOR CHEST TRAUMA WITHOUT CC/MCC	6	0.02	3.2
186	PLEURAL EFFUSION WITH MCC	12	0.03	2.7
187	PLEURAL EFFUSION WITH CC	21	0.06	3.7
188	PLEURAL EFFUSION WITHOUT CC/MCC	2	0.01	5.0
189	PULMONARY EDEMA & RESPIRATORY FAILURE	135	0.37	4.6
190	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC	98	0.27	4.8
191	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC	106	0.29	3.8
192	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC	139	0.38	3.2
193	SIMPLE PNEUMONIA & PLEURISY WITH MCC	162	0.44	5.0
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	336	0.91	3.9
195	SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC	303	0.82	2.9
196	INTERSTITIAL LUNG DISEASE WITH MCC	18	0.05	6.3

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Santa Barbara County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
197	INTERSTITIAL LUNG DISEASE WITH CC	17	0.05	3.2
198	INTERSTITIAL LUNG DISEASE WITHOUT CC/MCC	7	0.02	2.9
199	PNEUMOTHORAX WITH MCC	4	0.01	2.8
200	PNEUMOTHORAX WITH CC	27	0.07	3.2
201	PNEUMOTHORAX WITHOUT CC/MCC	20	0.05	2.4
202	BRONCHITIS & ASTHMA WITH CC/MCC	92	0.25	3.6
203	BRONCHITIS & ASTHMA WITHOUT CC/MCC	145	0.39	2.3
204	RESPIRATORY SIGNS & SYMPTOMS	23	0.06	2.1
205	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITH MCC	19	0.05	6.0
206	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITHOUT MCC	55	0.15	2.4
207	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS	44	0.12	26
208	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS	97	0.26	6.9
215	OTHER HEART ASSIST SYSTEM IMPLANT	1	0.00	35
216	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH MCC	15	0.04	18
217	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH CC	19	0.05	11
218	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITHOUT CC/MCC	11	0.03	7.5
219	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH MCC	15	0.04	10
220	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH CC	39	0.11	6.8
221	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITHOUT CC/MCC	25	0.07	4.8
222	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITH MCC	4	0.01	9.5

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Santa Barbara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
223	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITHOUT MCC	4	0.01	6.3
224	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITH MCC	3	0.01	10
225	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITHOUT MCC	4	0.01	5.8
226	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITH MCC	9	0.02	8.3
227	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITHOUT MCC	38	0.10	2.7
228	OTHER CARDIOTHORACIC PROCEDURES WITH MCC	10	0.03	28
229	OTHER CARDIOTHORACIC PROCEDURES WITH CC	15	0.04	14
230	OTHER CARDIOTHORACIC PROCEDURES WITHOUT CC/MCC	4	0.01	6.3
231	CORONARY BYPASS WITH PTCA WITH MCC	2	0.01	12
232	CORONARY BYPASS WITH PTCA WITHOUT MCC	2	0.01	11
233	CORONARY BYPASS WITH CARDIAC CATH WITH MCC	21	0.06	14
234	CORONARY BYPASS WITH CARDIAC CATH WITHOUT MCC	57	0.15	7.5
235	CORONARY BYPASS WITHOUT CARDIAC CATH WITH MCC	5	0.01	11
236	CORONARY BYPASS WITHOUT CARDIAC CATH WITHOUT MCC	46	0.13	5.4
237	MAJOR CARDIOVASC PROCEDURES WITH MCC OR THORACIC AORTIC ANEURYSM REPAIR	41	0.11	14
238	MAJOR CARDIOVASC PROCEDURES WITHOUT MCC	87	0.24	4.1
239	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH MCC	13	0.04	12
240	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH CC	22	0.06	11
241	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITHOUT CC/MCC	5	0.01	11
242	PERMANENT CARDIAC PACEMAKER IMPLANT WITH MCC	28	0.08	6.4
243	PERMANENT CARDIAC PACEMAKER IMPLANT WITH CC	66	0.18	3.4

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Santa Barbara County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
244	PERMANENT CARDIAC PACEMAKER IMPLANT WITHOUT CC/MCC	124	0.34	1.8
245	AICD GENERATOR PROCEDURES	7	0.02	3.4
246	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITH MCC OR 4+ VESSELS/STENTS	52	0.14	5.0
247	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITHOUT MCC	347	0.94	1.9
248	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITH MCC OR 4+ VES/STENTS	20	0.05	7.7
249	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITHOUT MCC	66	0.18	2.3
250	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITH MCC	11	0.03	3.3
251	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITHOUT MCC	59	0.16	2.7
252	OTHER VASCULAR PROCEDURES WITH MCC	23	0.06	6.7
253	OTHER VASCULAR PROCEDURES WITH CC	55	0.15	5.1
254	OTHER VASCULAR PROCEDURES WITHOUT CC/MCC	73	0.20	2.6
255	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH MCC	3	0.01	4.7
256	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH CC	5	0.01	4.6
257	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITHOUT CC/MCC	1	0.00	9.0
258	CARDIAC PACEMAKER DEVICE REPLACEMENT WITH MCC	1	0.00	3.0
259	CARDIAC PACEMAKER DEVICE REPLACEMENT WITHOUT MCC	5	0.01	1.4
260	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH MCC	4	0.01	8.0
261	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH CC	3	0.01	4.7
262	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITHOUT CC/MCC	4	0.01	2.8
263	VEIN LIGATION & STRIPPING	2	0.01	3.0
264	OTHER CIRCULATORY SYSTEM O.R. PROCEDURES	27	0.07	8.8

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Santa Barbara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
265	AICD LEAD PROCEDURES	2	0.01	6.5
280	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH MCC	63	0.17	6.4
281	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH CC	44	0.12	4.1
282	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITHOUT CC/MCC	49	0.13	2.5
283	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH MCC	20	0.05	4.3
284	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH CC	6	0.02	1.5
285	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITHOUT CC/MCC	2	0.01	1.0
286	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITH MCC	18	0.05	9.6
287	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITHOUT MCC	165	0.45	2.2
288	ACUTE & SUBACUTE ENDOCARDITIS WITH MCC	2	0.01	16
289	ACUTE & SUBACUTE ENDOCARDITIS WITH CC	6	0.02	5.3
290	ACUTE & SUBACUTE ENDOCARDITIS WITHOUT CC/MCC	3	0.01	5.3
291	HEART FAILURE & SHOCK WITH MCC	263	0.71	6.3
292	HEART FAILURE & SHOCK WITH CC	215	0.58	3.7
293	HEART FAILURE & SHOCK WITHOUT CC/MCC	182	0.49	2.8
294	DEEP VEIN THROMBOPHLEBITIS WITH CC/MCC	5	0.01	4.4
296	CARDIAC ARREST, UNEXPLAINED WITH MCC	1	0.00	.00
297	CARDIAC ARREST, UNEXPLAINED WITH CC	1	0.00	2.0
298	CARDIAC ARREST, UNEXPLAINED WITHOUT CC/MCC	3	0.01	.33
299	PERIPHERAL VASCULAR DISORDERS WITH MCC	23	0.06	5.4
300	PERIPHERAL VASCULAR DISORDERS WITH CC	47	0.13	3.7

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Santa Barbara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
301	PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC	33	0.09	2.8
302	ATHEROSCLEROSIS WITH MCC	9	0.02	3.8
303	ATHEROSCLEROSIS WITHOUT MCC	46	0.13	2.1
304	HYPERTENSION WITH MCC	4	0.01	4.3
305	HYPERTENSION WITHOUT MCC	41	0.11	2.1
306	CARDIAC CONGENITAL & VALVULAR DISORDERS WITH MCC	9	0.02	9.0
307	CARDIAC CONGENITAL & VALVULAR DISORDERS WITHOUT MCC	10	0.03	2.7
308	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH MCC	60	0.16	3.9
309	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC	121	0.33	2.7
310	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITHOUT CC/MCC	175	0.48	1.9
311	ANGINA PECTORIS	27	0.07	1.8
312	SYNCOPE & COLLAPSE	177	0.48	2.3
313	CHEST PAIN	251	0.68	1.3
314	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC	83	0.23	6.7
315	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC	54	0.15	3.2
316	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITHOUT CC/MCC	28	0.08	2.1
326	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH MCC	21	0.06	13
327	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH CC	35	0.10	7.7
328	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITHOUT CC/MCC	71	0.19	3.2
329	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	92	0.25	13
330	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH CC	153	0.42	8.3

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Santa Barbara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
331	MAJOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	111	0.30	4.4
332	RECTAL RESECTION WITH MCC	3	0.01	13
333	RECTAL RESECTION WITH CC	9	0.02	8.8
334	RECTAL RESECTION WITHOUT CC/MCC	15	0.04	4.9
335	PERITONEAL ADHESIOLYSIS WITH MCC	13	0.04	24
336	PERITONEAL ADHESIOLYSIS WITH CC	29	0.08	6.5
337	PERITONEAL ADHESIOLYSIS WITHOUT CC/MCC	46	0.13	4.4
338	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	5	0.01	11
339	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	26	0.07	6.2
340	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	90	0.24	3.8
341	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	1	0.00	2.0
342	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	19	0.05	2.5
343	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	373	1.01	1.3
344	MINOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	2	0.01	4.5
345	MINOR SMALL & LARGE BOWEL PROCEDURES WITH CC	9	0.02	8.0
346	MINOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	13	0.04	4.5
347	ANAL & STOMAL PROCEDURES WITH MCC	2	0.01	3.5
348	ANAL & STOMAL PROCEDURES WITH CC	10	0.03	3.2
349	ANAL & STOMAL PROCEDURES WITHOUT CC/MCC	22	0.06	1.9
350	INGUINAL & FEMORAL HERNIA PROCEDURES WITH MCC	2	0.01	8.5
351	INGUINAL & FEMORAL HERNIA PROCEDURES WITH CC	9	0.02	4.1

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Santa Barbara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
352	INGUINAL & FEMORAL HERNIA PROCEDURES WITHOUT CC/MCC	24	0.07	1.5
353	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH MCC	3	0.01	5.7
354	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH CC	25	0.07	3.7
355	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITHOUT CC/MCC	86	0.23	2.0
356	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH MCC	14	0.04	6.4
357	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH CC	21	0.06	5.2
358	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	14	0.04	3.2
368	MAJOR ESOPHAGEAL DISORDERS WITH MCC	8	0.02	5.6
369	MAJOR ESOPHAGEAL DISORDERS WITH CC	22	0.06	4.1
370	MAJOR ESOPHAGEAL DISORDERS WITHOUT CC/MCC	8	0.02	2.3
371	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH MCC	17	0.05	6.4
372	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH CC	52	0.14	5.5
373	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITHOUT CC/MCC	47	0.13	3.6
374	DIGESTIVE MALIGNANCY WITH MCC	11	0.03	7.6
375	DIGESTIVE MALIGNANCY WITH CC	41	0.11	5.5
376	DIGESTIVE MALIGNANCY WITHOUT CC/MCC	7	0.02	2.1
377	G.I. HEMORRHAGE WITH MCC	98	0.27	5.3
378	G.I. HEMORRHAGE WITH CC	221	0.60	3.4
379	G.I. HEMORRHAGE WITHOUT CC/MCC	141	0.38	2.6
380	COMPLICATED PEPTIC ULCER WITH MCC	6	0.02	9.2
381	COMPLICATED PEPTIC ULCER WITH CC	10	0.03	3.1

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Santa Barbara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
382	COMPLICATED PEPTIC ULCER WITHOUT CC/MCC	12	0.03	3.3
383	UNCOMPLICATED PEPTIC ULCER WITH MCC	2	0.01	4.5
384	UNCOMPLICATED PEPTIC ULCER WITHOUT MCC	17	0.05	2.7
385	INFLAMMATORY BOWEL DISEASE WITH MCC	4	0.01	3.0
386	INFLAMMATORY BOWEL DISEASE WITH CC	23	0.06	4.9
387	INFLAMMATORY BOWEL DISEASE WITHOUT CC/MCC	21	0.06	3.9
388	G.I. OBSTRUCTION WITH MCC	43	0.12	4.9
389	G.I. OBSTRUCTION WITH CC	114	0.31	3.6
390	G.I. OBSTRUCTION WITHOUT CC/MCC	126	0.34	2.5
391	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITH MCC	90	0.24	4.8
392	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC	535	1.45	2.7
393	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH MCC	43	0.12	6.3
394	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH CC	70	0.19	3.9
395	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	63	0.17	3.0
405	PANCREAS, LIVER & SHUNT PROCEDURES WITH MCC	15	0.04	18
406	PANCREAS, LIVER & SHUNT PROCEDURES WITH CC	22	0.06	9.2
407	PANCREAS, LIVER & SHUNT PROCEDURES WITHOUT CC/MCC	9	0.02	8.4
408	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH MCC	2	0.01	12
410	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	4	0.01	4.5
411	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH MCC	2	0.01	6.5

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Santa Barbara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
412	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH CC	1	0.00	3.0
413	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITHOUT CC/MCC	8	0.02	2.9
414	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH MCC	10	0.03	16
415	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH CC	7	0.02	7.7
416	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	10	0.03	3.6
417	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH MCC	53	0.14	6.3
418	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH CC	106	0.29	3.5
419	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	361	0.98	1.7
420	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH MCC	2	0.01	12
421	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH CC	2	0.01	3.5
422	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITHOUT CC/MCC	3	0.01	4.0
423	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH MCC	2	0.01	29
424	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH CC	4	0.01	5.5
432	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH MCC	58	0.16	5.5
433	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH CC	18	0.05	5.5
434	CIRRHOSIS & ALCOHOLIC HEPATITIS WITHOUT CC/MCC	2	0.01	4.0
435	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITH MCC	27	0.07	4.8
436	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITH CC	29	0.08	4.7
437	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITHOUT CC/MCC	10	0.03	2.0
438	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH MCC	34	0.09	5.6

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Santa Barbara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
439	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH CC	86	0.23	4.0
440	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITHOUT CC/MCC	93	0.25	3.1
441	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH MCC	59	0.16	5.4
442	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH CC	81	0.22	4.0
443	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITHOUT CC/MCC	33	0.09	2.9
444	DISORDERS OF THE BILIARY TRACT WITH MCC	25	0.07	5.8
445	DISORDERS OF THE BILIARY TRACT WITH CC	35	0.10	3.6
446	DISORDERS OF THE BILIARY TRACT WITHOUT CC/MCC	40	0.11	2.0
453	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH MCC	1	0.00	14
454	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH CC	15	0.04	6.1
455	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITHOUT CC/MCC	23	0.06	3.9
456	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH MCC	3	0.01	9.7
457	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH CC	9	0.02	6.3
458	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITHOUT CC/MCC	12	0.03	4.6
459	SPINAL FUSION EXCEPT CERVICAL WITH MCC	6	0.02	6.2
460	SPINAL FUSION EXCEPT CERVICAL WITHOUT MCC	213	0.58	3.6
461	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITH MCC	1	0.00	9.0
462	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITHOUT MCC	18	0.05	4.3
463	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH MCC	12	0.03	15
464	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH CC	24	0.07	15

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Santa Barbara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
465	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITHOUT CC/MCC	10	0.03	4.1
466	REVISION OF HIP OR KNEE REPLACEMENT WITH MCC	7	0.02	7.6
467	REVISION OF HIP OR KNEE REPLACEMENT WITH CC	40	0.11	4.6
468	REVISION OF HIP OR KNEE REPLACEMENT WITHOUT CC/MCC	52	0.14	3.6
469	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITH MCC	38	0.10	9.2
470	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITHOUT MCC	1,063	2.89	3.4
471	CERVICAL SPINAL FUSION WITH MCC	6	0.02	9.5
472	CERVICAL SPINAL FUSION WITH CC	24	0.07	3.6
473	CERVICAL SPINAL FUSION WITHOUT CC/MCC	130	0.35	1.4
474	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH MCC	4	0.01	8.0
475	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH CC	3	0.01	15
476	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITHOUT CC/MCC	4	0.01	6.8
477	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	8	0.02	13
478	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	23	0.06	7.1
479	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	24	0.07	4.0
480	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH MCC	50	0.14	7.7
481	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH CC	134	0.36	5.2
482	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITHOUT CC/MCC	114	0.31	3.7
483	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITH CC/MCC	15	0.04	3.4
484	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITHOUT CC/MCC	49	0.13	2.2
485	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH MCC	1	0.00	5.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Santa Barbara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
486	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH CC	7	0.02	6.6
487	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	2	0.01	3.5
488	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITH CC/MCC	11	0.03	2.7
489	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	31	0.08	2.8
490	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITH CC/MCC OR DISC DEVICE/NEUROSTIM	62	0.17	3.1
491	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITHOUT CC/MCC	359	0.98	1.2
492	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH MCC	10	0.03	8.5
493	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH CC	46	0.13	3.9
494	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITHOUT CC/MCC	204	0.55	2.1
495	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH MCC	7	0.02	8.3
496	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH CC	16	0.04	6.4
497	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITHOUT CC/MCC	29	0.08	1.9
498	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITH CC/MCC	1	0.00	4.0
499	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITHOUT CC/MCC	9	0.02	2.0
500	SOFT TISSUE PROCEDURES WITH MCC	4	0.01	16
501	SOFT TISSUE PROCEDURES WITH CC	20	0.05	5.1
502	SOFT TISSUE PROCEDURES WITHOUT CC/MCC	42	0.11	2.0
504	FOOT PROCEDURES WITH CC	8	0.02	3.4
505	FOOT PROCEDURES WITHOUT CC/MCC	15	0.04	1.8
506	MAJOR THUMB OR JOINT PROCEDURES	1	0.00	1.0
507	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITH CC/MCC	2	0.01	4.5

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Santa Barbara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
508	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITHOUT CC/MCC	9	0.02	2.0
510	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH MCC	4	0.01	4.3
511	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH CC	16	0.04	4.6
512	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITHOUT CC/MCC	58	0.16	1.6
513	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITH CC/MCC	1	0.00	1.0
514	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITHOUT CC/MCC	3	0.01	1.7
515	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH MCC	10	0.03	12
516	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH CC	28	0.08	5.3
517	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITHOUT CC/MCC	59	0.16	2.8
534	FRACTURES OF FEMUR WITHOUT MCC	11	0.03	1.7
535	FRACTURES OF HIP & PELVIS WITH MCC	11	0.03	5.7
536	FRACTURES OF HIP & PELVIS WITHOUT MCC	57	0.15	3.5
537	SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITH CC/MCC	1	0.00	5.0
538	SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITHOUT CC/MCC	3	0.01	1.3
539	OSTEOMYELITIS WITH MCC	5	0.01	13
540	OSTEOMYELITIS WITH CC	12	0.03	6.4
541	OSTEOMYELITIS WITHOUT CC/MCC	2	0.01	2.5
542	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH MCC	8	0.02	7.3
543	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH CC	29	0.08	6.1
544	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITHOUT CC/MCC	10	0.03	3.2
545	CONNECTIVE TISSUE DISORDERS WITH MCC	9	0.02	8.1

(Continued)

***MS-DRG by Patient County of Residence
and Type of Care for 2009
Santa Barbara County***

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
546	CONNECTIVE TISSUE DISORDERS WITH CC	17	0.05	3.4
547	CONNECTIVE TISSUE DISORDERS WITHOUT CC/MCC	21	0.06	3.9
549	SEPTIC ARTHRITIS WITH CC	2	0.01	5.5
550	SEPTIC ARTHRITIS WITHOUT CC/MCC	2	0.01	3.0
551	MEDICAL BACK PROBLEMS WITH MCC	20	0.05	5.4
552	MEDICAL BACK PROBLEMS WITHOUT MCC	171	0.46	3.1
553	BONE DISEASES & ARTHROPATHIES WITH MCC	3	0.01	7.0
554	BONE DISEASES & ARTHROPATHIES WITHOUT MCC	18	0.05	3.6
555	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITH MCC	4	0.01	2.5
556	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC	32	0.09	2.3
557	TENDONITIS, MYOSITIS & BURSITIS WITH MCC	9	0.02	5.4
558	TENDONITIS, MYOSITIS & BURSITIS WITHOUT MCC	27	0.07	3.6
559	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	1	0.00	14
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	5	0.01	2.6
561	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	10	0.03	2.9
562	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITH MCC	8	0.02	4.4
563	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC	76	0.21	2.4
564	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH MCC	4	0.01	8.3
565	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH CC	9	0.02	6.3
566	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITHOUT CC/MCC	6	0.02	2.3
573	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH MCC	3	0.01	9.3

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Santa Barbara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
574	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH CC	11	0.03	15
575	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	8	0.02	3.3
576	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH MCC	2	0.01	18
577	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH CC	7	0.02	3.6
578	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	18	0.05	2.4
579	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH MCC	2	0.01	23
580	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH CC	32	0.09	3.9
581	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITHOUT CC/MCC	64	0.17	1.5
582	MASTECTOMY FOR MALIGNANCY WITH CC/MCC	18	0.05	2.3
583	MASTECTOMY FOR MALIGNANCY WITHOUT CC/MCC	33	0.09	1.7
584	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITH CC/MCC	3	0.01	1.0
585	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITHOUT CC/MCC	19	0.05	1.5
592	SKIN ULCERS WITH MCC	5	0.01	9.6
593	SKIN ULCERS WITH CC	10	0.03	5.0
594	SKIN ULCERS WITHOUT CC/MCC	2	0.01	3.0
595	MAJOR SKIN DISORDERS WITH MCC	2	0.01	2.0
596	MAJOR SKIN DISORDERS WITHOUT MCC	6	0.02	2.2
597	MALIGNANT BREAST DISORDERS WITH MCC	2	0.01	2.5
598	MALIGNANT BREAST DISORDERS WITH CC	2	0.01	4.5
599	MALIGNANT BREAST DISORDERS WITHOUT CC/MCC	1	0.00	2.0
601	NON-MALIGNANT BREAST DISORDERS WITHOUT CC/MCC	3	0.01	2.7

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Santa Barbara County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
602	CELLULITIS WITH MCC	28	0.08	6.8
603	CELLULITIS WITHOUT MCC	258	0.70	3.5
604	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITH MCC	3	0.01	3.7
605	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITHOUT MCC	52	0.14	2.4
606	MINOR SKIN DISORDERS WITH MCC	3	0.01	6.7
607	MINOR SKIN DISORDERS WITHOUT MCC	13	0.04	3.9
614	ADRENAL & PITUITARY PROCEDURES WITH CC/MCC	13	0.04	2.6
615	ADRENAL & PITUITARY PROCEDURES WITHOUT CC/MCC	19	0.05	2.2
617	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH CC	6	0.02	6.8
620	O.R. PROCEDURES FOR OBESITY WITH CC	18	0.05	2.7
621	O.R. PROCEDURES FOR OBESITY WITHOUT CC/MCC	165	0.45	1.4
622	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH MCC	1	0.00	8.0
623	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH CC	3	0.01	6.0
625	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH MCC	1	0.00	1.0
626	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH CC	21	0.06	2.1
627	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITHOUT CC/MCC	134	0.36	1.1
628	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH MCC	1	0.00	28
629	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH CC	8	0.02	4.6
630	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITHOUT CC/MCC	2	0.01	2.0
637	DIABETES WITH MCC	56	0.15	4.1
638	DIABETES WITH CC	97	0.26	2.6

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Santa Barbara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
639	DIABETES WITHOUT CC/MCC	93	0.25	2.1
640	NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC	106	0.29	3.7
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	295	0.80	2.8
642	INBORN ERRORS OF METABOLISM	11	0.03	4.0
643	ENDOCRINE DISORDERS WITH MCC	7	0.02	5.6
644	ENDOCRINE DISORDERS WITH CC	28	0.08	3.7
645	ENDOCRINE DISORDERS WITHOUT CC/MCC	21	0.06	2.2
652	KIDNEY TRANSPLANT	12	0.03	5.2
653	MAJOR BLADDER PROCEDURES WITH MCC	3	0.01	10
654	MAJOR BLADDER PROCEDURES WITH CC	11	0.03	8.5
655	MAJOR BLADDER PROCEDURES WITHOUT CC/MCC	6	0.02	4.5
656	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH MCC	10	0.03	9.4
657	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH CC	18	0.05	5.0
658	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITHOUT CC/MCC	28	0.08	3.8
659	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH MCC	8	0.02	7.8
660	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH CC	30	0.08	4.4
661	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITHOUT CC/MCC	33	0.09	2.2
662	MINOR BLADDER PROCEDURES WITH MCC	2	0.01	16
663	MINOR BLADDER PROCEDURES WITH CC	5	0.01	5.2
664	MINOR BLADDER PROCEDURES WITHOUT CC/MCC	9	0.02	2.3
666	PROSTATECTOMY WITH CC	1	0.00	2.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Santa Barbara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
667	PROSTATECTOMY WITHOUT CC/MCC	11	0.03	1.5
668	TRANSURETHRAL PROCEDURES WITH MCC	4	0.01	15
669	TRANSURETHRAL PROCEDURES WITH CC	13	0.04	3.4
670	TRANSURETHRAL PROCEDURES WITHOUT CC/MCC	17	0.05	.88
671	URETHRAL PROCEDURES WITH CC/MCC	1	0.00	6.0
672	URETHRAL PROCEDURES WITHOUT CC/MCC	4	0.01	5.0
673	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH MCC	25	0.07	12
674	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH CC	30	0.08	6.5
675	OTHER KIDNEY & URINARY TRACT PROCEDURES WITHOUT CC/MCC	6	0.02	2.0
682	RENAL FAILURE WITH MCC	75	0.20	5.9
683	RENAL FAILURE WITH CC	112	0.30	4.2
684	RENAL FAILURE WITHOUT CC/MCC	27	0.07	3.2
685	ADMIT FOR RENAL DIALYSIS	2	0.01	2.0
686	KIDNEY & URINARY TRACT NEOPLASMS WITH MCC	1	0.00	5.0
687	KIDNEY & URINARY TRACT NEOPLASMS WITH CC	2	0.01	10
688	KIDNEY & URINARY TRACT NEOPLASMS WITHOUT CC/MCC	1	0.00	1.0
689	KIDNEY & URINARY TRACT INFECTIONS WITH MCC	74	0.20	4.2
690	KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC	358	0.97	3.4
691	URINARY STONES WITH ESW LITHOTRIPSY WITH CC/MCC	3	0.01	1.3
693	URINARY STONES WITHOUT ESW LITHOTRIPSY WITH MCC	4	0.01	5.3
694	URINARY STONES WITHOUT ESW LITHOTRIPSY WITHOUT MCC	36	0.10	1.7

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Santa Barbara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
695	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITH MCC	4	0.01	1.8
696	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITHOUT MCC	13	0.04	2.6
697	URETHRAL STRICTURE	1	0.00	2.0
698	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH MCC	19	0.05	4.4
699	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH CC	40	0.11	2.9
700	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITHOUT CC/MCC	23	0.06	2.7
707	MAJOR MALE PELVIC PROCEDURES WITH CC/MCC	15	0.04	3.3
708	MAJOR MALE PELVIC PROCEDURES WITHOUT CC/MCC	101	0.27	1.5
709	PENIS PROCEDURES WITH CC/MCC	2	0.01	3.5
710	PENIS PROCEDURES WITHOUT CC/MCC	6	0.02	1.7
711	TESTES PROCEDURES WITH CC/MCC	6	0.02	3.3
712	TESTES PROCEDURES WITHOUT CC/MCC	7	0.02	.71
713	TRANSURETHRAL PROSTATECTOMY WITH CC/MCC	16	0.04	1.6
714	TRANSURETHRAL PROSTATECTOMY WITHOUT CC/MCC	77	0.21	1.0
716	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE FOR MALIGNANCY WITHOUT CC/MCC	1	0.00	4.0
717	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE EXCEPT MALIGNANCY WITH CC/MCC	2	0.01	2.0
722	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH MCC	1	0.00	5.0
723	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH CC	5	0.01	9.6
725	BENIGN PROSTATIC HYPERTROPHY WITH MCC	1	0.00	2.0
726	BENIGN PROSTATIC HYPERTROPHY WITHOUT MCC	5	0.01	2.2
727	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITH MCC	2	0.01	4.0

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Santa Barbara County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
728	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITHOUT MCC	18	0.05	3.0
729	OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITH CC/MCC	1	0.00	2.0
734	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITH CC/MCC	6	0.02	6.0
735	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITHOUT CC/MCC	9	0.02	2.9
737	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH CC	14	0.04	6.1
738	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITHOUT CC/MCC	8	0.02	2.9
739	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH MCC	1	0.00	9.0
740	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH CC	11	0.03	4.5
741	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITHOUT CC/MCC	39	0.11	2.0
742	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITH CC/MCC	73	0.20	3.5
743	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITHOUT CC/MCC	416	1.13	2.3
744	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITH CC/MCC	12	0.03	2.6
745	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITHOUT CC/MCC	8	0.02	.88
746	VAGINA, CERVIX & VULVA PROCEDURES WITH CC/MCC	5	0.01	6.4
747	VAGINA, CERVIX & VULVA PROCEDURES WITHOUT CC/MCC	18	0.05	1.8
748	FEMALE REPRODUCTIVE SYSTEM RECONSTRUCTIVE PROCEDURES	58	0.16	1.6
749	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITH CC/MCC	2	0.01	1.0
750	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	5	0.01	1.6
754	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH MCC	3	0.01	3.3
755	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH CC	4	0.01	5.8
756	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	2	0.01	2.5

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Santa Barbara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
758	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH CC	4	0.01	4.5
759	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	10	0.03	2.9
760	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITH CC/MCC	13	0.04	3.8
761	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITHOUT CC/MCC	25	0.07	1.7
765	CESAREAN SECTION WITH CC/MCC	476	1.29	4.4
766	CESAREAN SECTION WITHOUT CC/MCC	1,331	3.62	3.4
767	VAGINAL DELIVERY WITH STERILIZATION &/OR D&C	98	0.27	2.3
768	VAGINAL DELIVERY WITH O.R. PROCEDURE EXCEPT STERIL &/OR D&C	2	0.01	3.5
769	POSTPARTUM & POST ABORTION DIAGNOSIS WITH O.R. PROCEDURE	17	0.05	3.3
770	ABORTION WITH D&C, ASPIRATION CURETTAGE OR HYSTEROTOMY	40	0.11	1.1
774	VAGINAL DELIVERY WITH COMPLICATING DIAGNOSIS	385	1.05	2.6
775	VAGINAL DELIVERY WITHOUT COMPLICATING DIAGNOSIS	3,607	9.81	2.0
776	POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE	28	0.08	2.6
777	ECTOPIC PREGNANCY	28	0.08	2.7
778	THREATENED ABORTION	51	0.14	3.3
779	ABORTION WITHOUT D&C	32	0.09	1.5
780	FALSE LABOR	3	0.01	.67
781	OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS	186	0.51	3.5
782	OTHER ANTEPARTUM DIAGNOSIS WITHOUT MEDICAL COMPLICATIONS	48	0.13	3.2
789	NEONATES, DIED OR TRANSFERRED TO ANOTHER ACUTE CARE FACILITY	84	0.23	4.3
790	EXTREME IMMATURETY OR RESPIRATORY DISTRESS SYNDROME, NEONATE	78	0.21	42

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Santa Barbara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
791	PREMATURITY WITH MAJOR PROBLEMS	96	0.26	20
792	PREMATURITY WITHOUT MAJOR PROBLEMS	208	0.57	6.0
793	FULL TERM NEONATE WITH MAJOR PROBLEMS	231	0.63	6.8
794	NEONATE WITH OTHER SIGNIFICANT PROBLEMS	705	1.92	2.6
795	NORMAL NEWBORN	4,760	12.94	2.1
800	SPLENECTOMY WITH CC	2	0.01	6.0
801	SPLENECTOMY WITHOUT CC/MCC	1	0.00	5.0
803	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH CC	3	0.01	5.0
804	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITHOUT CC/MCC	3	0.01	1.3
808	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH MCC	16	0.04	5.3
809	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH CC	37	0.10	4.0
810	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITHOUT CC/MCC	10	0.03	3.0
811	RED BLOOD CELL DISORDERS WITH MCC	35	0.10	4.2
812	RED BLOOD CELL DISORDERS WITHOUT MCC	134	0.36	2.4
813	COAGULATION DISORDERS	40	0.11	3.5
815	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH CC	11	0.03	3.5
816	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITHOUT CC/MCC	9	0.02	3.4
820	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH MCC	2	0.01	33
821	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH CC	8	0.02	8.0
822	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITHOUT CC/MCC	4	0.01	6.0
823	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH MCC	5	0.01	18

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Santa Barbara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
824	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH CC	8	0.02	5.1
825	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	12	0.03	3.7
826	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH MCC	2	0.01	21
827	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH CC	11	0.03	7.4
828	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITHOUT CC/MCC	4	0.01	2.5
829	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITH CC/MCC	1	0.00	.00
830	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	3	0.01	4.0
834	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH MCC	14	0.04	18
835	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH CC	13	0.04	17
836	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITHOUT CC/MCC	3	0.01	6.3
837	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS OR WITH HIGH DOSE CHEMO AGENT WITH MCC	4	0.01	11
838	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITH CC OR HIGH DOSE CHEMO AGENT	5	0.01	28
839	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITHOUT CC/MCC	12	0.03	4.2
840	LYMPHOMA & NON-ACUTE LEUKEMIA WITH MCC	19	0.05	7.1
841	LYMPHOMA & NON-ACUTE LEUKEMIA WITH CC	23	0.06	6.4
842	LYMPHOMA & NON-ACUTE LEUKEMIA WITHOUT CC/MCC	26	0.07	3.5
843	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH MCC	1	0.00	7.0
844	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH CC	5	0.01	5.8
845	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITHOUT CC/MCC	2	0.01	2.5
846	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH MCC	8	0.02	6.1

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Santa Barbara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
847	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH CC	213	0.58	3.3
848	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITHOUT CC/MCC	20	0.05	4.0
849	RADIOTHERAPY	3	0.01	4.0
853	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH MCC	147	0.40	13
854	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH CC	32	0.09	7.9
855	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITHOUT CC/MCC	1	0.00	.00
856	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH MCC	16	0.04	11
857	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH CC	27	0.07	8.1
858	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITHOUT CC/MCC	8	0.02	6.4
862	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITH MCC	18	0.05	5.4
863	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC	56	0.15	4.8
864	FEVER	63	0.17	2.6
865	VIRAL ILLNESS WITH MCC	3	0.01	3.0
866	VIRAL ILLNESS WITHOUT MCC	41	0.11	2.1
867	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH MCC	9	0.02	19
868	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH CC	6	0.02	7.2
869	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITHOUT CC/MCC	7	0.02	2.9
870	SEPTICEMIA OR SEVERE SEPSIS WITH MECH VENT 96+ HOURS	62	0.17	19
871	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC	671	1.82	6.4
872	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC	259	0.70	4.2
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	14	0.04	1.7

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Santa Barbara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
883	DISORDERS OF PERSONALITY & IMPULSE CONTROL	1	0.00	12
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	26	0.07	4.0
885	PSYCHOSES	20	0.05	7.5
886	BEHAVIORAL & DEVELOPMENTAL DISORDERS	1	0.00	1.0
887	OTHER MENTAL DISORDER DIAGNOSIS	2	0.01	3.0
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	6	0.02	2.3
895	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITH REHABILITATION THERAPY	1	0.00	2.0
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	30	0.08	6.2
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	91	0.25	3.2
901	WOUND DEBRIDE EMENTS FOR INJURIES WITH MCC	1	0.00	29
902	WOUND DEBRIDE EMENTS FOR INJURIES WITH CC	2	0.01	18
903	WOUND DEBRIDE EMENTS FOR INJURIES WITHOUT CC/MCC	1	0.00	1.0
904	SKIN GRAFTS FOR INJURIES WITH CC/MCC	1	0.00	5.0
905	SKIN GRAFTS FOR INJURIES WITHOUT CC/MCC	2	0.01	4.0
906	HAND PROCEDURES FOR INJURIES	3	0.01	8.0
907	OTHER O.R. PROCEDURES FOR INJURIES WITH MCC	18	0.05	17
908	OTHER O.R. PROCEDURES FOR INJURIES WITH CC	21	0.06	5.3
909	OTHER O.R. PROCEDURES FOR INJURIES WITHOUT CC/MCC	32	0.09	2.5
913	TRAUMATIC INJURY WITH MCC	3	0.01	6.7
914	TRAUMATIC INJURY WITHOUT MCC	49	0.13	2.1
915	ALLERGIC REACTIONS WITH MCC	3	0.01	3.3

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Santa Barbara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
916	ALLERGIC REACTIONS WITHOUT MCC	8	0.02	1.3
917	POISONING & TOXIC EFFECTS OF DRUGS WITH MCC	66	0.18	3.3
918	POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC	167	0.45	1.9
919	COMPLICATIONS OF TREATMENT WITH MCC	17	0.05	6.1
920	COMPLICATIONS OF TREATMENT WITH CC	31	0.08	4.5
921	COMPLICATIONS OF TREATMENT WITHOUT CC/MCC	39	0.11	2.1
922	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITH MCC	1	0.00	3.0
923	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITHOUT MCC	8	0.02	2.6
927	EXTENSIVE BURNS OR FULL THICKNESS BURNS WITH MECH VENT 96+ HRS WITH SKIN GRAFT	2	0.01	30
928	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITH CC/MCC	10	0.03	6.3
929	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITHOUT CC/MCC	9	0.02	6.7
934	FULL THICKNESS BURN WITHOUT SKIN GRAFT OR INHAL INJURY	4	0.01	5.5
935	NON-EXTENSIVE BURNS	14	0.04	4.6
939	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH MCC	3	0.01	11
940	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC	2	0.01	1.0
941	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITHOUT CC/MCC	12	0.03	2.3
945	REHABILITATION WITH CC/MCC	1	0.00	10
946	REHABILITATION WITHOUT CC/MCC	1	0.00	14
947	SIGNS & SYMPTOMS WITH MCC	21	0.06	5.3
948	SIGNS & SYMPTOMS WITHOUT MCC	92	0.25	3.6

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Santa Barbara County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
951	OTHER FACTORS INFLUENCING HEALTH STATUS	24	0.07	3.0
955	CRANIOTOMY FOR MULTIPLE SIGNIFICANT TRAUMA	10	0.03	6.5
956	LIMB REATTACHMENT, HIP & FEMUR PROCEDURE FOR MULTIPLE SIGNIFICANT TRAUMA	21	0.06	8.6
957	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH MCC	11	0.03	16
958	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH CC	13	0.04	5.8
959	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	6	0.02	4.2
963	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH MCC	4	0.01	11
964	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH CC	15	0.04	6.9
965	OTHER MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	7	0.02	3.9
969	HIV WITH EXTENSIVE O.R. PROCEDURE WITH MCC	1	0.00	10
970	HIV WITH EXTENSIVE O.R. PROCEDURE WITHOUT MCC	3	0.01	3.3
974	HIV WITH MAJOR RELATED CONDITION WITH MCC	12	0.03	9.7
975	HIV WITH MAJOR RELATED CONDITION WITH CC	3	0.01	9.7
976	HIV WITH MAJOR RELATED CONDITION WITHOUT CC/MCC	1	0.00	3.0
977	HIV WITH OR WITHOUT OTHER RELATED CONDITION	4	0.01	3.5
981	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	32	0.09	16
982	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	39	0.11	6.2
983	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	25	0.07	3.2
987	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	10	0.03	16
988	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	12	0.03	8.6
989	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	9	0.02	2.0

(Continued)

***MS-DRG by Patient County of Residence
and Type of Care for 2009
Santa Barbara County***

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
999	UNGROUPABLE	1	0.00	2.0
All		36,787	100.0	3.8

***MS-DRG by Patient County of Residence
and Type of Care for 2009
Santa Barbara County***

typcare1=Chemical Dependency Recovery Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	3	8.57	11
895	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITH REHABILITATION THERAPY	25	71.43	13
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	7	20.00	4.3
All		35	100.0	11

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Santa Barbara County**

typcare1=Physical Rehabilitation Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
052	SPINAL DISORDERS & INJURIES WITH CC/MCC	1	0.21	13
206	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITHOUT MCC	1	0.21	2.0
536	FRACTURES OF HIP & PELVIS WITHOUT MCC	1	0.21	13
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	1	0.21	13
939	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH MCC	1	0.21	51
940	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC	3	0.64	24
941	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITHOUT CC/MCC	2	0.43	15
945	REHABILITATION WITH CC/MCC	344	73.82	17
946	REHABILITATION WITHOUT CC/MCC	109	23.39	11
949	AFTERCARE WITH CC/MCC	2	0.43	16
950	AFTERCARE WITHOUT CC/MCC	1	0.21	13
All		466	100.0	15

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Santa Barbara County**

typcare1=Psychiatric Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	1	0.05	19
081	NONTRAUMATIC STUPOR & COMA WITHOUT MCC	1	0.05	1.0
083	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH CC	1	0.05	4.0
158	DENTAL & ORAL DISEASES WITH CC	1	0.05	6.0
190	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC	1	0.05	10
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	1	0.05	9.0
208	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS	1	0.05	8.0
247	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITHOUT MCC	1	0.05	8.0
292	HEART FAILURE & SHOCK WITH CC	1	0.05	5.0
309	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC	1	0.05	7.0
354	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH CC	1	0.05	13
368	MAJOR ESOPHAGEAL DISORDERS WITH MCC	1	0.05	18
392	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC	1	0.05	5.0
442	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH CC	2	0.10	11
552	MEDICAL BACK PROBLEMS WITHOUT MCC	1	0.05	12
606	MINOR SKIN DISORDERS WITH MCC	1	0.05	4.0
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	1	0.05	6.0
776	POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE	2	0.10	2.5
876	O.R. PROCEDURE WITH PRINCIPAL DIAGNOSIS OF MENTAL ILLNESS	1	0.05	4.0
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	10	0.51	8.6
881	DEPRESSIVE NEUROSES	71	3.59	4.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Santa Barbara County*

typcare1=Psychiatric Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
882	NEUROSES EXCEPT DEPRESSIVE	24	1.21	5.7
883	DISORDERS OF PERSONALITY & IMPULSE CONTROL	7	0.35	19
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	16	0.81	13
885	PSYCHOSES	1,390	70.34	8.6
886	BEHAVIORAL & DEVELOPMENTAL DISORDERS	2	0.10	5.0
887	OTHER MENTAL DISORDER DIAGNOSIS	4	0.20	28
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	19	0.96	1.7
895	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITH REHABILITATION THERAPY	4	0.20	4.3
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	9	0.46	5.9
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	357	18.07	5.6
917	POISONING & TOXIC EFFECTS OF DRUGS WITH MCC	6	0.30	9.7
918	POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC	28	1.42	7.1
923	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITHOUT MCC	1	0.05	7.0
951	OTHER FACTORS INFLUENCING HEALTH STATUS	6	0.30	3.8
988	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	1	0.05	12
All		1,976	100.0	7.9

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Santa Barbara County**

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
052	SPINAL DISORDERS & INJURIES WITH CC/MCC	1	0.14	162
056	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC	1	0.14	7.0
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	12	1.68	205
092	OTHER DISORDERS OF NERVOUS SYSTEM WITH CC	1	0.14	2.0
103	HEADACHES WITHOUT MCC	1	0.14	3.0
166	OTHER RESP SYSTEM O.R. PROCEDURES WITH MCC	1	0.14	108
177	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC	1	0.14	2.0
178	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC	2	0.28	6.0
180	RESPIRATORY NEOPLASMS WITH MCC	1	0.14	1.0
181	RESPIRATORY NEOPLASMS WITH CC	1	0.14	16
189	PULMONARY EDEMA & RESPIRATORY FAILURE	4	0.56	52
190	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC	1	0.14	30
191	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC	1	0.14	41
192	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC	3	0.42	6.0
193	SIMPLE PNEUMONIA & PLEURISY WITH MCC	1	0.14	6.0
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	4	0.56	6.3
207	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS	8	1.12	69
208	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS	1	0.14	12
291	HEART FAILURE & SHOCK WITH MCC	1	0.14	4.0
292	HEART FAILURE & SHOCK WITH CC	1	0.14	17
293	HEART FAILURE & SHOCK WITHOUT CC/MCC	4	0.56	6.0

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Santa Barbara County**

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
300	PERIPHERAL VASCULAR DISORDERS WITH CC	1	0.14	9.0
301	PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC	1	0.14	7.0
302	ATHEROSCLEROSIS WITH MCC	1	0.14	20
303	ATHEROSCLEROSIS WITHOUT MCC	2	0.28	17
305	HYPERTENSION WITHOUT MCC	3	0.42	81
309	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC	1	0.14	134
315	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC	1	0.14	6.0
375	DIGESTIVE MALIGNANCY WITH CC	1	0.14	28
394	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH CC	1	0.14	5.0
433	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH CC	1	0.14	1.0
434	CIRRHOSIS & ALCOHOLIC HEPATITIS WITHOUT CC/MCC	1	0.14	12
445	DISORDERS OF THE BILIARY TRACT WITH CC	1	0.14	5.0
470	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITHOUT MCC	1	0.14	2.0
536	FRACTURES OF HIP & PELVIS WITHOUT MCC	1	0.14	24
552	MEDICAL BACK PROBLEMS WITHOUT MCC	1	0.14	50
561	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	1	0.14	5.0
593	SKIN ULCERS WITH CC	1	0.14	2E3
596	MAJOR SKIN DISORDERS WITHOUT MCC	1	0.14	13
603	CELLULITIS WITHOUT MCC	1	0.14	5.0
638	DIABETES WITH CC	1	0.14	29
689	KIDNEY & URINARY TRACT INFECTIONS WITH MCC	4	0.56	3.8

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Santa Barbara County**

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
690	KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC	2	0.28	187
812	RED BLOOD CELL DISORDERS WITHOUT MCC	1	0.14	6.0
842	LYMPHOMA & NON-ACUTE LEUKEMIA WITHOUT CC/MCC	2	0.28	3.5
845	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITHOUT CC/MCC	1	0.14	4.0
862	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITH MCC	1	0.14	64
870	SEPTICEMIA OR SEVERE SEPSIS WITH MECH VENT 96+ HOURS	1	0.14	22
871	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC	2	0.28	7.5
872	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC	3	0.42	113
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	3	0.42	33
945	REHABILITATION WITH CC/MCC	448	62.66	37
946	REHABILITATION WITHOUT CC/MCC	158	22.10	28
948	SIGNS & SYMPTOMS WITHOUT MCC	1	0.14	2.0
951	OTHER FACTORS INFLUENCING HEALTH STATUS	14	1.96	4.9
All		715	100.0	40

**MDC by Patient County of Residence
for 2009
Santa Barbara County**

		Number of Discharges	Percent of Subtotal	Average Length of Stay
00	UNGROUPABLE	1	0.00	2.0
01	NERVOUS SYSTEM, DISEASES & DISORDERS	2,045	5.12	6.4
02	EYE, DISEASES & DISORDERS	50	0.13	3.3
03	EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS	429	1.07	3.0
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	2,691	6.73	5.4
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	3,791	9.48	4.3
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	3,246	8.12	4.2
07	HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS	1,272	3.18	4.1
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	3,828	9.58	3.6
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	624	1.56	7.5
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	1,123	2.81	2.6
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	1,099	2.75	4.5
12	MALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	271	0.68	2.0
13	FEMALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	748	1.87	2.6
14	PREGNANCY, CHILDBIRTH, & THE PUERPERIUM	6,336	15.85	2.6
15	NEWBORNS AND NEONATE CONDITIONS BEGAN IN PERINATAL PERIOD	6,164	15.42	3.3
16	BLOOD, BLOOD FORMING ORGANS,IMMUNOLOGICAL, DISEASES & DISORDERS	308	0.77	3.6
17	MYELOPROLIFERATIVE DISEASES & POORLY DIFFERENTIATED NEOPLASMS	450	1.13	6.5
18	INFECTIOUS & PARASITIC DISEASES	1,446	3.62	7.7
19	MENTAL DISEASES & DISORDERS	1,592	3.98	8.4
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	553	1.38	5.4
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	517	1.29	3.9

(Continued)

*MDC by Patient County of Residence
for 2009
Santa Barbara County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
22	BURNS	39	0.10	6.9
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	1,245	3.11	23
24	MULTIPLE SIGNFICANT TRAUMA	87	0.22	8.0
25	HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS	24	0.06	7.6
All		39,979	100.0	4.8

**MDC by Patient County of Residence
and Type of Care for 2009
Santa Barbara County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
00	UNGROUPABLE	1	0.00	2.0
01	NERVOUS SYSTEM, DISEASES & DISORDERS	2,025	5.50	5.1
02	EYE, DISEASES & DISORDERS	50	0.14	3.3
03	EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS	428	1.16	3.0
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	2,658	7.23	5.0
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	3,772	10.25	4.1
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	3,241	8.81	4.2
07	HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS	1,267	3.44	4.1
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	3,821	10.39	3.6
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	620	1.69	3.6
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	1,121	3.05	2.6
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	1,093	2.97	4.2
12	MALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	271	0.74	2.0
13	FEMALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	748	2.03	2.6
14	PREGNANCY, CHILDBIRTH, & THE PUERPERIUM	6,334	17.22	2.6
15	NEWBORNS AND NEONATE CONDITIONS BEGAN IN PERINATAL PERIOD	6,164	16.76	3.3
16	BLOOD, BLOOD FORMING ORGANS, IMMUNOLOGICAL, DISEASES & DISORDERS	307	0.83	3.6
17	MYELOPROLIFERATIVE DISEASES & POORLY DIFFERENTIATED NEOPLASMS	447	1.22	6.5
18	INFECTIOUS & PARASITIC DISEASES	1,439	3.91	7.4
19	MENTAL DISEASES & DISORDERS	64	0.17	4.6
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	128	0.35	3.9

(Continued)

***MDC by Patient County of Residence
and Type of Care for 2009
Santa Barbara County***

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	482	1.31	3.6
22	BURNS	39	0.11	6.9
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	156	0.42	3.8
24	MULTIPLE SIGNFICANT TRAUMA	87	0.24	8.0
25	HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS	24	0.07	7.6
All		36,787	100.0	3.8

***MDC by Patient County of Residence
and Type of Care for 2009
Santa Barbara County***

typcare1=Chemical Dependency Recovery Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	35	100.0	11
All		35	100.0	11

***MDC by Patient County of Residence
and Type of Care for 2009
Santa Barbara County***

typcare1=Physical Rehabilitation Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	1	0.21	13
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	1	0.21	2.0
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	2	0.43	13
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	462	99.14	15
All		466	100.0	15

***MDC by Patient County of Residence
and Type of Care for 2009
Santa Barbara County***

typcare1=Psychiatric Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	3	0.15	8.0
03	EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS	1	0.05	6.0
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	3	0.15	9.0
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	3	0.15	6.7
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	3	0.15	12
07	HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS	2	0.10	11
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	1	0.05	12
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	1	0.05	4.0
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	1	0.05	6.0
14	PREGNANCY, CHILDBIRTH, & THE PUERPERIUM	2	0.10	2.5
19	MENTAL DISEASES & DISORDERS	1,525	77.18	8.5
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	390	19.74	5.4
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	35	1.77	7.5
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	6	0.30	3.8
All		1,976	100.0	7.9

***MDC by Patient County of Residence
and Type of Care for 2009
Santa Barbara County***

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	16	2.24	165
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	29	4.06	36
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	16	2.24	31
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	2	0.28	17
07	HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS	3	0.42	6.0
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	4	0.56	20
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	3	0.42	817
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	1	0.14	29
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	6	0.84	65
16	BLOOD, BLOOD FORMING ORGANS,IMMUNOLOGICAL, DISEASES & DISORDERS	1	0.14	6.0
17	MYELOPROLIFERATIVE DISEASES & POORLY DIFFERENTIATED NEOPLASMS	3	0.42	3.7
18	INFECTIOUS & PARASITIC DISEASES	7	0.98	63
19	MENTAL DISEASES & DISORDERS	3	0.42	33
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	621	86.85	34
All		715	100.0	40