

**Type of Care by Patient County of Residence
for 2009
Tehama County**

	Number of Discharges	Percent of Subtotal	Average Length of Stay
Acute Care	6,135	96.51	3.8
Physical Rehabilitation Care	51	0.80	14
Psychiatric Care	115	1.81	8.7
Skilled Nursing/Intermediate Care	56	0.88	16
All	6,357	100.0	4.1

**Disposition by Patient County of Residence
for 2009
Tehama County**

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	278	0.01	11
01 - Routine (Home)	3,004,054	75.38	3.6
02 - Acute Care within the admitting hospital	10,153	0.25	53
03 - Other Care with the admitting hospital	20,525	0.52	9.0
04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital	34,806	0.87	7.9
05 - Acute Care at another hospital	82,489	2.07	11
06 - Other Care (not SN/IC) at another hospital	35,667	0.89	9.8
07 - SN/IC at another facility	293,004	7.35	8.8
08 - Residential Care facility	35,985	0.90	10
09 - Prison/Jail	19,746	0.50	5.7
10 - Left Against Medical Advice	43,300	1.09	3.3
11 - Died	79,937	2.01	17
12 - Home Health Service	313,429	7.86	7.3
13 - Other	11,793	0.30	11
All	3,985,166	100.0	5.0

***Disposition by Patient County of Residence
and Type of Care for 2009
Tehama County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	4,472	72.89	2.7
03 - Other Care with the admitting hospital	40	0.65	13
04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital	17	0.28	22
05 - Acute Care at another hospital	162	2.64	4.8
06 - Other Care (not SN/IC) at another hospital	42	0.68	6.1
07 - SN/IC at another facility	507	8.26	7.1
08 - Residential Care facility	13	0.21	7.3
09 - Prison/Jail	8	0.13	2.1
10 - Left Against Medical Advice	34	0.55	3.6
11 - Died	133	2.17	7.9
12 - Home Health Service	700	11.41	5.8
13 - Other	7	0.11	6.0
All	6,135	100.0	3.8

***Disposition by Patient County of Residence
and Type of Care for 2009
Tehama County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	19	37.25	12
02 - Acute Care within the admitting hospital	6	11.76	7.7
07 - SN/IC at another facility	9	17.65	18
12 - Home Health Service	17	33.33	15
All	51	100.0	14

***Disposition by Patient County of Residence
and Type of Care for 2009
Tehama County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	103	89.57	8.4
02 - Acute Care within the admitting hospital	1	0.87	1.0
06 - Other Care (not SN/IC) at another hospital	3	2.61	10
08 - Residential Care facility	3	2.61	16
09 - Prison/Jail	2	1.74	22
10 - Left Against Medical Advice	2	1.74	3.0
12 - Home Health Service	1	0.87	11
All	115	100.0	8.7

***Disposition by Patient County of Residence
and Type of Care for 2009
Tehama County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	31	55.36	16
02 - Acute Care within the admitting hospital	4	7.14	22
05 - Acute Care at another hospital	4	7.14	7.3
06 - Other Care (not SN/IC) at another hospital	2	3.57	40
07 - SN/IC at another facility	3	5.36	6.0
08 - Residential Care facility	2	3.57	16
10 - Left Against Medical Advice	1	1.79	8.0
11 - Died	4	7.14	16
12 - Home Health Service	5	8.93	13
All	56	100.0	16

***Gender by Patient County of Residence
for 2009
Tehama County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	2,706	42.57	4.5
2 - Female	3,651	57.43	3.7
All	6,357	100.0	4.1

***Gender by Patient County of Residence
and Type of Care for 2009
Tehama County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	2,602	42.41	4.2
2 - Female	3,533	57.59	3.5
All	6,135	100.0	3.8

***Gender by Patient County of Residence
and Type of Care for 2009
Tehama County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	24	47.06	14
2 - Female	27	52.94	14
All	51	100.0	14

***Gender by Patient County of Residence
and Type of Care for 2009
Tehama County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	58	50.43	8.1
2 - Female	57	49.57	9.5
All	115	100.0	8.7

***Gender by Patient County of Residence
and Type of Care for 2009
Tehama County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	22	39.29	19
2 - Female	34	60.71	14
All	56	100.0	16

***Expected Payer by Patient County of Residence
for 2009
Tehama County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	2,504	39.39	5.2
02 - Medi-Cal	1,845	29.02	2.9
03 - Private Coverage	1,437	22.61	3.5
04 - Workers' Compensatio	52	0.82	3.8
05 - County Indigent Prog	142	2.23	4.4
06 - Other Government	109	1.71	4.4
08 - Self-Pay	263	4.14	3.3
09 - Other Payer	5	0.08	4.2
All	6,357	100.0	4.1

***Expected Payer by Patient County of Residence
and Type of Care for 2009
Tehama County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	2,379	38.78	4.9
02 - Medi-Cal	1,817	29.62	2.8
03 - Private Coverage	1,397	22.77	3.4
04 - Workers' Compensatio	52	0.85	3.8
05 - County Indigent Prog	139	2.27	4.3
06 - Other Government	88	1.43	3.3
08 - Self-Pay	258	4.21	3.2
09 - Other Payer	5	0.08	4.2
All	6,135	100.0	3.8

***Expected Payer by Patient County of Residence
and Type of Care for 2009
Tehama County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	34	66.67	12
02 - Medi-Cal	7	13.73	17
03 - Private Coverage	10	19.61	17
All	51	100.0	14

***Expected Payer by Patient County of Residence
and Type of Care for 2009
Tehama County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	45	39.13	9.4
02 - Medi-Cal	17	14.78	12
03 - Private Coverage	27	23.48	5.6
05 - County Indigent Prog	3	2.61	12
06 - Other Government	21	18.26	8.8
08 - Self-Pay	2	1.74	7.5
All	115	100.0	8.7

***Expected Payer by Patient County of Residence
and Type of Care for 2009
Tehama County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	46	82.14	16
02 - Medi-Cal	4	7.14	11
03 - Private Coverage	3	5.36	28
08 - Self-Pay	3	5.36	6.0
All	56	100.0	16

***Race Group by Patient County of Residence
for 2009
Tehama County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	88	1.38	3.5
1 - White	5,243	82.48	4.2
2 - Black	30	0.47	4.3
3 - Hispanic	727	11.44	3.3
4 - Asian/Pacific Islander	69	1.09	2.8
5 - Native American/Eskimo/Ale	43	0.68	5.1
6 - Other	157	2.47	3.5
All	6,357	100.0	4.1

***Race Group by Patient County of Residence
and Type of Care for 2009
Tehama County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	85	1.39	3.4
1 - White	5,047	82.27	3.9
2 - Black	29	0.47	4.2
3 - Hispanic	710	11.57	3.1
4 - Asian/Pacific Islander	68	1.11	2.7
5 - Native American/Eskimo/Ale	43	0.70	5.1
6 - Other	153	2.49	3.4
All	6,135	100.0	3.8

***Race Group by Patient County of Residence
and Type of Care for 2009
Tehama County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - White	44	86.27	14
3 - Hispanic	6	11.76	10
6 - Other	1	1.96	12
All	51	100.0	14

***Race Group by Patient County of Residence
and Type of Care for 2009
Tehama County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	3	2.61	4.7
1 - White	99	86.09	8.6
2 - Black	1	0.87	9.0
3 - Hispanic	8	6.96	13
4 - Asian/Pacific Islander	1	0.87	5.0
6 - Other	3	2.61	7.3
All	115	100.0	8.7

***Race Group by Patient County of Residence
and Type of Care for 2009
Tehama County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - White	53	94.64	16
3 - Hispanic	3	5.36	16
All	56	100.0	16

**Source of Admission by Patient County of Residence
for 2009
Tehama County**

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	5,046	79.38	3.6
2 - Residential Care Facility	2	0.03	4.5
3 - Ambulatory Surgery	27	0.42	2.4
4 - Skilled Nursing/Intermedia	68	1.07	4.7
5 - Acute Inpatient Hospital C	361	5.68	13
6 - Other Inpatient Hospital C	16	0.25	4.4
7 - Newborn (born in admitting	765	12.03	2.2
8 - Prison/Jail	7	0.11	7.7
9 - Other	65	1.02	7.9
All	6,357	100.0	4.1

**Source of Admission by Patient County of Residence
and Type of Care for 2009
Tehama County**

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	4,947	80.64	3.5
2 - Residential Care Facility	1	0.02	4.0
3 - Ambulatory Surgery	27	0.44	2.4
4 - Skilled Nursing/Intermedia	67	1.09	4.1
5 - Acute Inpatient Hospital C	263	4.29	13
6 - Other Inpatient Hospital C	15	0.24	4.6
7 - Newborn (born in admitting	765	12.47	2.2
8 - Prison/Jail	5	0.08	2.0
9 - Other	45	0.73	5.5
All	6,135	100.0	3.8

***Source of Admission by Patient County of Residence
and Type of Care for 2009
Tehama County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
5 - Acute Inpatient Hospital C	51	100.0	14
All	51	100.0	14

**Source of Admission by Patient County of Residence
and Type of Care for 2009
Tehama County**

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	88	76.52	7.6
2 - Residential Care Facility	1	0.87	5.0
5 - Acute Inpatient Hospital C	3	2.61	7.0
6 - Other Inpatient Hospital C	1	0.87	2.0
8 - Prison/Jail	2	1.74	22
9 - Other	20	17.39	13
All	115	100.0	8.7

**Source of Admission by Patient County of Residence
and Type of Care for 2009
Tehama County**

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	11	19.64	6.0
4 - Skilled Nursing/Intermedia	1	1.79	42
5 - Acute Inpatient Hospital C	44	78.57	18
All	56	100.0	16

*MS-DRG by Patient County of Residence
for 2009
Tehama County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
001	HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM WITH MCC	2	0.03	61
003	ECMO OR TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITH MAJOR O.R.	14	0.22	38
004	TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITHOUT MAJOR O.R.	7	0.11	28
005	LIVER TRANSPLANT WITH MCC OR INTESTINAL TRANSPLANT	1	0.02	33
009	BONE MARROW TRANSPLANT	1	0.02	27
011	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH MCC	1	0.02	22
020	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH MCC	1	0.02	26
023	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITH MCC OR CHEMO IMPLANT	4	0.06	16
024	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITHOUT MCC	2	0.03	9.5
025	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH MCC	5	0.08	6.8
026	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH CC	6	0.09	5.0
027	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITHOUT CC/MCC	13	0.20	3.5
029	SPINAL PROCEDURES WITH CC OR SPINAL NEUROSTIMULATORS	9	0.14	6.1
030	SPINAL PROCEDURES WITHOUT CC/MCC	3	0.05	3.3
032	VENTRICULAR SHUNT PROCEDURES WITH CC	3	0.05	4.7
033	VENTRICULAR SHUNT PROCEDURES WITHOUT CC/MCC	1	0.02	1.0
037	EXTRACRANIAL PROCEDURES WITH MCC	2	0.03	3.0
038	EXTRACRANIAL PROCEDURES WITH CC	7	0.11	2.1
039	EXTRACRANIAL PROCEDURES WITHOUT CC/MCC	26	0.41	1.2
040	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH MCC	2	0.03	24

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Tehama County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
041	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH CC OR PERIPH NEUROSTIM	4	0.06	4.5
042	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITHOUT CC/MCC	3	0.05	2.7
052	SPINAL DISORDERS & INJURIES WITH CC/MCC	2	0.03	5.5
054	NERVOUS SYSTEM NEOPLASMS WITH MCC	3	0.05	8.7
055	NERVOUS SYSTEM NEOPLASMS WITHOUT MCC	10	0.16	6.3
056	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC	6	0.09	30
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	17	0.27	15
059	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH CC	1	0.02	1.0
060	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITHOUT CC/MCC	1	0.02	1.0
062	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH CC	3	0.05	2.0
063	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITHOUT CC/MCC	1	0.02	3.0
064	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC	37	0.58	6.9
065	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC	41	0.64	3.2
066	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC	38	0.60	2.4
069	TRANSIENT ISCHEMIA	20	0.31	1.6
070	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH MCC	1	0.02	9.0
073	CRANIAL & PERIPHERAL NERVE DISORDERS WITH MCC	2	0.03	9.0
074	CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC	6	0.09	1.5
075	VIRAL MENINGITIS WITH CC/MCC	1	0.02	4.0
076	VIRAL MENINGITIS WITHOUT CC/MCC	6	0.09	2.8
078	HYPERTENSIVE ENCEPHALOPATHY WITH CC	1	0.02	2.0
081	NONTRAUMATIC STUPOR & COMA WITHOUT MCC	6	0.09	2.0

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Tehama County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
082	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH MCC	2	0.03	5.5
084	TRAUMATIC STUPOR & COMA, COMA >1 HR WITHOUT CC/MCC	2	0.03	2.5
085	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH MCC	5	0.08	7.4
086	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH CC	4	0.06	2.3
087	TRAUMATIC STUPOR & COMA, COMA <1 HR WITHOUT CC/MCC	7	0.11	2.0
088	CONCUSSION WITH MCC	1	0.02	.00
089	CONCUSSION WITH CC	1	0.02	2.0
090	CONCUSSION WITHOUT CC/MCC	6	0.09	1.3
091	OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC	1	0.02	1.0
092	OTHER DISORDERS OF NERVOUS SYSTEM WITH CC	2	0.03	.50
093	OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC	2	0.03	3.0
094	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH MCC	3	0.05	11
095	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH CC	1	0.02	6.0
097	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH MCC	1	0.02	18
098	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH CC	1	0.02	4.0
099	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITHOUT CC/MCC	3	0.05	4.3
100	SEIZURES WITH MCC	6	0.09	3.3
101	SEIZURES WITHOUT MCC	21	0.33	2.1
102	HEADACHES WITH MCC	1	0.02	2.0
103	HEADACHES WITHOUT MCC	5	0.08	1.8
113	ORBITAL PROCEDURES WITH CC/MCC	1	0.02	1.0
115	EXTRAOCULAR PROCEDURES EXCEPT ORBIT	1	0.02	1.0

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Tehama County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
123	NEUROLOGICAL EYE DISORDERS	1	0.02	1.0
125	OTHER DISORDERS OF THE EYE WITHOUT MCC	3	0.05	2.3
129	MAJOR HEAD & NECK PROCEDURES WITH CC/MCC OR MAJOR DEVICE	1	0.02	9.0
131	CRANIAL/FACIAL PROCEDURES WITH CC/MCC	3	0.05	5.7
132	CRANIAL/FACIAL PROCEDURES WITHOUT CC/MCC	5	0.08	2.6
133	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITH CC/MCC	2	0.03	1.5
134	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITHOUT CC/MCC	5	0.08	1.2
149	DYSEQUILIBRIUM	4	0.06	2.3
151	EPISTAXIS WITHOUT MCC	1	0.02	2.0
152	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITH MCC	2	0.03	6.5
153	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITHOUT MCC	29	0.46	3.3
155	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH CC	5	0.08	3.0
156	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITHOUT CC/MCC	3	0.05	2.7
157	DENTAL & ORAL DISEASES WITH MCC	1	0.02	27
158	DENTAL & ORAL DISEASES WITH CC	1	0.02	2.0
159	DENTAL & ORAL DISEASES WITHOUT CC/MCC	2	0.03	4.0
163	MAJOR CHEST PROCEDURES WITH MCC	9	0.14	11
164	MAJOR CHEST PROCEDURES WITH CC	5	0.08	5.6
165	MAJOR CHEST PROCEDURES WITHOUT CC/MCC	3	0.05	5.0
166	OTHER RESP SYSTEM O.R. PROCEDURES WITH MCC	3	0.05	13
167	OTHER RESP SYSTEM O.R. PROCEDURES WITH CC	2	0.03	6.5
175	PULMONARY EMBOLISM WITH MCC	3	0.05	5.3

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Tehama County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
176	PULMONARY EMBOLISM WITHOUT MCC	21	0.33	3.5
177	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC	23	0.36	9.4
178	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC	26	0.41	6.4
179	RESPIRATORY INFECTIONS & INFLAMMATIONS WITHOUT CC/MCC	6	0.09	2.8
180	RESPIRATORY NEOPLASMS WITH MCC	13	0.20	4.0
181	RESPIRATORY NEOPLASMS WITH CC	7	0.11	4.4
182	RESPIRATORY NEOPLASMS WITHOUT CC/MCC	4	0.06	3.5
184	MAJOR CHEST TRAUMA WITH CC	3	0.05	4.7
185	MAJOR CHEST TRAUMA WITHOUT CC/MCC	1	0.02	1.0
186	PLEURAL EFFUSION WITH MCC	6	0.09	7.2
187	PLEURAL EFFUSION WITH CC	1	0.02	2.0
188	PLEURAL EFFUSION WITHOUT CC/MCC	2	0.03	11
189	PULMONARY EDEMA & RESPIRATORY FAILURE	63	0.99	5.3
190	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC	52	0.82	3.4
191	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC	51	0.80	3.9
192	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC	65	1.02	2.9
193	SIMPLE PNEUMONIA & PLEURISY WITH MCC	47	0.74	5.3
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	106	1.67	3.9
195	SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC	62	0.98	2.3
197	INTERSTITIAL LUNG DISEASE WITH CC	2	0.03	5.5
199	PNEUMOTHORAX WITH MCC	2	0.03	3.0
200	PNEUMOTHORAX WITH CC	9	0.14	4.1

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Tehama County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
201	PNEUMOTHORAX WITHOUT CC/MCC	1	0.02	3.0
202	BRONCHITIS & ASTHMA WITH CC/MCC	14	0.22	2.6
203	BRONCHITIS & ASTHMA WITHOUT CC/MCC	36	0.57	2.1
204	RESPIRATORY SIGNS & SYMPTOMS	5	0.08	4.4
205	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITH MCC	4	0.06	4.3
206	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITHOUT MCC	8	0.13	5.9
207	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS	18	0.28	26
208	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS	50	0.79	5.8
215	OTHER HEART ASSIST SYSTEM IMPLANT	1	0.02	3.0
216	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH MCC	6	0.09	12
217	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH CC	7	0.11	7.9
218	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITHOUT CC/MCC	2	0.03	7.0
219	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH MCC	7	0.11	16
220	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH CC	7	0.11	5.1
221	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITHOUT CC/MCC	2	0.03	3.5
223	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITHOUT MCC	4	0.06	4.5
224	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITH MCC	2	0.03	6.0
225	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITHOUT MCC	4	0.06	2.3
226	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITH MCC	1	0.02	7.0
227	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITHOUT MCC	10	0.16	1.6
228	OTHER CARDIOTHORACIC PROCEDURES WITH MCC	2	0.03	29
229	OTHER CARDIOTHORACIC PROCEDURES WITH CC	2	0.03	5.0

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Tehama County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
231	CORONARY BYPASS WITH PTCA WITH MCC	3	0.05	9.7
233	CORONARY BYPASS WITH CARDIAC CATH WITH MCC	10	0.16	8.8
234	CORONARY BYPASS WITH CARDIAC CATH WITHOUT MCC	15	0.24	5.4
236	CORONARY BYPASS WITHOUT CARDIAC CATH WITHOUT MCC	5	0.08	4.0
237	MAJOR CARDIOVASC PROCEDURES WITH MCC OR THORACIC AORTIC ANEURYSM REPAIR	9	0.14	4.1
238	MAJOR CARDIOVASC PROCEDURES WITHOUT MCC	18	0.28	4.6
239	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH MCC	2	0.03	46
240	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH CC	3	0.05	8.7
242	PERMANENT CARDIAC PACEMAKER IMPLANT WITH MCC	3	0.05	6.7
243	PERMANENT CARDIAC PACEMAKER IMPLANT WITH CC	3	0.05	2.7
244	PERMANENT CARDIAC PACEMAKER IMPLANT WITHOUT CC/MCC	9	0.14	1.6
246	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITH MCC OR 4+ VESSELS/STENTS	13	0.20	3.6
247	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITHOUT MCC	66	1.04	1.9
248	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITH MCC OR 4+ VES/STENTS	1	0.02	8.0
249	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITHOUT MCC	13	0.20	2.2
250	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITH MCC	1	0.02	2.0
251	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITHOUT MCC	29	0.46	1.5
252	OTHER VASCULAR PROCEDURES WITH MCC	6	0.09	5.5
253	OTHER VASCULAR PROCEDURES WITH CC	17	0.27	7.1
254	OTHER VASCULAR PROCEDURES WITHOUT CC/MCC	17	0.27	1.5
256	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH CC	2	0.03	5.0
259	CARDIAC PACEMAKER DEVICE REPLACEMENT WITHOUT MCC	1	0.02	1.0

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Tehama County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
261	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH CC	2	0.03	5.5
264	OTHER CIRCULATORY SYSTEM O.R. PROCEDURES	9	0.14	9.1
280	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH MCC	16	0.25	4.9
281	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH CC	6	0.09	3.3
282	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITHOUT CC/MCC	13	0.20	1.8
283	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH MCC	7	0.11	5.4
284	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH CC	1	0.02	.00
286	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITH MCC	5	0.08	6.2
287	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITHOUT MCC	35	0.55	1.5
288	ACUTE & SUBACUTE ENDOCARDITIS WITH MCC	2	0.03	13
291	HEART FAILURE & SHOCK WITH MCC	58	0.91	3.9
292	HEART FAILURE & SHOCK WITH CC	56	0.88	3.3
293	HEART FAILURE & SHOCK WITHOUT CC/MCC	22	0.35	2.0
296	CARDIAC ARREST, UNEXPLAINED WITH MCC	1	0.02	3.0
299	PERIPHERAL VASCULAR DISORDERS WITH MCC	6	0.09	4.7
300	PERIPHERAL VASCULAR DISORDERS WITH CC	30	0.47	3.6
301	PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC	7	0.11	3.3
303	ATHEROSCLEROSIS WITHOUT MCC	10	0.16	1.7
304	HYPERTENSION WITH MCC	1	0.02	2.0
305	HYPERTENSION WITHOUT MCC	7	0.11	2.4
306	CARDIAC CONGENITAL & VALVULAR DISORDERS WITH MCC	1	0.02	12
308	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH MCC	23	0.36	3.3

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Tehama County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
309	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC	30	0.47	2.9
310	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITHOUT CC/MCC	29	0.46	1.7
311	ANGINA PECTORIS	4	0.06	1.8
312	SYNCOPE & COLLAPSE	11	0.17	1.2
313	CHEST PAIN	22	0.35	1.5
314	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC	11	0.17	9.2
315	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC	8	0.13	5.1
316	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITHOUT CC/MCC	1	0.02	5.0
326	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH MCC	6	0.09	14
327	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH CC	10	0.16	3.6
328	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITHOUT CC/MCC	17	0.27	1.9
329	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	17	0.27	12
330	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH CC	31	0.49	6.8
331	MAJOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	14	0.22	4.4
333	RECTAL RESECTION WITH CC	1	0.02	5.0
334	RECTAL RESECTION WITHOUT CC/MCC	2	0.03	5.0
335	PERITONEAL ADHESIOLYSIS WITH MCC	4	0.06	13
336	PERITONEAL ADHESIOLYSIS WITH CC	6	0.09	9.7
337	PERITONEAL ADHESIOLYSIS WITHOUT CC/MCC	5	0.08	5.0
338	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	1	0.02	5.0
339	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	4	0.06	4.3
340	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	13	0.20	2.9

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Tehama County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
341	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	1	0.02	1.0
342	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	10	0.16	1.6
343	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	11	0.17	1.4
345	MINOR SMALL & LARGE BOWEL PROCEDURES WITH CC	1	0.02	9.0
348	ANAL & STOMAL PROCEDURES WITH CC	1	0.02	4.0
349	ANAL & STOMAL PROCEDURES WITHOUT CC/MCC	2	0.03	3.0
350	INGUINAL & FEMORAL HERNIA PROCEDURES WITH MCC	1	0.02	1.0
351	INGUINAL & FEMORAL HERNIA PROCEDURES WITH CC	1	0.02	9.0
352	INGUINAL & FEMORAL HERNIA PROCEDURES WITHOUT CC/MCC	1	0.02	1.0
353	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH MCC	1	0.02	4.0
354	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH CC	9	0.14	3.1
355	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITHOUT CC/MCC	7	0.11	1.6
356	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH MCC	2	0.03	2.5
357	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH CC	4	0.06	10
358	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	3	0.05	2.7
368	MAJOR ESOPHAGEAL DISORDERS WITH MCC	1	0.02	4.0
369	MAJOR ESOPHAGEAL DISORDERS WITH CC	2	0.03	2.0
371	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH MCC	7	0.11	3.9
372	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH CC	5	0.08	3.6
373	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITHOUT CC/MCC	8	0.13	2.8
374	DIGESTIVE MALIGNANCY WITH MCC	3	0.05	5.3
375	DIGESTIVE MALIGNANCY WITH CC	5	0.08	2.8

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Tehama County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
376	DIGESTIVE MALIGNANCY WITHOUT CC/MCC	2	0.03	1.0
377	G.I. HEMORRHAGE WITH MCC	16	0.25	4.1
378	G.I. HEMORRHAGE WITH CC	37	0.58	3.5
379	G.I. HEMORRHAGE WITHOUT CC/MCC	10	0.16	2.2
380	COMPLICATED PEPTIC ULCER WITH MCC	4	0.06	9.8
381	COMPLICATED PEPTIC ULCER WITH CC	1	0.02	3.0
382	COMPLICATED PEPTIC ULCER WITHOUT CC/MCC	3	0.05	3.7
384	UNCOMPLICATED PEPTIC ULCER WITHOUT MCC	3	0.05	3.3
386	INFLAMMATORY BOWEL DISEASE WITH CC	7	0.11	6.7
387	INFLAMMATORY BOWEL DISEASE WITHOUT CC/MCC	7	0.11	4.0
388	G.I. OBSTRUCTION WITH MCC	11	0.17	5.9
389	G.I. OBSTRUCTION WITH CC	14	0.22	3.8
390	G.I. OBSTRUCTION WITHOUT CC/MCC	5	0.08	2.0
391	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITH MCC	20	0.31	4.5
392	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC	76	1.20	3.2
393	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH MCC	10	0.16	4.1
394	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH CC	8	0.13	2.8
395	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	4	0.06	2.5
405	PANCREAS, LIVER & SHUNT PROCEDURES WITH MCC	1	0.02	2.0
406	PANCREAS, LIVER & SHUNT PROCEDURES WITH CC	2	0.03	10
407	PANCREAS, LIVER & SHUNT PROCEDURES WITHOUT CC/MCC	1	0.02	4.0
411	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH MCC	4	0.06	4.8

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Tehama County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
413	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITHOUT CC/MCC	4	0.06	3.8
414	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH MCC	1	0.02	4.0
415	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH CC	2	0.03	5.0
416	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	1	0.02	1.0
417	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH MCC	11	0.17	3.5
418	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH CC	18	0.28	3.4
419	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	21	0.33	2.2
424	OTHER HEPATOBILIARY OR PANCREAS O.R. PROCEDURES WITH CC	1	0.02	10
432	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH MCC	8	0.13	6.5
433	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH CC	3	0.05	2.0
434	CIRRHOSIS & ALCOHOLIC HEPATITIS WITHOUT CC/MCC	1	0.02	1.0
435	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITH MCC	7	0.11	4.3
436	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITH CC	6	0.09	3.3
437	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITHOUT CC/MCC	2	0.03	5.0
438	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH MCC	7	0.11	3.0
439	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH CC	29	0.46	4.5
440	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITHOUT CC/MCC	19	0.30	2.9
441	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH MCC	13	0.20	6.1
442	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH CC	15	0.24	5.2
443	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITHOUT CC/MCC	4	0.06	3.3
444	DISORDERS OF THE BILIARY TRACT WITH MCC	7	0.11	4.0
445	DISORDERS OF THE BILIARY TRACT WITH CC	10	0.16	2.7

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Tehama County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
446	DISORDERS OF THE BILIARY TRACT WITHOUT CC/MCC	7	0.11	1.6
453	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH MCC	3	0.05	8.0
454	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH CC	5	0.08	8.4
455	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITHOUT CC/MCC	7	0.11	6.0
457	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH CC	2	0.03	5.0
458	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITHOUT CC/MCC	1	0.02	10
459	SPINAL FUSION EXCEPT CERVICAL WITH MCC	1	0.02	4.0
460	SPINAL FUSION EXCEPT CERVICAL WITHOUT MCC	24	0.38	3.0
463	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH MCC	2	0.03	6.0
464	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH CC	2	0.03	9.5
466	REVISION OF HIP OR KNEE REPLACEMENT WITH MCC	2	0.03	6.0
467	REVISION OF HIP OR KNEE REPLACEMENT WITH CC	7	0.11	2.9
468	REVISION OF HIP OR KNEE REPLACEMENT WITHOUT CC/MCC	17	0.27	3.0
469	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITH MCC	6	0.09	6.5
470	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITHOUT MCC	192	3.02	2.6
471	CERVICAL SPINAL FUSION WITH MCC	3	0.05	8.0
472	CERVICAL SPINAL FUSION WITH CC	7	0.11	4.0
473	CERVICAL SPINAL FUSION WITHOUT CC/MCC	22	0.35	1.7
474	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH MCC	2	0.03	14
475	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH CC	1	0.02	3.0
478	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	4	0.06	4.8
480	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH MCC	15	0.24	5.4

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Tehama County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
481	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH CC	21	0.33	7.0
482	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITHOUT CC/MCC	10	0.16	3.2
483	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITH CC/MCC	3	0.05	2.0
484	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITHOUT CC/MCC	6	0.09	1.7
486	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH CC	2	0.03	5.5
489	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	5	0.08	1.2
490	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITH CC/MCC OR DISC DEVICE/NEUROSTIM	14	0.22	2.2
491	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITHOUT CC/MCC	19	0.30	1.8
492	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH MCC	3	0.05	5.0
493	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH CC	18	0.28	3.8
494	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITHOUT CC/MCC	23	0.36	2.0
495	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH MCC	1	0.02	14
496	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH CC	3	0.05	3.0
497	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITHOUT CC/MCC	12	0.19	2.4
501	SOFT TISSUE PROCEDURES WITH CC	9	0.14	3.9
502	SOFT TISSUE PROCEDURES WITHOUT CC/MCC	3	0.05	1.3
505	FOOT PROCEDURES WITHOUT CC/MCC	1	0.02	2.0
508	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITHOUT CC/MCC	3	0.05	1.3
509	ARTHROSCOPY	1	0.02	3.0
512	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITHOUT CC/MCC	5	0.08	1.6
513	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITH CC/MCC	1	0.02	2.0
514	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITHOUT CC/MCC	1	0.02	3.0

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Tehama County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
515	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH MCC	1	0.02	23
516	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH CC	6	0.09	6.2
517	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITHOUT CC/MCC	3	0.05	2.0
534	FRACTURES OF FEMUR WITHOUT MCC	2	0.03	2.0
535	FRACTURES OF HIP & PELVIS WITH MCC	3	0.05	3.0
536	FRACTURES OF HIP & PELVIS WITHOUT MCC	4	0.06	3.0
539	OSTEOMYELITIS WITH MCC	3	0.05	22
540	OSTEOMYELITIS WITH CC	4	0.06	3.3
542	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH MCC	3	0.05	5.0
543	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH CC	5	0.08	4.2
544	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITHOUT CC/MCC	1	0.02	2.0
545	CONNECTIVE TISSUE DISORDERS WITH MCC	2	0.03	1.5
546	CONNECTIVE TISSUE DISORDERS WITH CC	3	0.05	2.7
547	CONNECTIVE TISSUE DISORDERS WITHOUT CC/MCC	1	0.02	1.0
551	MEDICAL BACK PROBLEMS WITH MCC	3	0.05	6.7
552	MEDICAL BACK PROBLEMS WITHOUT MCC	15	0.24	3.0
553	BONE DISEASES & ARTHROPATHIES WITH MCC	1	0.02	6.0
554	BONE DISEASES & ARTHROPATHIES WITHOUT MCC	1	0.02	.00
556	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC	4	0.06	2.5
557	TENDONITIS, MYOSITIS & BURSITIS WITH MCC	2	0.03	3.0
558	TENDONITIS, MYOSITIS & BURSITIS WITHOUT MCC	5	0.08	5.6
559	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	5	0.08	28

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Tehama County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	4	0.06	12
561	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	5	0.08	13
562	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITH MCC	3	0.05	9.7
563	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC	3	0.05	1.3
564	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH MCC	1	0.02	28
565	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH CC	4	0.06	12
573	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH MCC	3	0.05	10
574	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH CC	4	0.06	6.8
575	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	5	0.08	3.6
576	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH MCC	1	0.02	3.0
579	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH MCC	3	0.05	21
580	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH CC	5	0.08	3.6
581	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITHOUT CC/MCC	7	0.11	1.6
582	MASTECTOMY FOR MALIGNANCY WITH CC/MCC	3	0.05	1.7
583	MASTECTOMY FOR MALIGNANCY WITHOUT CC/MCC	5	0.08	1.2
584	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITH CC/MCC	1	0.02	1.0
585	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITHOUT CC/MCC	2	0.03	1.0
592	SKIN ULCERS WITH MCC	5	0.08	9.4
593	SKIN ULCERS WITH CC	6	0.09	3.2
595	MAJOR SKIN DISORDERS WITH MCC	1	0.02	16
596	MAJOR SKIN DISORDERS WITHOUT MCC	2	0.03	2.5
599	MALIGNANT BREAST DISORDERS WITHOUT CC/MCC	1	0.02	5.0

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Tehama County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
601	NON-MALIGNANT BREAST DISORDERS WITHOUT CC/MCC	2	0.03	2.0
602	CELLULITIS WITH MCC	13	0.20	6.8
603	CELLULITIS WITHOUT MCC	66	1.04	3.6
605	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITHOUT MCC	2	0.03	4.5
607	MINOR SKIN DISORDERS WITHOUT MCC	1	0.02	2.0
614	ADRENAL & PITUITARY PROCEDURES WITH CC/MCC	1	0.02	1.0
615	ADRENAL & PITUITARY PROCEDURES WITHOUT CC/MCC	1	0.02	1.0
617	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH CC	4	0.06	4.0
620	O.R. PROCEDURES FOR OBESITY WITH CC	1	0.02	9.0
621	O.R. PROCEDURES FOR OBESITY WITHOUT CC/MCC	27	0.42	1.9
622	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH MCC	2	0.03	6.0
623	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH CC	2	0.03	2.5
626	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH CC	1	0.02	1.0
627	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITHOUT CC/MCC	8	0.13	1.4
629	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH CC	3	0.05	8.3
637	DIABETES WITH MCC	11	0.17	2.2
638	DIABETES WITH CC	16	0.25	2.4
639	DIABETES WITHOUT CC/MCC	30	0.47	2.2
640	NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC	18	0.28	2.9
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	59	0.93	3.0
642	INBORN ERRORS OF METABOLISM	1	0.02	6.0
643	ENDOCRINE DISORDERS WITH MCC	3	0.05	4.3

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Tehama County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
644	ENDOCRINE DISORDERS WITH CC	5	0.08	3.4
645	ENDOCRINE DISORDERS WITHOUT CC/MCC	1	0.02	2.0
652	KIDNEY TRANSPLANT	3	0.05	5.0
654	MAJOR BLADDER PROCEDURES WITH CC	1	0.02	5.0
655	MAJOR BLADDER PROCEDURES WITHOUT CC/MCC	2	0.03	2.5
656	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH MCC	3	0.05	11
657	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH CC	2	0.03	6.0
658	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITHOUT CC/MCC	2	0.03	1.5
659	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH MCC	2	0.03	6.5
660	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH CC	4	0.06	2.0
661	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITHOUT CC/MCC	4	0.06	1.8
663	MINOR BLADDER PROCEDURES WITH CC	1	0.02	1.0
664	MINOR BLADDER PROCEDURES WITHOUT CC/MCC	2	0.03	1.5
667	PROSTATECTOMY WITHOUT CC/MCC	1	0.02	1.0
668	TRANSURETHRAL PROCEDURES WITH MCC	1	0.02	3.0
669	TRANSURETHRAL PROCEDURES WITH CC	5	0.08	1.4
670	TRANSURETHRAL PROCEDURES WITHOUT CC/MCC	3	0.05	1.7
671	URETHRAL PROCEDURES WITH CC/MCC	1	0.02	2.0
672	URETHRAL PROCEDURES WITHOUT CC/MCC	1	0.02	2.0
673	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH MCC	3	0.05	25
674	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH CC	2	0.03	3.5
675	OTHER KIDNEY & URINARY TRACT PROCEDURES WITHOUT CC/MCC	1	0.02	1.0

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Tehama County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
682	RENAL FAILURE WITH MCC	57	0.90	4.2
683	RENAL FAILURE WITH CC	36	0.57	3.8
684	RENAL FAILURE WITHOUT CC/MCC	7	0.11	2.4
685	ADMIT FOR RENAL DIALYSIS	9	0.14	.00
686	KIDNEY & URINARY TRACT NEOPLASMS WITH MCC	1	0.02	3.0
687	KIDNEY & URINARY TRACT NEOPLASMS WITH CC	1	0.02	1.0
689	KIDNEY & URINARY TRACT INFECTIONS WITH MCC	23	0.36	4.7
690	KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC	56	0.88	2.6
693	URINARY STONES WITHOUT ESW LITHOTRIPSY WITH MCC	5	0.08	1.6
694	URINARY STONES WITHOUT ESW LITHOTRIPSY WITHOUT MCC	7	0.11	1.6
696	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITHOUT MCC	1	0.02	1.0
698	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH MCC	7	0.11	5.1
699	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH CC	11	0.17	2.5
700	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITHOUT CC/MCC	3	0.05	1.7
707	MAJOR MALE PELVIC PROCEDURES WITH CC/MCC	3	0.05	3.0
708	MAJOR MALE PELVIC PROCEDURES WITHOUT CC/MCC	12	0.19	2.0
709	PENIS PROCEDURES WITH CC/MCC	3	0.05	2.3
710	PENIS PROCEDURES WITHOUT CC/MCC	1	0.02	2.0
713	TRANSURETHRAL PROSTATECTOMY WITH CC/MCC	4	0.06	1.5
714	TRANSURETHRAL PROSTATECTOMY WITHOUT CC/MCC	23	0.36	1.7
715	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE FOR MALIGNANCY WITH CC/MCC	1	0.02	3.0
716	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE FOR MALIGNANCY WITHOUT CC/MCC	2	0.03	1.0

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Tehama County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
726	BENIGN PROSTATIC HYPERTROPHY WITHOUT MCC	1	0.02	1.0
728	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITHOUT MCC	2	0.03	2.0
737	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH CC	1	0.02	7.0
739	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH MCC	1	0.02	8.0
740	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH CC	2	0.03	2.0
741	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITHOUT CC/MCC	6	0.09	2.2
742	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITH CC/MCC	15	0.24	2.3
743	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITHOUT CC/MCC	80	1.26	1.6
744	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITH CC/MCC	1	0.02	2.0
745	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITHOUT CC/MCC	2	0.03	1.0
746	VAGINA, CERVIX & VULVA PROCEDURES WITH CC/MCC	2	0.03	3.5
747	VAGINA, CERVIX & VULVA PROCEDURES WITHOUT CC/MCC	4	0.06	1.5
748	FEMALE REPRODUCTIVE SYSTEM RECONSTRUCTIVE PROCEDURES	10	0.16	1.6
755	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH CC	5	0.08	4.4
758	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH CC	1	0.02	7.0
759	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	1	0.02	1.0
765	CESAREAN SECTION WITH CC/MCC	70	1.10	3.2
766	CESAREAN SECTION WITHOUT CC/MCC	139	2.19	2.7
767	VAGINAL DELIVERY WITH STERILIZATION &/OR D&C	9	0.14	2.1
768	VAGINAL DELIVERY WITH O.R. PROCEDURE EXCEPT STERIL &/OR D&C	1	0.02	7.0
769	POSTPARTUM & POST ABORTION DIAGNOSIS WITH O.R. PROCEDURE	4	0.06	5.3
774	VAGINAL DELIVERY WITH COMPLICATING DIAGNOSIS	51	0.80	2.1

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Tehama County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
775	VAGINAL DELIVERY WITHOUT COMPLICATING DIAGNOSIS	491	7.72	1.8
776	POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE	7	0.11	1.9
777	ECTOPIC PREGNANCY	3	0.05	1.7
778	THREATENED ABORTION	6	0.09	1.5
779	ABORTION WITHOUT D&C	1	0.02	1.0
781	OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS	21	0.33	2.0
782	OTHER ANTEPARTUM DIAGNOSIS WITHOUT MEDICAL COMPLICATIONS	3	0.05	1.7
789	NEONATES, DIED OR TRANSFERRED TO ANOTHER ACUTE CARE FACILITY	17	0.27	5.5
790	EXTREME IMMATURETY OR RESPIRATORY DISTRESS SYNDROME, NEONATE	5	0.08	34
791	PREMATURITY WITH MAJOR PROBLEMS	12	0.19	16
792	PREMATURITY WITHOUT MAJOR PROBLEMS	37	0.58	4.7
793	FULL TERM NEONATE WITH MAJOR PROBLEMS	28	0.44	5.4
794	NEONATE WITH OTHER SIGNIFICANT PROBLEMS	108	1.70	1.9
795	NORMAL NEWBORN	608	9.56	1.6
802	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH MCC	1	0.02	5.0
808	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH MCC	6	0.09	7.5
809	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH CC	10	0.16	5.3
810	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITHOUT CC/MCC	3	0.05	2.7
811	RED BLOOD CELL DISORDERS WITH MCC	8	0.13	2.4
812	RED BLOOD CELL DISORDERS WITHOUT MCC	13	0.20	2.2
813	COAGULATION DISORDERS	8	0.13	2.6
814	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH MCC	1	0.02	8.0

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Tehama County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
815	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH CC	1	0.02	2.0
816	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITHOUT CC/MCC	2	0.03	3.0
820	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH MCC	3	0.05	12
821	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH CC	1	0.02	6.0
822	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITHOUT CC/MCC	4	0.06	1.5
823	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH MCC	2	0.03	12
824	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH CC	5	0.08	5.0
825	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	1	0.02	3.0
827	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH CC	2	0.03	9.5
830	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	1	0.02	5.0
834	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH MCC	7	0.11	17
835	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH CC	3	0.05	4.0
836	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITHOUT CC/MCC	1	0.02	6.0
838	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITH CC OR HIGH DOSE CHEMO AGENT	5	0.08	8.8
839	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITHOUT CC/MCC	8	0.13	8.6
840	LYMPHOMA & NON-ACUTE LEUKEMIA WITH MCC	4	0.06	6.0
841	LYMPHOMA & NON-ACUTE LEUKEMIA WITH CC	4	0.06	4.0
842	LYMPHOMA & NON-ACUTE LEUKEMIA WITHOUT CC/MCC	3	0.05	6.7
843	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH MCC	1	0.02	2.0
844	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH CC	1	0.02	2.0
846	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH MCC	4	0.06	8.5
847	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH CC	26	0.41	3.8

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Tehama County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
848	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITHOUT CC/MCC	1	0.02	4.0
853	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH MCC	16	0.25	11
854	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH CC	3	0.05	4.7
856	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH MCC	5	0.08	19
857	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH CC	7	0.11	4.1
862	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITH MCC	9	0.14	11
863	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC	7	0.11	4.6
864	FEVER	5	0.08	4.0
865	VIRAL ILLNESS WITH MCC	1	0.02	5.0
866	VIRAL ILLNESS WITHOUT MCC	7	0.11	2.1
867	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH MCC	6	0.09	9.5
870	SEPTICEMIA OR SEVERE SEPSIS WITH MECH VENT 96+ HOURS	10	0.16	14
871	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC	107	1.68	5.9
872	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC	29	0.46	3.7
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	5	0.08	2.8
881	DEPRESSIVE NEUROSES	5	0.08	3.2
882	NEUROSES EXCEPT DEPRESSIVE	1	0.02	1.0
883	DISORDERS OF PERSONALITY & IMPULSE CONTROL	2	0.03	7.0
885	PSYCHOSES	104	1.64	9.0
886	BEHAVIORAL & DEVELOPMENTAL DISORDERS	2	0.03	4.5
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	3	0.05	2.7
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	12	0.19	3.8

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Tehama County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
904	SKIN GRAFTS FOR INJURIES WITH CC/MCC	2	0.03	8.5
905	SKIN GRAFTS FOR INJURIES WITHOUT CC/MCC	1	0.02	1.0
906	HAND PROCEDURES FOR INJURIES	1	0.02	1.0
907	OTHER O.R. PROCEDURES FOR INJURIES WITH MCC	5	0.08	6.4
908	OTHER O.R. PROCEDURES FOR INJURIES WITH CC	9	0.14	7.3
909	OTHER O.R. PROCEDURES FOR INJURIES WITHOUT CC/MCC	5	0.08	2.0
914	TRAUMATIC INJURY WITHOUT MCC	5	0.08	8.6
915	ALLERGIC REACTIONS WITH MCC	1	0.02	1.0
916	ALLERGIC REACTIONS WITHOUT MCC	2	0.03	2.0
917	POISONING & TOXIC EFFECTS OF DRUGS WITH MCC	49	0.77	3.7
918	POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC	41	0.64	1.9
919	COMPLICATIONS OF TREATMENT WITH MCC	12	0.19	10
920	COMPLICATIONS OF TREATMENT WITH CC	6	0.09	15
921	COMPLICATIONS OF TREATMENT WITHOUT CC/MCC	1	0.02	4.0
923	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITHOUT MCC	3	0.05	.67
928	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITH CC/MCC	2	0.03	27
929	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITHOUT CC/MCC	1	0.02	17
935	NON-EXTENSIVE BURNS	9	0.14	3.4
939	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH MCC	1	0.02	13
940	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC	3	0.05	1.3
941	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITHOUT CC/MCC	4	0.06	1.0
945	REHABILITATION WITH CC/MCC	50	0.79	14

(Continued)

**MS-DRG by Patient County of Residence
for 2009
Tehama County**

		Number of Discharges	Percent of Subtotal	Average Length of Stay
946	REHABILITATION WITHOUT CC/MCC	2	0.03	13
947	SIGNS & SYMPTOMS WITH MCC	1	0.02	2.0
948	SIGNS & SYMPTOMS WITHOUT MCC	15	0.24	4.7
949	AFTERCARE WITH CC/MCC	8	0.13	7.1
950	AFTERCARE WITHOUT CC/MCC	1	0.02	4.0
951	OTHER FACTORS INFLUENCING HEALTH STATUS	7	0.11	4.7
955	CRANIOTOMY FOR MULTIPLE SIGNIFICANT TRAUMA	2	0.03	18
956	LIMB REATTACHMENT, HIP & FEMUR PROCEDURE FOR MULTIPLE SIGNIFICANT TRAUMA	1	0.02	8.0
957	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH MCC	3	0.05	18
963	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH MCC	1	0.02	6.0
964	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH CC	2	0.03	6.5
965	OTHER MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	4	0.06	2.5
974	HIV WITH MAJOR RELATED CONDITION WITH MCC	1	0.02	9.0
977	HIV WITH OR WITHOUT OTHER RELATED CONDITION	1	0.02	7.0
981	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	8	0.13	17
982	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	5	0.08	11
983	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	3	0.05	1.7
987	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	3	0.05	3.3
988	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	5	0.08	3.0
All		6,357	100.0	4.1

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Tehama County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
001	HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM WITH MCC	2	0.03	61
003	ECMO OR TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITH MAJOR O.R.	14	0.23	38
004	TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITHOUT MAJOR O.R.	7	0.11	28
005	LIVER TRANSPLANT WITH MCC OR INTESTINAL TRANSPLANT	1	0.02	33
009	BONE MARROW TRANSPLANT	1	0.02	27
011	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH MCC	1	0.02	22
020	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH MCC	1	0.02	26
023	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITH MCC OR CHEMO IMPLANT	4	0.07	16
024	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITHOUT MCC	2	0.03	9.5
025	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH MCC	5	0.08	6.8
026	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH CC	6	0.10	5.0
027	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITHOUT CC/MCC	13	0.21	3.5
029	SPINAL PROCEDURES WITH CC OR SPINAL NEUROSTIMULATORS	9	0.15	6.1
030	SPINAL PROCEDURES WITHOUT CC/MCC	3	0.05	3.3
032	VENTRICULAR SHUNT PROCEDURES WITH CC	3	0.05	4.7
033	VENTRICULAR SHUNT PROCEDURES WITHOUT CC/MCC	1	0.02	1.0
037	EXTRACRANIAL PROCEDURES WITH MCC	2	0.03	3.0
038	EXTRACRANIAL PROCEDURES WITH CC	7	0.11	2.1
039	EXTRACRANIAL PROCEDURES WITHOUT CC/MCC	26	0.42	1.2

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Tehama County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
040	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH MCC	2	0.03	24
041	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH CC OR PERIPH NEUROSTIM	4	0.07	4.5
042	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITHOUT CC/MCC	3	0.05	2.7
052	SPINAL DISORDERS & INJURIES WITH CC/MCC	2	0.03	5.5
054	NERVOUS SYSTEM NEOPLASMS WITH MCC	3	0.05	8.7
055	NERVOUS SYSTEM NEOPLASMS WITHOUT MCC	8	0.13	7.1
056	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC	4	0.07	26
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	11	0.18	8.4
059	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH CC	1	0.02	1.0
060	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITHOUT CC/MCC	1	0.02	1.0
062	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH CC	3	0.05	2.0
063	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITHOUT CC/MCC	1	0.02	3.0
064	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC	37	0.60	6.9
065	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC	41	0.67	3.2
066	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC	38	0.62	2.4
069	TRANSIENT ISCHEMIA	20	0.33	1.6
070	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH MCC	1	0.02	9.0
073	CRANIAL & PERIPHERAL NERVE DISORDERS WITH MCC	2	0.03	9.0
074	CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC	6	0.10	1.5
075	VIRAL MENINGITIS WITH CC/MCC	1	0.02	4.0
076	VIRAL MENINGITIS WITHOUT CC/MCC	6	0.10	2.8

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Tehama County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
078	HYPERTENSIVE ENCEPHALOPATHY WITH CC	1	0.02	2.0
081	NONTRAUMATIC STUPOR & COMA WITHOUT MCC	6	0.10	2.0
082	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH MCC	2	0.03	5.5
084	TRAUMATIC STUPOR & COMA, COMA >1 HR WITHOUT CC/MCC	2	0.03	2.5
085	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH MCC	5	0.08	7.4
086	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH CC	4	0.07	2.3
087	TRAUMATIC STUPOR & COMA, COMA <1 HR WITHOUT CC/MCC	7	0.11	2.0
088	CONCUSSION WITH MCC	1	0.02	.00
089	CONCUSSION WITH CC	1	0.02	2.0
090	CONCUSSION WITHOUT CC/MCC	6	0.10	1.3
091	OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC	1	0.02	1.0
092	OTHER DISORDERS OF NERVOUS SYSTEM WITH CC	2	0.03	.50
093	OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC	2	0.03	3.0
094	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH MCC	3	0.05	11
095	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH CC	1	0.02	6.0
097	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH MCC	1	0.02	18
098	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH CC	1	0.02	4.0
099	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITHOUT CC/MCC	3	0.05	4.3
100	SEIZURES WITH MCC	6	0.10	3.3
101	SEIZURES WITHOUT MCC	21	0.34	2.1
102	HEADACHES WITH MCC	1	0.02	2.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Tehama County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
103	HEADACHES WITHOUT MCC	5	0.08	1.8
113	ORBITAL PROCEDURES WITH CC/MCC	1	0.02	1.0
115	EXTRAOCULAR PROCEDURES EXCEPT ORBIT	1	0.02	1.0
123	NEUROLOGICAL EYE DISORDERS	1	0.02	1.0
125	OTHER DISORDERS OF THE EYE WITHOUT MCC	3	0.05	2.3
129	MAJOR HEAD & NECK PROCEDURES WITH CC/MCC OR MAJOR DEVICE	1	0.02	9.0
131	CRANIAL/FACIAL PROCEDURES WITH CC/MCC	3	0.05	5.7
132	CRANIAL/FACIAL PROCEDURES WITHOUT CC/MCC	5	0.08	2.6
133	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITH CC/MCC	2	0.03	1.5
134	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITHOUT CC/MCC	5	0.08	1.2
149	DYSEQUILIBRIUM	4	0.07	2.3
151	EPISTAXIS WITHOUT MCC	1	0.02	2.0
152	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITH MCC	2	0.03	6.5
153	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITHOUT MCC	26	0.42	2.3
155	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH CC	5	0.08	3.0
156	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITHOUT CC/MCC	3	0.05	2.7
157	DENTAL & ORAL DISEASES WITH MCC	1	0.02	27
158	DENTAL & ORAL DISEASES WITH CC	1	0.02	2.0
159	DENTAL & ORAL DISEASES WITHOUT CC/MCC	2	0.03	4.0
163	MAJOR CHEST PROCEDURES WITH MCC	9	0.15	11
164	MAJOR CHEST PROCEDURES WITH CC	5	0.08	5.6

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Tehama County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
165	MAJOR CHEST PROCEDURES WITHOUT CC/MCC	3	0.05	5.0
166	OTHER RESP SYSTEM O.R. PROCEDURES WITH MCC	3	0.05	13
167	OTHER RESP SYSTEM O.R. PROCEDURES WITH CC	2	0.03	6.5
175	PULMONARY EMBOLISM WITH MCC	3	0.05	5.3
176	PULMONARY EMBOLISM WITHOUT MCC	21	0.34	3.5
177	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC	23	0.37	9.4
178	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC	26	0.42	6.4
179	RESPIRATORY INFECTIONS & INFLAMMATIONS WITHOUT CC/MCC	6	0.10	2.8
180	RESPIRATORY NEOPLASMS WITH MCC	13	0.21	4.0
181	RESPIRATORY NEOPLASMS WITH CC	7	0.11	4.4
182	RESPIRATORY NEOPLASMS WITHOUT CC/MCC	1	0.02	2.0
184	MAJOR CHEST TRAUMA WITH CC	3	0.05	4.7
185	MAJOR CHEST TRAUMA WITHOUT CC/MCC	1	0.02	1.0
186	PLEURAL EFFUSION WITH MCC	6	0.10	7.2
187	PLEURAL EFFUSION WITH CC	1	0.02	2.0
188	PLEURAL EFFUSION WITHOUT CC/MCC	1	0.02	6.0
189	PULMONARY EDEMA & RESPIRATORY FAILURE	63	1.03	5.3
190	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC	52	0.85	3.4
191	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC	51	0.83	3.9
192	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC	65	1.06	2.9
193	SIMPLE PNEUMONIA & PLEURISY WITH MCC	47	0.77	5.3

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Tehama County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	105	1.71	3.9
195	SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC	62	1.01	2.3
197	INTERSTITIAL LUNG DISEASE WITH CC	2	0.03	5.5
199	PNEUMOTHORAX WITH MCC	2	0.03	3.0
200	PNEUMOTHORAX WITH CC	9	0.15	4.1
201	PNEUMOTHORAX WITHOUT CC/MCC	1	0.02	3.0
202	BRONCHITIS & ASTHMA WITH CC/MCC	14	0.23	2.6
203	BRONCHITIS & ASTHMA WITHOUT CC/MCC	36	0.59	2.1
204	RESPIRATORY SIGNS & SYMPTOMS	5	0.08	4.4
205	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITH MCC	4	0.07	4.3
206	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITHOUT MCC	8	0.13	5.9
207	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS	17	0.28	25
208	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS	50	0.81	5.8
215	OTHER HEART ASSIST SYSTEM IMPLANT	1	0.02	3.0
216	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH MCC	6	0.10	12
217	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH CC	7	0.11	7.9
218	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITHOUT CC/MCC	2	0.03	7.0
219	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH MCC	7	0.11	16
220	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH CC	7	0.11	5.1
221	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITHOUT CC/MCC	2	0.03	3.5

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Tehama County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
223	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITHOUT MCC	4	0.07	4.5
224	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITH MCC	2	0.03	6.0
225	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITHOUT MCC	4	0.07	2.3
226	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITH MCC	1	0.02	7.0
227	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITHOUT MCC	10	0.16	1.6
228	OTHER CARDIOTHORACIC PROCEDURES WITH MCC	2	0.03	29
229	OTHER CARDIOTHORACIC PROCEDURES WITH CC	2	0.03	5.0
231	CORONARY BYPASS WITH PTCA WITH MCC	3	0.05	9.7
233	CORONARY BYPASS WITH CARDIAC CATH WITH MCC	10	0.16	8.8
234	CORONARY BYPASS WITH CARDIAC CATH WITHOUT MCC	15	0.24	5.4
236	CORONARY BYPASS WITHOUT CARDIAC CATH WITHOUT MCC	5	0.08	4.0
237	MAJOR CARDIOVASC PROCEDURES WITH MCC OR THORACIC AORTIC ANEURYSM REPAIR	9	0.15	4.1
238	MAJOR CARDIOVASC PROCEDURES WITHOUT MCC	18	0.29	4.6
239	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH MCC	2	0.03	46
240	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH CC	3	0.05	8.7
242	PERMANENT CARDIAC PACEMAKER IMPLANT WITH MCC	3	0.05	6.7
243	PERMANENT CARDIAC PACEMAKER IMPLANT WITH CC	3	0.05	2.7
244	PERMANENT CARDIAC PACEMAKER IMPLANT WITHOUT CC/MCC	9	0.15	1.6
246	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITH MCC OR 4+ VESSELS/STENTS	13	0.21	3.6
247	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITHOUT MCC	66	1.08	1.9
248	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITH MCC OR 4+ VES/STENTS	1	0.02	8.0

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Tehama County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
249	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITHOUT MCC	13	0.21	2.2
250	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITH MCC	1	0.02	2.0
251	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITHOUT MCC	29	0.47	1.5
252	OTHER VASCULAR PROCEDURES WITH MCC	6	0.10	5.5
253	OTHER VASCULAR PROCEDURES WITH CC	17	0.28	7.1
254	OTHER VASCULAR PROCEDURES WITHOUT CC/MCC	17	0.28	1.5
256	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH CC	2	0.03	5.0
259	CARDIAC PACEMAKER DEVICE REPLACEMENT WITHOUT MCC	1	0.02	1.0
261	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH CC	2	0.03	5.5
264	OTHER CIRCULATORY SYSTEM O.R. PROCEDURES	9	0.15	9.1
280	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH MCC	16	0.26	4.9
281	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH CC	6	0.10	3.3
282	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITHOUT CC/MCC	13	0.21	1.8
283	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH MCC	7	0.11	5.4
284	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH CC	1	0.02	.00
286	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITH MCC	5	0.08	6.2
287	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITHOUT MCC	35	0.57	1.5
288	ACUTE & SUBACUTE ENDOCARDITIS WITH MCC	2	0.03	13
291	HEART FAILURE & SHOCK WITH MCC	58	0.95	3.9
292	HEART FAILURE & SHOCK WITH CC	56	0.91	3.3
293	HEART FAILURE & SHOCK WITHOUT CC/MCC	22	0.36	2.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Tehama County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
296	CARDIAC ARREST, UNEXPLAINED WITH MCC	1	0.02	3.0
299	PERIPHERAL VASCULAR DISORDERS WITH MCC	6	0.10	4.7
300	PERIPHERAL VASCULAR DISORDERS WITH CC	30	0.49	3.6
301	PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC	7	0.11	3.3
303	ATHEROSCLEROSIS WITHOUT MCC	10	0.16	1.7
304	HYPERTENSION WITH MCC	1	0.02	2.0
305	HYPERTENSION WITHOUT MCC	7	0.11	2.4
306	CARDIAC CONGENITAL & VALVULAR DISORDERS WITH MCC	1	0.02	12
308	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH MCC	23	0.37	3.3
309	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC	30	0.49	2.9
310	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITHOUT CC/MCC	29	0.47	1.7
311	ANGINA PECTORIS	4	0.07	1.8
312	SYNCOPE & COLLAPSE	11	0.18	1.2
313	CHEST PAIN	22	0.36	1.5
314	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC	10	0.16	7.7
315	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC	8	0.13	5.1
316	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITHOUT CC/MCC	1	0.02	5.0
326	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH MCC	6	0.10	14
327	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH CC	10	0.16	3.6
328	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITHOUT CC/MCC	17	0.28	1.9
329	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	17	0.28	12

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Tehama County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
330	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH CC	31	0.51	6.8
331	MAJOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	14	0.23	4.4
333	RECTAL RESECTION WITH CC	1	0.02	5.0
334	RECTAL RESECTION WITHOUT CC/MCC	2	0.03	5.0
335	PERITONEAL ADHESIOLYSIS WITH MCC	4	0.07	13
336	PERITONEAL ADHESIOLYSIS WITH CC	6	0.10	9.7
337	PERITONEAL ADHESIOLYSIS WITHOUT CC/MCC	5	0.08	5.0
338	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	1	0.02	5.0
339	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	4	0.07	4.3
340	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	13	0.21	2.9
341	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	1	0.02	1.0
342	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	10	0.16	1.6
343	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	11	0.18	1.4
345	MINOR SMALL & LARGE BOWEL PROCEDURES WITH CC	1	0.02	9.0
348	ANAL & STOMAL PROCEDURES WITH CC	1	0.02	4.0
349	ANAL & STOMAL PROCEDURES WITHOUT CC/MCC	2	0.03	3.0
350	INGUINAL & FEMORAL HERNIA PROCEDURES WITH MCC	1	0.02	1.0
351	INGUINAL & FEMORAL HERNIA PROCEDURES WITH CC	1	0.02	9.0
352	INGUINAL & FEMORAL HERNIA PROCEDURES WITHOUT CC/MCC	1	0.02	1.0
353	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH MCC	1	0.02	4.0
354	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH CC	9	0.15	3.1

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Tehama County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
355	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITHOUT CC/MCC	7	0.11	1.6
356	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH MCC	2	0.03	2.5
357	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH CC	4	0.07	10
358	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	3	0.05	2.7
368	MAJOR ESOPHAGEAL DISORDERS WITH MCC	1	0.02	4.0
369	MAJOR ESOPHAGEAL DISORDERS WITH CC	2	0.03	2.0
371	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH MCC	7	0.11	3.9
372	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH CC	5	0.08	3.6
373	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITHOUT CC/MCC	8	0.13	2.8
374	DIGESTIVE MALIGNANCY WITH MCC	3	0.05	5.3
375	DIGESTIVE MALIGNANCY WITH CC	5	0.08	2.8
376	DIGESTIVE MALIGNANCY WITHOUT CC/MCC	2	0.03	1.0
377	G.I. HEMORRHAGE WITH MCC	16	0.26	4.1
378	G.I. HEMORRHAGE WITH CC	37	0.60	3.5
379	G.I. HEMORRHAGE WITHOUT CC/MCC	10	0.16	2.2
380	COMPLICATED PEPTIC ULCER WITH MCC	4	0.07	9.8
381	COMPLICATED PEPTIC ULCER WITH CC	1	0.02	3.0
382	COMPLICATED PEPTIC ULCER WITHOUT CC/MCC	3	0.05	3.7
384	UNCOMPLICATED PEPTIC ULCER WITHOUT MCC	3	0.05	3.3
386	INFLAMMATORY BOWEL DISEASE WITH CC	7	0.11	6.7
387	INFLAMMATORY BOWEL DISEASE WITHOUT CC/MCC	7	0.11	4.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Tehama County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
388	G.I. OBSTRUCTION WITH MCC	11	0.18	5.9
389	G.I. OBSTRUCTION WITH CC	14	0.23	3.8
390	G.I. OBSTRUCTION WITHOUT CC/MCC	5	0.08	2.0
391	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITH MCC	20	0.33	4.5
392	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC	76	1.24	3.2
393	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH MCC	10	0.16	4.1
394	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH CC	8	0.13	2.8
395	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	4	0.07	2.5
405	PANCREAS, LIVER & SHUNT PROCEDURES WITH MCC	1	0.02	2.0
406	PANCREAS, LIVER & SHUNT PROCEDURES WITH CC	2	0.03	10
407	PANCREAS, LIVER & SHUNT PROCEDURES WITHOUT CC/MCC	1	0.02	4.0
411	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH MCC	4	0.07	4.8
413	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITHOUT CC/MCC	4	0.07	3.8
414	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH MCC	1	0.02	4.0
415	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH CC	2	0.03	5.0
416	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	1	0.02	1.0
417	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH MCC	11	0.18	3.5
418	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH CC	18	0.29	3.4
419	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	21	0.34	2.2
424	OTHER HEPATOBILIARY OR PANCREAS O.R. PROCEDURES WITH CC	1	0.02	10

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Tehama County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
432	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH MCC	8	0.13	6.5
433	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH CC	3	0.05	2.0
434	CIRRHOSIS & ALCOHOLIC HEPATITIS WITHOUT CC/MCC	1	0.02	1.0
435	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITH MCC	6	0.10	4.7
436	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITH CC	6	0.10	3.3
437	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITHOUT CC/MCC	1	0.02	7.0
438	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH MCC	7	0.11	3.0
439	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH CC	29	0.47	4.5
440	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITHOUT CC/MCC	19	0.31	2.9
441	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH MCC	13	0.21	6.1
442	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH CC	15	0.24	5.2
443	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITHOUT CC/MCC	4	0.07	3.3
444	DISORDERS OF THE BILIARY TRACT WITH MCC	7	0.11	4.0
445	DISORDERS OF THE BILIARY TRACT WITH CC	10	0.16	2.7
446	DISORDERS OF THE BILIARY TRACT WITHOUT CC/MCC	7	0.11	1.6
453	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH MCC	3	0.05	8.0
454	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH CC	5	0.08	8.4
455	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITHOUT CC/MCC	7	0.11	6.0
457	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH CC	2	0.03	5.0
458	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITHOUT CC/MCC	1	0.02	10

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Tehama County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
459	SPINAL FUSION EXCEPT CERVICAL WITH MCC	1	0.02	4.0
460	SPINAL FUSION EXCEPT CERVICAL WITHOUT MCC	24	0.39	3.0
463	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH MCC	2	0.03	6.0
464	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH CC	2	0.03	9.5
466	REVISION OF HIP OR KNEE REPLACEMENT WITH MCC	2	0.03	6.0
467	REVISION OF HIP OR KNEE REPLACEMENT WITH CC	7	0.11	2.9
468	REVISION OF HIP OR KNEE REPLACEMENT WITHOUT CC/MCC	17	0.28	3.0
469	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITH MCC	6	0.10	6.5
470	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITHOUT MCC	192	3.13	2.6
471	CERVICAL SPINAL FUSION WITH MCC	3	0.05	8.0
472	CERVICAL SPINAL FUSION WITH CC	7	0.11	4.0
473	CERVICAL SPINAL FUSION WITHOUT CC/MCC	22	0.36	1.7
474	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH MCC	2	0.03	14
475	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH CC	1	0.02	3.0
478	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	4	0.07	4.8
480	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH MCC	15	0.24	5.4
481	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH CC	21	0.34	7.0
482	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITHOUT CC/MCC	10	0.16	3.2
483	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITH CC/MCC	3	0.05	2.0
484	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITHOUT CC/MCC	6	0.10	1.7
486	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH CC	2	0.03	5.5

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Tehama County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
489	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	5	0.08	1.2
490	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITH CC/MCC OR DISC DEVICE/NEUROSTIM	14	0.23	2.2
491	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITHOUT CC/MCC	19	0.31	1.8
492	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH MCC	3	0.05	5.0
493	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH CC	18	0.29	3.8
494	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITHOUT CC/MCC	23	0.37	2.0
495	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH MCC	1	0.02	14
496	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH CC	3	0.05	3.0
497	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITHOUT CC/MCC	12	0.20	2.4
501	SOFT TISSUE PROCEDURES WITH CC	9	0.15	3.9
502	SOFT TISSUE PROCEDURES WITHOUT CC/MCC	3	0.05	1.3
505	FOOT PROCEDURES WITHOUT CC/MCC	1	0.02	2.0
508	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITHOUT CC/MCC	3	0.05	1.3
509	ARTHROSCOPY	1	0.02	3.0
512	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITHOUT CC/MCC	5	0.08	1.6
513	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITH CC/MCC	1	0.02	2.0
514	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITHOUT CC/MCC	1	0.02	3.0
515	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH MCC	1	0.02	23
516	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH CC	6	0.10	6.2
517	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITHOUT CC/MCC	3	0.05	2.0
534	FRACTURES OF FEMUR WITHOUT MCC	2	0.03	2.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Tehama County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
535	FRACTURES OF HIP & PELVIS WITH MCC	3	0.05	3.0
536	FRACTURES OF HIP & PELVIS WITHOUT MCC	4	0.07	3.0
539	OSTEOMYELITIS WITH MCC	3	0.05	22
540	OSTEOMYELITIS WITH CC	4	0.07	3.3
542	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH MCC	3	0.05	5.0
543	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH CC	5	0.08	4.2
544	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITHOUT CC/MCC	1	0.02	2.0
545	CONNECTIVE TISSUE DISORDERS WITH MCC	2	0.03	1.5
546	CONNECTIVE TISSUE DISORDERS WITH CC	3	0.05	2.7
547	CONNECTIVE TISSUE DISORDERS WITHOUT CC/MCC	1	0.02	1.0
551	MEDICAL BACK PROBLEMS WITH MCC	3	0.05	6.7
552	MEDICAL BACK PROBLEMS WITHOUT MCC	15	0.24	3.0
553	BONE DISEASES & ARTHROPATHIES WITH MCC	1	0.02	6.0
554	BONE DISEASES & ARTHROPATHIES WITHOUT MCC	1	0.02	.00
556	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC	4	0.07	2.5
557	TENDONITIS, MYOSITIS & BURSITIS WITH MCC	2	0.03	3.0
558	TENDONITIS, MYOSITIS & BURSITIS WITHOUT MCC	5	0.08	5.6
559	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	3	0.05	31
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	3	0.05	9.0
562	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITH MCC	3	0.05	9.7
563	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC	3	0.05	1.3

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Tehama County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
564	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH MCC	1	0.02	28
565	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH CC	3	0.05	8.7
573	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH MCC	3	0.05	10
574	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH CC	4	0.07	6.8
575	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	5	0.08	3.6
576	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH MCC	1	0.02	3.0
579	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH MCC	3	0.05	21
580	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH CC	5	0.08	3.6
581	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITHOUT CC/MCC	7	0.11	1.6
582	MASTECTOMY FOR MALIGNANCY WITH CC/MCC	3	0.05	1.7
583	MASTECTOMY FOR MALIGNANCY WITHOUT CC/MCC	5	0.08	1.2
584	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITH CC/MCC	1	0.02	1.0
585	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITHOUT CC/MCC	2	0.03	1.0
592	SKIN ULCERS WITH MCC	4	0.07	5.5
593	SKIN ULCERS WITH CC	6	0.10	3.2
595	MAJOR SKIN DISORDERS WITH MCC	1	0.02	16
596	MAJOR SKIN DISORDERS WITHOUT MCC	2	0.03	2.5
601	NON-MALIGNANT BREAST DISORDERS WITHOUT CC/MCC	2	0.03	2.0
602	CELLULITIS WITH MCC	13	0.21	6.8
603	CELLULITIS WITHOUT MCC	66	1.08	3.6
605	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITHOUT MCC	2	0.03	4.5

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Tehama County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
607	MINOR SKIN DISORDERS WITHOUT MCC	1	0.02	2.0
614	ADRENAL & PITUITARY PROCEDURES WITH CC/MCC	1	0.02	1.0
615	ADRENAL & PITUITARY PROCEDURES WITHOUT CC/MCC	1	0.02	1.0
617	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH CC	4	0.07	4.0
620	O.R. PROCEDURES FOR OBESITY WITH CC	1	0.02	9.0
621	O.R. PROCEDURES FOR OBESITY WITHOUT CC/MCC	27	0.44	1.9
622	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH MCC	2	0.03	6.0
623	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH CC	2	0.03	2.5
626	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH CC	1	0.02	1.0
627	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITHOUT CC/MCC	8	0.13	1.4
629	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH CC	3	0.05	8.3
637	DIABETES WITH MCC	11	0.18	2.2
638	DIABETES WITH CC	16	0.26	2.4
639	DIABETES WITHOUT CC/MCC	30	0.49	2.2
640	NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC	18	0.29	2.9
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	59	0.96	3.0
642	INBORN ERRORS OF METABOLISM	1	0.02	6.0
643	ENDOCRINE DISORDERS WITH MCC	3	0.05	4.3
644	ENDOCRINE DISORDERS WITH CC	5	0.08	3.4
645	ENDOCRINE DISORDERS WITHOUT CC/MCC	1	0.02	2.0
652	KIDNEY TRANSPLANT	3	0.05	5.0

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Tehama County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
654	MAJOR BLADDER PROCEDURES WITH CC	1	0.02	5.0
655	MAJOR BLADDER PROCEDURES WITHOUT CC/MCC	2	0.03	2.5
656	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH MCC	3	0.05	11
657	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH CC	2	0.03	6.0
658	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITHOUT CC/MCC	2	0.03	1.5
659	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH MCC	2	0.03	6.5
660	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH CC	4	0.07	2.0
661	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITHOUT CC/MCC	4	0.07	1.8
663	MINOR BLADDER PROCEDURES WITH CC	1	0.02	1.0
664	MINOR BLADDER PROCEDURES WITHOUT CC/MCC	2	0.03	1.5
667	PROSTATECTOMY WITHOUT CC/MCC	1	0.02	1.0
668	TRANSURETHRAL PROCEDURES WITH MCC	1	0.02	3.0
669	TRANSURETHRAL PROCEDURES WITH CC	5	0.08	1.4
670	TRANSURETHRAL PROCEDURES WITHOUT CC/MCC	3	0.05	1.7
671	URETHRAL PROCEDURES WITH CC/MCC	1	0.02	2.0
672	URETHRAL PROCEDURES WITHOUT CC/MCC	1	0.02	2.0
673	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH MCC	2	0.03	11
674	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH CC	2	0.03	3.5
675	OTHER KIDNEY & URINARY TRACT PROCEDURES WITHOUT CC/MCC	1	0.02	1.0
682	RENAL FAILURE WITH MCC	55	0.90	3.5
683	RENAL FAILURE WITH CC	36	0.59	3.8

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Tehama County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
684	RENAL FAILURE WITHOUT CC/MCC	7	0.11	2.4
685	ADMIT FOR RENAL DIALYSIS	9	0.15	.00
687	KIDNEY & URINARY TRACT NEOPLASMS WITH CC	1	0.02	1.0
689	KIDNEY & URINARY TRACT INFECTIONS WITH MCC	23	0.37	4.7
690	KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC	56	0.91	2.6
693	URINARY STONES WITHOUT ESW LITHOTRIPSY WITH MCC	5	0.08	1.6
694	URINARY STONES WITHOUT ESW LITHOTRIPSY WITHOUT MCC	7	0.11	1.6
696	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITHOUT MCC	1	0.02	1.0
698	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH MCC	7	0.11	5.1
699	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH CC	11	0.18	2.5
700	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITHOUT CC/MCC	3	0.05	1.7
707	MAJOR MALE PELVIC PROCEDURES WITH CC/MCC	3	0.05	3.0
708	MAJOR MALE PELVIC PROCEDURES WITHOUT CC/MCC	12	0.20	2.0
709	PENIS PROCEDURES WITH CC/MCC	3	0.05	2.3
710	PENIS PROCEDURES WITHOUT CC/MCC	1	0.02	2.0
713	TRANSURETHRAL PROSTATECTOMY WITH CC/MCC	4	0.07	1.5
714	TRANSURETHRAL PROSTATECTOMY WITHOUT CC/MCC	23	0.37	1.7
715	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE FOR MALIGNANCY WITH CC/MCC	1	0.02	3.0
716	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE FOR MALIGNANCY WITHOUT CC/MCC	2	0.03	1.0
726	BENIGN PROSTATIC HYPERTROPHY WITHOUT MCC	1	0.02	1.0
728	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITHOUT MCC	2	0.03	2.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Tehama County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
737	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH CC	1	0.02	7.0
739	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH MCC	1	0.02	8.0
740	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH CC	2	0.03	2.0
741	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITHOUT CC/MCC	6	0.10	2.2
742	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITH CC/MCC	15	0.24	2.3
743	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITHOUT CC/MCC	80	1.30	1.6
744	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITH CC/MCC	1	0.02	2.0
745	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITHOUT CC/MCC	2	0.03	1.0
746	VAGINA, CERVIX & VULVA PROCEDURES WITH CC/MCC	2	0.03	3.5
747	VAGINA, CERVIX & VULVA PROCEDURES WITHOUT CC/MCC	4	0.07	1.5
748	FEMALE REPRODUCTIVE SYSTEM RECONSTRUCTIVE PROCEDURES	10	0.16	1.6
755	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH CC	5	0.08	4.4
758	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH CC	1	0.02	7.0
759	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	1	0.02	1.0
765	CESAREAN SECTION WITH CC/MCC	70	1.14	3.2
766	CESAREAN SECTION WITHOUT CC/MCC	139	2.27	2.7
767	VAGINAL DELIVERY WITH STERILIZATION &/OR D&C	9	0.15	2.1
768	VAGINAL DELIVERY WITH O.R. PROCEDURE EXCEPT STERIL &/OR D&C	1	0.02	7.0
769	POSTPARTUM & POST ABORTION DIAGNOSIS WITH O.R. PROCEDURE	4	0.07	5.3
774	VAGINAL DELIVERY WITH COMPLICATING DIAGNOSIS	51	0.83	2.1
775	VAGINAL DELIVERY WITHOUT COMPLICATING DIAGNOSIS	491	8.00	1.8

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Tehama County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
776	POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE	7	0.11	1.9
777	ECTOPIC PREGNANCY	3	0.05	1.7
778	THREATENED ABORTION	6	0.10	1.5
779	ABORTION WITHOUT D&C	1	0.02	1.0
781	OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS	20	0.33	1.7
782	OTHER ANTEPARTUM DIAGNOSIS WITHOUT MEDICAL COMPLICATIONS	3	0.05	1.7
789	NEONATES, DIED OR TRANSFERRED TO ANOTHER ACUTE CARE FACILITY	17	0.28	5.5
790	EXTREME IMMATURETY OR RESPIRATORY DISTRESS SYNDROME, NEONATE	5	0.08	34
791	PREMATURITY WITH MAJOR PROBLEMS	12	0.20	16
792	PREMATURITY WITHOUT MAJOR PROBLEMS	37	0.60	4.7
793	FULL TERM NEONATE WITH MAJOR PROBLEMS	28	0.46	5.4
794	NEONATE WITH OTHER SIGNIFICANT PROBLEMS	108	1.76	1.9
795	NORMAL NEWBORN	608	9.91	1.6
802	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH MCC	1	0.02	5.0
808	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH MCC	6	0.10	7.5
809	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH CC	10	0.16	5.3
810	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITHOUT CC/MCC	3	0.05	2.7
811	RED BLOOD CELL DISORDERS WITH MCC	8	0.13	2.4
812	RED BLOOD CELL DISORDERS WITHOUT MCC	13	0.21	2.2
813	COAGULATION DISORDERS	8	0.13	2.6
814	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH MCC	1	0.02	8.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Tehama County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
815	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH CC	1	0.02	2.0
816	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITHOUT CC/MCC	2	0.03	3.0
820	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH MCC	3	0.05	12
821	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH CC	1	0.02	6.0
822	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITHOUT CC/MCC	4	0.07	1.5
823	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH MCC	2	0.03	12
824	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH CC	5	0.08	5.0
825	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	1	0.02	3.0
827	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH CC	2	0.03	9.5
830	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	1	0.02	5.0
834	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH MCC	7	0.11	17
835	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH CC	3	0.05	4.0
836	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITHOUT CC/MCC	1	0.02	6.0
838	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITH CC OR HIGH DOSE CHEMO AGENT	5	0.08	8.8
839	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITHOUT CC/MCC	8	0.13	8.6
840	LYMPHOMA & NON-ACUTE LEUKEMIA WITH MCC	4	0.07	6.0
841	LYMPHOMA & NON-ACUTE LEUKEMIA WITH CC	4	0.07	4.0
842	LYMPHOMA & NON-ACUTE LEUKEMIA WITHOUT CC/MCC	3	0.05	6.7
843	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH MCC	1	0.02	2.0
844	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH CC	1	0.02	2.0
846	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH MCC	4	0.07	8.5

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Tehama County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
847	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH CC	26	0.42	3.8
848	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITHOUT CC/MCC	1	0.02	4.0
853	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH MCC	16	0.26	11
854	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH CC	3	0.05	4.7
856	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH MCC	5	0.08	19
857	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH CC	7	0.11	4.1
862	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITH MCC	8	0.13	9.1
863	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC	7	0.11	4.6
864	FEVER	5	0.08	4.0
865	VIRAL ILLNESS WITH MCC	1	0.02	5.0
866	VIRAL ILLNESS WITHOUT MCC	7	0.11	2.1
867	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH MCC	6	0.10	9.5
870	SEPTICEMIA OR SEVERE SEPSIS WITH MECH VENT 96+ HOURS	10	0.16	14
871	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC	107	1.74	5.9
872	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC	29	0.47	3.7
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	4	0.07	1.8
885	PSYCHOSES	3	0.05	.67
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	3	0.05	2.7
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	9	0.15	2.7
904	SKIN GRAFTS FOR INJURIES WITH CC/MCC	2	0.03	8.5
905	SKIN GRAFTS FOR INJURIES WITHOUT CC/MCC	1	0.02	1.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Tehama County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
906	HAND PROCEDURES FOR INJURIES	1	0.02	1.0
907	OTHER O.R. PROCEDURES FOR INJURIES WITH MCC	5	0.08	6.4
908	OTHER O.R. PROCEDURES FOR INJURIES WITH CC	9	0.15	7.3
909	OTHER O.R. PROCEDURES FOR INJURIES WITHOUT CC/MCC	5	0.08	2.0
914	TRAUMATIC INJURY WITHOUT MCC	5	0.08	8.6
915	ALLERGIC REACTIONS WITH MCC	1	0.02	1.0
916	ALLERGIC REACTIONS WITHOUT MCC	2	0.03	2.0
917	POISONING & TOXIC EFFECTS OF DRUGS WITH MCC	49	0.80	3.7
918	POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC	41	0.67	1.9
919	COMPLICATIONS OF TREATMENT WITH MCC	12	0.20	10
920	COMPLICATIONS OF TREATMENT WITH CC	5	0.08	11
921	COMPLICATIONS OF TREATMENT WITHOUT CC/MCC	1	0.02	4.0
923	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITHOUT MCC	3	0.05	.67
928	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITH CC/MCC	2	0.03	27
929	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITHOUT CC/MCC	1	0.02	17
935	NON-EXTENSIVE BURNS	9	0.15	3.4
940	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC	3	0.05	1.3
941	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITHOUT CC/MCC	4	0.07	1.0
947	SIGNS & SYMPTOMS WITH MCC	1	0.02	2.0
948	SIGNS & SYMPTOMS WITHOUT MCC	14	0.23	3.1

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Tehama County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
949	AFTERCARE WITH CC/MCC	2	0.03	2.5
951	OTHER FACTORS INFLUENCING HEALTH STATUS	1	0.02	2.0
955	CRANIOTOMY FOR MULTIPLE SIGNIFICANT TRAUMA	2	0.03	18
956	LIMB REATTACHMENT, HIP & FEMUR PROCEDURE FOR MULTIPLE SIGNIFICANT TRAUMA	1	0.02	8.0
957	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH MCC	3	0.05	18
963	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH MCC	1	0.02	6.0
964	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH CC	2	0.03	6.5
965	OTHER MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	4	0.07	2.5
974	HIV WITH MAJOR RELATED CONDITION WITH MCC	1	0.02	9.0
977	HIV WITH OR WITHOUT OTHER RELATED CONDITION	1	0.02	7.0
981	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	8	0.13	17
982	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	5	0.08	11
983	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	3	0.05	1.7
987	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	3	0.05	3.3
988	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	5	0.08	3.0
All		6,135	100.0	3.8

***MS-DRG by Patient County of Residence
and Type of Care for 2009
Tehama County***

typcare1=Physical Rehabilitation Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
945	REHABILITATION WITH CC/MCC	49	96.08	14
946	REHABILITATION WITHOUT CC/MCC	2	3.92	13
All		51	100.0	14

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Tehama County**

typcare1=Psychiatric Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	1	0.87	7.0
881	DEPRESSIVE NEUROSES	5	4.35	3.2
882	NEUROSES EXCEPT DEPRESSIVE	1	0.87	1.0
883	DISORDERS OF PERSONALITY & IMPULSE CONTROL	2	1.74	7.0
885	PSYCHOSES	101	87.83	9.3
886	BEHAVIORAL & DEVELOPMENTAL DISORDERS	2	1.74	4.5
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	3	2.61	7.0
All		115	100.0	8.7

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Tehama County**

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
055	NERVOUS SYSTEM NEOPLASMS WITHOUT MCC	2	3.57	3.0
056	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC	2	3.57	37
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	6	10.71	28
153	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITHOUT MCC	3	5.36	11
182	RESPIRATORY NEOPLASMS WITHOUT CC/MCC	3	5.36	4.0
188	PLEURAL EFFUSION WITHOUT CC/MCC	1	1.79	16
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	1	1.79	2.0
207	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS	1	1.79	42
314	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC	1	1.79	24
435	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITH MCC	1	1.79	2.0
437	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITHOUT CC/MCC	1	1.79	3.0
559	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	2	3.57	23
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	1	1.79	20
561	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	5	8.93	13
565	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH CC	1	1.79	20
592	SKIN ULCERS WITH MCC	1	1.79	25
599	MALIGNANT BREAST DISORDERS WITHOUT CC/MCC	1	1.79	5.0
673	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH MCC	1	1.79	54
682	RENAL FAILURE WITH MCC	2	3.57	26
686	KIDNEY & URINARY TRACT NEOPLASMS WITH MCC	1	1.79	3.0
781	OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS	1	1.79	8.0

(Continued)

***MS-DRG by Patient County of Residence
and Type of Care for 2009
Tehama County***

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
862	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITH MCC	1	1.79	28
920	COMPLICATIONS OF TREATMENT WITH CC	1	1.79	36
939	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH MCC	1	1.79	13
945	REHABILITATION WITH CC/MCC	1	1.79	14
948	SIGNS & SYMPTOMS WITHOUT MCC	1	1.79	27
949	AFTERCARE WITH CC/MCC	6	10.71	8.7
950	AFTERCARE WITHOUT CC/MCC	1	1.79	4.0
951	OTHER FACTORS INFLUENCING HEALTH STATUS	6	10.71	5.2
All		56	100.0	16

**MDC by Patient County of Residence
for 2009
Tehama County**

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	376	5.91	5.1
02	EYE, DISEASES & DISORDERS	6	0.09	1.7
03	EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS	66	1.04	3.8
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	742	11.67	5.1
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	753	11.85	4.3
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	460	7.24	4.5
07	HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS	206	3.24	4.4
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	586	9.22	3.9
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	138	2.17	4.5
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	197	3.10	2.7
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	270	4.25	3.5
12	MALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	52	0.82	1.8
13	FEMALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	131	2.06	1.9
14	PREGNANCY, CHILDBIRTH, & THE PUERPERIUM	806	12.68	2.1
15	NEWBORNS AND NEONATE CONDITIONS BEGAN IN PERINATAL PERIOD	815	12.82	2.4
16	BLOOD, BLOOD FORMING ORGANS,IMMUNOLOGICAL, DISEASES & DISORDERS	53	0.83	3.7
17	MYELOPROLIFERATIVE DISEASES & POORLY DIFFERENTIATED NEOPLASMS	88	1.38	6.9
18	INFECTIOUS & PARASITIC DISEASES	214	3.37	6.9
19	MENTAL DISEASES & DISORDERS	119	1.87	8.4
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	16	0.25	3.7
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	143	2.25	4.6
22	BURNS	13	0.20	12

(Continued)

*MDC by Patient County of Residence
for 2009
Tehama County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	92	1.45	9.9
24	MULTIPLE SIGNFICANT TRAUMA	13	0.20	9.8
25	HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS	2	0.03	8.0
All		6,357	100.0	4.1

***MDC by Patient County of Residence
and Type of Care for 2009
Tehama County***

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	366	5.97	4.6
02	EYE, DISEASES & DISORDERS	6	0.10	1.7
03	EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS	63	1.03	3.5
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	736	12.00	5.1
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	752	12.26	4.3
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	460	7.50	4.5
07	HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS	204	3.33	4.4
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	577	9.41	3.7
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	136	2.22	4.3
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	197	3.21	2.7
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	266	4.34	3.2
12	MALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	52	0.85	1.8
13	FEMALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	131	2.14	1.9
14	PREGNANCY, CHILDBIRTH, & THE PUERPERIUM	805	13.12	2.1
15	NEWBORNS AND NEONATE CONDITIONS BEGAN IN PERINATAL PERIOD	815	13.28	2.4
16	BLOOD, BLOOD FORMING ORGANS, IMMUNOLOGICAL, DISEASES & DISORDERS	53	0.86	3.7
17	MYELOPROLIFERATIVE DISEASES & POORLY DIFFERENTIATED NEOPLASMS	88	1.43	6.9
18	INFECTIOUS & PARASITIC DISEASES	213	3.47	6.8
19	MENTAL DISEASES & DISORDERS	7	0.11	1.3
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	13	0.21	2.9
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	142	2.31	4.4

(Continued)

***MDC by Patient County of Residence
and Type of Care for 2009
Tehama County***

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
22	BURNS	13	0.21	12
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	25	0.41	2.4
24	MULTIPLE SIGNFICANT TRAUMA	13	0.21	9.8
25	HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS	2	0.03	8.0
All		6,135	100.0	3.8

***MDC by Patient County of Residence
and Type of Care for 2009
Tehama County***

typcare1=Physical Rehabilitation Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	51	100.0	14
All		51	100.0	14

***MDC by Patient County of Residence
and Type of Care for 2009
Tehama County***

typcare1=Psychiatric Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
19	MENTAL DISEASES & DISORDERS	112	97.39	8.8
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	3	2.61	7.0
All		115	100.0	8.7

***MDC by Patient County of Residence
and Type of Care for 2009
Tehama County***

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	10	17.86	25
03	EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS	3	5.36	11
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	6	10.71	12
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	1	1.79	24
07	HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS	2	3.57	2.5
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	9	16.07	17
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	2	3.57	15
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	4	7.14	27
14	PREGNANCY, CHILDBIRTH, & THE PUERPERIUM	1	1.79	8.0
18	INFECTIOUS & PARASITIC DISEASES	1	1.79	28
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	1	1.79	36
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	16	28.57	8.8
All		56	100.0	16