

***Type of Care by Patient County of Residence
for 2010
Tehama County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
Acute Care	6,117	96.44	3.8
Physical Rehabilitation Care	45	0.71	11
Psychiatric Care	132	2.08	9.3
Skilled Nursing/Intermediate Care	49	0.77	19
All	6,343	100.0	4.0

***Disposition by Patient County of Residence
for 2010
Tehama County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	162	0.00	12
01 - Routine (Home)	2,964,599	74.66	3.6
02 - Acute Care within the admitting hospital	9,793	0.25	64
03 - Other Care with the admitting hospital	20,666	0.52	9.0
04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital	32,649	0.82	8.1
05 - Acute Care at another hospital	83,795	2.11	10
06 - Other Care (not SN/IC) at another hospital	34,381	0.87	9.8
07 - SN/IC at another facility	305,209	7.69	8.8
08 - Residential Care facility	36,313	0.91	9.4
09 - Prison/Jail	20,022	0.50	5.3
10 - Left Against Medical Advice	45,467	1.14	3.2
11 - Died	76,630	1.93	16
12 - Home Health Service	330,832	8.33	7.1
13 - Other	10,404	0.26	11
All	3,970,922	100.0	5.0

***Disposition by Patient County of Residence
and Type of Care for 2010
Tehama County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	4,507	73.68	2.8
03 - Other Care with the admitting hospital	40	0.65	6.9
04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital	12	0.20	22
05 - Acute Care at another hospital	174	2.84	4.1
06 - Other Care (not SN/IC) at another hospital	44	0.72	6.4
07 - SN/IC at another facility	497	8.12	7.3
08 - Residential Care facility	14	0.23	4.6
09 - Prison/Jail	5	0.08	1.6
10 - Left Against Medical Advice	34	0.56	2.1
11 - Died	134	2.19	9.4
12 - Home Health Service	652	10.66	6.0
13 - Other	4	0.07	8.3
All	6,117	100.0	3.8

***Disposition by Patient County of Residence
and Type of Care for 2010
Tehama County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	22	48.89	12
02 - Acute Care within the admitting hospital	6	13.33	7.8
07 - SN/IC at another facility	7	15.56	9.1
12 - Home Health Service	10	22.22	15
All	45	100.0	11

***Disposition by Patient County of Residence
and Type of Care for 2010
Tehama County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	118	89.39	8.5
02 - Acute Care within the admitting hospital	1	0.76	.00
05 - Acute Care at another hospital	2	1.52	4.5
06 - Other Care (not SN/IC) at another hospital	3	2.27	23
07 - SN/IC at another facility	3	2.27	14
08 - Residential Care facility	1	0.76	24
09 - Prison/Jail	2	1.52	23
13 - Other	2	1.52	17
All	132	100.0	9.3

***Disposition by Patient County of Residence
and Type of Care for 2010
Tehama County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	16	32.65	12
02 - Acute Care within the admitting hospital	2	4.08	10
05 - Acute Care at another hospital	4	8.16	36
07 - SN/IC at another facility	11	22.45	16
08 - Residential Care facility	2	4.08	35
10 - Left Against Medical Advice	1	2.04	3.0
11 - Died	2	4.08	32
12 - Home Health Service	11	22.45	22
All	49	100.0	19

***Gender by Patient County of Residence
for 2010
Tehama County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	2,741	43.21	4.4
2 - Female	3,602	56.79	3.7
All	6,343	100.0	4.0

***Gender by Patient County of Residence
and Type of Care for 2010
Tehama County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	2,637	43.11	4.2
2 - Female	3,480	56.89	3.5
All	6,117	100.0	3.8

***Gender by Patient County of Residence
and Type of Care for 2010
Tehama County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	22	48.89	9.5
2 - Female	23	51.11	13
All	45	100.0	11

***Gender by Patient County of Residence
and Type of Care for 2010
Tehama County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	57	43.18	10
2 - Female	75	56.82	8.6
All	132	100.0	9.3

***Gender by Patient County of Residence
and Type of Care for 2010
Tehama County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	25	51.02	17
2 - Female	24	48.98	21
All	49	100.0	19

***Expected Payer by Patient County of Residence
for 2010
Tehama County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	1	0.02	1.0
01 - Medicare	2,602	41.02	5.1
02 - Medi-Cal	1,969	31.04	3.3
03 - Private Coverage	1,242	19.58	3.1
04 - Workers' Compensatio	51	0.80	3.4
05 - County Indigent Prog	95	1.50	4.1
06 - Other Government	106	1.67	5.4
07 - Other Indigent	3	0.05	3.0
08 - Self-Pay	267	4.21	3.3
09 - Other Payer	7	0.11	16
All	6,343	100.0	4.0

***Expected Payer by Patient County of Residence
and Type of Care for 2010
Tehama County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	1	0.02	1.0
01 - Medicare	2,492	40.74	4.7
02 - Medi-Cal	1,933	31.60	3.1
03 - Private Coverage	1,204	19.68	2.9
04 - Workers' Compensatio	49	0.80	3.0
05 - County Indigent Prog	91	1.49	3.8
06 - Other Government	75	1.23	3.3
07 - Other Indigent	2	0.03	1.5
08 - Self-Pay	264	4.32	3.3
09 - Other Payer	6	0.10	18
All	6,117	100.0	3.8

***Expected Payer by Patient County of Residence
and Type of Care for 2010
Tehama County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	30	66.67	11
02 - Medi-Cal	5	11.11	13
03 - Private Coverage	8	17.78	13
04 - Workers' Compensatio	1	2.22	7.0
08 - Self-Pay	1	2.22	14
All	45	100.0	11

***Expected Payer by Patient County of Residence
and Type of Care for 2010
Tehama County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	40	30.30	9.6
02 - Medi-Cal	28	21.21	10
03 - Private Coverage	24	18.18	7.0
04 - Workers' Compensatio	1	0.76	20
05 - County Indigent Prog	4	3.03	11
06 - Other Government	31	23.48	10
07 - Other Indigent	1	0.76	6.0
08 - Self-Pay	2	1.52	2.5
09 - Other Payer	1	0.76	2.0
All	132	100.0	9.3

***Expected Payer by Patient County of Residence
and Type of Care for 2010
Tehama County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	40	81.63	20
02 - Medi-Cal	3	6.12	9.7
03 - Private Coverage	6	12.24	15
All	49	100.0	19

***Race Group by Patient County of Residence
for 2010
Tehama County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	68	1.07	4.2
1 - White	5,255	82.85	4.2
2 - Black	48	0.76	4.0
3 - Hispanic	734	11.57	3.5
4 - Asian/Pacific Islander	47	0.74	3.3
5 - Native American/Eskimo/Ale	35	0.55	4.4
6 - Other	156	2.46	2.9
All	6,343	100.0	4.0

***Race Group by Patient County of Residence
and Type of Care for 2010
Tehama County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	61	1.00	3.6
1 - White	5,059	82.70	3.8
2 - Black	46	0.75	3.7
3 - Hispanic	716	11.71	3.4
4 - Asian/Pacific Islander	46	0.75	3.2
5 - Native American/Eskimo/Ale	35	0.57	4.4
6 - Other	154	2.52	2.9
All	6,117	100.0	3.8

***Race Group by Patient County of Residence
and Type of Care for 2010
Tehama County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - White	42	93.33	11
3 - Hispanic	2	4.44	15
6 - Other	1	2.22	2.0
All	45	100.0	11

***Race Group by Patient County of Residence
and Type of Care for 2010
Tehama County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	6	4.55	5.5
1 - White	107	81.06	9.6
2 - Black	2	1.52	9.0
3 - Hispanic	15	11.36	9.1
4 - Asian/Pacific Islander	1	0.76	9.0
6 - Other	1	0.76	1.0
All	132	100.0	9.3

***Race Group by Patient County of Residence
and Type of Care for 2010
Tehama County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	1	2.04	36
1 - White	47	95.92	18
3 - Hispanic	1	2.04	17
All	49	100.0	19

**Source of Admission by Patient County of Residence
for 2010
Tehama County**

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	5,029	79.28	3.6
2 - Residential Care Facility	7	0.11	4.7
3 - Ambulatory Surgery	24	0.38	2.8
4 - Skilled Nursing/Intermedia	84	1.32	6.9
5 - Acute Inpatient Hospital C	353	5.57	13
6 - Other Inpatient Hospital C	12	0.19	5.3
7 - Newborn (born in admitting	730	11.51	2.3
8 - Prison/Jail	8	0.13	7.1
9 - Other	96	1.51	6.5
All	6,343	100.0	4.0

**Source of Admission by Patient County of Residence
and Type of Care for 2010
Tehama County**

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	4,929	80.58	3.5
2 - Residential Care Facility	7	0.11	4.7
3 - Ambulatory Surgery	24	0.39	2.8
4 - Skilled Nursing/Intermedia	83	1.36	6.9
5 - Acute Inpatient Hospital C	255	4.17	12
6 - Other Inpatient Hospital C	10	0.16	4.1
7 - Newborn (born in admitting	730	11.93	2.3
8 - Prison/Jail	6	0.10	2.0
9 - Other	73	1.19	4.7
All	6,117	100.0	3.8

***Source of Admission by Patient County of Residence
and Type of Care for 2010
Tehama County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
5 - Acute Inpatient Hospital C	45	100.0	11
All	45	100.0	11

**Source of Admission by Patient County of Residence
and Type of Care for 2010
Tehama County**

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	95	71.97	8.5
4 - Skilled Nursing/Intermedia	1	0.76	6.0
5 - Acute Inpatient Hospital C	9	6.82	7.3
6 - Other Inpatient Hospital C	2	1.52	12
8 - Prison/Jail	2	1.52	23
9 - Other	23	17.42	12
All	132	100.0	9.3

**Source of Admission by Patient County of Residence
and Type of Care for 2010
Tehama County**

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	5	10.20	4.0
5 - Acute Inpatient Hospital C	44	89.80	20
All	49	100.0	19

*MS-DRG by Patient County of Residence
for 2010
Tehama County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
003	ECMO OR TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITH MAJOR O.R.	8	0.13	34
004	TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITHOUT MAJOR O.R.	6	0.09	28
009	BONE MARROW TRANSPLANT	2	0.03	50
011	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH MCC	3	0.05	15
013	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITHOUT CC/MCC	1	0.02	10
023	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITH MCC OR CHEMO IMPLANT	3	0.05	6.7
024	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITHOUT MCC	2	0.03	5.5
025	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH MCC	6	0.09	6.8
026	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH CC	5	0.08	5.6
027	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITHOUT CC/MCC	10	0.16	4.5
028	SPINAL PROCEDURES WITH MCC	1	0.02	22
029	SPINAL PROCEDURES WITH CC OR SPINAL NEUROSTIMULATORS	2	0.03	5.5
030	SPINAL PROCEDURES WITHOUT CC/MCC	2	0.03	1.5
032	VENTRICULAR SHUNT PROCEDURES WITH CC	1	0.02	2.0
033	VENTRICULAR SHUNT PROCEDURES WITHOUT CC/MCC	1	0.02	1.0
036	CAROTID ARTERY STENT PROCEDURE WITHOUT CC/MCC	1	0.02	2.0
037	EXTRACRANIAL PROCEDURES WITH MCC	3	0.05	2.7
038	EXTRACRANIAL PROCEDURES WITH CC	12	0.19	1.8
039	EXTRACRANIAL PROCEDURES WITHOUT CC/MCC	29	0.46	1.1
040	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH MCC	2	0.03	4.0

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Tehama County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
041	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH CC OR PERIPH NEUROSTIM	5	0.08	6.2
042	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITHOUT CC/MCC	2	0.03	5.0
052	SPINAL DISORDERS & INJURIES WITH CC/MCC	2	0.03	46
054	NERVOUS SYSTEM NEOPLASMS WITH MCC	3	0.05	1.3
055	NERVOUS SYSTEM NEOPLASMS WITHOUT MCC	4	0.06	3.8
056	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC	3	0.05	6.3
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	12	0.19	20
059	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH CC	2	0.03	3.0
060	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITHOUT CC/MCC	2	0.03	2.5
061	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH MCC	1	0.02	11
062	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH CC	2	0.03	2.5
064	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC	29	0.46	5.2
065	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC	38	0.60	2.7
066	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC	25	0.39	2.0
067	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITH MCC	1	0.02	1.0
069	TRANSIENT ISCHEMIA	21	0.33	2.0
070	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH MCC	3	0.05	3.0
071	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH CC	6	0.09	6.7
073	CRANIAL & PERIPHERAL NERVE DISORDERS WITH MCC	3	0.05	4.3
074	CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC	11	0.17	8.8
075	VIRAL MENINGITIS WITH CC/MCC	1	0.02	8.0
076	VIRAL MENINGITIS WITHOUT CC/MCC	2	0.03	3.5

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Tehama County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
078	HYPERTENSIVE ENCEPHALOPATHY WITH CC	1	0.02	3.0
080	NONTRAUMATIC STUPOR & COMA WITH MCC	1	0.02	11
081	NONTRAUMATIC STUPOR & COMA WITHOUT MCC	8	0.13	2.0
085	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH MCC	1	0.02	5.0
086	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH CC	5	0.08	6.2
087	TRAUMATIC STUPOR & COMA, COMA <1 HR WITHOUT CC/MCC	8	0.13	3.0
088	CONCUSSION WITH MCC	1	0.02	5.0
089	CONCUSSION WITH CC	1	0.02	1.0
090	CONCUSSION WITHOUT CC/MCC	3	0.05	1.7
091	OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC	3	0.05	5.0
092	OTHER DISORDERS OF NERVOUS SYSTEM WITH CC	2	0.03	2.5
093	OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC	1	0.02	4.0
094	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH MCC	8	0.13	14
095	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH CC	3	0.05	9.7
096	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITHOUT CC/MCC	3	0.05	2.3
098	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH CC	1	0.02	5.0
099	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITHOUT CC/MCC	1	0.02	5.0
100	SEIZURES WITH MCC	16	0.25	4.3
101	SEIZURES WITHOUT MCC	28	0.44	2.6
103	HEADACHES WITHOUT MCC	5	0.08	2.2
114	ORBITAL PROCEDURES WITHOUT CC/MCC	1	0.02	2.0
115	EXTRAOCULAR PROCEDURES EXCEPT ORBIT	1	0.02	1.0

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Tehama County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
122	ACUTE MAJOR EYE INFECTIONS WITHOUT CC/MCC	1	0.02	3.0
125	OTHER DISORDERS OF THE EYE WITHOUT MCC	3	0.05	10
130	MAJOR HEAD & NECK PROCEDURES WITHOUT CC/MCC	1	0.02	3.0
131	CRANIAL/FACIAL PROCEDURES WITH CC/MCC	3	0.05	1.7
132	CRANIAL/FACIAL PROCEDURES WITHOUT CC/MCC	2	0.03	2.5
134	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITHOUT CC/MCC	4	0.06	1.8
136	SINUS & MASTOID PROCEDURES WITHOUT CC/MCC	1	0.02	1.0
138	MOUTH PROCEDURES WITHOUT CC/MCC	2	0.03	2.0
139	SALIVARY GLAND PROCEDURES	1	0.02	6.0
146	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH MCC	2	0.03	2.5
147	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH CC	1	0.02	6.0
149	DYSEQUILIBRIUM	1	0.02	3.0
150	EPISTAXIS WITH MCC	1	0.02	5.0
153	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITHOUT MCC	15	0.24	2.1
154	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH MCC	1	0.02	19
155	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH CC	1	0.02	3.0
156	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITHOUT CC/MCC	2	0.03	2.0
157	DENTAL & ORAL DISEASES WITH MCC	3	0.05	4.3
158	DENTAL & ORAL DISEASES WITH CC	2	0.03	3.0
163	MAJOR CHEST PROCEDURES WITH MCC	9	0.14	11
164	MAJOR CHEST PROCEDURES WITH CC	10	0.16	6.1
165	MAJOR CHEST PROCEDURES WITHOUT CC/MCC	7	0.11	3.6

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Tehama County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
166	OTHER RESP SYSTEM O.R. PROCEDURES WITH MCC	10	0.16	12
175	PULMONARY EMBOLISM WITH MCC	9	0.14	4.0
176	PULMONARY EMBOLISM WITHOUT MCC	19	0.30	3.5
177	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC	28	0.44	6.1
178	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC	10	0.16	4.9
179	RESPIRATORY INFECTIONS & INFLAMMATIONS WITHOUT CC/MCC	9	0.14	4.3
180	RESPIRATORY NEOPLASMS WITH MCC	10	0.16	4.0
181	RESPIRATORY NEOPLASMS WITH CC	9	0.14	5.4
182	RESPIRATORY NEOPLASMS WITHOUT CC/MCC	1	0.02	4.0
183	MAJOR CHEST TRAUMA WITH MCC	2	0.03	3.5
184	MAJOR CHEST TRAUMA WITH CC	1	0.02	4.0
186	PLEURAL EFFUSION WITH MCC	4	0.06	7.3
187	PLEURAL EFFUSION WITH CC	3	0.05	5.3
188	PLEURAL EFFUSION WITHOUT CC/MCC	3	0.05	4.3
189	PULMONARY EDEMA & RESPIRATORY FAILURE	80	1.26	5.2
190	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC	66	1.04	4.1
191	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC	42	0.66	3.1
192	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC	51	0.80	2.7
193	SIMPLE PNEUMONIA & PLEURISY WITH MCC	47	0.74	5.4
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	91	1.43	3.2
195	SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC	56	0.88	2.6
196	INTERSTITIAL LUNG DISEASE WITH MCC	5	0.08	5.2

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Tehama County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
197	INTERSTITIAL LUNG DISEASE WITH CC	3	0.05	2.0
199	PNEUMOTHORAX WITH MCC	2	0.03	8.0
200	PNEUMOTHORAX WITH CC	3	0.05	3.7
201	PNEUMOTHORAX WITHOUT CC/MCC	3	0.05	4.0
202	BRONCHITIS & ASTHMA WITH CC/MCC	22	0.35	2.8
203	BRONCHITIS & ASTHMA WITHOUT CC/MCC	67	1.06	2.2
204	RESPIRATORY SIGNS & SYMPTOMS	1	0.02	1.0
205	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITH MCC	5	0.08	4.6
206	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITHOUT MCC	4	0.06	4.0
207	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS	17	0.27	12
208	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS	38	0.60	5.0
216	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH MCC	6	0.09	9.5
217	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH CC	5	0.08	9.6
219	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH MCC	4	0.06	10
220	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH CC	6	0.09	3.5
222	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITH MCC	2	0.03	7.0
223	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITHOUT MCC	1	0.02	10
224	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITH MCC	1	0.02	1.0
225	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITHOUT MCC	1	0.02	2.0
226	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITH MCC	4	0.06	12
227	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITHOUT MCC	11	0.17	1.3
228	OTHER CARDIOTHORACIC PROCEDURES WITH MCC	4	0.06	39

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Tehama County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
229	OTHER CARDIOTHORACIC PROCEDURES WITH CC	1	0.02	6.0
231	CORONARY BYPASS WITH PTCA WITH MCC	3	0.05	7.3
232	CORONARY BYPASS WITH PTCA WITHOUT MCC	1	0.02	10
233	CORONARY BYPASS WITH CARDIAC CATH WITH MCC	14	0.22	13
234	CORONARY BYPASS WITH CARDIAC CATH WITHOUT MCC	11	0.17	6.4
235	CORONARY BYPASS WITHOUT CARDIAC CATH WITH MCC	4	0.06	7.0
236	CORONARY BYPASS WITHOUT CARDIAC CATH WITHOUT MCC	6	0.09	4.3
237	MAJOR CARDIOVASC PROCEDURES WITH MCC OR THORACIC AORTIC ANEURYSM REPAIR	6	0.09	11
238	MAJOR CARDIOVASC PROCEDURES WITHOUT MCC	13	0.20	4.1
239	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH MCC	1	0.02	5.0
240	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH CC	3	0.05	2.0
241	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITHOUT CC/MCC	1	0.02	7.0
242	PERMANENT CARDIAC PACEMAKER IMPLANT WITH MCC	5	0.08	5.0
243	PERMANENT CARDIAC PACEMAKER IMPLANT WITH CC	7	0.11	2.4
244	PERMANENT CARDIAC PACEMAKER IMPLANT WITHOUT CC/MCC	12	0.19	1.7
246	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITH MCC OR 4+ VESSELS/STENTS	13	0.20	2.2
247	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITHOUT MCC	71	1.12	1.5
248	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITH MCC OR 4+ VES/STENTS	3	0.05	5.3
249	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITHOUT MCC	14	0.22	1.6
250	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITH MCC	6	0.09	3.0
251	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITHOUT MCC	22	0.35	1.4
252	OTHER VASCULAR PROCEDURES WITH MCC	9	0.14	7.8

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Tehama County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
253	OTHER VASCULAR PROCEDURES WITH CC	15	0.24	4.5
254	OTHER VASCULAR PROCEDURES WITHOUT CC/MCC	19	0.30	1.7
257	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITHOUT CC/MCC	1	0.02	6.0
259	CARDIAC PACEMAKER DEVICE REPLACEMENT WITHOUT MCC	1	0.02	1.0
262	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITHOUT CC/MCC	1	0.02	1.0
264	OTHER CIRCULATORY SYSTEM O.R. PROCEDURES	5	0.08	14
280	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH MCC	21	0.33	4.4
281	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH CC	14	0.22	2.5
282	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITHOUT CC/MCC	12	0.19	1.6
283	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH MCC	5	0.08	3.2
286	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITH MCC	6	0.09	4.2
287	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITHOUT MCC	42	0.66	1.5
288	ACUTE & SUBACUTE ENDOCARDITIS WITH MCC	1	0.02	17
289	ACUTE & SUBACUTE ENDOCARDITIS WITH CC	2	0.03	3.0
291	HEART FAILURE & SHOCK WITH MCC	48	0.76	5.1
292	HEART FAILURE & SHOCK WITH CC	55	0.87	2.9
293	HEART FAILURE & SHOCK WITHOUT CC/MCC	20	0.32	2.4
296	CARDIAC ARREST, UNEXPLAINED WITH MCC	1	0.02	1.0
299	PERIPHERAL VASCULAR DISORDERS WITH MCC	11	0.17	5.0
300	PERIPHERAL VASCULAR DISORDERS WITH CC	15	0.24	3.5
301	PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC	10	0.16	2.1
302	ATHEROSCLEROSIS WITH MCC	1	0.02	26

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Tehama County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
303	ATHEROSCLEROSIS WITHOUT MCC	9	0.14	1.3
305	HYPERTENSION WITHOUT MCC	3	0.05	3.0
308	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH MCC	16	0.25	6.3
309	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC	28	0.44	2.5
310	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITHOUT CC/MCC	22	0.35	1.7
311	ANGINA PECTORIS	5	0.08	1.6
312	SYNCOPE & COLLAPSE	12	0.19	1.8
313	CHEST PAIN	24	0.38	1.7
314	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC	15	0.24	10
315	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC	10	0.16	4.4
316	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITHOUT CC/MCC	4	0.06	2.0
326	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH MCC	9	0.14	11
327	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH CC	10	0.16	2.9
328	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITHOUT CC/MCC	19	0.30	1.8
329	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	20	0.32	10
330	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH CC	35	0.55	7.0
331	MAJOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	6	0.09	4.2
333	RECTAL RESECTION WITH CC	3	0.05	5.7
334	RECTAL RESECTION WITHOUT CC/MCC	1	0.02	4.0
335	PERITONEAL ADHESIOLYSIS WITH MCC	3	0.05	6.7
336	PERITONEAL ADHESIOLYSIS WITH CC	10	0.16	4.8
337	PERITONEAL ADHESIOLYSIS WITHOUT CC/MCC	2	0.03	4.5

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Tehama County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
338	APPENECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	1	0.02	12
339	APPENECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	8	0.13	3.9
340	APPENECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	6	0.09	4.0
341	APPENECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	2	0.03	4.0
342	APPENECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	2	0.03	2.0
343	APPENECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	13	0.20	1.3
344	MINOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	1	0.02	12
345	MINOR SMALL & LARGE BOWEL PROCEDURES WITH CC	1	0.02	7.0
346	MINOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	1	0.02	4.0
347	ANAL & STOMAL PROCEDURES WITH MCC	1	0.02	6.0
348	ANAL & STOMAL PROCEDURES WITH CC	1	0.02	2.0
349	ANAL & STOMAL PROCEDURES WITHOUT CC/MCC	1	0.02	3.0
351	INGUINAL & FEMORAL HERNIA PROCEDURES WITH CC	2	0.03	4.0
353	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH MCC	2	0.03	7.0
354	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH CC	8	0.13	4.0
355	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITHOUT CC/MCC	6	0.09	2.0
356	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH MCC	2	0.03	14
357	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH CC	3	0.05	16
358	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	3	0.05	1.0
368	MAJOR ESOPHAGEAL DISORDERS WITH MCC	4	0.06	4.3
371	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH MCC	5	0.08	3.4
372	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH CC	9	0.14	6.1

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Tehama County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
373	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITHOUT CC/MCC	2	0.03	3.0
374	DIGESTIVE MALIGNANCY WITH MCC	6	0.09	8.3
375	DIGESTIVE MALIGNANCY WITH CC	4	0.06	6.5
377	G.I. HEMORRHAGE WITH MCC	24	0.38	4.0
378	G.I. HEMORRHAGE WITH CC	54	0.85	2.7
379	G.I. HEMORRHAGE WITHOUT CC/MCC	7	0.11	1.9
380	COMPLICATED PEPTIC ULCER WITH MCC	2	0.03	3.5
381	COMPLICATED PEPTIC ULCER WITH CC	2	0.03	4.5
382	COMPLICATED PEPTIC ULCER WITHOUT CC/MCC	1	0.02	4.0
384	UNCOMPLICATED PEPTIC ULCER WITHOUT MCC	1	0.02	1.0
386	INFLAMMATORY BOWEL DISEASE WITH CC	7	0.11	5.0
387	INFLAMMATORY BOWEL DISEASE WITHOUT CC/MCC	1	0.02	2.0
388	G.I. OBSTRUCTION WITH MCC	6	0.09	12
389	G.I. OBSTRUCTION WITH CC	15	0.24	5.6
390	G.I. OBSTRUCTION WITHOUT CC/MCC	31	0.49	2.4
391	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITH MCC	22	0.35	13
392	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC	91	1.43	2.4
393	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH MCC	7	0.11	3.7
394	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH CC	11	0.17	5.3
395	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	8	0.13	1.4
405	PANCREAS, LIVER & SHUNT PROCEDURES WITH MCC	4	0.06	27
406	PANCREAS, LIVER & SHUNT PROCEDURES WITH CC	1	0.02	7.0

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Tehama County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
407	PANCREAS, LIVER & SHUNT PROCEDURES WITHOUT CC/MCC	1	0.02	8.0
409	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH CC	1	0.02	3.0
411	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH MCC	5	0.08	5.0
412	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH CC	3	0.05	5.3
413	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITHOUT CC/MCC	3	0.05	3.3
414	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH MCC	4	0.06	3.8
415	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH CC	5	0.08	4.2
416	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	5	0.08	3.4
417	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH MCC	15	0.24	5.6
418	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH CC	15	0.24	4.3
419	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	22	0.35	2.5
421	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH CC	1	0.02	3.0
432	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH MCC	13	0.20	4.2
435	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITH MCC	6	0.09	9.2
438	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH MCC	10	0.16	4.0
439	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH CC	23	0.36	4.4
440	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITHOUT CC/MCC	19	0.30	3.0
441	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH MCC	15	0.24	3.7
442	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH CC	10	0.16	2.2
443	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITHOUT CC/MCC	6	0.09	2.7
444	DISORDERS OF THE BILIARY TRACT WITH MCC	8	0.13	2.8

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Tehama County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
445	DISORDERS OF THE BILIARY TRACT WITH CC	6	0.09	3.0
446	DISORDERS OF THE BILIARY TRACT WITHOUT CC/MCC	6	0.09	2.0
453	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH MCC	4	0.06	11
454	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH CC	4	0.06	4.5
455	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITHOUT CC/MCC	7	0.11	5.9
456	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH MCC	2	0.03	5.5
457	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH CC	1	0.02	16
459	SPINAL FUSION EXCEPT CERVICAL WITH MCC	1	0.02	8.0
460	SPINAL FUSION EXCEPT CERVICAL WITHOUT MCC	33	0.52	4.4
462	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITHOUT MCC	1	0.02	4.0
463	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH MCC	1	0.02	7.0
464	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH CC	5	0.08	15
465	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITHOUT CC/MCC	3	0.05	1.7
466	REVISION OF HIP OR KNEE REPLACEMENT WITH MCC	3	0.05	7.0
467	REVISION OF HIP OR KNEE REPLACEMENT WITH CC	11	0.17	3.4
468	REVISION OF HIP OR KNEE REPLACEMENT WITHOUT CC/MCC	13	0.20	2.8
469	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITH MCC	6	0.09	6.2
470	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITHOUT MCC	177	2.79	2.7
472	CERVICAL SPINAL FUSION WITH CC	2	0.03	1.0
473	CERVICAL SPINAL FUSION WITHOUT CC/MCC	22	0.35	1.5
475	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH CC	1	0.02	7.0
478	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	3	0.05	8.0

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Tehama County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
479	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	3	0.05	2.0
480	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH MCC	17	0.27	6.1
481	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH CC	39	0.61	3.9
482	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITHOUT CC/MCC	9	0.14	4.8
483	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITH CC/MCC	8	0.13	2.5
484	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITHOUT CC/MCC	9	0.14	2.2
485	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH MCC	1	0.02	3.0
486	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH CC	1	0.02	7.0
488	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITH CC/MCC	2	0.03	3.0
489	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	5	0.08	1.6
490	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITH CC/MCC OR DISC DEVICE/NEUROSTIM	6	0.09	3.2
491	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITHOUT CC/MCC	34	0.54	1.9
492	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH MCC	7	0.11	5.1
493	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH CC	9	0.14	3.0
494	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITHOUT CC/MCC	27	0.43	1.7
495	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH MCC	1	0.02	4.0
496	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH CC	3	0.05	4.3
497	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITHOUT CC/MCC	6	0.09	2.2
498	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITH CC/MCC	1	0.02	4.0
499	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITHOUT CC/MCC	2	0.03	2.0
501	SOFT TISSUE PROCEDURES WITH CC	9	0.14	4.2
502	SOFT TISSUE PROCEDURES WITHOUT CC/MCC	7	0.11	1.9

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Tehama County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
504	FOOT PROCEDURES WITH CC	4	0.06	3.8
506	MAJOR THUMB OR JOINT PROCEDURES	1	0.02	2.0
508	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITHOUT CC/MCC	1	0.02	1.0
512	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITHOUT CC/MCC	9	0.14	1.6
513	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITH CC/MCC	1	0.02	1.0
514	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITHOUT CC/MCC	4	0.06	2.3
515	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH MCC	1	0.02	2.0
516	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH CC	5	0.08	3.8
517	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITHOUT CC/MCC	9	0.14	1.9
534	FRACTURES OF FEMUR WITHOUT MCC	3	0.05	1.7
535	FRACTURES OF HIP & PELVIS WITH MCC	2	0.03	14
536	FRACTURES OF HIP & PELVIS WITHOUT MCC	7	0.11	2.9
539	OSTEOMYELITIS WITH MCC	4	0.06	18
540	OSTEOMYELITIS WITH CC	3	0.05	17
541	OSTEOMYELITIS WITHOUT CC/MCC	3	0.05	3.3
542	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH MCC	4	0.06	3.3
543	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH CC	7	0.11	5.0
544	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITHOUT CC/MCC	4	0.06	2.0
545	CONNECTIVE TISSUE DISORDERS WITH MCC	1	0.02	12
546	CONNECTIVE TISSUE DISORDERS WITH CC	3	0.05	1.7
547	CONNECTIVE TISSUE DISORDERS WITHOUT CC/MCC	2	0.03	3.5
548	SEPTIC ARTHRITIS WITH MCC	1	0.02	17

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Tehama County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
549	SEPTIC ARTHRITIS WITH CC	1	0.02	41
550	SEPTIC ARTHRITIS WITHOUT CC/MCC	1	0.02	3.0
551	MEDICAL BACK PROBLEMS WITH MCC	2	0.03	6.0
552	MEDICAL BACK PROBLEMS WITHOUT MCC	15	0.24	2.1
554	BONE DISEASES & ARTHROPATHIES WITHOUT MCC	1	0.02	3.0
555	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITH MCC	1	0.02	3.0
556	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC	6	0.09	2.8
557	TENDONITIS, MYOSITIS & BURSITIS WITH MCC	3	0.05	7.0
558	TENDONITIS, MYOSITIS & BURSITIS WITHOUT MCC	8	0.13	2.8
559	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	5	0.08	18
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	14	0.22	10
561	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	5	0.08	6.8
563	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC	2	0.03	2.5
564	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH MCC	2	0.03	2.5
565	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH CC	2	0.03	3.5
573	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH MCC	1	0.02	73
574	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH CC	7	0.11	7.4
575	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	2	0.03	3.0
576	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH MCC	2	0.03	15
578	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	2	0.03	2.0
579	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH MCC	5	0.08	4.0
580	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH CC	2	0.03	2.0

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Tehama County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
581	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITHOUT CC/MCC	6	0.09	2.2
582	MASTECTOMY FOR MALIGNANCY WITH CC/MCC	2	0.03	1.0
583	MASTECTOMY FOR MALIGNANCY WITHOUT CC/MCC	3	0.05	.67
584	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITH CC/MCC	1	0.02	3.0
585	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITHOUT CC/MCC	2	0.03	1.0
592	SKIN ULCERS WITH MCC	5	0.08	20
593	SKIN ULCERS WITH CC	4	0.06	2.8
595	MAJOR SKIN DISORDERS WITH MCC	3	0.05	2.3
596	MAJOR SKIN DISORDERS WITHOUT MCC	3	0.05	2.3
602	CELLULITIS WITH MCC	14	0.22	9.5
603	CELLULITIS WITHOUT MCC	83	1.31	3.7
604	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITH MCC	1	0.02	7.0
605	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITHOUT MCC	3	0.05	3.3
606	MINOR SKIN DISORDERS WITH MCC	1	0.02	2.0
607	MINOR SKIN DISORDERS WITHOUT MCC	3	0.05	5.0
616	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH MCC	1	0.02	3.0
617	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH CC	1	0.02	2.0
620	O.R. PROCEDURES FOR OBESITY WITH CC	3	0.05	2.0
621	O.R. PROCEDURES FOR OBESITY WITHOUT CC/MCC	14	0.22	2.1
623	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH CC	3	0.05	14
625	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH MCC	1	0.02	6.0
627	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITHOUT CC/MCC	7	0.11	1.4

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Tehama County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
637	DIABETES WITH MCC	17	0.27	3.0
638	DIABETES WITH CC	20	0.32	2.9
639	DIABETES WITHOUT CC/MCC	31	0.49	2.1
640	NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC	28	0.44	3.4
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	80	1.26	2.4
642	INBORN ERRORS OF METABOLISM	2	0.03	3.0
643	ENDOCRINE DISORDERS WITH MCC	1	0.02	6.0
644	ENDOCRINE DISORDERS WITH CC	4	0.06	2.0
645	ENDOCRINE DISORDERS WITHOUT CC/MCC	1	0.02	2.0
653	MAJOR BLADDER PROCEDURES WITH MCC	1	0.02	12
655	MAJOR BLADDER PROCEDURES WITHOUT CC/MCC	2	0.03	8.0
656	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH MCC	2	0.03	4.5
657	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH CC	3	0.05	2.3
658	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITHOUT CC/MCC	3	0.05	4.7
660	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH CC	3	0.05	1.7
661	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITHOUT CC/MCC	4	0.06	3.8
663	MINOR BLADDER PROCEDURES WITH CC	1	0.02	6.0
666	PROSTATECTOMY WITH CC	1	0.02	1.0
667	PROSTATECTOMY WITHOUT CC/MCC	1	0.02	2.0
668	TRANSURETHRAL PROCEDURES WITH MCC	3	0.05	4.0
669	TRANSURETHRAL PROCEDURES WITH CC	7	0.11	2.3
670	TRANSURETHRAL PROCEDURES WITHOUT CC/MCC	6	0.09	2.5

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Tehama County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
671	URETHRAL PROCEDURES WITH CC/MCC	1	0.02	8.0
672	URETHRAL PROCEDURES WITHOUT CC/MCC	2	0.03	1.5
673	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH MCC	1	0.02	25
674	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH CC	1	0.02	.00
675	OTHER KIDNEY & URINARY TRACT PROCEDURES WITHOUT CC/MCC	1	0.02	1.0
682	RENAL FAILURE WITH MCC	40	0.63	11
683	RENAL FAILURE WITH CC	29	0.46	3.0
684	RENAL FAILURE WITHOUT CC/MCC	9	0.14	2.7
689	KIDNEY & URINARY TRACT INFECTIONS WITH MCC	14	0.22	4.2
690	KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC	42	0.66	3.0
693	URINARY STONES WITHOUT ESW LITHOTRIPSY WITH MCC	1	0.02	2.0
694	URINARY STONES WITHOUT ESW LITHOTRIPSY WITHOUT MCC	12	0.19	1.8
697	URETHRAL STRICTURE	1	0.02	1.0
698	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH MCC	9	0.14	3.8
699	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH CC	7	0.11	2.4
700	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITHOUT CC/MCC	5	0.08	2.0
707	MAJOR MALE PELVIC PROCEDURES WITH CC/MCC	2	0.03	3.0
708	MAJOR MALE PELVIC PROCEDURES WITHOUT CC/MCC	10	0.16	2.4
710	PENIS PROCEDURES WITHOUT CC/MCC	1	0.02	1.0
711	TESTES PROCEDURES WITH CC/MCC	1	0.02	1.0
712	TESTES PROCEDURES WITHOUT CC/MCC	2	0.03	3.0
713	TRANSURETHRAL PROSTATECTOMY WITH CC/MCC	9	0.14	2.0

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Tehama County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
714	TRANSURETHRAL PROSTATECTOMY WITHOUT CC/MCC	16	0.25	1.4
726	BENIGN PROSTATIC HYPERTROPHY WITHOUT MCC	1	0.02	.00
727	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITH MCC	1	0.02	4.0
728	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITHOUT MCC	3	0.05	4.3
729	OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITH CC/MCC	1	0.02	25
734	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITH CC/MCC	1	0.02	4.0
737	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH CC	4	0.06	6.3
738	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITHOUT CC/MCC	1	0.02	3.0
740	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH CC	7	0.11	2.6
741	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITHOUT CC/MCC	7	0.11	2.3
742	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITH CC/MCC	26	0.41	1.8
743	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITHOUT CC/MCC	81	1.28	1.3
746	VAGINA, CERVIX & VULVA PROCEDURES WITH CC/MCC	1	0.02	3.0
747	VAGINA, CERVIX & VULVA PROCEDURES WITHOUT CC/MCC	4	0.06	1.3
748	FEMALE REPRODUCTIVE SYSTEM RECONSTRUCTIVE PROCEDURES	9	0.14	2.2
749	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITH CC/MCC	1	0.02	1.0
754	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH MCC	1	0.02	2.0
755	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH CC	2	0.03	3.0
758	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH CC	1	0.02	3.0
759	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	2	0.03	1.0
760	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITH CC/MCC	2	0.03	3.0
761	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITHOUT CC/MCC	2	0.03	5.0

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Tehama County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
765	CESAREAN SECTION WITH CC/MCC	75	1.18	3.4
766	CESAREAN SECTION WITHOUT CC/MCC	127	2.00	2.4
767	VAGINAL DELIVERY WITH STERILIZATION &/OR D&C	9	0.14	2.0
769	POSTPARTUM & POST ABORTION DIAGNOSIS WITH O.R. PROCEDURE	1	0.02	2.0
770	ABORTION WITH D&C, ASPIRATION CURETTAGE OR HYSTEROTOMY	3	0.05	1.0
774	VAGINAL DELIVERY WITH COMPLICATING DIAGNOSIS	63	0.99	2.1
775	VAGINAL DELIVERY WITHOUT COMPLICATING DIAGNOSIS	454	7.16	1.7
776	POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE	6	0.09	1.8
778	THREATENED ABORTION	7	0.11	2.1
779	ABORTION WITHOUT D&C	1	0.02	1.0
780	FALSE LABOR	4	0.06	2.3
781	OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS	28	0.44	2.0
782	OTHER ANTEPARTUM DIAGNOSIS WITHOUT MEDICAL COMPLICATIONS	5	0.08	2.0
789	NEONATES, DIED OR TRANSFERRED TO ANOTHER ACUTE CARE FACILITY	25	0.39	2.0
790	EXTREME IMMATURETY OR RESPIRATORY DISTRESS SYNDROME, NEONATE	11	0.17	21
791	PREMATURITY WITH MAJOR PROBLEMS	11	0.17	22
792	PREMATURITY WITHOUT MAJOR PROBLEMS	31	0.49	4.5
793	FULL TERM NEONATE WITH MAJOR PROBLEMS	28	0.44	5.3
794	NEONATE WITH OTHER SIGNIFICANT PROBLEMS	99	1.56	1.9
795	NORMAL NEWBORN	572	9.02	1.6
799	SPLENECTOMY WITH MCC	2	0.03	17
802	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH MCC	1	0.02	6.0

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Tehama County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
808	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH MCC	3	0.05	5.7
809	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH CC	6	0.09	6.3
811	RED BLOOD CELL DISORDERS WITH MCC	13	0.20	3.2
812	RED BLOOD CELL DISORDERS WITHOUT MCC	24	0.38	2.0
813	COAGULATION DISORDERS	9	0.14	2.3
815	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH CC	1	0.02	2.0
816	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITHOUT CC/MCC	4	0.06	3.0
820	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH MCC	1	0.02	58
821	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH CC	2	0.03	1.5
822	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITHOUT CC/MCC	4	0.06	2.3
826	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH MCC	1	0.02	3.0
827	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH CC	1	0.02	5.0
829	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITH CC/MCC	1	0.02	68
834	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH MCC	4	0.06	21
836	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITHOUT CC/MCC	2	0.03	6.0
837	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS OR WITH HIGH DOSE CHEMO AGENT WITH MCC	3	0.05	5.0
838	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITH CC OR HIGH DOSE CHEMO AGENT	2	0.03	4.0
839	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITHOUT CC/MCC	3	0.05	13
840	LYMPHOMA & NON-ACUTE LEUKEMIA WITH MCC	2	0.03	6.5
841	LYMPHOMA & NON-ACUTE LEUKEMIA WITH CC	5	0.08	9.0
842	LYMPHOMA & NON-ACUTE LEUKEMIA WITHOUT CC/MCC	1	0.02	.00
843	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH MCC	1	0.02	10

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Tehama County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
844	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH CC	1	0.02	1.0
847	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH CC	7	0.11	2.3
848	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITHOUT CC/MCC	2	0.03	1.0
849	RADIOTHERAPY	6	0.09	3.5
853	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH MCC	16	0.25	17
854	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH CC	6	0.09	4.8
856	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH MCC	7	0.11	15
857	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH CC	8	0.13	4.6
858	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITHOUT CC/MCC	2	0.03	2.0
862	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITH MCC	9	0.14	10
863	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC	8	0.13	3.1
864	FEVER	11	0.17	3.8
865	VIRAL ILLNESS WITH MCC	1	0.02	9.0
866	VIRAL ILLNESS WITHOUT MCC	7	0.11	2.3
867	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH MCC	1	0.02	13
868	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH CC	1	0.02	2.0
869	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITHOUT CC/MCC	1	0.02	4.0
870	SEPTICEMIA OR SEVERE SEPSIS WITH MECH VENT 96+ HOURS	4	0.06	13
871	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC	124	1.95	6.0
872	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC	36	0.57	4.7
876	O.R. PROCEDURE WITH PRINCIPAL DIAGNOSIS OF MENTAL ILLNESS	2	0.03	9.0
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	2	0.03	2.0

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Tehama County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
881	DEPRESSIVE NEUROSES	10	0.16	3.8
882	NEUROSES EXCEPT DEPRESSIVE	5	0.08	8.6
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	2	0.03	3.5
885	PSYCHOSES	117	1.84	9.7
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	6	0.09	5.7
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	12	0.19	4.4
901	WOUND DEBRIDEMENTS FOR INJURIES WITH MCC	2	0.03	33
903	WOUND DEBRIDEMENTS FOR INJURIES WITHOUT CC/MCC	1	0.02	7.0
905	SKIN GRAFTS FOR INJURIES WITHOUT CC/MCC	1	0.02	10
906	HAND PROCEDURES FOR INJURIES	3	0.05	4.0
907	OTHER O.R. PROCEDURES FOR INJURIES WITH MCC	3	0.05	35
908	OTHER O.R. PROCEDURES FOR INJURIES WITH CC	6	0.09	4.7
909	OTHER O.R. PROCEDURES FOR INJURIES WITHOUT CC/MCC	2	0.03	13
914	TRAUMATIC INJURY WITHOUT MCC	2	0.03	2.5
916	ALLERGIC REACTIONS WITHOUT MCC	4	0.06	1.5
917	POISONING & TOXIC EFFECTS OF DRUGS WITH MCC	29	0.46	3.3
918	POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC	29	0.46	1.2
919	COMPLICATIONS OF TREATMENT WITH MCC	3	0.05	4.0
920	COMPLICATIONS OF TREATMENT WITH CC	3	0.05	19
921	COMPLICATIONS OF TREATMENT WITHOUT CC/MCC	1	0.02	1.0
922	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITH MCC	2	0.03	3.5
923	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITHOUT MCC	3	0.05	2.0

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Tehama County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
927	EXTENSIVE BURNS OR FULL THICKNESS BURNS WITH MECH VENT 96+ HRS WITH SKIN GRAFT	1	0.02	18
929	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITHOUT CC/MCC	1	0.02	20
934	FULL THICKNESS BURN WITHOUT SKIN GRAFT OR INHAL INJURY	1	0.02	9.0
935	NON-EXTENSIVE BURNS	6	0.09	2.8
940	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC	4	0.06	6.0
941	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITHOUT CC/MCC	4	0.06	1.0
945	REHABILITATION WITH CC/MCC	41	0.65	12
946	REHABILITATION WITHOUT CC/MCC	5	0.08	6.6
947	SIGNS & SYMPTOMS WITH MCC	3	0.05	6.7
948	SIGNS & SYMPTOMS WITHOUT MCC	8	0.13	3.3
949	AFTERCARE WITH CC/MCC	2	0.03	29
950	AFTERCARE WITHOUT CC/MCC	1	0.02	2.0
951	OTHER FACTORS INFLUENCING HEALTH STATUS	4	0.06	3.0
955	CRANIOTOMY FOR MULTIPLE SIGNIFICANT TRAUMA	3	0.05	15
956	LIMB REATTACHMENT, HIP & FEMUR PROCEDURE FOR MULTIPLE SIGNIFICANT TRAUMA	3	0.05	9.3
957	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH MCC	4	0.06	17
958	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH CC	3	0.05	6.7
959	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	1	0.02	5.0
963	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH MCC	1	0.02	18
964	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH CC	3	0.05	5.3
965	OTHER MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	1	0.02	3.0
977	HIV WITH OR WITHOUT OTHER RELATED CONDITION	1	0.02	11

(Continued)

**MS-DRG by Patient County of Residence
for 2010
Tehama County**

		Number of Discharges	Percent of Subtotal	Average Length of Stay
981	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	12	0.19	14
982	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	6	0.09	2.3
983	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	5	0.08	1.4
987	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	4	0.06	6.0
988	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	3	0.05	3.3
989	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	6	0.09	2.8
998	PRINCIPAL DIAGNOSIS INVALID AS DISCHARGE DIAGNOSIS	1	0.02	2.0
All		6,343	100.0	4.0

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Tehama County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
003	ECMO OR TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITH MAJOR O.R.	8	0.13	34
004	TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITHOUT MAJOR O.R.	6	0.10	28
009	BONE MARROW TRANSPLANT	2	0.03	50
011	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH MCC	3	0.05	15
013	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITHOUT CC/MCC	1	0.02	10
023	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITH MCC OR CHEMO IMPLANT	3	0.05	6.7
024	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITHOUT MCC	2	0.03	5.5
025	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH MCC	6	0.10	6.8
026	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH CC	5	0.08	5.6
027	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITHOUT CC/MCC	10	0.16	4.5
028	SPINAL PROCEDURES WITH MCC	1	0.02	22
029	SPINAL PROCEDURES WITH CC OR SPINAL NEUROSTIMULATORS	2	0.03	5.5
030	SPINAL PROCEDURES WITHOUT CC/MCC	2	0.03	1.5
032	VENTRICULAR SHUNT PROCEDURES WITH CC	1	0.02	2.0
033	VENTRICULAR SHUNT PROCEDURES WITHOUT CC/MCC	1	0.02	1.0
036	CAROTID ARTERY STENT PROCEDURE WITHOUT CC/MCC	1	0.02	2.0
037	EXTRACRANIAL PROCEDURES WITH MCC	3	0.05	2.7
038	EXTRACRANIAL PROCEDURES WITH CC	12	0.20	1.8
039	EXTRACRANIAL PROCEDURES WITHOUT CC/MCC	29	0.47	1.1

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Tehama County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
040	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH MCC	2	0.03	4.0
041	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH CC OR PERIPH NEUROSTIM	5	0.08	6.2
042	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITHOUT CC/MCC	2	0.03	5.0
052	SPINAL DISORDERS & INJURIES WITH CC/MCC	1	0.02	41
054	NERVOUS SYSTEM NEOPLASMS WITH MCC	3	0.05	1.3
055	NERVOUS SYSTEM NEOPLASMS WITHOUT MCC	4	0.07	3.8
056	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC	3	0.05	6.3
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	7	0.11	16
059	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH CC	2	0.03	3.0
060	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITHOUT CC/MCC	2	0.03	2.5
061	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH MCC	1	0.02	11
062	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH CC	2	0.03	2.5
064	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC	28	0.46	5.4
065	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC	38	0.62	2.7
066	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC	25	0.41	2.0
067	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITH MCC	1	0.02	1.0
069	TRANSIENT ISCHEMIA	21	0.34	2.0
070	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH MCC	3	0.05	3.0
071	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH CC	6	0.10	6.7
073	CRANIAL & PERIPHERAL NERVE DISORDERS WITH MCC	3	0.05	4.3
074	CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC	10	0.16	2.7

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Tehama County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
075	VIRAL MENINGITIS WITH CC/MCC	1	0.02	8.0
076	VIRAL MENINGITIS WITHOUT CC/MCC	2	0.03	3.5
078	HYPERTENSIVE ENCEPHALOPATHY WITH CC	1	0.02	3.0
080	NONTRAUMATIC STUPOR & COMA WITH MCC	1	0.02	11
081	NONTRAUMATIC STUPOR & COMA WITHOUT MCC	8	0.13	2.0
085	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH MCC	1	0.02	5.0
086	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH CC	5	0.08	6.2
087	TRAUMATIC STUPOR & COMA, COMA <1 HR WITHOUT CC/MCC	8	0.13	3.0
088	CONCUSSION WITH MCC	1	0.02	5.0
089	CONCUSSION WITH CC	1	0.02	1.0
090	CONCUSSION WITHOUT CC/MCC	3	0.05	1.7
091	OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC	3	0.05	5.0
092	OTHER DISORDERS OF NERVOUS SYSTEM WITH CC	2	0.03	2.5
093	OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC	1	0.02	4.0
094	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH MCC	8	0.13	14
095	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH CC	3	0.05	9.7
096	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITHOUT CC/MCC	3	0.05	2.3
098	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH CC	1	0.02	5.0
099	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITHOUT CC/MCC	1	0.02	5.0
100	SEIZURES WITH MCC	16	0.26	4.3
101	SEIZURES WITHOUT MCC	28	0.46	2.6

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Tehama County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
103	HEADACHES WITHOUT MCC	5	0.08	2.2
114	ORBITAL PROCEDURES WITHOUT CC/MCC	1	0.02	2.0
115	EXTRAOCULAR PROCEDURES EXCEPT ORBIT	1	0.02	1.0
122	ACUTE MAJOR EYE INFECTIONS WITHOUT CC/MCC	1	0.02	3.0
125	OTHER DISORDERS OF THE EYE WITHOUT MCC	3	0.05	10
130	MAJOR HEAD & NECK PROCEDURES WITHOUT CC/MCC	1	0.02	3.0
131	CRANIAL/FACIAL PROCEDURES WITH CC/MCC	3	0.05	1.7
132	CRANIAL/FACIAL PROCEDURES WITHOUT CC/MCC	2	0.03	2.5
134	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITHOUT CC/MCC	4	0.07	1.8
136	SINUS & MASTOID PROCEDURES WITHOUT CC/MCC	1	0.02	1.0
138	MOUTH PROCEDURES WITHOUT CC/MCC	2	0.03	2.0
139	SALIVARY GLAND PROCEDURES	1	0.02	6.0
146	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH MCC	2	0.03	2.5
147	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH CC	1	0.02	6.0
149	DYSEQUILIBRIUM	1	0.02	3.0
150	EPISTAXIS WITH MCC	1	0.02	5.0
153	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITHOUT MCC	15	0.25	2.1
154	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH MCC	1	0.02	19
155	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH CC	1	0.02	3.0
156	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITHOUT CC/MCC	2	0.03	2.0
157	DENTAL & ORAL DISEASES WITH MCC	3	0.05	4.3

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Tehama County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
158	DENTAL & ORAL DISEASES WITH CC	2	0.03	3.0
163	MAJOR CHEST PROCEDURES WITH MCC	9	0.15	11
164	MAJOR CHEST PROCEDURES WITH CC	10	0.16	6.1
165	MAJOR CHEST PROCEDURES WITHOUT CC/MCC	7	0.11	3.6
166	OTHER RESP SYSTEM O.R. PROCEDURES WITH MCC	10	0.16	12
175	PULMONARY EMBOLISM WITH MCC	9	0.15	4.0
176	PULMONARY EMBOLISM WITHOUT MCC	19	0.31	3.5
177	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC	28	0.46	6.1
178	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC	10	0.16	4.9
179	RESPIRATORY INFECTIONS & INFLAMMATIONS WITHOUT CC/MCC	9	0.15	4.3
180	RESPIRATORY NEOPLASMS WITH MCC	10	0.16	4.0
181	RESPIRATORY NEOPLASMS WITH CC	9	0.15	5.4
183	MAJOR CHEST TRAUMA WITH MCC	2	0.03	3.5
184	MAJOR CHEST TRAUMA WITH CC	1	0.02	4.0
186	PLEURAL EFFUSION WITH MCC	4	0.07	7.3
187	PLEURAL EFFUSION WITH CC	3	0.05	5.3
188	PLEURAL EFFUSION WITHOUT CC/MCC	3	0.05	4.3
189	PULMONARY EDEMA & RESPIRATORY FAILURE	79	1.29	5.2
190	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC	65	1.06	4.0
191	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC	42	0.69	3.1
192	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC	51	0.83	2.7

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Tehama County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
193	SIMPLE PNEUMONIA & PLEURISY WITH MCC	47	0.77	5.4
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	91	1.49	3.2
195	SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC	55	0.90	2.5
196	INTERSTITIAL LUNG DISEASE WITH MCC	4	0.07	6.3
197	INTERSTITIAL LUNG DISEASE WITH CC	3	0.05	2.0
199	PNEUMOTHORAX WITH MCC	2	0.03	8.0
200	PNEUMOTHORAX WITH CC	3	0.05	3.7
201	PNEUMOTHORAX WITHOUT CC/MCC	3	0.05	4.0
202	BRONCHITIS & ASTHMA WITH CC/MCC	22	0.36	2.8
203	BRONCHITIS & ASTHMA WITHOUT CC/MCC	67	1.10	2.2
204	RESPIRATORY SIGNS & SYMPTOMS	1	0.02	1.0
205	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITH MCC	5	0.08	4.6
206	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITHOUT MCC	4	0.07	4.0
207	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS	17	0.28	12
208	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS	38	0.62	5.0
216	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH MCC	6	0.10	9.5
217	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH CC	5	0.08	9.6
219	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH MCC	4	0.07	10
220	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH CC	6	0.10	3.5
222	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITH MCC	2	0.03	7.0
223	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITHOUT MCC	1	0.02	10

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Tehama County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
224	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITH MCC	1	0.02	1.0
225	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITHOUT MCC	1	0.02	2.0
226	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITH MCC	4	0.07	12
227	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITHOUT MCC	11	0.18	1.3
228	OTHER CARDIOTHORACIC PROCEDURES WITH MCC	4	0.07	39
229	OTHER CARDIOTHORACIC PROCEDURES WITH CC	1	0.02	6.0
231	CORONARY BYPASS WITH PTCA WITH MCC	3	0.05	7.3
232	CORONARY BYPASS WITH PTCA WITHOUT MCC	1	0.02	10
233	CORONARY BYPASS WITH CARDIAC CATH WITH MCC	14	0.23	13
234	CORONARY BYPASS WITH CARDIAC CATH WITHOUT MCC	11	0.18	6.4
235	CORONARY BYPASS WITHOUT CARDIAC CATH WITH MCC	4	0.07	7.0
236	CORONARY BYPASS WITHOUT CARDIAC CATH WITHOUT MCC	6	0.10	4.3
237	MAJOR CARDIOVASC PROCEDURES WITH MCC OR THORACIC AORTIC ANEURYSM REPAIR	6	0.10	11
238	MAJOR CARDIOVASC PROCEDURES WITHOUT MCC	13	0.21	4.1
239	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH MCC	1	0.02	5.0
240	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH CC	3	0.05	2.0
241	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITHOUT CC/MCC	1	0.02	7.0
242	PERMANENT CARDIAC PACEMAKER IMPLANT WITH MCC	5	0.08	5.0
243	PERMANENT CARDIAC PACEMAKER IMPLANT WITH CC	7	0.11	2.4
244	PERMANENT CARDIAC PACEMAKER IMPLANT WITHOUT CC/MCC	12	0.20	1.7
246	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITH MCC OR 4+ VESSELS/STENTS	13	0.21	2.2

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Tehama County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
247	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITHOUT MCC	71	1.16	1.5
248	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITH MCC OR 4+ VES/STENTS	3	0.05	5.3
249	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITHOUT MCC	14	0.23	1.6
250	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITH MCC	6	0.10	3.0
251	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITHOUT MCC	22	0.36	1.4
252	OTHER VASCULAR PROCEDURES WITH MCC	9	0.15	7.8
253	OTHER VASCULAR PROCEDURES WITH CC	15	0.25	4.5
254	OTHER VASCULAR PROCEDURES WITHOUT CC/MCC	19	0.31	1.7
257	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITHOUT CC/MCC	1	0.02	6.0
259	CARDIAC PACEMAKER DEVICE REPLACEMENT WITHOUT MCC	1	0.02	1.0
262	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITHOUT CC/MCC	1	0.02	1.0
264	OTHER CIRCULATORY SYSTEM O.R. PROCEDURES	5	0.08	14
280	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH MCC	21	0.34	4.4
281	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH CC	14	0.23	2.5
282	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITHOUT CC/MCC	12	0.20	1.6
283	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH MCC	5	0.08	3.2
286	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITH MCC	6	0.10	4.2
287	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITHOUT MCC	42	0.69	1.5
288	ACUTE & SUBACUTE ENDOCARDITIS WITH MCC	1	0.02	17
289	ACUTE & SUBACUTE ENDOCARDITIS WITH CC	2	0.03	3.0
291	HEART FAILURE & SHOCK WITH MCC	48	0.78	5.1

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Tehama County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
292	HEART FAILURE & SHOCK WITH CC	55	0.90	2.9
293	HEART FAILURE & SHOCK WITHOUT CC/MCC	20	0.33	2.4
296	CARDIAC ARREST, UNEXPLAINED WITH MCC	1	0.02	1.0
299	PERIPHERAL VASCULAR DISORDERS WITH MCC	10	0.16	3.9
300	PERIPHERAL VASCULAR DISORDERS WITH CC	15	0.25	3.5
301	PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC	10	0.16	2.1
302	ATHEROSCLEROSIS WITH MCC	1	0.02	26
303	ATHEROSCLEROSIS WITHOUT MCC	9	0.15	1.3
305	HYPERTENSION WITHOUT MCC	3	0.05	3.0
308	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH MCC	15	0.25	5.5
309	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC	28	0.46	2.5
310	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITHOUT CC/MCC	22	0.36	1.7
311	ANGINA PECTORIS	5	0.08	1.6
312	SYNCOPE & COLLAPSE	12	0.20	1.8
313	CHEST PAIN	24	0.39	1.7
314	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC	15	0.25	10
315	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC	10	0.16	4.4
316	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITHOUT CC/MCC	4	0.07	2.0
326	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH MCC	9	0.15	11
327	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH CC	10	0.16	2.9
328	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITHOUT CC/MCC	19	0.31	1.8

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Tehama County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
329	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	20	0.33	10
330	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH CC	35	0.57	7.0
331	MAJOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	6	0.10	4.2
333	RECTAL RESECTION WITH CC	3	0.05	5.7
334	RECTAL RESECTION WITHOUT CC/MCC	1	0.02	4.0
335	PERITONEAL ADHESIOLYSIS WITH MCC	3	0.05	6.7
336	PERITONEAL ADHESIOLYSIS WITH CC	10	0.16	4.8
337	PERITONEAL ADHESIOLYSIS WITHOUT CC/MCC	2	0.03	4.5
338	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	1	0.02	12
339	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	8	0.13	3.9
340	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	6	0.10	4.0
341	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	2	0.03	4.0
342	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	2	0.03	2.0
343	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	13	0.21	1.3
344	MINOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	1	0.02	12
345	MINOR SMALL & LARGE BOWEL PROCEDURES WITH CC	1	0.02	7.0
346	MINOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	1	0.02	4.0
347	ANAL & STOMAL PROCEDURES WITH MCC	1	0.02	6.0
348	ANAL & STOMAL PROCEDURES WITH CC	1	0.02	2.0
349	ANAL & STOMAL PROCEDURES WITHOUT CC/MCC	1	0.02	3.0
351	INGUINAL & FEMORAL HERNIA PROCEDURES WITH CC	2	0.03	4.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Tehama County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
353	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH MCC	2	0.03	7.0
354	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH CC	8	0.13	4.0
355	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITHOUT CC/MCC	6	0.10	2.0
356	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH MCC	2	0.03	14
357	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH CC	3	0.05	16
358	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	3	0.05	1.0
368	MAJOR ESOPHAGEAL DISORDERS WITH MCC	4	0.07	4.3
371	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH MCC	5	0.08	3.4
372	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH CC	9	0.15	6.1
373	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITHOUT CC/MCC	2	0.03	3.0
374	DIGESTIVE MALIGNANCY WITH MCC	6	0.10	8.3
375	DIGESTIVE MALIGNANCY WITH CC	4	0.07	6.5
377	G.I. HEMORRHAGE WITH MCC	24	0.39	4.0
378	G.I. HEMORRHAGE WITH CC	54	0.88	2.7
379	G.I. HEMORRHAGE WITHOUT CC/MCC	7	0.11	1.9
380	COMPLICATED PEPTIC ULCER WITH MCC	1	0.02	3.0
381	COMPLICATED PEPTIC ULCER WITH CC	2	0.03	4.5
382	COMPLICATED PEPTIC ULCER WITHOUT CC/MCC	1	0.02	4.0
384	UNCOMPLICATED PEPTIC ULCER WITHOUT MCC	1	0.02	1.0
386	INFLAMMATORY BOWEL DISEASE WITH CC	7	0.11	5.0
387	INFLAMMATORY BOWEL DISEASE WITHOUT CC/MCC	1	0.02	2.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Tehama County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
388	G.I. OBSTRUCTION WITH MCC	6	0.10	12
389	G.I. OBSTRUCTION WITH CC	15	0.25	5.6
390	G.I. OBSTRUCTION WITHOUT CC/MCC	31	0.51	2.4
391	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITH MCC	22	0.36	13
392	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC	91	1.49	2.4
393	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH MCC	7	0.11	3.7
394	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH CC	11	0.18	5.3
395	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	8	0.13	1.4
405	PANCREAS, LIVER & SHUNT PROCEDURES WITH MCC	4	0.07	27
406	PANCREAS, LIVER & SHUNT PROCEDURES WITH CC	1	0.02	7.0
407	PANCREAS, LIVER & SHUNT PROCEDURES WITHOUT CC/MCC	1	0.02	8.0
409	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH CC	1	0.02	3.0
411	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH MCC	5	0.08	5.0
412	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH CC	3	0.05	5.3
413	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITHOUT CC/MCC	3	0.05	3.3
414	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH MCC	4	0.07	3.8
415	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH CC	5	0.08	4.2
416	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	5	0.08	3.4
417	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH MCC	15	0.25	5.6
418	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH CC	15	0.25	4.3

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Tehama County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
419	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	22	0.36	2.5
421	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH CC	1	0.02	3.0
432	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH MCC	13	0.21	4.2
435	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITH MCC	6	0.10	9.2
438	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH MCC	10	0.16	4.0
439	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH CC	23	0.38	4.4
440	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITHOUT CC/MCC	19	0.31	3.0
441	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH MCC	15	0.25	3.7
442	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH CC	10	0.16	2.2
443	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITHOUT CC/MCC	6	0.10	2.7
444	DISORDERS OF THE BILIARY TRACT WITH MCC	8	0.13	2.8
445	DISORDERS OF THE BILIARY TRACT WITH CC	6	0.10	3.0
446	DISORDERS OF THE BILIARY TRACT WITHOUT CC/MCC	6	0.10	2.0
453	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH MCC	4	0.07	11
454	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH CC	4	0.07	4.5
455	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITHOUT CC/MCC	7	0.11	5.9
456	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH MCC	2	0.03	5.5
457	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH CC	1	0.02	16
459	SPINAL FUSION EXCEPT CERVICAL WITH MCC	1	0.02	8.0
460	SPINAL FUSION EXCEPT CERVICAL WITHOUT MCC	33	0.54	4.4
462	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITHOUT MCC	1	0.02	4.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Tehama County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
463	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH MCC	1	0.02	7.0
464	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH CC	5	0.08	15
465	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITHOUT CC/MCC	3	0.05	1.7
466	REVISION OF HIP OR KNEE REPLACEMENT WITH MCC	3	0.05	7.0
467	REVISION OF HIP OR KNEE REPLACEMENT WITH CC	11	0.18	3.4
468	REVISION OF HIP OR KNEE REPLACEMENT WITHOUT CC/MCC	13	0.21	2.8
469	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITH MCC	6	0.10	6.2
470	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITHOUT MCC	177	2.89	2.7
472	CERVICAL SPINAL FUSION WITH CC	2	0.03	1.0
473	CERVICAL SPINAL FUSION WITHOUT CC/MCC	22	0.36	1.5
475	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH CC	1	0.02	7.0
478	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	3	0.05	8.0
479	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	3	0.05	2.0
480	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH MCC	17	0.28	6.1
481	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH CC	39	0.64	3.9
482	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITHOUT CC/MCC	9	0.15	4.8
483	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITH CC/MCC	8	0.13	2.5
484	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITHOUT CC/MCC	9	0.15	2.2
485	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH MCC	1	0.02	3.0
486	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH CC	1	0.02	7.0
488	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITH CC/MCC	2	0.03	3.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Tehama County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
489	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	5	0.08	1.6
490	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITH CC/MCC OR DISC DEVICE/NEUROSTIM	6	0.10	3.2
491	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITHOUT CC/MCC	34	0.56	1.9
492	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH MCC	7	0.11	5.1
493	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH CC	9	0.15	3.0
494	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITHOUT CC/MCC	27	0.44	1.7
495	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH MCC	1	0.02	4.0
496	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH CC	3	0.05	4.3
497	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITHOUT CC/MCC	6	0.10	2.2
498	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITH CC/MCC	1	0.02	4.0
499	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITHOUT CC/MCC	2	0.03	2.0
501	SOFT TISSUE PROCEDURES WITH CC	9	0.15	4.2
502	SOFT TISSUE PROCEDURES WITHOUT CC/MCC	7	0.11	1.9
504	FOOT PROCEDURES WITH CC	4	0.07	3.8
506	MAJOR THUMB OR JOINT PROCEDURES	1	0.02	2.0
508	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITHOUT CC/MCC	1	0.02	1.0
512	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITHOUT CC/MCC	9	0.15	1.6
513	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITH CC/MCC	1	0.02	1.0
514	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITHOUT CC/MCC	4	0.07	2.3
515	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH MCC	1	0.02	2.0
516	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH CC	5	0.08	3.8

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Tehama County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
517	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITHOUT CC/MCC	9	0.15	1.9
534	FRACTURES OF FEMUR WITHOUT MCC	3	0.05	1.7
535	FRACTURES OF HIP & PELVIS WITH MCC	1	0.02	5.0
536	FRACTURES OF HIP & PELVIS WITHOUT MCC	7	0.11	2.9
539	OSTEOMYELITIS WITH MCC	4	0.07	18
540	OSTEOMYELITIS WITH CC	3	0.05	17
541	OSTEOMYELITIS WITHOUT CC/MCC	3	0.05	3.3
542	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH MCC	4	0.07	3.3
543	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH CC	6	0.10	4.0
544	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITHOUT CC/MCC	4	0.07	2.0
545	CONNECTIVE TISSUE DISORDERS WITH MCC	1	0.02	12
546	CONNECTIVE TISSUE DISORDERS WITH CC	3	0.05	1.7
547	CONNECTIVE TISSUE DISORDERS WITHOUT CC/MCC	2	0.03	3.5
548	SEPTIC ARTHRITIS WITH MCC	1	0.02	17
549	SEPTIC ARTHRITIS WITH CC	1	0.02	41
550	SEPTIC ARTHRITIS WITHOUT CC/MCC	1	0.02	3.0
551	MEDICAL BACK PROBLEMS WITH MCC	2	0.03	6.0
552	MEDICAL BACK PROBLEMS WITHOUT MCC	15	0.25	2.1
554	BONE DISEASES & ARTHROPATHIES WITHOUT MCC	1	0.02	3.0
555	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITH MCC	1	0.02	3.0
556	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC	6	0.10	2.8

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Tehama County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
557	TENDONITIS, MYOSITIS & BURSITIS WITH MCC	2	0.03	10
558	TENDONITIS, MYOSITIS & BURSITIS WITHOUT MCC	8	0.13	2.8
559	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	3	0.05	13
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	4	0.07	4.0
561	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	1	0.02	2.0
563	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC	2	0.03	2.5
564	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH MCC	2	0.03	2.5
565	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH CC	2	0.03	3.5
574	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH CC	6	0.10	6.2
575	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	2	0.03	3.0
576	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH MCC	2	0.03	15
578	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	2	0.03	2.0
579	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH MCC	5	0.08	4.0
580	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH CC	2	0.03	2.0
581	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITHOUT CC/MCC	6	0.10	2.2
582	MASTECTOMY FOR MALIGNANCY WITH CC/MCC	2	0.03	1.0
583	MASTECTOMY FOR MALIGNANCY WITHOUT CC/MCC	3	0.05	.67
584	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITH CC/MCC	1	0.02	3.0
585	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITHOUT CC/MCC	2	0.03	1.0
592	SKIN ULCERS WITH MCC	5	0.08	20
593	SKIN ULCERS WITH CC	4	0.07	2.8

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Tehama County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
595	MAJOR SKIN DISORDERS WITH MCC	3	0.05	2.3
596	MAJOR SKIN DISORDERS WITHOUT MCC	3	0.05	2.3
602	CELLULITIS WITH MCC	14	0.23	9.5
603	CELLULITIS WITHOUT MCC	83	1.36	3.7
604	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITH MCC	1	0.02	7.0
605	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITHOUT MCC	3	0.05	3.3
606	MINOR SKIN DISORDERS WITH MCC	1	0.02	2.0
607	MINOR SKIN DISORDERS WITHOUT MCC	3	0.05	5.0
616	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH MCC	1	0.02	3.0
617	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH CC	1	0.02	2.0
620	O.R. PROCEDURES FOR OBESITY WITH CC	3	0.05	2.0
621	O.R. PROCEDURES FOR OBESITY WITHOUT CC/MCC	14	0.23	2.1
623	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH CC	2	0.03	4.0
625	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH MCC	1	0.02	6.0
627	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITHOUT CC/MCC	7	0.11	1.4
637	DIABETES WITH MCC	17	0.28	3.0
638	DIABETES WITH CC	20	0.33	2.9
639	DIABETES WITHOUT CC/MCC	31	0.51	2.1
640	NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC	28	0.46	3.4
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	79	1.29	2.3
642	INBORN ERRORS OF METABOLISM	2	0.03	3.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Tehama County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
643	ENDOCRINE DISORDERS WITH MCC	1	0.02	6.0
644	ENDOCRINE DISORDERS WITH CC	4	0.07	2.0
645	ENDOCRINE DISORDERS WITHOUT CC/MCC	1	0.02	2.0
653	MAJOR BLADDER PROCEDURES WITH MCC	1	0.02	12
655	MAJOR BLADDER PROCEDURES WITHOUT CC/MCC	2	0.03	8.0
656	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH MCC	2	0.03	4.5
657	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH CC	3	0.05	2.3
658	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITHOUT CC/MCC	3	0.05	4.7
660	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH CC	3	0.05	1.7
661	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITHOUT CC/MCC	4	0.07	3.8
663	MINOR BLADDER PROCEDURES WITH CC	1	0.02	6.0
666	PROSTATECTOMY WITH CC	1	0.02	1.0
667	PROSTATECTOMY WITHOUT CC/MCC	1	0.02	2.0
668	TRANSURETHRAL PROCEDURES WITH MCC	3	0.05	4.0
669	TRANSURETHRAL PROCEDURES WITH CC	7	0.11	2.3
670	TRANSURETHRAL PROCEDURES WITHOUT CC/MCC	6	0.10	2.5
671	URETHRAL PROCEDURES WITH CC/MCC	1	0.02	8.0
672	URETHRAL PROCEDURES WITHOUT CC/MCC	2	0.03	1.5
673	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH MCC	1	0.02	25
674	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH CC	1	0.02	.00
675	OTHER KIDNEY & URINARY TRACT PROCEDURES WITHOUT CC/MCC	1	0.02	1.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Tehama County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
682	RENAL FAILURE WITH MCC	40	0.65	11
683	RENAL FAILURE WITH CC	29	0.47	3.0
684	RENAL FAILURE WITHOUT CC/MCC	9	0.15	2.7
689	KIDNEY & URINARY TRACT INFECTIONS WITH MCC	14	0.23	4.2
690	KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC	42	0.69	3.0
693	URINARY STONES WITHOUT ESW LITHOTRIPSY WITH MCC	1	0.02	2.0
694	URINARY STONES WITHOUT ESW LITHOTRIPSY WITHOUT MCC	12	0.20	1.8
697	URETHRAL STRICTURE	1	0.02	1.0
698	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH MCC	9	0.15	3.8
699	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH CC	7	0.11	2.4
700	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITHOUT CC/MCC	5	0.08	2.0
707	MAJOR MALE PELVIC PROCEDURES WITH CC/MCC	2	0.03	3.0
708	MAJOR MALE PELVIC PROCEDURES WITHOUT CC/MCC	10	0.16	2.4
710	PENIS PROCEDURES WITHOUT CC/MCC	1	0.02	1.0
711	TESTES PROCEDURES WITH CC/MCC	1	0.02	1.0
712	TESTES PROCEDURES WITHOUT CC/MCC	2	0.03	3.0
713	TRANSURETHRAL PROSTATECTOMY WITH CC/MCC	9	0.15	2.0
714	TRANSURETHRAL PROSTATECTOMY WITHOUT CC/MCC	16	0.26	1.4
726	BENIGN PROSTATIC HYPERTROPHY WITHOUT MCC	1	0.02	.00
727	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITH MCC	1	0.02	4.0
728	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITHOUT MCC	3	0.05	4.3

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Tehama County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
729	OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITH CC/MCC	1	0.02	25
734	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITH CC/MCC	1	0.02	4.0
737	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH CC	4	0.07	6.3
738	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITHOUT CC/MCC	1	0.02	3.0
740	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH CC	7	0.11	2.6
741	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITHOUT CC/MCC	7	0.11	2.3
742	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITH CC/MCC	26	0.43	1.8
743	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITHOUT CC/MCC	81	1.32	1.3
746	VAGINA, CERVIX & VULVA PROCEDURES WITH CC/MCC	1	0.02	3.0
747	VAGINA, CERVIX & VULVA PROCEDURES WITHOUT CC/MCC	4	0.07	1.3
748	FEMALE REPRODUCTIVE SYSTEM RECONSTRUCTIVE PROCEDURES	9	0.15	2.2
749	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITH CC/MCC	1	0.02	1.0
754	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH MCC	1	0.02	2.0
755	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH CC	2	0.03	3.0
758	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH CC	1	0.02	3.0
759	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	2	0.03	1.0
760	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITH CC/MCC	2	0.03	3.0
761	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITHOUT CC/MCC	2	0.03	5.0
765	CESAREAN SECTION WITH CC/MCC	75	1.23	3.4
766	CESAREAN SECTION WITHOUT CC/MCC	127	2.08	2.4
767	VAGINAL DELIVERY WITH STERILIZATION &/OR D&C	9	0.15	2.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Tehama County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
769	POSTPARTUM & POST ABORTION DIAGNOSIS WITH O.R. PROCEDURE	1	0.02	2.0
770	ABORTION WITH D&C, ASPIRATION CURETTAGE OR HYSTEROTOMY	3	0.05	1.0
774	VAGINAL DELIVERY WITH COMPLICATING DIAGNOSIS	63	1.03	2.1
775	VAGINAL DELIVERY WITHOUT COMPLICATING DIAGNOSIS	454	7.42	1.7
776	POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE	6	0.10	1.8
778	THREATENED ABORTION	7	0.11	2.1
779	ABORTION WITHOUT D&C	1	0.02	1.0
780	FALSE LABOR	4	0.07	2.3
781	OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS	27	0.44	1.9
782	OTHER ANTEPARTUM DIAGNOSIS WITHOUT MEDICAL COMPLICATIONS	5	0.08	2.0
789	NEONATES, DIED OR TRANSFERRED TO ANOTHER ACUTE CARE FACILITY	25	0.41	2.0
790	EXTREME IMMATURETY OR RESPIRATORY DISTRESS SYNDROME, NEONATE	11	0.18	21
791	PREMATURITY WITH MAJOR PROBLEMS	11	0.18	22
792	PREMATURITY WITHOUT MAJOR PROBLEMS	31	0.51	4.5
793	FULL TERM NEONATE WITH MAJOR PROBLEMS	28	0.46	5.3
794	NEONATE WITH OTHER SIGNIFICANT PROBLEMS	99	1.62	1.9
795	NORMAL NEWBORN	572	9.35	1.6
799	SPLENECTOMY WITH MCC	2	0.03	17
802	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH MCC	1	0.02	6.0
808	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH MCC	3	0.05	5.7
809	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH CC	6	0.10	6.3

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Tehama County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
811	RED BLOOD CELL DISORDERS WITH MCC	13	0.21	3.2
812	RED BLOOD CELL DISORDERS WITHOUT MCC	24	0.39	2.0
813	COAGULATION DISORDERS	9	0.15	2.3
815	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH CC	1	0.02	2.0
816	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITHOUT CC/MCC	4	0.07	3.0
820	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH MCC	1	0.02	58
821	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH CC	2	0.03	1.5
822	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITHOUT CC/MCC	4	0.07	2.3
826	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH MCC	1	0.02	3.0
827	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH CC	1	0.02	5.0
829	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITH CC/MCC	1	0.02	68
834	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH MCC	4	0.07	21
836	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITHOUT CC/MCC	2	0.03	6.0
837	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS OR WITH HIGH DOSE CHEMO AGENT WITH MCC	3	0.05	5.0
838	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITH CC OR HIGH DOSE CHEMO AGENT	2	0.03	4.0
839	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITHOUT CC/MCC	3	0.05	13
840	LYMPHOMA & NON-ACUTE LEUKEMIA WITH MCC	2	0.03	6.5
841	LYMPHOMA & NON-ACUTE LEUKEMIA WITH CC	5	0.08	9.0
842	LYMPHOMA & NON-ACUTE LEUKEMIA WITHOUT CC/MCC	1	0.02	.00
843	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH MCC	1	0.02	10

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Tehama County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
844	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH CC	1	0.02	1.0
847	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH CC	7	0.11	2.3
848	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITHOUT CC/MCC	2	0.03	1.0
849	RADIOTHERAPY	6	0.10	3.5
853	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH MCC	16	0.26	17
854	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH CC	6	0.10	4.8
856	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH MCC	7	0.11	15
857	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH CC	8	0.13	4.6
858	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITHOUT CC/MCC	2	0.03	2.0
862	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITH MCC	9	0.15	10
863	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC	8	0.13	3.1
864	FEVER	11	0.18	3.8
865	VIRAL ILLNESS WITH MCC	1	0.02	9.0
866	VIRAL ILLNESS WITHOUT MCC	7	0.11	2.3
868	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH CC	1	0.02	2.0
869	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITHOUT CC/MCC	1	0.02	4.0
870	SEPTICEMIA OR SEVERE SEPSIS WITH MECH VENT 96+ HOURS	4	0.07	13
871	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC	123	2.01	5.8
872	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC	36	0.59	4.7
876	O.R. PROCEDURE WITH PRINCIPAL DIAGNOSIS OF MENTAL ILLNESS	2	0.03	9.0
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	2	0.03	2.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Tehama County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
882	NEUROSES EXCEPT DEPRESSIVE	2	0.03	3.0
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	1	0.02	2.0
885	PSYCHOSES	4	0.07	4.3
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	5	0.08	4.2
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	7	0.11	2.7
901	WOUND DEBRIDE EMENTS FOR INJURIES WITH MCC	2	0.03	33
903	WOUND DEBRIDE EMENTS FOR INJURIES WITHOUT CC/MCC	1	0.02	7.0
905	SKIN GRAFTS FOR INJURIES WITHOUT CC/MCC	1	0.02	10
906	HAND PROCEDURES FOR INJURIES	3	0.05	4.0
907	OTHER O.R. PROCEDURES FOR INJURIES WITH MCC	3	0.05	35
908	OTHER O.R. PROCEDURES FOR INJURIES WITH CC	6	0.10	4.7
909	OTHER O.R. PROCEDURES FOR INJURIES WITHOUT CC/MCC	2	0.03	13
914	TRAUMATIC INJURY WITHOUT MCC	2	0.03	2.5
916	ALLERGIC REACTIONS WITHOUT MCC	4	0.07	1.5
917	POISONING & TOXIC EFFECTS OF DRUGS WITH MCC	29	0.47	3.3
918	POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC	29	0.47	1.2
919	COMPLICATIONS OF TREATMENT WITH MCC	3	0.05	4.0
920	COMPLICATIONS OF TREATMENT WITH CC	2	0.03	3.0
921	COMPLICATIONS OF TREATMENT WITHOUT CC/MCC	1	0.02	1.0
922	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITH MCC	2	0.03	3.5
923	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITHOUT MCC	3	0.05	2.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Tehama County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
927	EXTENSIVE BURNS OR FULL THICKNESS BURNS WITH MECH VENT 96+ HRS WITH SKIN GRAFT	1	0.02	18
929	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITHOUT CC/MCC	1	0.02	20
934	FULL THICKNESS BURN WITHOUT SKIN GRAFT OR INHAL INJURY	1	0.02	9.0
935	NON-EXTENSIVE BURNS	6	0.10	2.8
940	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC	3	0.05	1.0
941	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITHOUT CC/MCC	4	0.07	1.0
947	SIGNS & SYMPTOMS WITH MCC	3	0.05	6.7
948	SIGNS & SYMPTOMS WITHOUT MCC	8	0.13	3.3
950	AFTERCARE WITHOUT CC/MCC	1	0.02	2.0
951	OTHER FACTORS INFLUENCING HEALTH STATUS	3	0.05	2.3
955	CRANIOTOMY FOR MULTIPLE SIGNIFICANT TRAUMA	3	0.05	15
956	LIMB REATTACHMENT, HIP & FEMUR PROCEDURE FOR MULTIPLE SIGNIFICANT TRAUMA	3	0.05	9.3
957	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH MCC	4	0.07	17
958	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH CC	3	0.05	6.7
959	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	1	0.02	5.0
963	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH MCC	1	0.02	18
964	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH CC	3	0.05	5.3
965	OTHER MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	1	0.02	3.0
977	HIV WITH OR WITHOUT OTHER RELATED CONDITION	1	0.02	11
981	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	12	0.20	14

(Continued)

***MS-DRG by Patient County of Residence
and Type of Care for 2010
Tehama County***

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
982	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	6	0.10	2.3
983	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	5	0.08	1.4
987	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	4	0.07	6.0
988	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	3	0.05	3.3
989	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	6	0.10	2.8
998	PRINCIPAL DIAGNOSIS INVALID AS DISCHARGE DIAGNOSIS	1	0.02	2.0
All		6,117	100.0	3.8

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Tehama County**

typcare1=Physical Rehabilitation Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
535	FRACTURES OF HIP & PELVIS WITH MCC	1	2.22	22
940	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC	1	2.22	21
945	REHABILITATION WITH CC/MCC	38	84.44	11
946	REHABILITATION WITHOUT CC/MCC	5	11.11	6.6
All		45	100.0	11

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Tehama County**

typcare1=Psychiatric Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
781	OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS	1	0.76	4.0
881	DEPRESSIVE NEUROSES	10	7.58	3.8
882	NEUROSES EXCEPT DEPRESSIVE	3	2.27	12
885	PSYCHOSES	113	85.61	9.8
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	5	3.79	6.8
All		132	100.0	9.3

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Tehama County**

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
052	SPINAL DISORDERS & INJURIES WITH CC/MCC	1	2.04	50
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	5	10.20	25
064	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC	1	2.04	1.0
074	CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC	1	2.04	70
182	RESPIRATORY NEOPLASMS WITHOUT CC/MCC	1	2.04	4.0
189	PULMONARY EDEMA & RESPIRATORY FAILURE	1	2.04	7.0
190	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC	1	2.04	13
195	SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC	1	2.04	7.0
196	INTERSTITIAL LUNG DISEASE WITH MCC	1	2.04	1.0
299	PERIPHERAL VASCULAR DISORDERS WITH MCC	1	2.04	16
308	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH MCC	1	2.04	17
380	COMPLICATED PEPTIC ULCER WITH MCC	1	2.04	4.0
543	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH CC	1	2.04	11
557	TENDONITIS, MYOSITIS & BURSITIS WITH MCC	1	2.04	1.0
559	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	2	4.08	26
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	10	20.41	13
561	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	4	8.16	8.0
573	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH MCC	1	2.04	73
574	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH CC	1	2.04	15
623	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH CC	1	2.04	34
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	1	2.04	5.0

(Continued)

***MS-DRG by Patient County of Residence
and Type of Care for 2010
Tehama County***

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
867	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH MCC	1	2.04	13
871	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC	1	2.04	36
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	1	2.04	5.0
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	1	2.04	13
920	COMPLICATIONS OF TREATMENT WITH CC	1	2.04	50
945	REHABILITATION WITH CC/MCC	3	6.12	24
949	AFTERCARE WITH CC/MCC	2	4.08	29
951	OTHER FACTORS INFLUENCING HEALTH STATUS	1	2.04	5.0
All		49	100.0	19

**MDC by Patient County of Residence
for 2010
Tehama County**

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	365	5.75	4.7
02	EYE, DISEASES & DISORDERS	6	0.09	6.0
03	EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS	48	0.76	3.9
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	761	12.00	4.5
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	731	11.52	4.0
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	507	7.99	4.7
07	HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS	209	3.29	4.3
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	654	10.31	3.8
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	156	2.46	5.3
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	217	3.42	2.7
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	214	3.37	4.8
12	MALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	48	0.76	2.9
13	FEMALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	152	2.40	1.8
14	PREGNANCY, CHILDBIRTH, & THE PUERPERIUM	784	12.36	2.0
15	NEWBORNS AND NEONATE CONDITIONS BEGAN IN PERINATAL PERIOD	777	12.25	2.5
16	BLOOD, BLOOD FORMING ORGANS, IMMUNOLOGICAL, DISEASES & DISORDERS	66	1.04	4.0
17	MYELOPROLIFERATIVE DISEASES & POORLY DIFFERENTIATED NEOPLASMS	49	0.77	8.4
18	INFECTIOUS & PARASITIC DISEASES	245	3.86	7.0
19	MENTAL DISEASES & DISORDERS	138	2.18	9.0
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	18	0.28	4.8
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	96	1.51	5.5
22	BURNS	10	0.16	9.8

(Continued)

*MDC by Patient County of Residence
for 2010
Tehama County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	72	1.14	9.5
24	MULTIPLE SIGNFICANT TRAUMA	19	0.30	11
25	HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS	1	0.02	11
All		6,343	100.0	4.0

***MDC by Patient County of Residence
and Type of Care for 2010
Tehama County***

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	357	5.84	4.1
02	EYE, DISEASES & DISORDERS	6	0.10	6.0
03	EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS	48	0.78	3.9
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	756	12.36	4.4
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	729	11.92	4.0
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	506	8.27	4.7
07	HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS	209	3.42	4.3
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	635	10.38	3.6
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	154	2.52	4.8
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	215	3.51	2.5
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	214	3.50	4.8
12	MALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	48	0.78	2.9
13	FEMALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	152	2.48	1.8
14	PREGNANCY, CHILDBIRTH, & THE PUERPERIUM	783	12.80	2.0
15	NEWBORNS AND NEONATE CONDITIONS BEGAN IN PERINATAL PERIOD	777	12.70	2.5
16	BLOOD, BLOOD FORMING ORGANS,IMMUNOLOGICAL, DISEASES & DISORDERS	66	1.08	4.0
17	MYELOPROLIFERATIVE DISEASES & POORLY DIFFERENTIATED NEOPLASMS	49	0.80	8.4
18	INFECTIOUS & PARASITIC DISEASES	243	3.97	6.8
19	MENTAL DISEASES & DISORDERS	11	0.18	4.3
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	12	0.20	3.3
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	95	1.55	5.0

(Continued)

***MDC by Patient County of Residence
and Type of Care for 2010
Tehama County***

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
22	BURNS	10	0.16	9.8
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	22	0.36	2.8
24	MULTIPLE SIGNFICANT TRAUMA	19	0.31	11
25	HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS	1	0.02	11
All		6,117	100.0	3.8

***MDC by Patient County of Residence
and Type of Care for 2010
Tehama County***

typcare1=Physical Rehabilitation Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	1	2.22	22
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	44	97.78	11
All		45	100.0	11

***MDC by Patient County of Residence
and Type of Care for 2010
Tehama County***

typcare1=Psychiatric Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
14	PREGNANCY, CHILDBIRTH, & THE PUERPERIUM	1	0.76	4.0
19	MENTAL DISEASES & DISORDERS	126	95.45	9.4
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	5	3.79	6.8
All		132	100.0	9.3

***MDC by Patient County of Residence
and Type of Care for 2010
Tehama County***

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	8	16.33	31
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	5	10.20	6.4
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	2	4.08	17
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	1	2.04	4.0
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	18	36.73	12
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	2	4.08	44
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	2	4.08	20
18	INFECTIOUS & PARASITIC DISEASES	2	4.08	25
19	MENTAL DISEASES & DISORDERS	1	2.04	5.0
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	1	2.04	13
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	1	2.04	50
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	6	12.24	23
All		49	100.0	19