

**California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2014**

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Craniotomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
						Total	Cancer	Other	
NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.									
	STATEWIDE	1.2% (29;2,422)	0.7% (42;5,831)	7.0% (1,087;15,574)	2.9% (12;416)	2.3% (42;1,819)	2.3% (23;1,001)	2.3% (19;818)	3.0% (1,045;35,028)
Alameda	Alameda Hospital		0.0% (0;3)						
	Alta Bates Summit Medical Center – Alta Bates Campus			10.8% (5;37)					
	Alta Bates Summit Medical Center – Summit Campus – Hawthorne		0.0% (0;17)			18.7% (1;10)	7.7% (1;8)		2.8% (10;342)
	Eden Medical Center		0.0% (0;10)	8.1% (17;150)					
	Highland Hospital*			4.9% (2;38)					<b>10.2% (9;102) Worse</b>
	Kaiser Foundation Hospital – Fremont								0.0% (0;9)
	Kaiser Foundation Hospital – Hayward	0.0% (0;13)	0.0% (0;13)			0.0% (0;3)			6.8% (1;18)
	Kaiser Foundation Hospital – Oakland Campus	0.0% (0;8)	0.0% (0;4)		0.0% (0;10)	0.0% (0;15)	0.0% (0;12)	0.0% (0;3)	
	Kaiser Foundation Hospital – Oakland/Richmond	0.0% (0;12)	0.0% (0;5)		0.0% (0;11)	0.0% (0;23)	0.0% (0;13)	0.0% (0;10)	
	Kaiser Foundation Hospital – San Leandro	0.0% (0;12)	0.0% (0;18)			0.0% (0;5)	0.0% (0;4)		
	Saint Rose Hospital								<b>7.1% (7;160) Worse</b>
	San Leandro Hospital	0.0% (0;14)	0.0% (0;16)						
	Valleycare Medical Center	0.0% (0;3)	0.0% (0;10)						2.5% (2;99)
	Washington Hospital – Fremont	0.0% (0;3)	2.9% (1;29)	8.2% (3;49)					3.2% (5;171)
Amador	Sutter Amador Hospital								

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 5.0, and OSHPD hospital patient discharge data, 2014. See Technical Note for details about methodology.

\*Hospital name changed from 2013 to 2014, see Technical Note for details.

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

**California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2014**

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Craniotomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
						Total	Cancer	Other	
NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.									
	STATEWIDE	1.2% (29;2,422)	0.7% (42;5,831)	7.0% (1,087;15,574)	2.9% (12;416)	2.3% (42;1,819)	2.3% (23;1,001)	2.3% (19;818)	3.0% (1,045;35,028)
Butte	Biggs Gridley Memorial Hospital								
	Enloe Medical Center – Esplanade*	0.0% (0;31)	0.0% (0;74)	6.6% (1;44)					5.3% (13;266) Worse
	Feather River Hospital		0.0% (0;11)						
	Oroville Hospital	0.0% (0;3)	0.0% (0;19)						
Calaveras	Mark Twain Medical Center								
Colusa	Colusa Regional Medical Center								
Contra Costa	Contra Costa Regional Medical Center								
	Doctors Medical Center – San Pablo								0.0% (0;72)
	John Muir Medical Center – Concord Campus	0.0% (0;31)	0.0% (0;85)		0.0% (0;4)				4.1% (7;193)
	John Muir Medical Center – Walnut Creek Campus		0.0% (0;5)	5.4% (10;142)		0.0% (0;6)	0.0% (0;5)		3.3% (1;38)
	Kaiser Foundation Hospital – Antioch					0.0% (0;35)	0.0% (0;17)	0.0% (0;18)	
	Kaiser Foundation Hospital – Walnut Creek	12.0% (3;29) Worse	0.0% (0;43)						5.1% (6;209)
	San Ramon Regional Medical Center		0.0% (0;11)						7.6% (2;49)
	Sutter Delta Medical Center								6.1% (5;102)
Del Norte	Sutter Coast Hospital								

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 5.0, and OSHPD hospital patient discharge data, 2014. See Technical Note for details about methodology.

\*Hospital name changed from 2013 to 2014, see Technical Note for details.

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

**California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2014**

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Craniotomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
						Total	Cancer	Other	
NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.									
STATEWIDE		1.2% (29;2,422)	0.7% (42;5,831)	7.0% (1,087;15,574)	2.9% (12;416)	2.3% (42;1,819)	2.3% (23;1,001)	2.3% (19;818)	3.0% (1,045;35,028)
El Dorado	Barton Memorial Hospital								
	Marshall Medical Center		0.0% (0;7)						
Fresno	Adventist Medical Center – Reedley								
	Clovis Community Medical Center				0.0% (0;3)	0.0% (0;8)	0.0% (0;5)	0.0% (0;3)	3.1% (2;83)
	Coalinga Regional Medical Center								
	Community Regional Medical Center – Fresno	0.0% (0;16)	0.0% (0;21)	<b>14.1% (62;345) Worse</b>		0.0% (0;35)	0.0% (0;20)	0.0% (0;15)	3.5% (13;366)
	Fresno Heart and Surgical Hospital	8.2% (1;16)	0.0% (0;127)			0.0% (0;4)	0.0% (0;3)		1.8% (1;86)
	Kaiser Foundation Hospital – Fresno	0.0% (0;5)	0.0% (0;22)	0.0% (0;25)					
	Saint Agnes Medical Center	14.7% (1;12)	0.0% (0;39)	6.6% (1;41)		0.0% (0;3)	0.0% (0;3)		2.3% (7;447)
Glenn	Glenn Medical Center								
Humboldt	Jerold Phelps Community Hospital								
	Mad River Community Hospital								
	Redwood Memorial Hospital								
	Saint Joseph Hospital – Eureka	0.0% (0;14)	2.9% (1;82)	0.0% (0;11)					1.6% (3;169)
Imperial	El Centro Regional Medical Center		0.0% (0;3)						

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 5.0, and OSHPD hospital patient discharge data, 2014. See Technical Note for details about methodology.

\*Hospital name changed from 2013 to 2014, see Technical Note for details.

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

**California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2014**

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Craniotomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
						Total	Cancer	Other	
NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.									
	STATEWIDE	1.2% (29;2,422)	0.7% (42;5,831)	7.0% (1,087;15,574)	2.9% (12;416)	2.3% (42;1,819)	2.3% (23;1,001)	2.3% (19;818)	3.0% (1,045;35,028)
Imperial (continued)	Pioneers Memorial Healthcare District			13.0% (1;11)					
Inyo	Northern Inyo Hospital								
	Southern Inyo Hospital								
Kern	Bakersfield Heart Hospital	25.8% (1;20)	0.0% (0;10)						3.1% (11;335)
	Bakersfield Memorial Hospital	8.1% (1;48)	0.0% (0;69)	<b>20.3%</b> <b>(14;111)</b> <b>Worse</b>					2.8% (6;236)
	Delano Regional Medical Center	0.0% (0;5)							
	Good Samaritan Hospital – Bakersfield								
	Kern Medical Center			18.2% (2;29)		0.0% (0;9)		0.0% (0;8)	
	Kern Valley Healthcare District								
	Mercy Hospital – Bakersfield		0.0% (0;27)	<b>23.8%</b> <b>(8;20)</b> <b>Worse</b>					
	Ridgecrest Regional Hospital								
	San Joaquin Community Hospital		<b>9.7%</b> <b>(2;37)</b> <b>Worse</b>	6.1% (7;74)		0.0% (0;3)		0.0% (0;3)	2.0% (7;353)
	Tehachapi Hospital								
Kings	Adventist Medical Center	0.0% (0;3)	0.0% (0;12)						

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 5.0, and OSHPD hospital patient discharge data, 2014. See Technical Note for details about methodology.

\*Hospital name changed from 2013 to 2014, see Technical Note for details.

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

**California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2014**

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Craniotomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
						Total	Cancer	Other	
NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.									
	STATEWIDE	1.2% (29;2,422)	0.7% (42;5,831)	7.0% (1,087;15,574)	2.9% (12;416)	2.3% (42;1,819)	2.3% (23;1,001)	2.3% (19;818)	3.0% (1,045;35,028)
Lake	Saint Helena Hospital – Clearlake								
	Sutter Lakeside Hospital								
Lassen	Banner Lassen Medical Center								
Los Angeles	Alhambra Hospital Medical Center*			0.0% (0;8)					
	Antelope Valley Hospital	0.0% (0;10)	0.0% (0;25)	<b>17.3%</b> <b>(7;40)</b> <b>Worse</b>		0.0% (0;7)	0.0% (0;3)	0.0% (0;4)	5.3% (8;293)
	Beverly Hospital	0.0% (0;3)	0.0% (0;13)	16.7% (2;10)					1.7% (2;97)
	California Hospital Medical Center – Los Angeles	0.0% (0;3)		<b>17.8%</b> <b>(9;31)</b> <b>Worse</b>					2.7% (4;116)
	Cedars Sinai Medical Center	2.0% (1;37)	0.0% (0;70)	4.7% (19;576)	0.0% (0;14)	3.9% (3;76)	4.3% (2;40)	1.9% (1;36)	3.1% (23;723)
	Centinela Hospital Medical Center	3.5% (1;6)	0.0% (0;12)	7.0% (5;34)					1.6% (4;175)
	Citrus Valley Medical Center – Inter Community Campus		2.8% (1;41)	14.6% (1;7)					3.1% (6;305)
	Citrus Valley Medical Center – Queen of the Valley Campus	0.0% (0;11)	4.8% (1;18)	10.4% (3;37)					
	City of Hope Helford Clinical Research Hospital			2.0% (1;71)	0.0% (0;14)	0.0% (0;39)	0.0% (0;20)	0.0% (0;19)	
	Coast Plaza Hospital								
	College Medical Center*								
	Community Hospital Long Beach*								

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 5.0, and OSHPD hospital patient discharge data, 2014. See Technical Note for details about methodology.

\*Hospital name changed from 2013 to 2014, see Technical Note for details.

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

**California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2014**

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Craniotomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
						Total	Cancer	Other	
NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.									
	STATEWIDE	1.2% (29;2,422)	0.7% (42;5,831)	7.0% (1,087;15,574)	2.9% (12;416)	2.3% (42;1,819)	2.3% (23;1,001)	2.3% (19;818)	3.0% (1,045;35,028)
Los Angeles (continued)	Community and Mission Hospital of Huntington Park – Slauson								
	East Los Angeles Doctors Hospital								
	Encino Hospital Medical Center								
	Foothill Presbyterian Hospital – Johnston Memorial		0.0% (0;5)	0.0% (0;15)					
	Gardens Regional Hospital and Medical Center*								
	Garfield Medical Center	0.0% (0;6)	0.0% (0;10)	10.0% (4;30)					1.3% (3;258)
	Glendale Adventist Medical Center*	0.0% (0;11)	0.0% (0;18)	7.8% (10;99)		18.6% (1;5)	0.0% (0;3)		1.8% (7;497)
	Glendale Memorial Hospital and Medical Center	0.0% (0;9)	6.7% (1;21)	0.0% (0;9)					5.6% (6;148)
	Glendora Community Hospital*								
	Good Samaritan Hospital – Los Angeles	0.0% (0;10)	0.0% (0;16)	0.0% (0;28)		11.9% (1;9)	0.0% (0;6)	46.1% (1;3)	<b>6.9% (21;240) Worse</b>
	Greater El Monte Community Hospital								
	Henry Mayo Newhall Hospital*		0.0% (0;16)	3.4% (1;24)					2.9% (6;190)
	Hollywood Presbyterian Medical Center		0.0% (0;5)	8.6% (4;26)		0.0% (0;3)			3.3% (5;153)
Huntington Memorial Hospital	0.0% (0;13)	0.0% (0;34)	6.4% (5;146)	0.0% (0;4)	0.0% (0;28)	0.0% (0;17)	0.0% (0;11)	3.0% (6;214)	
Kaiser Foundation Hospital – Baldwin Park	0.0% (0;24)	0.0% (0;24)							
Kaiser Foundation Hospital – Downey	0.0% (0;25)	0.0% (0;27)			0.0% (0;13)	0.0% (0;5)	0.0% (0;8)		
Kaiser Foundation Hospital – Panorama City		0.0% (0;23)			0.0% (0;19)	0.0% (0;11)	0.0% (0;8)		

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 5.0, and OSHPD hospital patient discharge data, 2014. See Technical Note for details about methodology.

\*Hospital name changed from 2013 to 2014, see Technical Note for details.

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

**California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2014**

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Craniotomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
						Total	Cancer	Other	
NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.									
	STATEWIDE	1.2% (29;2,422)	0.7% (42;5,831)	7.0% (1,087;15,574)	2.9% (12;416)	2.3% (42;1,819)	2.3% (23;1,001)	2.3% (19;818)	3.0% (1,045;35,028)
Los Angeles (continued)	Kaiser Foundation Hospital – South Bay	0.0% (0;22)	0.0% (0;28)			0.0% (0;12)	0.0% (0;7)	0.0% (0;5)	
	Kaiser Foundation Hospital – Sunset	2.8% (1;24)	0.0% (0;18)	8.0% (20;517)	9.1% (1;11)	0.0% (0;52)	0.0% (0;20)	0.0% (0;32)	1.8% (8;492)
	Kaiser Foundation Hospital – West Los Angeles	0.0% (0;11)	0.0% (0;23)			0.0% (0;19)	0.0% (0;7)	0.0% (0;12)	
	Kaiser Foundation Hospital – Woodland Hills	0.0% (0;26)	0.0% (0;39)			0.0% (0;3)			
	Keck Hospital of University of Southern California	3.6% (1;47)	0.0% (0;21)	6.1% (24;469)	0.0% (0;46)	2.6% (2;82)	2.1% (1;48)	2.3% (1;34)	<b>4.9% (17;154) Worse</b>
	Lakewood Regional Medical Center		0.0% (0;18)	8.2% (5;33)					<b>8.1% (12;187) Worse</b>
	Long Beach Memorial Medical Center	0.0% (0;21)	0.0% (0;66)	9.2% (15;197)		0.0% (0;4)			2.5% (8;366)
	Los Angeles Community Hospital		0.0% (0;3)						
	Los Angeles County/Harbor – UCLA Medical Center	0.0% (0;9)	0.0% (0;3)	13.1% (6;84)		0.0% (0;11)	0.0% (0;7)	0.0% (0;4)	5.1% (8;243)
	Los Angeles County/Olive View – UCLA Medical Center		0.0% (0;3)		0.0% (0;3)	22.1% (1;8)		0.0% (0;6)	3.8% (2;154)
	Los Angeles County/University of Southern California Medical Center	0.0% (0;8)	0.0% (0;11)	<b>13.0% (17;200) Worse</b>		6.2% (1;22)	0.0% (0;9)	7.8% (1;13)	4.2% (11;311)
	Marina Del Rey Hospital		0.0% (0;5)						
	Memorial Hospital of Gardena								
	Methodist Hospital of Southern California	0.0% (0;10)	0.0% (0;27)	6.5% (3;48)		0.0% (0;3)	0.0% (0;3)		1.8% (3;177)
	Mission Community Hospital – Panorama Campus			0.0% (0;10)					

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 5.0, and OSHPD hospital patient discharge data, 2014. See Technical Note for details about methodology.

\*Hospital name changed from 2013 to 2014, see Technical Note for details.

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

**California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2014**

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Craniotomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
						Total	Cancer	Other	
NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.									
	STATEWIDE	1.2% (29;2,422)	0.7% (42;5,831)	7.0% (1,087;15,574)	2.9% (12;416)	2.3% (42;1,819)	2.3% (23;1,001)	2.3% (19;818)	3.0% (1,045;35,028)
Los Angeles (continued)	Monterey Park Hospital		0.0% (0;3)						
	Northridge Hospital Medical Center	0.0% (0;10)	0.0% (0;13)	8.8% (8;42)		45.9% (1;5)	31.7% (1;4)		1.5% (3;207)
	Norwalk Community Hospital								
	Olympia Medical Center								
	PIH Hospital – Downey*		0.0% (0;3)	11.3% (2;35)					3.5% (3;121)
	Pacific Alliance Medical Center			0.0% (0;9)					
	Pacifica Hospital of the Valley								
	Palmdale Regional Medical Center	0.0% (0;6)	<b>11.4% (2;10) Worse</b>	12.2% (4;25)					2.5% (2;152)
	Pomona Valley Hospital Medical Center	0.0% (0;9)	0.0% (0;10)	10.4% (16;126)		0.0% (0;5)	0.0% (0;4)		5.0% (10;208)
	Presbyterian Intercommunity Hospital	0.0% (0;16)	0.0% (0;35)	6.0% (6;80)		0.0% (0;4)			2.9% (8;244)
	Providence Holy Cross Medical Center	0.0% (0;9)	0.0% (0;23)	11.9% (6;57)		0.0% (0;9)		0.0% (0;7)	2.3% (7;265)
	Providence Little Company of Mary Medical Center – San Pedro		0.0% (0;3)	6.5% (1;10)					
	Providence Little Company of Mary Medical Center – Torrance	4.3% (1;12)	0.0% (0;20)	2.9% (2;26)		0.0% (0;13)	0.0% (0;10)	0.0% (0;3)	3.4% (11;335)
	Providence Saint Joseph Medical Center	0.0% (0;17)	5.1% (1;39)	9.8% (13;130)	11.5% (1;3)				3.4% (10;307)
	Providence Tarzana Medical Center	0.0% (0;29)	0.0% (0;92)	17.7% (5;23)					3.9% (4;156)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 5.0, and OSHPD hospital patient discharge data, 2014. See Technical Note for details about methodology.

\*Hospital name changed from 2013 to 2014, see Technical Note for details.

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

**California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2014**

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Craniotomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
						Total	Cancer	Other	
NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.									
	STATEWIDE	1.2% (29;2,422)	0.7% (42;5,831)	7.0% (1,087;15,574)	2.9% (12;416)	2.3% (42;1,819)	2.3% (23;1,001)	2.3% (19;818)	3.0% (1,045;35,028)
Los Angeles (continued)	Ronald Reagan UCLA Medical Center	0.0% (0;48)	2.1% (1;49)	6.0% (28;532)	<b>100.0%</b> <b>(1;15)</b> <b>Worse</b>	0.0% (0;106)	0.0% (0;66)	0.0% (0;40)	<b>8.9%</b> <b>(26;307)</b> <b>Worse</b>
	Saint Francis Medical Center	0.0% (0;5)	0.0% (0;15)	4.3% (1;17)		16.0% (1;4)		15.8% (1;3)	5.7% (8;137)
	Saint John's Health Center	0.0% (0;15)	0.0% (0;18)	2.2% (2;137)		2.4% (1;17)	3.2% (1;9)	0.0% (0;8)	5.1% (6;127)
	Saint Mary Medical Center – Long Beach*		0.0% (0;11)	7.2% (1;19)					1.6% (2;107)
	Saint Vincent Medical Center	0.0% (0;14)	<b>20.0%</b> <b>(2;18)</b> <b>Worse</b>	2.8% (1;196)		0.0% (0;11)	0.0% (0;9)		5.2% (5;87)
	San Dimas Community Hospital								
	San Gabriel Valley Medical Center		0.0% (0;5)	0.0% (0;16)					
	Santa Monica – UCLA Medical Center and Orthopedic Hospital			0.0% (0;21)					3.5% (4;191)
	Sherman Oaks Hospital		0.0% (0;3)	9.8% (1;4)					
	Silver Lake Medical Center – Downtown Campus		0.0% (0;3)						
	Southern California Hospital at Culver City	0.0% (0;3)	0.0% (0;7)						0.0% (0;56)
	Southern California Hospital at Hollywood								
	Temple Community Hospital								
	Torrance Memorial Medical Center	4.7% (1;31)	0.0% (0;52)	5.3% (2;38)	13.3% (1;5)	0.0% (0;3)			2.6% (12;430)
	University of Southern California Verdugo Hills Hospital		0.0% (0;9)						

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 5.0, and OSHPD hospital patient discharge data, 2014. See Technical Note for details about methodology.

\*Hospital name changed from 2013 to 2014, see Technical Note for details.

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

**California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2014**

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Craniotomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
						Total	Cancer	Other	
NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.									
	STATEWIDE	1.2% (29;2,422)	0.7% (42;5,831)	7.0% (1,087;15,574)	2.9% (12;416)	2.3% (42;1,819)	2.3% (23;1,001)	2.3% (19;818)	3.0% (1,045;35,028)
Los Angeles (continued)	Valley Presbyterian Hospital	0.0% (0;5)	<b>18.6%</b> <b>(2;10)</b> <b>Worse</b>	<b>27.2%</b> <b>(6;15)</b> <b>Worse</b>		0.0% (0;8)	0.0% (0;6)		2.1% (4;189)
	West Hills Hospital and Medical Center		0.0% (0;20)	14.4% (4;20)					3.2% (4;153)
	White Memorial Medical Center	4.5% (1;6)	4.0% (1;19)	<b>14.7%</b> <b>(11;73)</b> <b>Worse</b>					3.5% (9;213)
	Whittier Hospital Medical Center		0.0% (0;3)						
Madera	Madera Community Hospital								
Marin	Kaiser Foundation Hospital – San Rafael		0.0% (0;18)						4.5% (1;37)
	Marin General Hospital	17.3% (1;14)	0.0% (0;34)	6.0% (4;61)		0.0% (0;6)	0.0% (0;4)		2.0% (3;158)
	Novato Community Hospital								
Mariposa	John C. Fremont Healthcare District								
Mendocino	Frank R. Howard Memorial Hospital								
	Mendocino Coast District Hospital								
	Ukiah Valley Medical Center		0.0% (0;7)						
Merced	Memorial Hospital Los Banos								
	Mercy Medical Center – Merced								
Modoc	Modoc Medical Center								
Mono	Mammoth Hospital								

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 5.0, and OSHPD hospital patient discharge data, 2014. See Technical Note for details about methodology.

\*Hospital name changed from 2013 to 2014, see Technical Note for details.

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

**California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2014**

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Craniotomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
						Total	Cancer	Other	
NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.									
	STATEWIDE	1.2% (29;2,422)	0.7% (42;5,831)	7.0% (1,087;15,574)	2.9% (12;416)	2.3% (42;1,819)	2.3% (23;1,001)	2.3% (19;818)	3.0% (1,045;35,028)
Monterey	Community Hospital of The Monterey Peninsula		0.0% (0;30)	5.3% (2;30)		0.0% (0;15)	0.0% (0;7)	0.0% (0;8)	1.9% (2;107)
	George L. Mee Memorial Hospital								
	Natividad Medical Center								
	Salinas Valley Memorial Hospital	0.0% (0;7)	0.0% (0;40)	<b>0.0% (0;36) Better</b>		0.0% (0;3)			<b>0.6% (1;163) Better</b>
Napa	Queen of the Valley Hospital – Napa	0.0% (0;5)	0.0% (0;31)	16.5% (2;11)					6.0% (4;77)
	Saint Helena Hospital	0.0% (0;13)	0.0% (0;42)						1.4% (3;165)
Nevada	Sierra Nevada Memorial Hospital								
	Tahoe Forest Hospital								
Orange	AHMC Anaheim Regional Medical Center	0.0% (0;10)	0.0% (0;35)	20.4% (1;24)					1.5% (3;180)
	Chapman Medical Center								
	Coastal Communities Hospital								
	College Hospital Costa Mesa								
	Fountain Valley Regional Hospital and Medical Center – Euclid	0.0% (0;16)	0.0% (0;35)	12.1% (10;57)		14.0% (1;9)	10.3% (1;7)		3.9% (14;279)
	Garden Grove Hospital and Medical Center			0.0% (0;3)					
	Hoag Memorial Hospital Presbyterian	14.1% (1;24)	0.0% (0;62)	<b>3.8% (15;336) Better</b>	0.0% (0;12)	3.9% (2;47)	2.5% (1;30)	6.2% (1;17)	3.2% (8;284)
	Hoag Orthopedic Institute								

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 5.0, and OSHPD hospital patient discharge data, 2014. See Technical Note for details about methodology.

\*Hospital name changed from 2013 to 2014, see Technical Note for details.

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

**California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2014**

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Craniotomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
						Total	Cancer	Other	
NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.									
	STATEWIDE	1.2% (29;2,422)	0.7% (42;5,831)	7.0% (1,087;15,574)	2.9% (12;416)	2.3% (42;1,819)	2.3% (23;1,001)	2.3% (19;818)	3.0% (1,045;35,028)
Orange (continued)	Huntington Beach Hospital								
	Kaiser Foundation Hospital – Orange County – Anaheim	0.0% (0;29)	0.0% (0;33)	5.6% (5;195)	0.0% (0;7)	0.0% (0;21)	0.0% (0;12)	0.0% (0;9)	0.0% (0;17)
	La Palma Intercommunity Hospital								
	Los Alamitos Medical Center	0.0% (0;6)	0.0% (0;41)	9.8% (5;40)					1.0% (1;117)
	Mission Hospital Laguna Beach		0.0% (0;7)						
	Mission Hospital Regional Medical Center	0.0% (0;4)	3.2% (1;19)	5.5% (8;119)		0.0% (0;3)	0.0% (0;3)		2.4% (7;263)
	Orange Coast Memorial Medical Center	0.0% (0;10)	0.0% (0;10)	9.1% (2;64)		2.8% (1;31)	0.0% (0;27)	16.3% (1;4)	3.9% (3;87)
	Placentia Linda Hospital								
	Saddleback Memorial Medical Center	0.0% (0;22)	0.0% (0;73)	8.7% (7;54)					2.7% (7;242)
	Saint Joseph Hospital – Orange	3.0% (1;39)	0.0% (0;96)	<b>1.7%</b> <b>(2;135)</b> <b>Better</b>	0.0% (0;3)	0.0% (0;14)	0.0% (0;9)	0.0% (0;5)	3.8% (10;245)
	Saint Jude Medical Center	0.0% (0;11)	0.0% (0;46)	4.6% (15;164)					2.4% (8;216)
	UC Irvine Medical Center	7.6% (1;21)	0.0% (0;31)	7.6% (35;477)	0.0% (0;9)	0.0% (0;81)	0.0% (0;48)	0.0% (0;33)	<b>8.5%</b> <b>(11;134)</b> <b>Worse</b>
	West Anaheim Medical Center		0.0% (0;4)						3.0% (5;115)
	Western Medical Center Anaheim								12.3% (1;18)
	Western Medical Center – Santa Ana		0.0% (0;8)	<b>16.6%</b> <b>(13;67)</b> <b>Worse</b>					3.8% (4;135)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 5.0, and OSHPD hospital patient discharge data, 2014. See Technical Note for details about methodology.

\*Hospital name changed from 2013 to 2014, see Technical Note for details.

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

**California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2014**

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Craniotomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
						Total	Cancer	Other	
NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.									
	STATEWIDE	1.2% (29;2,422)	0.7% (42;5,831)	7.0% (1,087;15,574)	2.9% (12;416)	2.3% (42;1,819)	2.3% (23;1,001)	2.3% (19;818)	3.0% (1,045;35,028)
Placer	Kaiser Foundation Hospital – Roseville	0.0% (0;24)	0.0% (0;36)		40.9% (1;8)				5.0% (4;117)
	Sutter Auburn Faith Hospital	0.0% (0;3)	0.0% (0;25)						
	Sutter Roseville Medical Center	0.0% (0;15)	0.0% (0;41)	6.7% (8;81)		0.0% (0;4)	0.0% (0;3)		0.9% (2;239)
Plumas	Eastern Plumas Hospital – Portola Campus								
	Plumas District Hospital								
	Seneca Healthcare District								
Riverside	Corona Regional Medical Center – Main	0.0% (0;4)	0.0% (0;7)						
	Desert Regional Medical Center	<b>55.8%</b> <b>(2;23)</b> <b>Worse</b>	3.4% (2;76)	<b>11.9%</b> <b>(23;161)</b> <b>Worse</b>	0.0% (0;3)	0.0% (0;3)			<b>5.1%</b> <b>(16;416)</b> <b>Worse</b>
	Eisenhower Medical Center	0.0% (0;21)	1.9% (1;83)	<b>1.3%</b> <b>(1;57)</b> <b>Better</b>		0.0% (0;3)			4.3% (11;362)
	Hemet Valley Medical Center	0.0% (0;16)	0.0% (0;41)						
	John F. Kennedy Memorial Hospital		0.0% (0;12)						<b>13.9%</b> <b>(6;70)</b> <b>Worse</b>
	Kaiser Foundation Hospital – Moreno Valley								
	Kaiser Foundation Hospital – Riverside	9.3% (1;18)	0.0% (0;35)		0.0% (0;6)	0.0% (0;12)	0.0% (0;6)	0.0% (0;6)	
	Loma Linda University Medical Center – Murrieta	0.0% (0;10)	0.0% (0;31)	<b>39.7%</b> <b>(3;34)</b> <b>Worse</b>					2.5% (7;363)
	Menifee Valley Medical Center	0.0% (0;5)	0.0% (0;39)						

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 5.0, and OSHPD hospital patient discharge data, 2014. See Technical Note for details about methodology.

\*Hospital name changed from 2013 to 2014, see Technical Note for details.

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

**California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2014**

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Craniotomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
						Total	Cancer	Other	
NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.									
	STATEWIDE	1.2% (29;2,422)	0.7% (42;5,831)	7.0% (1,087;15,574)	2.9% (12;416)	2.3% (42;1,819)	2.3% (23;1,001)	2.3% (19;818)	3.0% (1,045;35,028)
Riverside (continued)	Palo Verde Hospital								
	Parkview Community Hospital Medical Center		0.0% (0;4)						
	Riverside Community Hospital	0.0% (0;19)	4.0% (2;53)	7.7% (2;52)		0.0% (0;10)	0.0% (0;3)	0.0% (0;7)	3.5% (25;753)
	Riverside County Regional Medical Center	0.0% (0;5)	0.0% (0;7)	<b>15.3% (7;38) Worse</b>					
	San Geronio Memorial Hospital								
	Southwest Healthcare System – Murrieta	0.0% (0;16)	0.0% (0;28)	5.9% (3;59)		0.0% (0;4)			
	Temecula Valley Hospital		0.0% (0;6)						0.0% (0;108)
Sacramento	Kaiser Foundation Hospital – Sacramento	0.0% (0;4)	0.0% (0;28)	<b>2.5% (21;364) Better</b>		0.0% (0;12)	0.0% (0;7)	0.0% (0;5)	
	Kaiser Foundation Hospital – South Sacramento	0.0% (0;13)	0.0% (0;17)	21.0% (1;8)	0.0% (0;3)				5.1% (5;106)
	Mercy General Hospital	0.0% (0;23)	0.0% (0;67)	3.9% (4;98)					3.7% (32;1,398)
	Mercy Hospital – Folsom								
	Mercy San Juan Hospital	3.0% (1;22)	0.0% (0;85)	6.0% (25;218)	0.0% (0;4)				4.4% (11;239)
	Methodist Hospital of Sacramento								
	Sutter General Hospital	0.0% (0;10)	0.0% (0;50)	10.6% (8;136)	11.3% (1;7)	0.0% (0;15)	0.0% (0;11)	0.0% (0;4)	
	Sutter Memorial Hospital	0.0% (0;51)	0.0% (0;106)	3.7% (2;94)					2.0% (6;383)
	UC Davis Medical Center	0.0% (0;17)	4.5% (1;26)	8.4% (18;299)	0.0% (0;16)	3.8% (2;43)	2.3% (1;26)	4.5% (1;17)	1.3% (4;327)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 5.0, and OSHPD hospital patient discharge data, 2014. See Technical Note for details about methodology.

\*Hospital name changed from 2013 to 2014, see Technical Note for details.

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

**California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2014**

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Craniotomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
						Total	Cancer	Other	
NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.									
	STATEWIDE	1.2% (29;2,422)	0.7% (42;5,831)	7.0% (1,087;15,574)	2.9% (12;416)	2.3% (42;1,819)	2.3% (23;1,001)	2.3% (19;818)	3.0% (1,045;35,028)
San Benito	Hazel Hawkins Memorial Hospital								
San Bernardino	Arrowhead Regional Medical Center		0.0% (0;5)	<b>20.4%</b> <b>(12;90)</b> <b>Worse</b>		0.0% (0;3)			5.6% (1;66)
	Barstow Community Hospital								
	Bear Valley Community Hospital								
	Chino Valley Medical Center								
	Colorado River Medical Center								
	Community Hospital of San Bernardino		0.0% (0;4)						
	Desert Valley Hospital	0.0% (0;5)							3.7% (10;195)
	Hi-Desert Medical Center								
	Kaiser Foundation Hospital – Fontana	3.5% (1;34)	0.0% (0;42)	9.9% (11;184)	7.9% (1;8)	0.0% (0;14)	0.0% (0;5)	0.0% (0;9)	0.0% (0;34)
	Loma Linda University Medical Center	0.0% (0;18)	0.0% (0;33)	<b>10.5%</b> <b>(28;233)</b> <b>Worse</b>	0.0% (0;5)	0.0% (0;25)	0.0% (0;18)	0.0% (0;7)	2.6% (9;308)
	Montclair Hospital Medical Center								
	Mountains Community Hospital								
	Redlands Community Hospital	0.0% (0;15)	0.0% (0;34)	0.0% (0;17)					
	Saint Bernardine Medical Center	0.0% (0;13)	0.0% (0;11)	<b>23.0%</b> <b>(7;56)</b> <b>Worse</b>		0.0% (0;5)		0.0% (0;5)	4.0% (17;1,013)
	Saint Mary Medical Center – Apple Valley	0.0% (0;21)	3.3% (1;24)						2.8% (6;310)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 5.0, and OSHPD hospital patient discharge data, 2014. See Technical Note for details about methodology.

\*Hospital name changed from 2013 to 2014, see Technical Note for details.

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

**California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2014**

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Craniotomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
						Total	Cancer	Other	
NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.									
	STATEWIDE	1.2% (29;2,422)	0.7% (42;5,831)	7.0% (1,087;15,574)	2.9% (12;416)	2.3% (42;1,819)	2.3% (23;1,001)	2.3% (19;818)	3.0% (1,045;35,028)
San Bernardino (continued)	San Antonio Community Hospital ( <a href="#">View comment letter</a> )	0.0% (0;14)	4.3% (2;52)	<b>16.3%</b> <b>(9;63)</b> <b>Worse</b>					4.3% (15;311)
	Victor Valley Global Medical Center		0.0% (0;13)						
San Diego	Alvarado Hospital	0.0% (0;7)	0.0% (0;22)	5.8% (1;14)					3.4% (6;163)
	Fallbrook Hospital District								
	Grossmont Hospital	0.0% (0;20)	4.6% (2;73)	6.9% (10;146)		0.0% (0;4)		0.0% (0;3)	2.8% (13;425)
	Kaiser Foundation Hospital – San Diego	2.5% (1;34)	0.0% (0;37)	7.4% (6;187)	0.0% (0;7)	0.0% (0;14)	0.0% (0;9)	0.0% (0;5)	
	Palomar Health Downtown Campus	6.8% (1;28)	0.0% (0;42)	<b>12.0%</b> <b>(14;91)</b> <b>Worse</b>					<b>5.3%</b> <b>(16;319)</b> <b>Worse</b>
	Paradise Valley Hospital								
	Pomerado Hospital								
	Scripps Green Hospital	0.0% (0;21)	0.0% (0;31)	6.8% (9;145)		0.0% (0;9)	0.0% (0;4)	0.0% (0;5)	1.9% (7;350)
	Scripps Memorial Hospital – Encinitas	0.0% (0;10)	0.0% (0;29)	5.0% (2;28)					1.2% (2;183)
	Scripps Memorial Hospital – La Jolla	0.0% (0;11)	4.4% (1;14)	10.5% (19;154)	0.0% (0;4)				3.8% (13;313)
	Scripps Mercy Hospital	0.0% (0;24)	0.0% (0;60)	2.1% (1;42)					1.9% (5;292)
	Sharp Chula Vista Medical Center	0.0% (0;8)	0.0% (0;24)	13.5% (7;44)					5.0% (10;257)
	Sharp Coronado Hospital and Healthcare Center								
	Sharp Memorial Hospital	0.0% (0;31)	<b>5.3%</b> <b>(3;52)</b> <b>Worse</b>	6.1% (7;128)	0.0% (0;4)	6.4% (1;16)	22.0% (1;8)	0.0% (0;8)	3.6% (10;276)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 5.0, and OSHPD hospital patient discharge data, 2014. See Technical Note for details about methodology.

\*Hospital name changed from 2013 to 2014, see Technical Note for details.

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

**California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2014**

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Craniotomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
						Total	Cancer	Other	
NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.									
	STATEWIDE	1.2% (29;2,422)	0.7% (42;5,831)	7.0% (1,087;15,574)	2.9% (12;416)	2.3% (42;1,819)	2.3% (23;1,001)	2.3% (19;818)	3.0% (1,045;35,028)
San Diego (continued)	Tri-City Medical Center – Oceanside	0.0% (0;15)	2.1% (1;68)	8.3% (4;44)					2.3% (2;188)
	UC San Diego Health System – Hillcrest Medical Center	0.0% (0;15)	0.0% (0;16)	<b>4.8%</b> <b>(23;408)</b> <b>Better</b>	0.0% (0;14)	2.2% (1;51)	3.5% (1;25)	0.0% (0;26)	2.0% (7;367)
San Francisco	California Pacific Medical Center – Davies Campus			8.5% (21;178)					
	California Pacific Medical Center – Pacific Campus	0.0% (0;12)	0.0% (0;42)	11.3% (7;52)	<b>54.9%</b> <b>(2;9)</b> <b>Worse</b>	2.7% (2;84)	1.4% (1;50)	2.7% (1;34)	2.4% (5;201)
	California Pacific Medical Center – St. Luke’s Campus								
	Chinese Hospital					0.0% (0;5)		0.0% (0;3)	
	Kaiser Foundation Hospital – San Francisco	2.2% (1;47)	0.0% (0;39)		0.0% (0;4)	0.0% (0;60)	0.0% (0;38)	0.0% (0;22)	3.0% (15;394)
	Laguna Honda Hospital and Rehabilitation Center								
	Saint Francis Memorial Hospital			<b>27.2%</b> <b>(4;5)</b> <b>Worse</b>					
	Saint Mary’s Medical Center, San Francisco	0.0% (0;4)	0.0% (0;15)						3.0% (5;99)
	San Francisco General Hospital	0.0% (0;5)	0.0% (0;6)	9.0% (13;71)		7.0% (1;12)	0.0% (0;3)	6.9% (1;9)	5.1% (3;54)
	UC San Francisco Medical Center	0.0% (0;37)	2.2% (1;40)	7.9% (39;1,240)	0.0% (0;28)	1.1% (1;80)	2.4% (1;41)	0.0% (0;39)	4.9% (6;110)
San Joaquin	Dameron Hospital		0.0% (0;11)						3.2% (4;249)
	Doctors Hospital of Manteca								
	Kaiser Foundation Hospital – Manteca	5.5% (1;20)	0.0% (0;43)		0.0% (0;6)				

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 5.0, and OSHPD hospital patient discharge data, 2014. See Technical Note for details about methodology.

\*Hospital name changed from 2013 to 2014, see Technical Note for details.

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

**California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2014**

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Craniotomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
						Total	Cancer	Other	
NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.									
	STATEWIDE	1.2% (29;2,422)	0.7% (42;5,831)	7.0% (1,087;15,574)	2.9% (12;416)	2.3% (42;1,819)	2.3% (23;1,001)	2.3% (19;818)	3.0% (1,045;35,028)
San Joaquin (continued)	Lodi Memorial Hospital	0.0% (0;5)	0.0% (0;16)						
	Saint Joseph's Medical Center of Stockton	0.0% (0;29)	0.0% (0;97)	4.5% (2;38)		0.0% (0;6)	0.0% (0;5)		4.2% (14;284)
	San Joaquin General Hospital		0.0% (0;5)	0.0% (0;6)		29.2% (1;3)		26.9% (1;3)	
	Sutter Tracy Community Hospital								
San Luis Obispo	French Hospital Medical Center		0.0% (0;40)						5.0% (6;224)
	Marian Regional Medical Center – Arroyo Grande		0.0% (0;13)						
	Sierra Vista Regional Medical Center	0.0% (0;8)	0.0% (0;9)	7.9% (2;66)					
	Twin Cities Community Hospital		0.0% (0;10)						
San Mateo	Kaiser Foundation Hospital – Redwood City			<b>4.1% (23;672) Better</b>		0.0% (0;5)		0.0% (0;4)	0.0% (0;25)
	Kaiser Foundation Hospital – South San Francisco		0.0% (0;3)			0.0% (0;10)	0.0% (0;4)	0.0% (0;6)	
	Peninsula Medical Center	0.0% (0;13)	0.0% (0;39)	0.0% (0;15)		0.0% (0;16)	0.0% (0;8)	0.0% (0;8)	2.7% (8;224)
	San Mateo Medical Center								
	Sequoia Hospital	0.0% (0;9)	0.0% (0;38)						2.2% (1;50)
	Seton Medical Center		0.0% (0;21)	7.4% (2;13)					3.5% (9;216)
Santa Barbara	Goleta Valley Cottage Hospital								
	Lompoc Valley Medical Center								

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 5.0, and OSHPD hospital patient discharge data, 2014. See Technical Note for details about methodology.

\*Hospital name changed from 2013 to 2014, see Technical Note for details.

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

**California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2014**

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Craniotomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
						Total	Cancer	Other	
NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.									
	STATEWIDE	1.2% (29;2,422)	0.7% (42;5,831)	7.0% (1,087;15,574)	2.9% (12;416)	2.3% (42;1,819)	2.3% (23;1,001)	2.3% (19;818)	3.0% (1,045;35,028)
Santa Barbara (continued)	Marian Regional Medical Center	0.0% (0;16)	0.0% (0;30)	2.1% (1;37)					6.8% (5;118)
	Santa Barbara Cottage Hospital	0.0% (0;22)	0.0% (0;48)	<b>14.7%</b> <b>(40;258)</b> <b>Worse</b>		0.0% (0;16)	0.0% (0;9)	0.0% (0;7)	1.9% (3;246)
	Santa Ynez Valley Cottage Hospital								
Santa Clara	El Camino Hospital	0.0% (0;40)	4.6% (1;37)	7.0% (7;76)		0.0% (0;10)	0.0% (0;4)	0.0% (0;6)	1.7% (4;215)
	Good Samaritan Hospital – San Jose	0.0% (0;6)	0.0% (0;15)	8.3% (10;114)		0.0% (0;3)			3.3% (8;218)
	Kaiser Foundation Hospital – San Jose	0.0% (0;3)	0.0% (0;24)			0.0% (0;18)	0.0% (0;10)	0.0% (0;8)	<b>8.2%</b> <b>(6;50)</b> <b>Worse</b>
	Kaiser Foundation Hospital – Santa Clara	0.0% (0;27)	0.0% (0;20)	0.0% (0;3)	0.0% (0;7)	0.0% (0;4)		0.0% (0;3)	2.5% (21;1,056)
	O’Connor Hospital*	0.0% (0;17)	<b>20.4%</b> <b>(2;18)</b> <b>Worse</b>	5.3% (2;30)		0.0% (0;9)	0.0% (0;8)		3.7% (8;192)
	Regional Medical of San Jose	0.0% (0;6)	14.6% (1;7)	8.3% (16;92)					3.2% (9;206)
	Saint Louise Regional Hospital								
	Santa Clara Valley Medical Center		0.0% (0;7)	3.0% (2;88)		<b>93.0%</b> <b>(2;4)</b> <b>Worse</b>	31.9% (1;3)		3.3% (3;140)
	Stanford Hospital	0.0% (0;80)	0.0% (0;67)	<b>3.6%</b> <b>(21;819)</b> <b>Better</b>	0.0% (0;16)	1.4% (2;128)	2.9% (2;62)	0.0% (0;66)	3.6% (7;180)
Santa Cruz	Dominican Hospital*		0.0% (0;18)	5.1% (4;68)					0.6% (1;247)
	Watsonville Community Hospital								

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 5.0, and OSHPD hospital patient discharge data, 2014. See Technical Note for details about methodology.

\*Hospital name changed from 2013 to 2014, see Technical Note for details.

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

**California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2014**

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Craniotomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
						Total	Cancer	Other	
NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.									
	STATEWIDE	1.2% (29;2,422)	0.7% (42;5,831)	7.0% (1,087;15,574)	2.9% (12;416)	2.3% (42;1,819)	2.3% (23;1,001)	2.3% (19;818)	3.0% (1,045;35,028)
Shasta	Mayers Memorial Hospital								
	Mercy Medical Center – Redding	0.0% (0;39)	0.0% (0;114)	2.2% (2;72)		6.7% (1;4)			1.9% (4;195)
	Shasta Regional Medical Center		0.0% (0;49)						3.0% (6;156)
Siskiyou	Fairchild Medical Center		0.0% (0;6)						
	Mercy Medical Center Mt. Shasta								
Solano	Kaiser Foundation Hospital – Rehabilitation Center Vallejo	0.0% (0;10)	0.0% (0;20)		0.0% (0;12)				6.3% (4;75)
	Kaiser Foundation Hospital – Vacaville			<b>1.9% (2;52) Better</b>					
	North Bay Medical Center		0.0% (0;12)	7.7% (3;34)					1.3% (3;149)
	Sutter Solano Medical Center								
Sonoma	Healdsburg District Hospital								
	Kaiser Foundation Hospital – Santa Rosa	0.0% (0;11)	0.0% (0;23)						
	Palm Drive Hospital								
	Petaluma Valley Hospital								
	Santa Rosa Memorial Hospital – Montgomery	0.0% (0;17)	0.0% (0;48)	8.0% (5;26)					3.5% (7;218)
	Sonoma Valley Hospital								
	Sutter Medical Center of Santa Rosa		0.0% (0;3)						2.0% (2;102)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 5.0, and OSHPD hospital patient discharge data, 2014. See Technical Note for details about methodology.

\*Hospital name changed from 2013 to 2014, see Technical Note for details.

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

**California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2014**

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Craniotomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
						Total	Cancer	Other	
NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.									
	STATEWIDE	1.2% (29;2,422)	0.7% (42;5,831)	7.0% (1,087;15,574)	2.9% (12;416)	2.3% (42;1,819)	2.3% (23;1,001)	2.3% (19;818)	3.0% (1,045;35,028)
Sonoma (continued)	Sutter Santa Rosa Regional Hospital								4.8% (1;21)
Stanislaus	Doctors Medical Center	0.0% (0;19)	1.0% (1;139)	5.8% (2;52)		66.6% (1;5)	19.5% (1;3)		4.6% (14;338)
	Emanuel Medical Center	0.0% (0;4)	0.0% (0;7)						2.4% (7;258)
	Memorial Hospital Medical Center – Modesto	7.9% (1;26)	1.6% (1;87)	10.1% (3;32)		0.0% (0;8)	0.0% (0;7)		2.0% (9;421)
	Oak Valley District Hospital								
Tehama	Saint Elizabeth Community Hospital								
Trinity	Trinity Hospital								
Tulare	Kaweah Delta Medical Center	0.0% (0;16)	0.0% (0;60)						2.8% (17;534)
	Sierra View Medical Center*								
	Tulare Regional Medical Center								
Tuolumne	Sonora Regional Medical Center – Greenley		0.0% (0;16)						
Ventura	Community Memorial Hospital – San Buenaventura	0.0% (0;17)	0.0% (0;45)	11.5% (1;22)					4.5% (6;173)
	Los Robles Hospital and Medical Center	0.0% (0;13)	0.0% (0;26)	13.1% (5;80)		0.0% (0;7)	0.0% (0;6)		2.7% (5;341)
	Ojai Valley Community Hospital								
	Saint John's Pleasant Valley Hospital								
	Saint John's Regional Medical Center	3.3% (1;18)	0.0% (0;38)	9.3% (4;22)					1.9% (5;162)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 5.0, and OSHPD hospital patient discharge data, 2014. See Technical Note for details about methodology.

\*Hospital name changed from 2013 to 2014, see Technical Note for details.

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.

**California Hospital Risk-Adjusted Mortality Rates (RAMR), Total Deaths and Cases, and Quality Ratings for Inpatient Mortality Indicators (Procedures), 2014**

County	Hospital Name	Abdominal Aortic Aneurysm Repair (Unruptured)	Carotid Endarterectomy	Craniotomy	Esophageal Resection	Pancreatic Resection			Percutaneous Coronary Intervention
						Total	Cancer	Other	
NOTE: In each cell, the first line indicates Risk-Adjusted Mortality Rate (RAMR), the second line indicates total deaths; total cases, and the third line indicates any quality rating.									
	STATEWIDE	1.2% (29;2,422)	0.7% (42;5,831)	7.0% (1,087;15,574)	2.9% (12;416)	2.3% (42;1,819)	2.3% (23;1,001)	2.3% (19;818)	3.0% (1,045;35,028)
Ventura (continued)	Simi Valley Hospital and Healthcare Services – Sycamore		0.0% (0;4)	<b>28.3%</b> <b>(3;4)</b> <b>Worse</b>					
	Ventura County Medical Center			12.4% (2;14)		0.0% (0;3)			
Yolo	Sutter Davis Hospital		0.0% (0;3)						
	Woodland Memorial Hospital		0.0% (0;8)						
Yuba	Rideout Memorial Hospital	0.0% (0;23)	0.0% (0;55)	10.2% (1;21)					3.0% (4;193)

Source: Agency for Healthcare Research and Quality (AHRQ) Quality Indicators and SAS, Version 5.0, and OSHPD hospital patient discharge data, 2014. See Technical Note for details about methodology.

\*Hospital name changed from 2013 to 2014, see Technical Note for details.

Note: Blank cells indicate that fewer than three procedures were performed.

Definition of Terms: **Risk Adjustment:** The Risk Adjusted Mortality Rates (RAMR) presented here adjust the observed mortality rates. This statistical methodology takes into account pre-existing health problems that put some patients at greater risk of death to 'level the playing field' and allow fair comparisons across hospitals. **Total Deaths:** number of patients that died in this hospital. **Total Cases:** number of patients undergoing this procedure in this hospital.

Quality Ratings are risk-adjusted using age, gender, APR-DRG base category, and APR-DRG risk of mortality scores. Significantly better or significantly worse than the statewide rate are noted when upper 95% confidence level of the RAMR falls below the statewide rate ('Better') or lower 95% confidence level of the RAMR is higher than the statewide rate ('Worse'). Cells with no quality ratings indicate a hospital's performance is considered 'not significantly different' from the statewide average.