

**Table 7: Hospital Risk-Adjusted Post-Operative Stroke Results by Region, 2007-2008**

Region	Hospital	All CABG Cases	Isolated CABG Cases	Isolated CABG Post-op Strokes	Observed Post-op Stroke Rate (%)	Expected Post-op Stroke Rate (%)	Risk-Adjusted Post-op Stroke Rate (% RASR)	95% Confidence Interval for RASR	Performance Rating*
<b>State</b>		<b>36,929</b>	<b>28,711</b>	<b>411</b>	<b>1.43</b>				
Sacramento Valley & Northern California Region	Enloe Medical Center	343	286	2	0.70	1.50	0.67	(0.08, 2.41)	
	Mercy General Hospital	1,801	1,197	23	1.92	1.25	2.20	(1.40, 3.30)	
	Mercy Medical Center - Redding	368	275	4	1.45	1.36	1.53	(0.42, 3.92)	
	Mercy San Juan Hospital	255	187	4	2.14	1.42	2.16	(0.59, 5.53)	
	Rideout Memorial Hospital	336	272	5	1.84	1.65	1.60	(0.52, 3.72)	
	Shasta Regional Medical Center	142	126	2	1.59	1.32	1.72	(0.21, 6.21)	
	St. Joseph Hospital - Eureka	135	109	0	0.00	1.45	0.00	(0.00, 3.33)	
	Sutter Memorial Hospital	874	612	10	1.63	1.38	1.70	(0.81, 3.12)	
UC Davis Medical Center	399	264	2	0.76	1.37	0.79	(0.10, 2.86)		
San Francisco Bay Area & San Jose	Alta Bates Summit Medical Center - Summit Campus	1,336	1,070	5	0.47	1.26	0.53	(0.17, 1.23)	Better
	California Pacific Medical Center - Pacific Campus**	224	150	4	2.67	1.20	3.18	(0.87, 8.15)	
	Community Hospital Monterey Peninsula	168	122	1	0.82	1.00	1.17	(0.03, 6.51)	

\*A hospital is classified as **“Better”** if the upper or entire 95% CI of the RASR falls below the California observed mortality rate (1.43%). A hospital is classified as **“Worse”** if the lower or entire 95% CI of the RASR is higher than the California observed mortality rate. A hospital’s performance is considered **“Not Different”** from the state average (rating is left blank) if the California mortality rate falls within the 95% CI of a hospital’s RASR.

\*\* Hospitals marked with two asterisks (\*\*) in Table 7 submitted statements regarding this report. See Appendix A for their statements.

**Table 7: Hospital Risk-Adjusted Post-Operative Stroke Results by Region, 2007-2008**

Region	Hospital	All CABG Cases	Isolated CABG Cases	Isolated CABG Post-op Strokes	Observed Post-op Stroke Rate (%)	Expected Post-op Stroke Rate (%)	Risk-Adjusted Post-op Stroke Rate (% RASR)	95% Confidence Interval for RASR	Performance Rating*
<b>State</b>		<b>36,929</b>	<b>28,711</b>	<b>411</b>	<b>1.43</b>				
San Francisco Bay Area & San Jose (continued)	Dominican Hospital	178	136	7	5.15	1.42	5.17	(2.08, 10.65)	Worse
	El Camino Hospital	162	128	2	1.56	1.42	1.57	(0.19, 5.68)	
	Good Samaritan Hospital - San Jose**	278	216	7	3.24	1.20	3.88	(1.56, 7.98)	Worse
	John Muir Medical Center - Concord Campus	570	483	5	1.04	1.47	1.01	(0.33, 2.35)	
	John Muir Medical Center - Walnut Creek Campus	1	1	0	0.00	4.65	0.00	(0.00, 100.0)	
	Kaiser Foundation Hospital (Geary San Francisco)	1,075	825	10	1.21	1.24	1.40	(0.67, 2.58)	
	Kaiser Foundation Hospital (Santa Clara)	150	101	2	1.98	1.33	2.13	(0.26, 7.69)	
	Marin General Hospital	94	79	1	1.27	1.35	1.34	(0.03, 7.46)	
	O'Connor Hospital	173	148	5	3.38	1.90	2.55	(0.83, 5.95)	
	Peninsula Medical Center	48	38	2	5.26	1.28	5.89	(0.71, 21.27)	
	Queen of the Valley Hospital	347	301	3	1.00	1.53	0.93	(0.19, 2.72)	
Regional Medical of San Jose	74	63	2	3.17	1.68	2.71	(0.33, 9.77)		

\*A hospital is classified as “**Better**” if the upper or entire 95% CI of the RASR falls below the California observed mortality rate (1.43%). A hospital is classified as “**Worse**” if the lower or entire 95% CI of the RASR is higher than the California observed mortality rate. A hospital’s performance is considered “**Not Different**” from the state average (rating is left blank) if the California mortality rate falls within the 95% CI of a hospital’s RASR.

\*\* Hospitals marked with two asterisks (\*\*) in Table 7 submitted statements regarding this report. See Appendix A for their statements.

**Table 7: Hospital Risk-Adjusted Post-Operative Stroke Results by Region, 2007-2008**

Region	Hospital	All CABG Cases	Isolated CABG Cases	Isolated CABG Post-op Strokes	Observed Post-op Stroke Rate (%)	Expected Post-op Stroke Rate (%)	Risk-Adjusted Post-op Stroke Rate (% RASR)	95% Confidence Interval for RASR	Performance Rating*
<b>State</b>		<b>36,929</b>	<b>28,711</b>	<b>411</b>	<b>1.43</b>				
San Francisco Bay Area & San Jose (continued)	Salinas Valley Memorial Hospital	242	209	3	1.44	1.45	1.42	(0.29, 4.14)	
	San Ramon Regional Medical Center	111	93	1	1.08	1.08	1.42	(0.04, 7.93)	
	Santa Clara Valley Medical Center	128	109	1	0.92	0.88	1.50	(0.04, 8.34)	
	Santa Rosa Memorial Hospital	162	130	1	0.77	1.45	0.76	(0.02, 4.22)	
	Sequoia Hospital	350	189	0	0.00	1.35	0.00	(0.00, 2.06)	
	Seton Medical Center	370	325	7	2.15	1.79	1.73	(0.69, 3.55)	
	St. Helena Hospital	168	156	2	1.28	1.63	1.12	(0.14, 4.06)	
	St. Mary's Medical Center, San Francisco	60	53	2	3.77	1.50	3.60	(0.44, 12.99)	
	Stanford Hospital	292	184	0	0.00	1.18	0.00	(0.00, 2.42)	
	Sutter Medical Center of Santa Rosa	198	150	0	0.00	1.19	0.00	(0.00, 2.96)	
	UCSF Medical Center	212	156	2	1.28	1.02	1.80	(0.22, 6.50)	
Valleycare Medical Center	100	76	0	0.00	1.62	0.00	(0.00, 4.29)		
Washington Hospital - Fremont	253	242	5	2.07	1.43	2.07	(0.67, 4.83)		

\*A hospital is classified as **"Better"** if the upper or entire 95% CI of the RASR falls below the California observed mortality rate (1.43%). A hospital is classified as **"Worse"** if the lower or entire 95% CI of the RASR is higher than the California observed mortality rate. A hospital's performance is considered **"Not Different"** from the state average (rating is left blank) if the California mortality rate falls within the 95% CI of a hospital's RASR.

\*\* Hospitals marked with two asterisks (\*\*) in Table 7 submitted statements regarding this report. See Appendix A for their statements.

**Table 7: Hospital Risk-Adjusted Post-Operative Stroke Results by Region, 2007-2008**

Region	Hospital	All CABG Cases	Isolated CABG Cases	Isolated CABG Post-op Strokes	Observed Post-op Stroke Rate (%)	Expected Post-op Stroke Rate (%)	Risk-Adjusted Post-op Stroke Rate (% RASR)	95% Confidence Interval for RASR	Performance Rating*
<b>State</b>		<b>36,929</b>	<b>28,711</b>	<b>411</b>	<b>1.43</b>				
Central California	Bakersfield Heart Hospital	418	355	5	1.41	1.25	1.61	(0.52, 3.76)	
	Bakersfield Memorial Hospital	333	291	10	3.44	1.31	3.77	(1.80, 6.92)	Worse
	Community Regional Medical Center - Fresno	432	361	5	1.39	1.59	1.25	(0.41, 2.92)	
	Dameron Hospital	51	45	0	0.00	1.59	0.00	(0.00, 7.39)	
	Doctors Medical Center	635	509	7	1.38	1.41	1.39	(0.56, 2.87)	
	Fresno Heart and Surgical Hospital	445	372	1	0.27	1.34	0.29	(0.01, 1.60)	
	Kaweah Delta Medical Center	608	461	6	1.30	1.55	1.20	(0.44, 2.61)	
	Marian Medical Center	197	149	2	1.34	1.44	1.34	(0.16, 4.82)	
	Memorial Medical Center Modesto	545	432	10	2.31	1.40	2.36	(1.13, 4.33)	
	San Joaquin Community Hospital	141	118	0	0.00	1.35	0.00	(0.00, 3.30)	
	St. Agnes Medical Center	598	501	5	1.00	1.55	0.92	(0.30, 2.15)	
St. Joseph's Medical Center of Stockton	522	436	2	0.46	1.28	0.51	(0.06, 1.85)		

\*A hospital is classified as “**Better**” if the upper or entire 95% CI of the RASR falls below the California observed mortality rate (1.43%). A hospital is classified as “**Worse**” if the lower or entire 95% CI of the RASR is higher than the California observed mortality rate. A hospital’s performance is considered “**Not Different**” from the state average (rating is left blank) if the California mortality rate falls within the 95% CI of a hospital’s RASR.

\*\* Hospitals marked with two asterisks (\*\*) in Table 7 submitted statements regarding this report. See Appendix A for their statements.

**Table 7: Hospital Risk-Adjusted Post-Operative Stroke Results by Region, 2007-2008**

Region	Hospital	All CABG Cases	Isolated CABG Cases	Isolated CABG Post-op Strokes	Observed Post-op Stroke Rate (%)	Expected Post-op Stroke Rate (%)	Risk-Adjusted Post-op Stroke Rate (% RASR)	95% Confidence Interval for RASR	Performance Rating*
<b>State</b>		<b>36,929</b>	<b>28,711</b>	<b>411</b>	<b>1.43</b>				
San Fernando Valley, Antelope Valley, Ventura & Santa Barbara	Antelope Valley Hospital	68	65	1	1.54	1.64	1.34	(0.03, 7.47)	
	CMH of San Buenaventura	251	209	3	1.44	1.65	1.24	(0.26, 3.63)	
	French Hospital Medical Center	260	198	1	0.51	1.29	0.56	(0.01, 3.12)	
	Glendale Adventist Medical Center - Wilson Terrace	269	227	2	0.88	1.34	0.94	(0.11, 3.40)	
	Glendale Memorial Hospital and Health Center	377	256	3	1.17	1.55	1.08	(0.22, 3.16)	
	Lancaster Community Hospital	23	23	0	0.00	1.09	0.00	(0.00, 21.11)	
	Los Robles Hospital and Medical Center	212	154	2	1.30	1.51	1.23	(0.15, 4.45)	
	Northridge Hospital Medical Center	191	157	4	2.55	1.44	2.54	(0.69, 6.49)	
	Providence Holy Cross Medical Center	177	119	1	0.84	1.80	0.67	(0.02, 3.72)	
	Providence St. Joseph Medical Center	150	110	3	2.73	1.45	2.70	(0.56, 7.89)	
Providence Tarzana Medical Center	186	147	6	4.08	1.45	4.03	(1.48, 8.77)	Worse	
Santa Barbara Cottage Hospital	300	234	2	0.85	1.52	0.81	(0.10, 2.91)		

\*A hospital is classified as **"Better"** if the upper or entire 95% CI of the RASR falls below the California observed mortality rate (1.43%). A hospital is classified as **"Worse"** if the lower or entire 95% CI of the RASR is higher than the California observed mortality rate. A hospital's performance is considered **"Not Different"** from the state average (rating is left blank) if the California mortality rate falls within the 95% CI of a hospital's RASR.

\*\* Hospitals marked with two asterisks (\*\*) in Table 7 submitted statements regarding this report. See Appendix A for their statements.

**Table 7: Hospital Risk-Adjusted Post-Operative Stroke Results by Region, 2007-2008**

Region	Hospital	All CABG Cases	Isolated CABG Cases	Isolated CABG Post-op Strokes	Observed Post-op Stroke Rate (%)	Expected Post-op Stroke Rate (%)	Risk-Adjusted Post-op Stroke Rate (% RASR)	95% Confidence Interval for RASR	Performance Rating*
<b>State</b>		<b>36,929</b>	<b>28,711</b>	<b>411</b>	<b>1.43</b>				
San Fernando Valley, Antelope Valley, Ventura & Santa Barbara (continued)	Sierra Vista Regional Medical Center	36	33	3	9.09	2.15	6.05	(1.25, 17.65)	
	St. John's Regional Medical Center	210	163	4	2.45	1.68	2.09	(0.57, 5.35)	
	Valley Presbyterian Hospital	70	66	1	1.52	1.43	1.52	(0.04, 8.47)	
	West Hills Hospital and Medical Center	122	110	2	1.82	1.31	1.98	(0.24, 7.16)	
Greater Los Angeles	Beverly Hospital	45	40	0	0.00	1.32	0.00	(0.00, 9.97)	
	Brotman Medical Center	1	1	0	0.00	2.98	0.00	(0.00, 100.0)	
	Cedars Sinai Medical Center	464	270	2	0.74	1.11	0.96	(0.12, 3.45)	
	Centinela Hospital Medical Center	147	118	4	3.39	1.62	3.00	(0.82, 7.67)	
	Citrus Valley Medical Center – IC Campus	162	129	3	2.33	1.37	2.43	(0.50, 7.09)	
	Downey Regional Medical Center	144	124	0	0.00	1.29	0.00	(0.00, 3.30)	
	Garfield Medical Center	252	226	2	0.88	1.67	0.76	(0.09, 2.73)	
	Good Samaritan Hospital - Los Angeles	299	243	1	0.41	1.61	0.37	(0.01, 2.03)	

\*A hospital is classified as “**Better**” if the upper or entire 95% CI of the RASR falls below the California observed mortality rate (1.43%). A hospital is classified as “**Worse**” if the lower or entire 95% CI of the RASR is higher than the California observed mortality rate. A hospital’s performance is considered “**Not Different**” from the state average (rating is left blank) if the California mortality rate falls within the 95% CI of a hospital’s RASR.

\*\* Hospitals marked with two asterisks (\*\*) in Table 7 submitted statements regarding this report. See Appendix A for their statements.

**Table 7: Hospital Risk-Adjusted Post-Operative Stroke Results by Region, 2007-2008**

Region	Hospital	All CABG Cases	Isolated CABG Cases	Isolated CABG Post-op Strokes	Observed Post-op Stroke Rate (%)	Expected Post-op Stroke Rate (%)	Risk-Adjusted Post-op Stroke Rate (% RASR)	95% Confidence Interval for RASR	Performance Rating*
<b>State</b>		<b>36,929</b>	<b>28,711</b>	<b>411</b>	<b>1.43</b>				
Greater Los Angeles (continued)	Huntington Memorial Hospital	181	137	1	0.73	1.25	0.84	(0.02, 4.65)	
	Kaiser Foundation Hospital (Sunset)	1,459	1,110	18	1.62	1.46	1.59	(0.94, 2.51)	
	Lakewood Regional Medical Center	185	161	2	1.24	1.62	1.10	(0.13, 3.96)	
	Little Company of Mary Hospital	146	103	2	1.94	1.82	1.53	(0.18, 5.51)	
	Long Beach Memorial Medical Center	552	476	9	1.89	1.32	2.06	(0.94, 3.90)	
	Los Angeles County/Harbor - UCLA Medical Center	195	177	4	2.26	1.49	2.17	(0.59, 5.54)	
	Los Angeles County/USC Medical Center	199	176	0	0.00	1.08	0.00	(0.00, 2.76)	
	Methodist Hospital of Southern California	146	117	1	0.85	1.52	0.81	(0.02, 4.49)	
	Presbyterian Intercommunity Hospital	229	176	1	0.57	1.43	0.57	(0.01, 3.16)	
	Ronald Reagan UCLA Medical Center	386	224	4	1.79	1.49	1.72	(0.47, 4.40)	
Santa Monica - UCLA Medical Center and Orthopedic Hospital	41	35	0	0.00	1.76	0.00	(0.00, 8.55)		
St. Francis Medical Center	79	72	0	0.00	1.11	0.00	(0.00, 6.58)		

\*A hospital is classified as **“Better”** if the upper or entire 95% CI of the RASR falls below the California observed mortality rate (1.43%). A hospital is classified as **“Worse”** if the lower or entire 95% CI of the RASR is higher than the California observed mortality rate. A hospital’s performance is considered **“Not Different”** from the state average (rating is left blank) if the California mortality rate falls within the 95% CI of a hospital’s RASR.

\*\* Hospitals marked with two asterisks (\*\*) in Table 7 submitted statements regarding this report. See Appendix A for their statements.

**Table 7: Hospital Risk-Adjusted Post-Operative Stroke Results by Region, 2007-2008**

Region	Hospital	All CABG Cases	Isolated CABG Cases	Isolated CABG Post-op Strokes	Observed Post-op Stroke Rate (%)	Expected Post-op Stroke Rate (%)	Risk-Adjusted Post-op Stroke Rate (% RASR)	95% Confidence Interval for RASR	Performance Rating*
<b>State</b>		<b>36,929</b>	<b>28,711</b>	<b>411</b>	<b>1.43</b>				
Greater Los Angeles (continued)	St. John's Health Center	181	128	0	0.00	1.10	0.00	(0.00, 3.73)	
	St. Mary Medical Center	116	101	0	0.00	2.03	0.00	(0.00, 2.57)	
	St. Vincent Medical Center	247	210	2	0.95	1.51	0.90	(0.11, 3.26)	
	Torrance Memorial Medical Center	214	119	2	1.68	1.46	1.65	(0.20, 5.95)	
	USC University Hospital	313	154	2	1.30	1.37	1.35	(0.16, 4.88)	
	White Memorial Medical Center	127	112	3	2.68	1.46	2.63	(0.54, 7.69)	
Inland Empire, Riverside & San Bernardino	Desert Regional Medical Center**	444	340	4	1.18	1.46	1.16	(0.31, 2.96)	
	Eisenhower Medical Center	559	432	7	1.62	1.46	1.59	(0.64, 3.27)	
	Loma Linda University Medical Center	687	520	9	1.73	1.47	1.68	(0.77, 3.19)	
	Pomona Valley Hospital Medical Center	360	311	5	1.61	1.69	1.36	(0.44, 3.18)	
	Riverside Community Hospital	516	430	3	0.70	1.50	0.66	(0.14, 1.94)	
	San Antonio Community Hospital	292	216	4	1.85	1.50	1.77	(0.48, 4.53)	

\*A hospital is classified as “**Better**” if the upper or entire 95% CI of the RASR falls below the California observed mortality rate (1.43%). A hospital is classified as “**Worse**” if the lower or entire 95% CI of the RASR is higher than the California observed mortality rate. A hospital’s performance is considered “**Not Different**” from the state average (rating is left blank) if the California mortality rate falls within the 95% CI of a hospital’s RASR.

\*\* Hospitals marked with two asterisks (\*\*) in Table 7 submitted statements regarding this report. See Appendix A for their statements.

**Table 7: Hospital Risk-Adjusted Post-Operative Stroke Results by Region, 2007-2008**

Region	Hospital	All CABG Cases	Isolated CABG Cases	Isolated CABG Post-op Strokes	Observed Post-op Stroke Rate (%)	Expected Post-op Stroke Rate (%)	Risk-Adjusted Post-op Stroke Rate (% RASR)	95% Confidence Interval for RASR	Performance Rating*
<b>State</b>		<b>36,929</b>	<b>28,711</b>	<b>411</b>	<b>1.43</b>				
Inland Empire, Riverside & San Bernardino (continued)	St. Bernardine Medical Center	1,181	1,028	9	0.88	1.41	0.89	(0.41, 1.68)	
	St. Mary Regional Medical Center	366	322	4	1.24	1.48	1.2	(0.33, 3.08)	
Orange County	Anaheim Memorial Medical Center	401	329	9	2.74	1.53	2.56	(1.17, 4.85)	
	Fountain Valley Regional Hospital and Medical Center	224	213	3	1.41	1.36	1.48	(0.31, 4.33)	
	Hoag Memorial Hospital Presbyterian	473	304	5	1.64	1.18	1.99	(0.65, 4.65)	
	Irvine Regional Hospital and Medical Center	79	67	0	0.00	1.47	0.00	(0.00, 5.34)	
	Mission Hospital Regional Medical Center	271	215	2	0.93	1.09	1.22	(0.15, 4.42)	
	Saddleback Memorial Medical Center	255	217	1	0.46	1.20	0.55	(0.01, 3.05)	
	St. Joseph Hospital - Orange	277	224	5	2.23	1.28	2.49	(0.81, 5.81)	
	St. Jude Medical Center	239	212	5	2.36	1.09	3.11	(1.01, 7.25)	
	UC Irvine Medical Center	119	84	1	1.19	1.31	1.30	(0.03, 7.25)	
West Anaheim Medical Center	29	29	0	0.00	2.42	0.00	(0.00, 7.50)		

\*A hospital is classified as “**Better**” if the upper or entire 95% CI of the RASR falls below the California observed mortality rate (1.43%). A hospital is classified as “**Worse**” if the lower or entire 95% CI of the RASR is higher than the California observed mortality rate. A hospital’s performance is considered “**Not Different**” from the state average (rating is left blank) if the California mortality rate falls within the 95% CI of a hospital’s RASR.

\*\* Hospitals marked with two asterisks (\*\*) in Table 7 submitted statements regarding this report. See Appendix A for their statements.

**Table 7: Hospital Risk-Adjusted Post-Operative Stroke Results by Region, 2007-2008**

Region	Hospital	All CABG Cases	Isolated CABG Cases	Isolated CABG Post-op Strokes	Observed Post-op Stroke Rate (%)	Expected Post-op Stroke Rate (%)	Risk-Adjusted Post-op Stroke Rate (% RASR)	95% Confidence Interval for RASR	Performance Rating*
<b>State</b>		<b>36,929</b>	<b>28,711</b>	<b>411</b>	<b>1.43</b>				
Orange County (continued)	Western Medical Center - Santa Ana	90	74	2	2.70	1.25	3.09	(0.37, 11.17)	
	Western Medical Center Hospital - Anaheim	204	183	3	1.64	1.48	1.59	(0.33, 4.64)	
Greater San Diego	Alvarado Hospital	147	115	0	0.00	1.50	0.00	(0.00, 3.06)	
	Palomar Medical Center	188	149	0	0.00	1.13	0.00	(0.00, 3.12)	
	Scripps Green Hospital	230	155	2	1.29	1.28	1.44	(0.17, 5.19)	
	Scripps Memorial Hospital – La Jolla	750	517	14	2.71	1.46	2.66	(1.45, 4.46)	Worse
	Scripps Mercy Hospital	306	243	3	1.23	1.32	1.34	(0.28, 3.91)	
	Sharp Chula Vista Medical Center	394	319	6	1.88	1.64	1.64	(0.60, 3.57)	
	Sharp Grossmont Hospital	406	310	8	2.58	1.69	2.19	(0.95, 4.31)	
	Sharp Memorial Hospital	445	284	3	1.06	1.22	1.24	(0.26, 3.63)	
	Tri-City Medical Center	224	178	6	3.37	1.15	4.20	(1.54, 9.12)	Worse
UCSD Medical Center	77	64	1	1.56	1.30	1.72	(0.04, 9.59)		

\*A hospital is classified as “**Better**” if the upper or entire 95% CI of the RASR falls below the California observed mortality rate (1.43%). A hospital is classified as “**Worse**” if the lower or entire 95% CI of the RASR is higher than the California observed mortality rate. A hospital’s performance is considered “**Not Different**” from the state average (rating is left blank) if the California mortality rate falls within the 95% CI of a hospital’s RASR.

\*\* Hospitals marked with two asterisks (\*\*) in Table 7 submitted statements regarding this report. See Appendix A for their statements.

**Table 7: Hospital Risk-Adjusted Post-Operative Stroke Results by Region, 2007-2008**

Region	Hospital	All CABG Cases	Isolated CABG Cases	Isolated CABG Post-op Strokes	Observed Post-op Stroke Rate (%)	Expected Post-op Stroke Rate (%)	Risk-Adjusted Post-op Stroke Rate (% RASR)	95% Confidence Interval for RASR	Performance Rating*
<b>State</b>		<b>36,929</b>	<b>28,711</b>	<b>411</b>	<b>1.43</b>				
Greater San Diego (continued)	UCSD Medical Center - La Jolla, John M. & Sally B. Thornton Hospital	182	126	1	0.79	1.15	0.99	(0.02, 5.50)	

\*A hospital is classified as **“Better”** if the upper or entire 95% CI of the RASR falls below the California observed mortality rate (1.43%). A hospital is classified as **“Worse”** if the lower or entire 95% CI of the RASR is higher than the California observed mortality rate. A hospital’s performance is considered **“Not Different”** from the state average (rating is left blank) if the California mortality rate falls within the 95% CI of a hospital’s RASR.

\*\* Hospitals marked with two asterisks (\*\*) in Table 7 submitted statements regarding this report. See Appendix A for their statements.