

**Table 6: Hospital Risk-Adjusted Post-Operative Stroke Results by Region, 2008-2009**

<i>Region</i>	<i>Hospital</i>	<i>All CABG Cases</i>	<i>Isolated CABG Cases</i>	<i>Isolated CABG Post-Operative Stroke</i>	<i>Observed Post-Operative Stroke Rate (%)</i>	<i>Expected Post-Operative Stroke Rate (%)</i>	<i>Risk-Adjusted Post-Operative Stroke Rate (% RASR)</i>	<i>95% CI for RASR</i>	<i>Performance Rating*</i>
<b>State</b>		<b>35,251</b>	<b>27,217</b>	<b>384</b>	<b>1.41</b>				
Sacramento Valley & Northern California Region	Enloe Medical Center	326	289	1	0.35	1.39	0.35	(0.01, 1.95)	
	Mercy General Hospital	1,636	1,095	21	1.92	1.21	2.24	(1.38, 3.42)	
	Mercy Medical Center - Redding	351	268	2	0.75	1.26	0.84	(0.10, 3.01)	
	Mercy San Juan Hospital	279	211	3	1.42	1.30	1.54	(0.32, 4.50)	
	North Bay Medical Center	19	19	0	0.00	1.04	0.00	(0.00, 26.45)	
	Rideout Memorial Hospital	332	271	5	1.85	1.35	1.93	(0.62, 4.49)	
	Shasta Regional Medical Center	111	103	1	0.97	1.30	1.06	(0.03, 5.87)	
	St. Joseph Hospital - Eureka	129	96	0	0.00	1.37	0.00	(0.00, 3.95)	
	Sutter Memorial Hospital	908	642	8	1.25	1.29	1.37	(0.59, 2.69)	
	UC Davis Medical Center	410	273	4	1.47	1.50	1.39	(0.38, 3.54)	
San Francisco Bay Area & San Jose	Alta Bates Summit Medical Center - Summit Campus	1,187	937	5	0.53	1.32	0.57	(0.19, 1.33)	Better
	California Pacific Medical Center - Pacific Campus	174	122	2	1.64	1.30	1.78	(0.21, 6.40)	

\*A hospital is classified as “**Better**” if the upper 95% CI of the RASR falls below the California observed post-operative stroke rate (1.41%). A hospital is classified as “**Worse**” if the lower 95% CI of the RASR is higher than the California observed post-operative stroke rate. A hospital’s performance is considered “**Not Different**” from the state average (rating is left blank) if the California post-operative stroke rate falls within the 95% CI of a hospital’s RASR.

† Hospitals submitted statements regarding this report. See Appendix B for their statements.

**Table 6: Hospital Risk-Adjusted Post-Operative Stroke Results by Region, 2008-2009**

<i>Region</i>	<i>Hospital</i>	<i>All CABG Cases</i>	<i>Isolated CABG Cases</i>	<i>Isolated CABG Post-Operative Stroke</i>	<i>Observed Post-Operative Stroke Rate (%)</i>	<i>Expected Post-Operative Stroke Rate (%)</i>	<i>Risk-Adjusted Post-Operative Stroke Rate (% RASR)</i>	<i>95% CI for RASR</i>	<i>Performance Rating*</i>
<b>State</b>		<b>35,251</b>	<b>27,217</b>	<b>384</b>	<b>1.41</b>				
San Francisco Bay Area & San Jose (continued)	Community Hospital Monterey Peninsula	182	132	1	0.76	1.02	1.05	(0.03, 5.83)	
	Dominican Hospital	162	129	4	3.10	1.44	3.04	(0.83, 7.76)	
	El Camino Hospital	162	122	2	1.64	1.34	1.73	(0.21, 6.24)	
	Good Samaritan Hospital - San Jose†	227	169	7	4.14	1.43	4.11	(1.65, 8.44)	Worse
	John Muir Medical Center - Concord Campus	608	481	9	1.87	1.39	1.90	(0.87, 3.60)	
	Kaiser Foundation Hospital (Geary San Francisco)	660	490	6	1.22	1.21	1.44	(0.53, 3.12)	
	Kaiser Foundation Hospital (Santa Clara)	384	238	3	1.26	1.34	1.33	(0.27, 3.87)	
	Marin General Hospital	96	76	0	0.00	0.97	0.00	(0.00, 7.03)	
	O'Connor Hospital	139	117	3	2.56	2.13	1.70	(0.35, 4.95)	
	Peninsula Medical Center	91	66	2	3.03	1.20	3.59	(0.43, 12.91)	
Queen of the Valley Hospital	299	239	4	1.67	1.61	1.47	(0.40, 3.76)		
Regional Medical of San Jose	75	66	3	4.55	1.72	3.75	(0.77, 10.91)		

\*A hospital is classified as “**Better**” if the upper 95% CI of the RASR falls below the California observed post-operative stroke rate (1.41%). A hospital is classified as “**Worse**” if the lower 95% CI of the RASR is higher than the California observed post-operative stroke rate. A hospital’s performance is considered “**Not Different**” from the state average (rating is left blank) if the California post-operative stroke rate falls within the 95% CI of a hospital’s RASR.

† Hospitals submitted statements regarding this report. See Appendix B for their statements.

**Table 6: Hospital Risk-Adjusted Post-Operative Stroke Results by Region, 2008-2009**

<i>Region</i>	<i>Hospital</i>	<i>All CABG Cases</i>	<i>Isolated CABG Cases</i>	<i>Isolated CABG Post-Operative Stroke</i>	<i>Observed Post-Operative Stroke Rate (%)</i>	<i>Expected Post-Operative Stroke Rate (%)</i>	<i>Risk-Adjusted Post-Operative Stroke Rate (% RASR)</i>	<i>95% CI for RASR</i>	<i>Performance Rating*</i>
<b>State</b>		<b>35,251</b>	<b>27,217</b>	<b>384</b>	<b>1.41</b>				
San Francisco Bay Area & San Jose (continued)	Salinas Valley Memorial Hospital	256	205	1	0.49	1.39	0.50	(0.01, 2.77)	
	San Ramon Regional Medical Center	90	70	1	1.43	1.06	1.91	(0.05, 10.61)	
	Santa Clara Valley Medical Center	93	82	0	0.00	1.02	0.00	(0.00, 6.20)	
	Santa Rosa Memorial Hospital	153	125	0	0.00	1.49	0.00	(0.00, 2.79)	
	Sequoia Hospital	242	136	0	0.00	1.14	0.00	(0.00, 3.36)	
	Seton Medical Center	337	298	7	2.35	1.73	1.92	(0.77, 3.94)	
	St. Helena Hospital	145	124	4	3.23	1.81	2.53	(0.69, 6.45)	
	St. Mary's Medical Center, San Francisco	66	54	3	5.56	1.52	5.18	(1.07, 15.10)	
	Stanford University Hospital	305	194	1	0.52	1.21	0.60	(0.02, 3.34)	
	Sutter Medical Center of Santa Rosa	180	131	1	0.76	1.17	0.92	(0.02, 5.14)	
UCSF Medical Center	200	143	1	0.70	0.98	1.01	(0.03, 5.63)		
Valleycare Medical Center	88	70	0	0.00	1.86	0.00	(0.00, 4.00)		
Washington Hospital - Fremont	249	226	3	1.33	1.50	1.25	(0.26, 3.65)		

\*A hospital is classified as “**Better**” if the upper 95% CI of the RASR falls below the California observed post-operative stroke rate (1.41%). A hospital is classified as “**Worse**” if the lower 95% CI of the RASR is higher than the California observed post-operative stroke rate. A hospital’s performance is considered “**Not Different**” from the state average (rating is left blank) if the California post-operative stroke rate falls within the 95% CI of a hospital’s RASR.

† Hospitals submitted statements regarding this report. See Appendix B for their statements.

**Table 6: Hospital Risk-Adjusted Post-Operative Stroke Results by Region, 2008-2009**

<i>Region</i>	<i>Hospital</i>	<i>All CABG Cases</i>	<i>Isolated CABG Cases</i>	<i>Isolated CABG Post-Operative Stroke</i>	<i>Observed Post-Operative Stroke Rate (%)</i>	<i>Expected Post-Operative Stroke Rate (%)</i>	<i>Risk-Adjusted Post-Operative Stroke Rate (% RASR)</i>	<i>95% CI for RASR</i>	<i>Performance Rating*</i>
<b>State</b>		<b>35,251</b>	<b>27,217</b>	<b>384</b>	<b>1.41</b>				
Central California	Bakersfield Heart Hospital	377	319	5	1.57	1.20	1.85	(0.60, 4.30)	
	Bakersfield Memorial Hospital	322	273	9	3.30	1.07	4.38	(2.00, 8.28)	Worse
	Community Medical Center - Fresno	473	399	7	1.75	1.62	1.53	(0.61, 3.15)	
	Dameron Hospital	98	92	3	3.26	1.47	3.14	(0.65, 9.14)	
	Doctors Medical Center - Modesto Campus	649	509	7	1.38	1.57	1.24	(0.50, 2.55)	
	Fresno Heart Hospital	493	402	2	0.50	1.13	0.63	(0.08, 2.25)	
	Kaweah Delta Hospital	593	460	6	1.30	1.53	1.21	(0.44, 2.62)	
	Marian Medical Center	157	125	1	0.80	1.57	0.72	(0.02, 4.01)	
	Memorial Medical Center of Modesto	550	445	9	2.02	1.47	1.94	(0.88, 3.67)	
	San Joaquin Community Hospital	168	149	2	1.34	1.45	1.31	(0.16, 4.71)	
	St. Agnes Medical Center	551	460	7	1.52	1.47	1.46	(0.59, 3.00)	
	St. Joseph's Medical Center of Stockton	617	487	1	0.21	1.30	0.22	(0.01, 1.24)	Better

\*A hospital is classified as “**Better**” if the upper 95% CI of the RASR falls below the California observed post-operative stroke rate (1.41%). A hospital is classified as “**Worse**” if the lower 95% CI of the RASR is higher than the California observed post-operative stroke rate. A hospital’s performance is considered “**Not Different**” from the state average (rating is left blank) if the California post-operative stroke rate falls within the 95% CI of a hospital’s RASR.

† Hospitals submitted statements regarding this report. See Appendix B for their statements.

**Table 6: Hospital Risk-Adjusted Post-Operative Stroke Results by Region, 2008-2009**

<i>Region</i>	<i>Hospital</i>	<i>All CABG Cases</i>	<i>Isolated CABG Cases</i>	<i>Isolated CABG Post-Operative Stroke</i>	<i>Observed Post-Operative Stroke Rate (%)</i>	<i>Expected Post-Operative Stroke Rate (%)</i>	<i>Risk-Adjusted Post-Operative Stroke Rate (% RASR)</i>	<i>95% CI for RASR</i>	<i>Performance Rating*</i>
<b>State</b>		<b>35,251</b>	<b>27,217</b>	<b>384</b>	<b>1.41</b>				
San Fernando Valley, Antelope Valley, Ventura & Santa Barbara	Antelope Valley Hospital Medical Center	49	45	0	0.00	1.44	0.00	(0.00, 8.03)	
	Community Memorial Hospital of San Buenaventura	200	167	2	1.20	1.54	1.10	(0.13, 3.96)	
	French Hospital Medical Center	259	194	1	0.52	1.20	0.61	(0.02, 3.38)	
	Glendale Adventist Medical Center - Wilson Terrace	248	223	4	1.79	1.26	2.01	(0.55, 5.13)	
	Glendale Memorial Hospital and Health Center	427	283	3	1.06	1.49	1.01	(0.21, 2.93)	
	Lancaster Community Hospital	14	13	1	7.69	1.23	8.87	(0.22, 49.26)	
	Los Robles Regional Medical Center	183	136	2	1.47	1.55	1.34	(0.16, 4.84)	
	Northridge Hospital Medical Center	178	151	3	1.99	1.45	1.93	(0.40, 5.63)	
	Providence Holy Cross Medical Center	177	128	1	0.78	1.59	0.70	(0.02, 3.87)	

\*A hospital is classified as “**Better**” if the upper 95% CI of the RASR falls below the California observed post-operative stroke rate (1.41%). A hospital is classified as “**Worse**” if the lower 95% CI of the RASR is higher than the California observed post-operative stroke rate. A hospital’s performance is considered “**Not Different**” from the state average (rating is left blank) if the California post-operative stroke rate falls within the 95% CI of a hospital’s RASR.

† Hospitals submitted statements regarding this report. See Appendix B for their statements.

**Table 6: Hospital Risk-Adjusted Post-Operative Stroke Results by Region, 2008-2009**

<i>Region</i>	<i>Hospital</i>	<i>All CABG Cases</i>	<i>Isolated CABG Cases</i>	<i>Isolated CABG Post-Operative Stroke</i>	<i>Observed Post-Operative Stroke Rate (%)</i>	<i>Expected Post-Operative Stroke Rate (%)</i>	<i>Risk-Adjusted Post-Operative Stroke Rate (% RASR)</i>	<i>95% CI for RASR</i>	<i>Performance Rating*</i>
<b>State</b>		<b>35,251</b>	<b>27,217</b>	<b>384</b>	<b>1.41</b>				
San Fernando Valley, Antelope Valley, Ventura & Santa Barbara (continued)	Providence St. Joseph Medical Center	144	111	3	2.70	1.29	2.96	(0.61, 8.63)	
	Providence Tarzana Medical Center	178	137	7	5.11	1.35	5.35	(2.14, 10.99)	Worse
	Santa Barbara Cottage Hospital	309	239	4	1.67	1.30	1.83	(0.50, 4.66)	
	Sierra Vista Regional Medical Center	20	19	2	10.53	2.05	7.25	(0.88, 26.12)	
	St. John's Regional Medical Center	213	164	5	3.05	1.61	2.68	(0.87, 6.24)	
	Valley Presbyterian Hospital	77	71	1	1.41	1.33	1.49	(0.04, 8.29)	
	West Hills Regional Medical Center	112	96	4	4.17	1.25	4.70	(1.28, 12.00)	
	Greater Los Angeles	Beverly Hospital	31	27	0	0.00	1.17	0.00	(0.00, 16.47)
	Cedars Sinai Medical Center	407	239	2	0.84	1.05	1.13	(0.14, 4.05)	
	Centinela Hospital Medical Center	97	88	4	4.55	1.92	3.35	(0.91, 8.56)	
	Citrus Valley Medical Center – IC Campus	181	147	2	1.36	1.52	1.27	(0.15, 4.56)	

\*A hospital is classified as “**Better**” if the upper 95% CI of the RASR falls below the California observed post-operative stroke rate (1.41%). A hospital is classified as “**Worse**” if the lower 95% CI of the RASR is higher than the California observed post-operative stroke rate. A hospital’s performance is considered “**Not Different**” from the state average (rating is left blank) if the California post-operative stroke rate falls within the 95% CI of a hospital’s RASR.

† Hospitals submitted statements regarding this report. See Appendix B for their statements.

**Table 6: Hospital Risk-Adjusted Post-Operative Stroke Results by Region, 2008-2009**

<i>Region</i>	<i>Hospital</i>	<i>All CABG Cases</i>	<i>Isolated CABG Cases</i>	<i>Isolated CABG Post-Operative Stroke</i>	<i>Observed Post-Operative Stroke Rate (%)</i>	<i>Expected Post-Operative Stroke Rate (%)</i>	<i>Risk-Adjusted Post-Operative Stroke Rate (% RASR)</i>	<i>95% CI for RASR</i>	<i>Performance Rating*</i>
<b>State</b>		<b>35,251</b>	<b>27,217</b>	<b>384</b>	<b>1.41</b>				
Greater Los Angeles (continued)	Downey Regional Medical Center	121	104	0	0.00	1.14	0.00	(0.00, 4.37)	
	Garfield Medical Center	254	217	2	0.92	1.83	0.71	(0.09, 2.56)	
	Good Samaritan Hospital - Los Angeles	266	219	1	0.46	1.78	0.36	(0.01, 2.01)	
	Huntington Memorial Hospital	148	106	1	0.94	1.42	0.94	(0.02, 5.22)	
	Kaiser Foundation Hospital (Sunset)	1,293	986	12	1.22	1.51	1.14	(0.59, 1.99)	
	Lakewood Regional Medical Center	224	190	2	1.05	1.77	0.84	(0.10, 3.03)	
	Little Company of Mary Hospital	138	103	3	2.91	1.75	2.36	(0.48, 6.86)	
	Long Beach Memorial Medical Center	552	474	3	0.63	1.33	0.67	(0.14, 1.96)	
	Los Angeles Co. Harbor - UCLA Medical Center	172	141	1	0.71	1.42	0.71	(0.02, 3.92)	
	Los Angeles Co. USC Medical Center	215	186	1	0.54	1.22	0.63	(0.02, 3.47)	
	Methodist Hospital of Southern California	113	95	3	3.16	1.65	2.71	(0.56, 7.89)	

\*A hospital is classified as “**Better**” if the upper 95% CI of the RASR falls below the California observed post-operative stroke rate (1.41%). A hospital is classified as “**Worse**” if the lower 95% CI of the RASR is higher than the California observed post-operative stroke rate. A hospital’s performance is considered “**Not Different**” from the state average (rating is left blank) if the California post-operative stroke rate falls within the 95% CI of a hospital’s RASR.

† Hospitals submitted statements regarding this report. See Appendix B for their statements.

**Table 6: Hospital Risk-Adjusted Post-Operative Stroke Results by Region, 2008-2009**

<i>Region</i>	<i>Hospital</i>	<i>All CABG Cases</i>	<i>Isolated CABG Cases</i>	<i>Isolated CABG Post-Operative Stroke</i>	<i>Observed Post-Operative Stroke Rate (%)</i>	<i>Expected Post-Operative Stroke Rate (%)</i>	<i>Risk-Adjusted Post-Operative Stroke Rate (% RASR)</i>	<i>95% CI for RASR</i>	<i>Performance Rating*</i>
<b>State</b>		<b>35,251</b>	<b>27,217</b>	<b>384</b>	<b>1.41</b>				
Greater Los Angeles (continued)	Presbyterian Intercommunity Hospital	210	145	1	0.69	1.54	0.63	(0.02, 3.53)	
	Ronald Reagan UCLA Medical Center	403	226	3	1.33	1.31	1.43	(0.29, 4.18)	
	Santa Monica - UCLA Medical Center	44	39	0	0.00	1.95	0.00	(0.00, 6.83)	
	St. Francis Medical Center	89	85	0	0.00	1.14	0.00	(0.00, 5.36)	
	St. John's Hospital and Health Center	175	112	2	1.79	1.11	2.27	(0.27, 8.19)	
	St. Mary Medical Center	103	90	0	0.00	2.10	0.00	(0.00, 2.75)	
	St. Vincent Medical Center	239	201	3	1.49	1.56	1.36	(0.28, 3.95)	
	Torrance Memorial Medical Center	193	120	2	1.67	1.35	1.74	(0.21, 6.27)	
	USC University Hospital	343	180	3	1.67	1.31	1.80	(0.37, 5.24)	
	White Memorial Medical Center	111	100	4	4.00	1.49	3.80	(1.03, 9.69)	
Inland Empire, Riverside & San Bernardino	Desert Regional Medical Center	369	293	4	1.37	1.29	1.50	(0.41, 3.82)	

\*A hospital is classified as “**Better**” if the upper 95% CI of the RASR falls below the California observed post-operative stroke rate (1.41%). A hospital is classified as “**Worse**” if the lower 95% CI of the RASR is higher than the California observed post-operative stroke rate. A hospital’s performance is considered “**Not Different**” from the state average (rating is left blank) if the California post-operative stroke rate falls within the 95% CI of a hospital’s RASR.

† Hospitals submitted statements regarding this report. See Appendix B for their statements.

**Table 6: Hospital Risk-Adjusted Post-Operative Stroke Results by Region, 2008-2009**

<i>Region</i>	<i>Hospital</i>	<i>All CABG Cases</i>	<i>Isolated CABG Cases</i>	<i>Isolated CABG Post-Operative Stroke</i>	<i>Observed Post-Operative Stroke Rate (%)</i>	<i>Expected Post-Operative Stroke Rate (%)</i>	<i>Risk-Adjusted Post-Operative Stroke Rate (% RASR)</i>	<i>95% CI for RASR</i>	<i>Performance Rating*</i>
<b>State</b>		<b>35,251</b>	<b>27,217</b>	<b>384</b>	<b>1.41</b>				
Inland Empire, Riverside & San Bernardino (continued)	Eisenhower Memorial Hospital	471	369	7	1.90	1.43	1.87	(0.75, 3.85)	
	Loma Linda University Medical Center	604	462	6	1.30	1.44	1.27	(0.47, 2.76)	
	Pomona Valley Hospital Medical Center	320	270	5	1.85	1.75	1.50	(0.48, 3.48)	
	Riverside Community Hospital	449	369	3	0.81	1.33	0.87	(0.18, 2.52)	
	San Antonio Community Hospital	301	225	6	2.67	1.58	2.38	(0.87, 5.16)	
	St. Bernardine Medical Center	1,164	999	5	0.50	1.26	0.56	(0.18, 1.31)	Better
	St. Mary Regional Medical Center	409	368	2	0.54	1.46	0.52	(0.06, 1.89)	
Orange County	Anaheim Memorial Medical Center	310	254	2	0.79	1.37	0.81	(0.10, 2.93)	
	Fountain Valley Regional Hospital	244	229	2	0.87	1.48	0.84	(0.10, 3.01)	
	Hoag Memorial Hospital Presbyterian	454	292	6	2.05	1.05	2.78	(1.02, 6.03)	
	Irvine Regional Hospital and Medical Center	40	32	0	0.00	1.76	0.00	(0.00, 9.21)	

\*A hospital is classified as “**Better**” if the upper 95% CI of the RASR falls below the California observed post-operative stroke rate (1.41%). A hospital is classified as “**Worse**” if the lower 95% CI of the RASR is higher than the California observed post-operative stroke rate. A hospital’s performance is considered “**Not Different**” from the state average (rating is left blank) if the California post-operative stroke rate falls within the 95% CI of a hospital’s RASR.

† Hospitals submitted statements regarding this report. See Appendix B for their statements.

**Table 6: Hospital Risk-Adjusted Post-Operative Stroke Results by Region, 2008-2009**

<i>Region</i>	<i>Hospital</i>	<i>All CABG Cases</i>	<i>Isolated CABG Cases</i>	<i>Isolated CABG Post-Operative Stroke</i>	<i>Observed Post-Operative Stroke Rate (%)</i>	<i>Expected Post-Operative Stroke Rate (%)</i>	<i>Risk-Adjusted Post-Operative Stroke Rate (% RASR)</i>	<i>95% CI for RASR</i>	<i>Performance Rating*</i>
<b>State</b>		<b>35,251</b>	<b>27,217</b>	<b>384</b>	<b>1.41</b>				
Orange County (continued)	Mission Hospital Regional Medical Center	268	206	0	0.00	1.11	0.00	(0.00, 2.28)	
	Saddleback Memorial Medical Center	263	224	0	0.00	1.06	0.00	(0.00, 2.18)	
	St. Joseph Hospital - Orange	272	222	4	1.80	1.20	2.12	(0.58, 5.42)	
	St. Jude Medical Center	232	196	4	2.04	1.16	2.50	(0.68, 6.37)	
	UC Irvine Medical Center	115	88	0	0.00	1.33	0.00	(0.00, 4.45)	
	West Anaheim Medical Center	28	26	0	0.00	1.43	0.00	(0.00, 14.01)	
	Western Medical Center - Santa Ana	91	81	2	2.47	1.45	2.41	(0.29, 8.69)	
	Western Medical Center Hospital - Anaheim	224	200	2	1.00	1.43	0.99	(0.12, 3.55)	
Greater San Diego	Alvarado Hospital Medical Center	160	134	1	0.75	1.49	0.71	(0.02, 3.93)	
	Palomar Medical Center	213	157	0	0.00	1.20	0.00	(0.00, 2.77)	
	Scripps Green Hospital	209	131	1	0.76	1.12	0.96	(0.02, 5.34)	
	Scripps Memorial Hospital - La Jolla†	788	531	17	3.20	1.46	3.10	(1.80, 4.94)	Worse

\*A hospital is classified as “**Better**” if the upper 95% CI of the RASR falls below the California observed post-operative stroke rate (1.41%). A hospital is classified as “**Worse**” if the lower 95% CI of the RASR is higher than the California observed post-operative stroke rate. A hospital’s performance is considered “**Not Different**” from the state average (rating is left blank) if the California post-operative stroke rate falls within the 95% CI of a hospital’s RASR.

† Hospitals submitted statements regarding this report. See Appendix B for their statements.

**Table 6: Hospital Risk-Adjusted Post-Operative Stroke Results by Region, 2008-2009**

<i>Region</i>	<i>Hospital</i>	<i>All CABG Cases</i>	<i>Isolated CABG Cases</i>	<i>Isolated CABG Post-Operative Stroke</i>	<i>Observed Post-Operative Stroke Rate (%)</i>	<i>Expected Post-Operative Stroke Rate (%)</i>	<i>Risk-Adjusted Post-Operative Stroke Rate (% RASR)</i>	<i>95% CI for RASR</i>	<i>Performance Rating*</i>
<b>State</b>		<b>35,251</b>	<b>27,217</b>	<b>384</b>	<b>1.41</b>				
Greater San Diego (continued)	Scripps Mercy Hospital†	301	232	6	2.59	1.34	2.73	(1.00, 5.93)	
	Sharp Chula Vista Medical Center	365	279	6	2.15	1.80	1.69	(0.62, 3.67)	
	Sharp Grossmont Hospital	416	322	8	2.48	1.60	2.20	(0.95, 4.31)	
	Sharp Memorial Hospital	366	227	3	1.32	1.10	1.69	(0.35, 4.93)	
	Tri-City Medical Center	202	159	5	3.14	1.20	3.71	(1.20, 8.62)	
	UCSD Medical Center	70	59	1	1.69	1.58	1.52	(0.04, 8.45)	
	UCSD Medical Center - La Jolla, John M. & Sally B. Thornton Hospital	224	155	1	0.65	1.18	0.77	(0.02, 4.28)	

\*A hospital is classified as “**Better**” if the upper 95% CI of the RASR falls below the California observed post-operative stroke rate (1.41%). A hospital is classified as “**Worse**” if the lower 95% CI of the RASR is higher than the California observed post-operative stroke rate. A hospital’s performance is considered “**Not Different**” from the state average (rating is left blank) if the California post-operative stroke rate falls within the 95% CI of a hospital’s RASR.

† Hospitals submitted statements regarding this report. See Appendix B for their statements.