

***Type of Care by Patient County of Residence
for 2009
Glenn County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
Acute Care	3,141	93.76	4.0
Physical Rehabilitation Care	74	2.21	13
Psychiatric Care	118	3.52	6.7
Skilled Nursing/Intermediate Care	17	0.51	9.0
All	3,350	100.0	4.3

***Disposition by Patient County of Residence
for 2009
Glenn County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	278	0.01	11
01 - Routine (Home)	3,004,054	75.38	3.6
02 - Acute Care within the admitting hospital	10,153	0.25	53
03 - Other Care with the admitting hospital	20,525	0.52	9.0
04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital	34,806	0.87	7.9
05 - Acute Care at another hospital	82,489	2.07	11
06 - Other Care (not SN/IC) at another hospital	35,667	0.89	9.8
07 - SN/IC at another facility	293,004	7.35	8.8
08 - Residential Care facility	35,985	0.90	10
09 - Prison/Jail	19,746	0.50	5.7
10 - Left Against Medical Advice	43,300	1.09	3.3
11 - Died	79,937	2.01	17
12 - Home Health Service	313,429	7.86	7.3
13 - Other	11,793	0.30	11
All	3,985,166	100.0	5.0

***Disposition by Patient County of Residence
and Type of Care for 2009
Glenn County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	2,312	73.61	3.0
03 - Other Care with the admitting hospital	72	2.29	8.9
04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital	17	0.54	7.8
05 - Acute Care at another hospital	61	1.94	4.4
06 - Other Care (not SN/IC) at another hospital	10	0.32	3.2
07 - SN/IC at another facility	200	6.37	8.4
08 - Residential Care facility	6	0.19	6.5
09 - Prison/Jail	4	0.13	1.5
10 - Left Against Medical Advice	20	0.64	2.6
11 - Died	75	2.39	8.7
12 - Home Health Service	362	11.52	5.2
13 - Other	2	0.06	1.5
All	3,141	100.0	4.0

***Disposition by Patient County of Residence
and Type of Care for 2009
Glenn County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	24	32.43	13
02 - Acute Care within the admitting hospital	11	14.86	9.7
07 - SN/IC at another facility	11	14.86	15
08 - Residential Care facility	1	1.35	29
10 - Left Against Medical Advice	1	1.35	1.0
12 - Home Health Service	26	35.14	13
All	74	100.0	13

***Disposition by Patient County of Residence
and Type of Care for 2009
Glenn County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	112	94.92	6.6
02 - Acute Care within the admitting hospital	1	0.85	19
06 - Other Care (not SN/IC) at another hospital	1	0.85	3.0
08 - Residential Care facility	1	0.85	9.0
09 - Prison/Jail	1	0.85	6.0
13 - Other	2	1.69	6.0
All	118	100.0	6.7

***Disposition by Patient County of Residence
and Type of Care for 2009
Glenn County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	13	76.47	9.8
02 - Acute Care within the admitting hospital	1	5.88	4.0
07 - SN/IC at another facility	2	11.76	7.0
12 - Home Health Service	1	5.88	8.0
All	17	100.0	9.0

***Gender by Patient County of Residence
for 2009
Glenn County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	1,320	39.40	4.8
2 - Female	2,027	60.51	4.0
3 - Other	3	0.09	1.7
All	3,350	100.0	4.3

***Gender by Patient County of Residence
and Type of Care for 2009
Glenn County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	1,235	39.32	4.4
2 - Female	1,903	60.59	3.7
3 - Other	3	0.10	1.7
All	3,141	100.0	4.0

***Gender by Patient County of Residence
and Type of Care for 2009
Glenn County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	39	52.70	13
2 - Female	35	47.30	13
All	74	100.0	13

***Gender by Patient County of Residence
and Type of Care for 2009
Glenn County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	42	35.59	7.9
2 - Female	76	64.41	6.0
All	118	100.0	6.7

***Gender by Patient County of Residence
and Type of Care for 2009
Glenn County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	4	23.53	8.3
2 - Female	13	76.47	9.2
All	17	100.0	9.0

***Expected Payer by Patient County of Residence
for 2009
Glenn County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	1,266	37.79	5.2
02 - Medi-Cal	1,099	32.81	3.7
03 - Private Coverage	741	22.12	3.3
04 - Workers' Compensatio	38	1.13	5.6
05 - County Indigent Prog	89	2.66	5.1
06 - Other Government	54	1.61	5.7
08 - Self-Pay	58	1.73	3.1
09 - Other Payer	5	0.15	2.4
All	3,350	100.0	4.3

***Expected Payer by Patient County of Residence
and Type of Care for 2009
Glenn County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	1,185	37.73	4.9
02 - Medi-Cal	1,065	33.91	3.5
03 - Private Coverage	700	22.29	3.1
04 - Workers' Compensatio	36	1.15	4.9
05 - County Indigent Prog	79	2.52	4.6
06 - Other Government	18	0.57	5.9
08 - Self-Pay	53	1.69	2.6
09 - Other Payer	5	0.16	2.4
All	3,141	100.0	4.0

***Expected Payer by Patient County of Residence
and Type of Care for 2009
Glenn County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	42	56.76	12
02 - Medi-Cal	15	20.27	16
03 - Private Coverage	10	13.51	11
04 - Workers' Compensatio	2	2.70	18
05 - County Indigent Prog	5	6.76	9.4
All	74	100.0	13

***Expected Payer by Patient County of Residence
and Type of Care for 2009
Glenn County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	23	19.49	7.0
02 - Medi-Cal	19	16.10	8.0
03 - Private Coverage	30	25.42	6.5
05 - County Indigent Prog	5	4.24	8.4
06 - Other Government	36	30.51	5.5
08 - Self-Pay	5	4.24	8.2
All	118	100.0	6.7

***Expected Payer by Patient County of Residence
and Type of Care for 2009
Glenn County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	16	94.12	8.2
03 - Private Coverage	1	5.88	22
All	17	100.0	9.0

***Race Group by Patient County of Residence
for 2009
Glenn County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	32	0.96	4.4
1 - White	2,286	68.24	4.6
2 - Black	19	0.57	5.4
3 - Hispanic	777	23.19	3.5
4 - Asian/Pacific Islander	52	1.55	3.8
5 - Native American/Eskimo/Ale	34	1.01	3.6
6 - Other	150	4.48	2.9
All	3,350	100.0	4.3

***Race Group by Patient County of Residence
and Type of Care for 2009
Glenn County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	29	0.92	3.4
1 - White	2,119	67.46	4.3
2 - Black	17	0.54	5.1
3 - Hispanic	744	23.69	3.2
4 - Asian/Pacific Islander	50	1.59	3.8
5 - Native American/Eskimo/Ale	34	1.08	3.6
6 - Other	148	4.71	2.7
All	3,141	100.0	4.0

***Race Group by Patient County of Residence
and Type of Care for 2009
Glenn County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	2	2.70	14
1 - White	61	82.43	12
3 - Hispanic	11	14.86	20
All	74	100.0	13

***Race Group by Patient County of Residence
and Type of Care for 2009
Glenn County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	1	0.85	16
1 - White	90	76.27	6.7
2 - Black	2	1.69	8.5
3 - Hispanic	21	17.80	5.4
4 - Asian/Pacific Islander	2	1.69	4.0
6 - Other	2	1.69	15
All	118	100.0	6.7

***Race Group by Patient County of Residence
and Type of Care for 2009
Glenn County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - White	16	94.12	9.3
3 - Hispanic	1	5.88	5.0
All	17	100.0	9.0

**Source of Admission by Patient County of Residence
for 2009
Glenn County**

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	2,652	79.16	4.0
2 - Residential Care Facility	1	0.03	2.0
3 - Ambulatory Surgery	7	0.21	2.3
4 - Skilled Nursing/Intermedia	34	1.01	8.0
5 - Acute Inpatient Hospital C	178	5.31	10
6 - Other Inpatient Hospital C	15	0.45	7.9
7 - Newborn (born in admitting	427	12.75	2.7
8 - Prison/Jail	6	0.18	2.0
9 - Other	30	0.90	6.0
All	3,350	100.0	4.3

**Source of Admission by Patient County of Residence
and Type of Care for 2009
Glenn County**

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	2,553	81.28	3.9
2 - Residential Care Facility	1	0.03	2.0
3 - Ambulatory Surgery	7	0.22	2.3
4 - Skilled Nursing/Intermedia	34	1.08	8.0
5 - Acute Inpatient Hospital C	78	2.48	9.1
6 - Other Inpatient Hospital C	13	0.41	8.5
7 - Newborn (born in admitting	427	13.59	2.7
8 - Prison/Jail	5	0.16	1.2
9 - Other	23	0.73	6.1
All	3,141	100.0	4.0

**Source of Admission by Patient County of Residence
and Type of Care for 2009
Glenn County**

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
5 - Acute Inpatient Hospital C	74	100.0	13
All	74	100.0	13

**Source of Admission by Patient County of Residence
and Type of Care for 2009
Glenn County**

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	99	83.90	7.1
5 - Acute Inpatient Hospital C	9	7.63	4.4
6 - Other Inpatient Hospital C	2	1.69	4.0
8 - Prison/Jail	1	0.85	6.0
9 - Other	7	5.93	5.6
All	118	100.0	6.7

**Source of Admission by Patient County of Residence
and Type of Care for 2009
Glenn County**

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
5 - Acute Inpatient Hospital C	17	100.0	9.0
All	17	100.0	9.0

*MS-DRG by Patient County of Residence
for 2009
Glenn County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
003	ECMO OR TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITH MAJOR O.R.	2	0.06	26
004	TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITHOUT MAJOR O.R.	10	0.30	33
009	BONE MARROW TRANSPLANT	1	0.03	26
012	TRACHEOSTOMY FOR FACE, MOUTH & NECK DIAGNOSIS WITH CC	1	0.03	28
020	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH MCC	1	0.03	14
021	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH CC	1	0.03	7.0
024	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITHOUT MCC	1	0.03	1.0
025	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH MCC	1	0.03	14
026	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH CC	2	0.06	7.5
027	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITHOUT CC/MCC	13	0.39	4.1
028	SPINAL PROCEDURES WITH MCC	1	0.03	3.0
029	SPINAL PROCEDURES WITH CC OR SPINAL NEUROSTIMULATORS	1	0.03	3.0
033	VENTRICULAR SHUNT PROCEDURES WITHOUT CC/MCC	1	0.03	1.0
035	CAROTID ARTERY STENT PROCEDURE WITH CC	2	0.06	3.0
038	EXTRACRANIAL PROCEDURES WITH CC	2	0.06	2.5
039	EXTRACRANIAL PROCEDURES WITHOUT CC/MCC	5	0.15	1.0
041	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH CC OR PERIPH NEUROSTIM	3	0.09	7.7
042	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITHOUT CC/MCC	1	0.03	1.0
052	SPINAL DISORDERS & INJURIES WITH CC/MCC	2	0.06	2.5
053	SPINAL DISORDERS & INJURIES WITHOUT CC/MCC	1	0.03	4.0
054	NERVOUS SYSTEM NEOPLASMS WITH MCC	1	0.03	6.0

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Glenn County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
055	NERVOUS SYSTEM NEOPLASMS WITHOUT MCC	2	0.06	2.0
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	6	0.18	6.3
059	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH CC	1	0.03	2.0
060	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITHOUT CC/MCC	4	0.12	2.0
062	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH CC	1	0.03	7.0
064	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC	7	0.21	7.7
065	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC	17	0.51	4.8
066	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC	14	0.42	2.7
067	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITH MCC	2	0.06	3.5
068	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITHOUT MCC	2	0.06	1.0
069	TRANSIENT ISCHEMIA	17	0.51	2.2
070	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH MCC	3	0.09	4.7
071	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH CC	2	0.06	2.5
072	NONSPECIFIC CEREBROVASCULAR DISORDERS WITHOUT CC/MCC	1	0.03	6.0
073	CRANIAL & PERIPHERAL NERVE DISORDERS WITH MCC	2	0.06	1.5
074	CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC	4	0.12	4.3
076	VIRAL MENINGITIS WITHOUT CC/MCC	2	0.06	2.5
079	HYPERTENSIVE ENCEPHALOPATHY WITHOUT CC/MCC	1	0.03	2.0
080	NONTRAUMATIC STUPOR & COMA WITH MCC	3	0.09	2.0
081	NONTRAUMATIC STUPOR & COMA WITHOUT MCC	3	0.09	2.0
082	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH MCC	2	0.06	6.0
086	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH CC	4	0.12	3.5

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Glenn County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
087	TRAUMATIC STUPOR & COMA, COMA <1 HR WITHOUT CC/MCC	1	0.03	2.0
088	CONCUSSION WITH MCC	1	0.03	4.0
089	CONCUSSION WITH CC	2	0.06	2.5
090	CONCUSSION WITHOUT CC/MCC	3	0.09	1.0
091	OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC	2	0.06	15
092	OTHER DISORDERS OF NERVOUS SYSTEM WITH CC	7	0.21	4.3
093	OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC	5	0.15	3.8
096	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITHOUT CC/MCC	1	0.03	7.0
100	SEIZURES WITH MCC	12	0.36	5.5
101	SEIZURES WITHOUT MCC	19	0.57	2.4
103	HEADACHES WITHOUT MCC	1	0.03	1.0
115	EXTRAOCULAR PROCEDURES EXCEPT ORBIT	1	0.03	.00
125	OTHER DISORDERS OF THE EYE WITHOUT MCC	1	0.03	3.0
132	CRANIAL/FACIAL PROCEDURES WITHOUT CC/MCC	1	0.03	.00
134	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITHOUT CC/MCC	2	0.06	3.0
138	MOUTH PROCEDURES WITHOUT CC/MCC	1	0.03	3.0
149	DYSEQUILIBRIUM	4	0.12	2.0
151	EPISTAXIS WITHOUT MCC	1	0.03	1.0
152	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITH MCC	1	0.03	2.0
153	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITHOUT MCC	5	0.15	1.0
155	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH CC	1	0.03	2.0
156	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITHOUT CC/MCC	2	0.06	1.5

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Glenn County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
159	DENTAL & ORAL DISEASES WITHOUT CC/MCC	2	0.06	1.0
163	MAJOR CHEST PROCEDURES WITH MCC	6	0.18	17
164	MAJOR CHEST PROCEDURES WITH CC	5	0.15	5.2
165	MAJOR CHEST PROCEDURES WITHOUT CC/MCC	4	0.12	5.3
166	OTHER RESP SYSTEM O.R. PROCEDURES WITH MCC	4	0.12	8.8
167	OTHER RESP SYSTEM O.R. PROCEDURES WITH CC	1	0.03	7.0
168	OTHER RESP SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	2	0.06	2.5
175	PULMONARY EMBOLISM WITH MCC	3	0.09	7.0
176	PULMONARY EMBOLISM WITHOUT MCC	13	0.39	5.5
177	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC	4	0.12	28
178	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC	6	0.18	12
179	RESPIRATORY INFECTIONS & INFLAMMATIONS WITHOUT CC/MCC	3	0.09	11
180	RESPIRATORY NEOPLASMS WITH MCC	1	0.03	7.0
181	RESPIRATORY NEOPLASMS WITH CC	9	0.27	5.1
183	MAJOR CHEST TRAUMA WITH MCC	1	0.03	5.0
184	MAJOR CHEST TRAUMA WITH CC	1	0.03	1.0
185	MAJOR CHEST TRAUMA WITHOUT CC/MCC	1	0.03	2.0
186	PLEURAL EFFUSION WITH MCC	2	0.06	4.0
187	PLEURAL EFFUSION WITH CC	3	0.09	2.3
188	PLEURAL EFFUSION WITHOUT CC/MCC	1	0.03	4.0
189	PULMONARY EDEMA & RESPIRATORY FAILURE	23	0.69	6.7
190	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC	7	0.21	7.1

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Glenn County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
191	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC	18	0.54	3.9
192	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC	47	1.40	3.5
193	SIMPLE PNEUMONIA & PLEURISY WITH MCC	17	0.51	7.8
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	61	1.82	4.1
195	SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC	53	1.58	3.5
196	INTERSTITIAL LUNG DISEASE WITH MCC	1	0.03	18
197	INTERSTITIAL LUNG DISEASE WITH CC	2	0.06	8.0
198	INTERSTITIAL LUNG DISEASE WITHOUT CC/MCC	1	0.03	1.0
200	PNEUMOTHORAX WITH CC	3	0.09	6.3
201	PNEUMOTHORAX WITHOUT CC/MCC	3	0.09	2.3
202	BRONCHITIS & ASTHMA WITH CC/MCC	7	0.21	2.9
203	BRONCHITIS & ASTHMA WITHOUT CC/MCC	17	0.51	2.7
204	RESPIRATORY SIGNS & SYMPTOMS	10	0.30	2.9
206	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITHOUT MCC	7	0.21	4.1
207	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS	8	0.24	13
208	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS	10	0.30	7.3
216	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH MCC	1	0.03	15
219	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH MCC	2	0.06	22
220	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH CC	3	0.09	10
221	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITHOUT CC/MCC	1	0.03	4.0
222	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITH MCC	1	0.03	5.0
224	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITH MCC	1	0.03	6.0

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Glenn County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
225	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITHOUT MCC	1	0.03	4.0
226	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITH MCC	2	0.06	5.5
227	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITHOUT MCC	6	0.18	1.3
229	OTHER CARDIOTHORACIC PROCEDURES WITH CC	2	0.06	8.0
232	CORONARY BYPASS WITH PTCA WITHOUT MCC	1	0.03	7.0
233	CORONARY BYPASS WITH CARDIAC CATH WITH MCC	6	0.18	9.5
234	CORONARY BYPASS WITH CARDIAC CATH WITHOUT MCC	7	0.21	7.1
235	CORONARY BYPASS WITHOUT CARDIAC CATH WITH MCC	1	0.03	5.0
236	CORONARY BYPASS WITHOUT CARDIAC CATH WITHOUT MCC	4	0.12	7.5
237	MAJOR CARDIOVASC PROCEDURES WITH MCC OR THORACIC AORTIC ANEURYSM REPAIR	4	0.12	6.0
238	MAJOR CARDIOVASC PROCEDURES WITHOUT MCC	4	0.12	2.3
239	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH MCC	2	0.06	15
241	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITHOUT CC/MCC	1	0.03	3.0
242	PERMANENT CARDIAC PACEMAKER IMPLANT WITH MCC	1	0.03	9.0
244	PERMANENT CARDIAC PACEMAKER IMPLANT WITHOUT CC/MCC	10	0.30	2.7
246	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITH MCC OR 4+ VESSELS/STENTS	3	0.09	2.3
247	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITHOUT MCC	17	0.51	1.8
248	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITH MCC OR 4+ VES/STENTS	2	0.06	6.5
249	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITHOUT MCC	5	0.15	1.6
251	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITHOUT MCC	13	0.39	1.6
252	OTHER VASCULAR PROCEDURES WITH MCC	2	0.06	17
253	OTHER VASCULAR PROCEDURES WITH CC	5	0.15	1.6

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Glenn County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
254	OTHER VASCULAR PROCEDURES WITHOUT CC/MCC	8	0.24	3.0
257	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITHOUT CC/MCC	1	0.03	4.0
264	OTHER CIRCULATORY SYSTEM O.R. PROCEDURES	3	0.09	3.7
265	AICD LEAD PROCEDURES	1	0.03	1.0
280	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH MCC	3	0.09	5.7
281	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH CC	5	0.15	4.0
282	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITHOUT CC/MCC	6	0.18	1.5
283	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH MCC	1	0.03	4.0
286	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITH MCC	4	0.12	5.5
287	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITHOUT MCC	17	0.51	2.5
288	ACUTE & SUBACUTE ENDOCARDITIS WITH MCC	2	0.06	6.0
291	HEART FAILURE & SHOCK WITH MCC	22	0.66	5.5
292	HEART FAILURE & SHOCK WITH CC	17	0.51	5.0
293	HEART FAILURE & SHOCK WITHOUT CC/MCC	14	0.42	4.6
297	CARDIAC ARREST, UNEXPLAINED WITH CC	1	0.03	.00
300	PERIPHERAL VASCULAR DISORDERS WITH CC	5	0.15	4.0
301	PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC	3	0.09	1.3
303	ATHEROSCLEROSIS WITHOUT MCC	8	0.24	2.1
305	HYPERTENSION WITHOUT MCC	3	0.09	2.3
306	CARDIAC CONGENITAL & VALVULAR DISORDERS WITH MCC	1	0.03	4.0
307	CARDIAC CONGENITAL & VALVULAR DISORDERS WITHOUT MCC	2	0.06	2.0
308	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH MCC	7	0.21	4.1

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Glenn County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
309	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC	10	0.30	4.0
310	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITHOUT CC/MCC	19	0.57	1.9
311	ANGINA PECTORIS	1	0.03	4.0
312	SYNCOPE & COLLAPSE	13	0.39	3.2
313	CHEST PAIN	21	0.63	2.0
314	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC	5	0.15	7.6
315	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC	4	0.12	2.8
316	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITHOUT CC/MCC	3	0.09	1.7
326	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH MCC	2	0.06	35
327	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH CC	1	0.03	12
328	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITHOUT CC/MCC	3	0.09	3.7
329	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	10	0.30	20
330	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH CC	12	0.36	8.2
331	MAJOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	9	0.27	4.6
334	RECTAL RESECTION WITHOUT CC/MCC	1	0.03	6.0
335	PERITONEAL ADHESIOLYSIS WITH MCC	1	0.03	18
336	PERITONEAL ADHESIOLYSIS WITH CC	3	0.09	10
339	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	3	0.09	5.7
340	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	3	0.09	3.3
343	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	21	0.63	1.4
345	MINOR SMALL & LARGE BOWEL PROCEDURES WITH CC	1	0.03	8.0
346	MINOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	1	0.03	4.0

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Glenn County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
347	ANAL & STOMAL PROCEDURES WITH MCC	1	0.03	13
349	ANAL & STOMAL PROCEDURES WITHOUT CC/MCC	3	0.09	1.7
350	INGUINAL & FEMORAL HERNIA PROCEDURES WITH MCC	1	0.03	3.0
351	INGUINAL & FEMORAL HERNIA PROCEDURES WITH CC	1	0.03	4.0
352	INGUINAL & FEMORAL HERNIA PROCEDURES WITHOUT CC/MCC	1	0.03	3.0
354	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH CC	1	0.03	2.0
355	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITHOUT CC/MCC	7	0.21	3.4
357	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH CC	3	0.09	6.0
371	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH MCC	1	0.03	10
372	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH CC	3	0.09	4.3
373	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITHOUT CC/MCC	5	0.15	2.6
374	DIGESTIVE MALIGNANCY WITH MCC	1	0.03	9.0
375	DIGESTIVE MALIGNANCY WITH CC	4	0.12	3.5
377	G.I. HEMORRHAGE WITH MCC	10	0.30	6.4
378	G.I. HEMORRHAGE WITH CC	14	0.42	2.8
379	G.I. HEMORRHAGE WITHOUT CC/MCC	12	0.36	2.4
380	COMPLICATED PEPTIC ULCER WITH MCC	1	0.03	4.0
381	COMPLICATED PEPTIC ULCER WITH CC	1	0.03	5.0
382	COMPLICATED PEPTIC ULCER WITHOUT CC/MCC	3	0.09	4.3
386	INFLAMMATORY BOWEL DISEASE WITH CC	2	0.06	3.0
387	INFLAMMATORY BOWEL DISEASE WITHOUT CC/MCC	3	0.09	3.7
389	G.I. OBSTRUCTION WITH CC	2	0.06	2.5

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Glenn County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
390	G.I. OBSTRUCTION WITHOUT CC/MCC	5	0.15	3.6
391	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITH MCC	13	0.39	3.7
392	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC	73	2.18	2.6
393	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH MCC	7	0.21	4.9
394	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH CC	11	0.33	5.2
395	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	3	0.09	2.0
405	PANCREAS, LIVER & SHUNT PROCEDURES WITH MCC	2	0.06	14
406	PANCREAS, LIVER & SHUNT PROCEDURES WITH CC	1	0.03	29
414	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH MCC	2	0.06	10
415	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH CC	2	0.06	9.5
416	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	5	0.15	1.4
417	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH MCC	2	0.06	8.0
418	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH CC	10	0.30	3.8
419	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	21	0.63	2.5
432	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH MCC	1	0.03	2.0
435	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITH MCC	3	0.09	4.3
438	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH MCC	5	0.15	7.6
439	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH CC	8	0.24	4.8
440	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITHOUT CC/MCC	6	0.18	3.3
441	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH MCC	3	0.09	7.0
442	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH CC	1	0.03	4.0
444	DISORDERS OF THE BILIARY TRACT WITH MCC	1	0.03	2.0

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Glenn County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
446	DISORDERS OF THE BILIARY TRACT WITHOUT CC/MCC	5	0.15	3.0
454	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH CC	4	0.12	6.5
455	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITHOUT CC/MCC	3	0.09	4.7
458	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITHOUT CC/MCC	1	0.03	7.0
459	SPINAL FUSION EXCEPT CERVICAL WITH MCC	1	0.03	12
460	SPINAL FUSION EXCEPT CERVICAL WITHOUT MCC	20	0.60	4.6
463	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH MCC	1	0.03	34
465	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITHOUT CC/MCC	3	0.09	4.0
467	REVISION OF HIP OR KNEE REPLACEMENT WITH CC	5	0.15	3.0
468	REVISION OF HIP OR KNEE REPLACEMENT WITHOUT CC/MCC	2	0.06	2.5
469	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITH MCC	5	0.15	7.8
470	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITHOUT MCC	109	3.25	2.6
471	CERVICAL SPINAL FUSION WITH MCC	2	0.06	18
472	CERVICAL SPINAL FUSION WITH CC	2	0.06	2.5
473	CERVICAL SPINAL FUSION WITHOUT CC/MCC	14	0.42	1.9
475	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH CC	2	0.06	13
480	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH MCC	7	0.21	11
481	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH CC	12	0.36	5.0
482	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITHOUT CC/MCC	2	0.06	3.0
483	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITH CC/MCC	5	0.15	3.8
484	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITHOUT CC/MCC	3	0.09	2.7
486	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH CC	1	0.03	6.0

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Glenn County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
488	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITH CC/MCC	1	0.03	7.0
489	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	6	0.18	1.5
490	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITH CC/MCC OR DISC DEVICE/NEUROSTIM	8	0.24	3.8
491	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITHOUT CC/MCC	12	0.36	1.3
492	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH MCC	2	0.06	3.0
493	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH CC	4	0.12	14
494	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITHOUT CC/MCC	16	0.48	3.4
496	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH CC	2	0.06	4.0
497	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITHOUT CC/MCC	3	0.09	3.3
498	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITH CC/MCC	1	0.03	21
499	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITHOUT CC/MCC	1	0.03	.00
501	SOFT TISSUE PROCEDURES WITH CC	4	0.12	8.8
502	SOFT TISSUE PROCEDURES WITHOUT CC/MCC	8	0.24	1.9
505	FOOT PROCEDURES WITHOUT CC/MCC	5	0.15	1.4
508	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITHOUT CC/MCC	1	0.03	4.0
511	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH CC	2	0.06	3.5
512	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITHOUT CC/MCC	4	0.12	.75
514	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITHOUT CC/MCC	2	0.06	2.5
515	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH MCC	2	0.06	9.5
516	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH CC	3	0.09	8.0
517	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITHOUT CC/MCC	5	0.15	2.6
534	FRACTURES OF FEMUR WITHOUT MCC	2	0.06	3.5

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Glenn County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
535	FRACTURES OF HIP & PELVIS WITH MCC	1	0.03	4.0
536	FRACTURES OF HIP & PELVIS WITHOUT MCC	6	0.18	4.8
539	OSTEOMYELITIS WITH MCC	1	0.03	3.0
540	OSTEOMYELITIS WITH CC	2	0.06	15
541	OSTEOMYELITIS WITHOUT CC/MCC	1	0.03	2.0
542	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH MCC	1	0.03	3.0
543	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH CC	2	0.06	2.0
544	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITHOUT CC/MCC	1	0.03	4.0
546	CONNECTIVE TISSUE DISORDERS WITH CC	1	0.03	2.0
547	CONNECTIVE TISSUE DISORDERS WITHOUT CC/MCC	2	0.06	4.5
549	SEPTIC ARTHRITIS WITH CC	2	0.06	6.5
551	MEDICAL BACK PROBLEMS WITH MCC	3	0.09	3.0
552	MEDICAL BACK PROBLEMS WITHOUT MCC	28	0.84	3.1
554	BONE DISEASES & ARTHROPATHIES WITHOUT MCC	1	0.03	.00
556	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC	3	0.09	5.7
557	TENDONITIS, MYOSITIS & BURSITIS WITH MCC	1	0.03	15
558	TENDONITIS, MYOSITIS & BURSITIS WITHOUT MCC	2	0.06	4.5
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	2	0.06	2.5
561	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	3	0.09	2.3
563	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC	8	0.24	4.4
565	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH CC	1	0.03	4.0
566	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITHOUT CC/MCC	1	0.03	2.0

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Glenn County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
578	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	3	0.09	3.7
579	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH MCC	1	0.03	2.0
580	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH CC	3	0.09	3.7
581	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITHOUT CC/MCC	5	0.15	1.8
582	MASTECTOMY FOR MALIGNANCY WITH CC/MCC	2	0.06	2.0
583	MASTECTOMY FOR MALIGNANCY WITHOUT CC/MCC	4	0.12	1.5
584	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITH CC/MCC	1	0.03	2.0
585	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITHOUT CC/MCC	1	0.03	1.0
593	SKIN ULCERS WITH CC	1	0.03	7.0
596	MAJOR SKIN DISORDERS WITHOUT MCC	1	0.03	3.0
598	MALIGNANT BREAST DISORDERS WITH CC	2	0.06	4.0
602	CELLULITIS WITH MCC	3	0.09	6.3
603	CELLULITIS WITHOUT MCC	32	0.96	4.5
604	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITH MCC	2	0.06	4.5
605	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITHOUT MCC	3	0.09	4.3
606	MINOR SKIN DISORDERS WITH MCC	1	0.03	10
607	MINOR SKIN DISORDERS WITHOUT MCC	2	0.06	3.0
615	ADRENAL & PITUITARY PROCEDURES WITHOUT CC/MCC	1	0.03	2.0
617	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH CC	2	0.06	8.5
620	O.R. PROCEDURES FOR OBESITY WITH CC	1	0.03	2.0
621	O.R. PROCEDURES FOR OBESITY WITHOUT CC/MCC	15	0.45	2.3
626	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH CC	1	0.03	2.0

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Glenn County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
627	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITHOUT CC/MCC	4	0.12	1.5
629	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH CC	2	0.06	4.5
637	DIABETES WITH MCC	4	0.12	8.3
638	DIABETES WITH CC	9	0.27	3.0
639	DIABETES WITHOUT CC/MCC	5	0.15	2.0
640	NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC	9	0.27	5.8
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	33	0.99	4.4
644	ENDOCRINE DISORDERS WITH CC	1	0.03	8.0
645	ENDOCRINE DISORDERS WITHOUT CC/MCC	1	0.03	1.0
652	KIDNEY TRANSPLANT	2	0.06	8.0
653	MAJOR BLADDER PROCEDURES WITH MCC	1	0.03	12
654	MAJOR BLADDER PROCEDURES WITH CC	1	0.03	6.0
656	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH MCC	1	0.03	7.0
657	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH CC	2	0.06	4.0
658	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITHOUT CC/MCC	2	0.06	4.5
659	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH MCC	1	0.03	11
660	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH CC	4	0.12	3.0
661	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITHOUT CC/MCC	4	0.12	1.5
662	MINOR BLADDER PROCEDURES WITH MCC	2	0.06	4.5
667	PROSTATECTOMY WITHOUT CC/MCC	2	0.06	1.5
670	TRANSURETHRAL PROCEDURES WITHOUT CC/MCC	1	0.03	.00
673	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH MCC	1	0.03	4.0

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Glenn County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
674	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH CC	1	0.03	9.0
675	OTHER KIDNEY & URINARY TRACT PROCEDURES WITHOUT CC/MCC	1	0.03	1.0
682	RENAL FAILURE WITH MCC	12	0.36	6.7
683	RENAL FAILURE WITH CC	20	0.60	4.8
684	RENAL FAILURE WITHOUT CC/MCC	5	0.15	2.0
685	ADMIT FOR RENAL DIALYSIS	3	0.09	.00
689	KIDNEY & URINARY TRACT INFECTIONS WITH MCC	14	0.42	4.2
690	KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC	34	1.01	4.3
692	URINARY STONES WITH ESW LITHOTRIPSY WITHOUT CC/MCC	1	0.03	6.0
693	URINARY STONES WITHOUT ESW LITHOTRIPSY WITH MCC	2	0.06	5.0
694	URINARY STONES WITHOUT ESW LITHOTRIPSY WITHOUT MCC	1	0.03	1.0
696	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITHOUT MCC	2	0.06	1.5
698	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH MCC	3	0.09	2.7
699	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH CC	6	0.18	3.7
700	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITHOUT CC/MCC	2	0.06	5.0
707	MAJOR MALE PELVIC PROCEDURES WITH CC/MCC	3	0.09	5.7
708	MAJOR MALE PELVIC PROCEDURES WITHOUT CC/MCC	2	0.06	2.0
710	PENIS PROCEDURES WITHOUT CC/MCC	1	0.03	1.0
713	TRANSURETHRAL PROSTATECTOMY WITH CC/MCC	4	0.12	2.8
714	TRANSURETHRAL PROSTATECTOMY WITHOUT CC/MCC	5	0.15	2.0
717	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE EXCEPT MALIGNANCY WITH CC/MCC	1	0.03	3.0
725	BENIGN PROSTATIC HYPERTROPHY WITH MCC	1	0.03	3.0

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Glenn County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
727	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITH MCC	1	0.03	4.0
728	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITHOUT MCC	1	0.03	7.0
729	OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITH CC/MCC	1	0.03	2.0
735	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITHOUT CC/MCC	1	0.03	2.0
737	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH CC	3	0.09	6.0
740	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH CC	4	0.12	2.0
741	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITHOUT CC/MCC	3	0.09	2.3
742	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITH CC/MCC	4	0.12	2.5
743	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITHOUT CC/MCC	23	0.69	1.8
744	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITH CC/MCC	1	0.03	1.0
745	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITHOUT CC/MCC	3	0.09	1.3
746	VAGINA, CERVIX & VULVA PROCEDURES WITH CC/MCC	1	0.03	3.0
747	VAGINA, CERVIX & VULVA PROCEDURES WITHOUT CC/MCC	1	0.03	1.0
748	FEMALE REPRODUCTIVE SYSTEM RECONSTRUCTIVE PROCEDURES	9	0.27	1.2
758	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH CC	1	0.03	4.0
761	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITHOUT CC/MCC	1	0.03	2.0
765	CESAREAN SECTION WITH CC/MCC	35	1.04	3.9
766	CESAREAN SECTION WITHOUT CC/MCC	89	2.66	2.7
767	VAGINAL DELIVERY WITH STERILIZATION &/OR D&C	18	0.54	1.9
774	VAGINAL DELIVERY WITH COMPLICATING DIAGNOSIS	25	0.75	2.1
775	VAGINAL DELIVERY WITHOUT COMPLICATING DIAGNOSIS	260	7.76	1.9
776	POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE	7	0.21	1.7

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Glenn County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
777	ECTOPIC PREGNANCY	1	0.03	2.0
778	THREATENED ABORTION	6	0.18	6.8
779	ABORTION WITHOUT D&C	1	0.03	.00
781	OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS	17	0.51	1.8
782	OTHER ANTEPARTUM DIAGNOSIS WITHOUT MEDICAL COMPLICATIONS	3	0.09	1.0
789	NEONATES, DIED OR TRANSFERRED TO ANOTHER ACUTE CARE FACILITY	4	0.12	3.5
790	EXTREME IMMATURETY OR RESPIRATORY DISTRESS SYNDROME, NEONATE	2	0.06	63
791	PREMATURITY WITH MAJOR PROBLEMS	5	0.15	26
792	PREMATURITY WITHOUT MAJOR PROBLEMS	23	0.69	5.5
793	FULL TERM NEONATE WITH MAJOR PROBLEMS	12	0.36	4.2
794	NEONATE WITH OTHER SIGNIFICANT PROBLEMS	77	2.30	2.4
795	NORMAL NEWBORN	323	9.64	1.9
801	SPLENECTOMY WITHOUT CC/MCC	2	0.06	3.5
809	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH CC	3	0.09	3.3
810	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITHOUT CC/MCC	1	0.03	2.0
811	RED BLOOD CELL DISORDERS WITH MCC	3	0.09	7.3
812	RED BLOOD CELL DISORDERS WITHOUT MCC	14	0.42	3.9
813	COAGULATION DISORDERS	2	0.06	7.0
815	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH CC	2	0.06	4.0
816	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITHOUT CC/MCC	1	0.03	3.0
821	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH CC	1	0.03	5.0
834	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH MCC	1	0.03	16

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Glenn County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
836	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITHOUT CC/MCC	1	0.03	10
838	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITH CC OR HIGH DOSE CHEMO AGENT	3	0.09	4.7
839	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITHOUT CC/MCC	2	0.06	6.0
840	LYMPHOMA & NON-ACUTE LEUKEMIA WITH MCC	1	0.03	5.0
841	LYMPHOMA & NON-ACUTE LEUKEMIA WITH CC	2	0.06	9.5
842	LYMPHOMA & NON-ACUTE LEUKEMIA WITHOUT CC/MCC	1	0.03	2.0
843	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH MCC	1	0.03	2.0
846	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH MCC	1	0.03	1.0
847	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH CC	13	0.39	3.7
848	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITHOUT CC/MCC	2	0.06	1.0
853	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH MCC	6	0.18	18
856	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH MCC	3	0.09	17
857	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH CC	2	0.06	5.0
863	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC	5	0.15	4.6
864	FEVER	7	0.21	3.1
866	VIRAL ILLNESS WITHOUT MCC	2	0.06	2.5
867	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH MCC	1	0.03	2.0
870	SEPTICEMIA OR SEVERE SEPSIS WITH MECH VENT 96+ HOURS	2	0.06	8.5
871	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC	46	1.37	6.7
872	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC	12	0.36	4.5
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	1	0.03	1.0
881	DEPRESSIVE NEUROSES	17	0.51	5.2

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Glenn County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
882	NEUROSES EXCEPT DEPRESSIVE	7	0.21	4.0
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	6	0.18	12
885	PSYCHOSES	87	2.60	7.4
886	BEHAVIORAL & DEVELOPMENTAL DISORDERS	1	0.03	.00
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	2	0.06	1.5
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	1	0.03	13
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	18	0.54	3.4
901	WOUND DEBRIDE EMENTS FOR INJURIES WITH MCC	1	0.03	37
902	WOUND DEBRIDE EMENTS FOR INJURIES WITH CC	1	0.03	5.0
903	WOUND DEBRIDE EMENTS FOR INJURIES WITHOUT CC/MCC	1	0.03	1.0
904	SKIN GRAFTS FOR INJURIES WITH CC/MCC	1	0.03	18
906	HAND PROCEDURES FOR INJURIES	2	0.06	4.5
908	OTHER O.R. PROCEDURES FOR INJURIES WITH CC	2	0.06	6.5
909	OTHER O.R. PROCEDURES FOR INJURIES WITHOUT CC/MCC	4	0.12	4.3
913	TRAUMATIC INJURY WITH MCC	1	0.03	4.0
914	TRAUMATIC INJURY WITHOUT MCC	5	0.15	4.4
917	POISONING & TOXIC EFFECTS OF DRUGS WITH MCC	10	0.30	3.1
918	POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC	16	0.48	2.4
920	COMPLICATIONS OF TREATMENT WITH CC	2	0.06	3.5
921	COMPLICATIONS OF TREATMENT WITHOUT CC/MCC	1	0.03	2.0
922	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITH MCC	1	0.03	3.0
935	NON-EXTENSIVE BURNS	3	0.09	3.3

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Glenn County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
945	REHABILITATION WITH CC/MCC	66	1.97	13
946	REHABILITATION WITHOUT CC/MCC	10	0.30	10
947	SIGNS & SYMPTOMS WITH MCC	2	0.06	3.0
948	SIGNS & SYMPTOMS WITHOUT MCC	18	0.54	4.8
950	AFTERCARE WITHOUT CC/MCC	1	0.03	8.0
951	OTHER FACTORS INFLUENCING HEALTH STATUS	2	0.06	2.0
955	CRANIOTOMY FOR MULTIPLE SIGNIFICANT TRAUMA	1	0.03	3.0
956	LIMB REATTACHMENT, HIP & FEMUR PROCEDURE FOR MULTIPLE SIGNIFICANT TRAUMA	2	0.06	4.5
958	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH CC	2	0.06	19
963	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH MCC	2	0.06	6.5
964	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH CC	1	0.03	6.0
965	OTHER MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	1	0.03	4.0
981	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	5	0.15	15
982	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	5	0.15	6.4
983	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	1	0.03	4.0
987	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	1	0.03	2.0
988	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	2	0.06	2.5
998	PRINCIPAL DIAGNOSIS INVALID AS DISCHARGE DIAGNOSIS	1	0.03	2.0
All		3,350	100.0	4.3

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Glenn County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
003	ECMO OR TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITH MAJOR O.R.	2	0.06	26
004	TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITHOUT MAJOR O.R.	10	0.32	33
009	BONE MARROW TRANSPLANT	1	0.03	26
012	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH CC	1	0.03	28
020	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH MCC	1	0.03	14
021	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH CC	1	0.03	7.0
024	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITHOUT MCC	1	0.03	1.0
025	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH MCC	1	0.03	14
026	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH CC	2	0.06	7.5
027	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITHOUT CC/MCC	13	0.41	4.1
028	SPINAL PROCEDURES WITH MCC	1	0.03	3.0
029	SPINAL PROCEDURES WITH CC OR SPINAL NEUROSTIMULATORS	1	0.03	3.0
033	VENTRICULAR SHUNT PROCEDURES WITHOUT CC/MCC	1	0.03	1.0
035	CAROTID ARTERY STENT PROCEDURE WITH CC	2	0.06	3.0
038	EXTRACRANIAL PROCEDURES WITH CC	2	0.06	2.5
039	EXTRACRANIAL PROCEDURES WITHOUT CC/MCC	5	0.16	1.0
041	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH CC OR PERIPH NEUROSTIM	3	0.10	7.7
042	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITHOUT CC/MCC	1	0.03	1.0
052	SPINAL DISORDERS & INJURIES WITH CC/MCC	2	0.06	2.5
053	SPINAL DISORDERS & INJURIES WITHOUT CC/MCC	1	0.03	4.0

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Glenn County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
054	NERVOUS SYSTEM NEOPLASMS WITH MCC	1	0.03	6.0
055	NERVOUS SYSTEM NEOPLASMS WITHOUT MCC	2	0.06	2.0
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	6	0.19	6.3
059	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH CC	1	0.03	2.0
060	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITHOUT CC/MCC	4	0.13	2.0
062	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH CC	1	0.03	7.0
064	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC	7	0.22	7.7
065	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC	17	0.54	4.8
066	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC	14	0.45	2.7
067	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITH MCC	2	0.06	3.5
068	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITHOUT MCC	2	0.06	1.0
069	TRANSIENT ISCHEMIA	17	0.54	2.2
070	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH MCC	3	0.10	4.7
071	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH CC	2	0.06	2.5
072	NONSPECIFIC CEREBROVASCULAR DISORDERS WITHOUT CC/MCC	1	0.03	6.0
073	CRANIAL & PERIPHERAL NERVE DISORDERS WITH MCC	2	0.06	1.5
074	CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC	4	0.13	4.3
076	VIRAL MENINGITIS WITHOUT CC/MCC	2	0.06	2.5
079	HYPERTENSIVE ENCEPHALOPATHY WITHOUT CC/MCC	1	0.03	2.0
080	NONTRAUMATIC STUPOR & COMA WITH MCC	3	0.10	2.0
081	NONTRAUMATIC STUPOR & COMA WITHOUT MCC	3	0.10	2.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Glenn County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
082	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH MCC	2	0.06	6.0
086	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH CC	4	0.13	3.5
087	TRAUMATIC STUPOR & COMA, COMA <1 HR WITHOUT CC/MCC	1	0.03	2.0
088	CONCUSSION WITH MCC	1	0.03	4.0
089	CONCUSSION WITH CC	2	0.06	2.5
090	CONCUSSION WITHOUT CC/MCC	3	0.10	1.0
091	OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC	2	0.06	15
092	OTHER DISORDERS OF NERVOUS SYSTEM WITH CC	6	0.19	4.3
093	OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC	5	0.16	3.8
096	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITHOUT CC/MCC	1	0.03	7.0
100	SEIZURES WITH MCC	12	0.38	5.5
101	SEIZURES WITHOUT MCC	19	0.60	2.4
103	HEADACHES WITHOUT MCC	1	0.03	1.0
115	EXTRAOCULAR PROCEDURES EXCEPT ORBIT	1	0.03	.00
125	OTHER DISORDERS OF THE EYE WITHOUT MCC	1	0.03	3.0
132	CRANIAL/FACIAL PROCEDURES WITHOUT CC/MCC	1	0.03	.00
134	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITHOUT CC/MCC	2	0.06	3.0
138	MOUTH PROCEDURES WITHOUT CC/MCC	1	0.03	3.0
149	DYSEQUILIBRIUM	4	0.13	2.0
151	EPISTAXIS WITHOUT MCC	1	0.03	1.0
152	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITH MCC	1	0.03	2.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Glenn County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
153	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITHOUT MCC	5	0.16	1.0
155	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH CC	1	0.03	2.0
156	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITHOUT CC/MCC	2	0.06	1.5
159	DENTAL & ORAL DISEASES WITHOUT CC/MCC	2	0.06	1.0
163	MAJOR CHEST PROCEDURES WITH MCC	6	0.19	17
164	MAJOR CHEST PROCEDURES WITH CC	5	0.16	5.2
165	MAJOR CHEST PROCEDURES WITHOUT CC/MCC	4	0.13	5.3
166	OTHER RESP SYSTEM O.R. PROCEDURES WITH MCC	4	0.13	8.8
167	OTHER RESP SYSTEM O.R. PROCEDURES WITH CC	1	0.03	7.0
168	OTHER RESP SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	2	0.06	2.5
175	PULMONARY EMBOLISM WITH MCC	2	0.06	4.5
176	PULMONARY EMBOLISM WITHOUT MCC	13	0.41	5.5
177	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC	4	0.13	28
178	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC	6	0.19	12
179	RESPIRATORY INFECTIONS & INFLAMMATIONS WITHOUT CC/MCC	3	0.10	11
180	RESPIRATORY NEOPLASMS WITH MCC	1	0.03	7.0
181	RESPIRATORY NEOPLASMS WITH CC	9	0.29	5.1
183	MAJOR CHEST TRAUMA WITH MCC	1	0.03	5.0
184	MAJOR CHEST TRAUMA WITH CC	1	0.03	1.0
185	MAJOR CHEST TRAUMA WITHOUT CC/MCC	1	0.03	2.0
186	PLEURAL EFFUSION WITH MCC	2	0.06	4.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Glenn County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
187	PLEURAL EFFUSION WITH CC	3	0.10	2.3
188	PLEURAL EFFUSION WITHOUT CC/MCC	1	0.03	4.0
189	PULMONARY EDEMA & RESPIRATORY FAILURE	23	0.73	6.7
190	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC	7	0.22	7.1
191	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC	17	0.54	3.5
192	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC	46	1.46	3.4
193	SIMPLE PNEUMONIA & PLEURISY WITH MCC	16	0.51	7.8
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	60	1.91	4.0
195	SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC	52	1.66	3.4
196	INTERSTITIAL LUNG DISEASE WITH MCC	1	0.03	18
197	INTERSTITIAL LUNG DISEASE WITH CC	2	0.06	8.0
198	INTERSTITIAL LUNG DISEASE WITHOUT CC/MCC	1	0.03	1.0
200	PNEUMOTHORAX WITH CC	3	0.10	6.3
201	PNEUMOTHORAX WITHOUT CC/MCC	3	0.10	2.3
202	BRONCHITIS & ASTHMA WITH CC/MCC	7	0.22	2.9
203	BRONCHITIS & ASTHMA WITHOUT CC/MCC	17	0.54	2.7
204	RESPIRATORY SIGNS & SYMPTOMS	10	0.32	2.9
206	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITHOUT MCC	7	0.22	4.1
207	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS	8	0.25	13
208	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS	10	0.32	7.3
216	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH MCC	1	0.03	15

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Glenn County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
219	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH MCC	2	0.06	22
220	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH CC	3	0.10	10
221	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITHOUT CC/MCC	1	0.03	4.0
222	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITH MCC	1	0.03	5.0
224	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITH MCC	1	0.03	6.0
225	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITHOUT MCC	1	0.03	4.0
226	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITH MCC	2	0.06	5.5
227	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITHOUT MCC	6	0.19	1.3
229	OTHER CARDIOTHORACIC PROCEDURES WITH CC	2	0.06	8.0
232	CORONARY BYPASS WITH PTCA WITHOUT MCC	1	0.03	7.0
233	CORONARY BYPASS WITH CARDIAC CATH WITH MCC	6	0.19	9.5
234	CORONARY BYPASS WITH CARDIAC CATH WITHOUT MCC	7	0.22	7.1
235	CORONARY BYPASS WITHOUT CARDIAC CATH WITH MCC	1	0.03	5.0
236	CORONARY BYPASS WITHOUT CARDIAC CATH WITHOUT MCC	4	0.13	7.5
237	MAJOR CARDIOVASC PROCEDURES WITH MCC OR THORACIC AORTIC ANEURYSM REPAIR	4	0.13	6.0
238	MAJOR CARDIOVASC PROCEDURES WITHOUT MCC	4	0.13	2.3
239	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH MCC	2	0.06	15
241	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITHOUT CC/MCC	1	0.03	3.0
242	PERMANENT CARDIAC PACEMAKER IMPLANT WITH MCC	1	0.03	9.0
244	PERMANENT CARDIAC PACEMAKER IMPLANT WITHOUT CC/MCC	10	0.32	2.7

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Glenn County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
246	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITH MCC OR 4+ VESSELS/STENTS	3	0.10	2.3
247	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITHOUT MCC	17	0.54	1.8
248	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITH MCC OR 4+ VES/STENTS	2	0.06	6.5
249	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITHOUT MCC	5	0.16	1.6
251	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITHOUT MCC	13	0.41	1.6
252	OTHER VASCULAR PROCEDURES WITH MCC	2	0.06	17
253	OTHER VASCULAR PROCEDURES WITH CC	5	0.16	1.6
254	OTHER VASCULAR PROCEDURES WITHOUT CC/MCC	8	0.25	3.0
257	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITHOUT CC/MCC	1	0.03	4.0
264	OTHER CIRCULATORY SYSTEM O.R. PROCEDURES	3	0.10	3.7
265	AICD LEAD PROCEDURES	1	0.03	1.0
280	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH MCC	3	0.10	5.7
281	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH CC	5	0.16	4.0
282	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITHOUT CC/MCC	6	0.19	1.5
283	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH MCC	1	0.03	4.0
286	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITH MCC	4	0.13	5.5
287	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITHOUT MCC	17	0.54	2.5
288	ACUTE & SUBACUTE ENDOCARDITIS WITH MCC	2	0.06	6.0
291	HEART FAILURE & SHOCK WITH MCC	22	0.70	5.5
292	HEART FAILURE & SHOCK WITH CC	17	0.54	5.0
293	HEART FAILURE & SHOCK WITHOUT CC/MCC	14	0.45	4.6

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Glenn County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
297	CARDIAC ARREST, UNEXPLAINED WITH CC	1	0.03	.00
300	PERIPHERAL VASCULAR DISORDERS WITH CC	5	0.16	4.0
301	PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC	3	0.10	1.3
303	ATHEROSCLEROSIS WITHOUT MCC	8	0.25	2.1
305	HYPERTENSION WITHOUT MCC	3	0.10	2.3
306	CARDIAC CONGENITAL & VALVULAR DISORDERS WITH MCC	1	0.03	4.0
307	CARDIAC CONGENITAL & VALVULAR DISORDERS WITHOUT MCC	2	0.06	2.0
308	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH MCC	7	0.22	4.1
309	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC	10	0.32	4.0
310	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITHOUT CC/MCC	19	0.60	1.9
311	ANGINA PECTORIS	1	0.03	4.0
312	SYNCOPE & COLLAPSE	13	0.41	3.2
313	CHEST PAIN	21	0.67	2.0
314	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC	5	0.16	7.6
315	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC	4	0.13	2.8
316	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITHOUT CC/MCC	3	0.10	1.7
326	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH MCC	2	0.06	35
327	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH CC	1	0.03	12
328	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITHOUT CC/MCC	3	0.10	3.7
329	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	10	0.32	20
330	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH CC	12	0.38	8.2

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Glenn County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
331	MAJOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	9	0.29	4.6
334	RECTAL RESECTION WITHOUT CC/MCC	1	0.03	6.0
335	PERITONEAL ADHESIOLYSIS WITH MCC	1	0.03	18
336	PERITONEAL ADHESIOLYSIS WITH CC	3	0.10	10
339	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	3	0.10	5.7
340	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	3	0.10	3.3
343	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	21	0.67	1.4
345	MINOR SMALL & LARGE BOWEL PROCEDURES WITH CC	1	0.03	8.0
346	MINOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	1	0.03	4.0
347	ANAL & STOMAL PROCEDURES WITH MCC	1	0.03	13
349	ANAL & STOMAL PROCEDURES WITHOUT CC/MCC	3	0.10	1.7
350	INGUINAL & FEMORAL HERNIA PROCEDURES WITH MCC	1	0.03	3.0
351	INGUINAL & FEMORAL HERNIA PROCEDURES WITH CC	1	0.03	4.0
352	INGUINAL & FEMORAL HERNIA PROCEDURES WITHOUT CC/MCC	1	0.03	3.0
354	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH CC	1	0.03	2.0
355	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITHOUT CC/MCC	7	0.22	3.4
357	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH CC	3	0.10	6.0
371	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH MCC	1	0.03	10
372	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH CC	3	0.10	4.3
373	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITHOUT CC/MCC	5	0.16	2.6
374	DIGESTIVE MALIGNANCY WITH MCC	1	0.03	9.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Glenn County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
375	DIGESTIVE MALIGNANCY WITH CC	4	0.13	3.5
377	G.I. HEMORRHAGE WITH MCC	10	0.32	6.4
378	G.I. HEMORRHAGE WITH CC	14	0.45	2.8
379	G.I. HEMORRHAGE WITHOUT CC/MCC	12	0.38	2.4
380	COMPLICATED PEPTIC ULCER WITH MCC	1	0.03	4.0
381	COMPLICATED PEPTIC ULCER WITH CC	1	0.03	5.0
382	COMPLICATED PEPTIC ULCER WITHOUT CC/MCC	3	0.10	4.3
386	INFLAMMATORY BOWEL DISEASE WITH CC	2	0.06	3.0
387	INFLAMMATORY BOWEL DISEASE WITHOUT CC/MCC	3	0.10	3.7
389	G.I. OBSTRUCTION WITH CC	2	0.06	2.5
390	G.I. OBSTRUCTION WITHOUT CC/MCC	5	0.16	3.6
391	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITH MCC	13	0.41	3.7
392	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC	73	2.32	2.6
393	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH MCC	7	0.22	4.9
394	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH CC	11	0.35	5.2
395	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	3	0.10	2.0
405	PANCREAS, LIVER & SHUNT PROCEDURES WITH MCC	2	0.06	14
406	PANCREAS, LIVER & SHUNT PROCEDURES WITH CC	1	0.03	29
414	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH MCC	2	0.06	10
415	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH CC	2	0.06	9.5

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Glenn County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
416	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	5	0.16	1.4
417	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH MCC	2	0.06	8.0
418	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH CC	10	0.32	3.8
419	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	21	0.67	2.5
432	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH MCC	1	0.03	2.0
435	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITH MCC	3	0.10	4.3
438	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH MCC	5	0.16	7.6
439	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH CC	8	0.25	4.8
440	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITHOUT CC/MCC	6	0.19	3.3
441	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH MCC	3	0.10	7.0
442	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH CC	1	0.03	4.0
444	DISORDERS OF THE BILIARY TRACT WITH MCC	1	0.03	2.0
446	DISORDERS OF THE BILIARY TRACT WITHOUT CC/MCC	5	0.16	3.0
454	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH CC	4	0.13	6.5
455	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITHOUT CC/MCC	3	0.10	4.7
458	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITHOUT CC/MCC	1	0.03	7.0
459	SPINAL FUSION EXCEPT CERVICAL WITH MCC	1	0.03	12
460	SPINAL FUSION EXCEPT CERVICAL WITHOUT MCC	20	0.64	4.6
463	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH MCC	1	0.03	34
465	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITHOUT CC/MCC	3	0.10	4.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Glenn County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
467	REVISION OF HIP OR KNEE REPLACEMENT WITH CC	5	0.16	3.0
468	REVISION OF HIP OR KNEE REPLACEMENT WITHOUT CC/MCC	2	0.06	2.5
469	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITH MCC	5	0.16	7.8
470	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITHOUT MCC	109	3.47	2.6
471	CERVICAL SPINAL FUSION WITH MCC	2	0.06	18
472	CERVICAL SPINAL FUSION WITH CC	2	0.06	2.5
473	CERVICAL SPINAL FUSION WITHOUT CC/MCC	14	0.45	1.9
475	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH CC	2	0.06	13
480	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH MCC	7	0.22	11
481	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH CC	12	0.38	5.0
482	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITHOUT CC/MCC	2	0.06	3.0
483	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITH CC/MCC	5	0.16	3.8
484	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITHOUT CC/MCC	3	0.10	2.7
486	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH CC	1	0.03	6.0
488	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITH CC/MCC	1	0.03	7.0
489	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	6	0.19	1.5
490	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITH CC/MCC OR DISC DEVICE/NEUROSTIM	8	0.25	3.8
491	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITHOUT CC/MCC	12	0.38	1.3
492	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH MCC	2	0.06	3.0
493	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH CC	4	0.13	14
494	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITHOUT CC/MCC	16	0.51	3.4

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Glenn County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
496	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH CC	2	0.06	4.0
497	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITHOUT CC/MCC	3	0.10	3.3
498	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITH CC/MCC	1	0.03	21
499	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITHOUT CC/MCC	1	0.03	.00
501	SOFT TISSUE PROCEDURES WITH CC	4	0.13	8.8
502	SOFT TISSUE PROCEDURES WITHOUT CC/MCC	8	0.25	1.9
505	FOOT PROCEDURES WITHOUT CC/MCC	5	0.16	1.4
508	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITHOUT CC/MCC	1	0.03	4.0
511	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH CC	2	0.06	3.5
512	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITHOUT CC/MCC	4	0.13	.75
514	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITHOUT CC/MCC	2	0.06	2.5
515	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH MCC	2	0.06	9.5
516	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH CC	3	0.10	8.0
517	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITHOUT CC/MCC	5	0.16	2.6
534	FRACTURES OF FEMUR WITHOUT MCC	2	0.06	3.5
535	FRACTURES OF HIP & PELVIS WITH MCC	1	0.03	4.0
536	FRACTURES OF HIP & PELVIS WITHOUT MCC	6	0.19	4.8
539	OSTEOMYELITIS WITH MCC	1	0.03	3.0
540	OSTEOMYELITIS WITH CC	1	0.03	7.0
541	OSTEOMYELITIS WITHOUT CC/MCC	1	0.03	2.0
542	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH MCC	1	0.03	3.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Glenn County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
543	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH CC	2	0.06	2.0
544	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITHOUT CC/MCC	1	0.03	4.0
546	CONNECTIVE TISSUE DISORDERS WITH CC	1	0.03	2.0
547	CONNECTIVE TISSUE DISORDERS WITHOUT CC/MCC	2	0.06	4.5
549	SEPTIC ARTHRITIS WITH CC	2	0.06	6.5
551	MEDICAL BACK PROBLEMS WITH MCC	3	0.10	3.0
552	MEDICAL BACK PROBLEMS WITHOUT MCC	27	0.86	2.9
554	BONE DISEASES & ARTHROPATHIES WITHOUT MCC	1	0.03	.00
556	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC	3	0.10	5.7
557	TENDONITIS, MYOSITIS & BURSITIS WITH MCC	1	0.03	15
558	TENDONITIS, MYOSITIS & BURSITIS WITHOUT MCC	2	0.06	4.5
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	2	0.06	2.5
561	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	3	0.10	2.3
563	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC	8	0.25	4.4
565	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH CC	1	0.03	4.0
566	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITHOUT CC/MCC	1	0.03	2.0
578	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	3	0.10	3.7
579	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH MCC	1	0.03	2.0
580	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH CC	3	0.10	3.7
581	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITHOUT CC/MCC	5	0.16	1.8
582	MASTECTOMY FOR MALIGNANCY WITH CC/MCC	2	0.06	2.0

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Glenn County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
583	MASTECTOMY FOR MALIGNANCY WITHOUT CC/MCC	4	0.13	1.5
584	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITH CC/MCC	1	0.03	2.0
585	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITHOUT CC/MCC	1	0.03	1.0
593	SKIN ULCERS WITH CC	1	0.03	7.0
596	MAJOR SKIN DISORDERS WITHOUT MCC	1	0.03	3.0
598	MALIGNANT BREAST DISORDERS WITH CC	2	0.06	4.0
602	CELLULITIS WITH MCC	3	0.10	6.3
603	CELLULITIS WITHOUT MCC	32	1.02	4.5
604	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITH MCC	2	0.06	4.5
605	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITHOUT MCC	3	0.10	4.3
606	MINOR SKIN DISORDERS WITH MCC	1	0.03	10
607	MINOR SKIN DISORDERS WITHOUT MCC	2	0.06	3.0
615	ADRENAL & PITUITARY PROCEDURES WITHOUT CC/MCC	1	0.03	2.0
617	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH CC	2	0.06	8.5
620	O.R. PROCEDURES FOR OBESITY WITH CC	1	0.03	2.0
621	O.R. PROCEDURES FOR OBESITY WITHOUT CC/MCC	15	0.48	2.3
626	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH CC	1	0.03	2.0
627	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITHOUT CC/MCC	4	0.13	1.5
629	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH CC	2	0.06	4.5
637	DIABETES WITH MCC	4	0.13	8.3
638	DIABETES WITH CC	9	0.29	3.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Glenn County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
639	DIABETES WITHOUT CC/MCC	5	0.16	2.0
640	NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC	9	0.29	5.8
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	32	1.02	4.0
644	ENDOCRINE DISORDERS WITH CC	1	0.03	8.0
645	ENDOCRINE DISORDERS WITHOUT CC/MCC	1	0.03	1.0
652	KIDNEY TRANSPLANT	2	0.06	8.0
653	MAJOR BLADDER PROCEDURES WITH MCC	1	0.03	12
654	MAJOR BLADDER PROCEDURES WITH CC	1	0.03	6.0
656	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH MCC	1	0.03	7.0
657	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH CC	2	0.06	4.0
658	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITHOUT CC/MCC	2	0.06	4.5
659	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH MCC	1	0.03	11
660	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH CC	4	0.13	3.0
661	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITHOUT CC/MCC	4	0.13	1.5
662	MINOR BLADDER PROCEDURES WITH MCC	2	0.06	4.5
667	PROSTATECTOMY WITHOUT CC/MCC	2	0.06	1.5
670	TRANSURETHRAL PROCEDURES WITHOUT CC/MCC	1	0.03	.00
673	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH MCC	1	0.03	4.0
674	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH CC	1	0.03	9.0
675	OTHER KIDNEY & URINARY TRACT PROCEDURES WITHOUT CC/MCC	1	0.03	1.0
682	RENAL FAILURE WITH MCC	12	0.38	6.7

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Glenn County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
683	RENAL FAILURE WITH CC	20	0.64	4.8
684	RENAL FAILURE WITHOUT CC/MCC	5	0.16	2.0
685	ADMIT FOR RENAL DIALYSIS	3	0.10	.00
689	KIDNEY & URINARY TRACT INFECTIONS WITH MCC	14	0.45	4.2
690	KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC	34	1.08	4.3
692	URINARY STONES WITH ESW LITHOTRIPSY WITHOUT CC/MCC	1	0.03	6.0
693	URINARY STONES WITHOUT ESW LITHOTRIPSY WITH MCC	2	0.06	5.0
694	URINARY STONES WITHOUT ESW LITHOTRIPSY WITHOUT MCC	1	0.03	1.0
696	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITHOUT MCC	2	0.06	1.5
698	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH MCC	3	0.10	2.7
699	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH CC	6	0.19	3.7
700	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITHOUT CC/MCC	2	0.06	5.0
707	MAJOR MALE PELVIC PROCEDURES WITH CC/MCC	3	0.10	5.7
708	MAJOR MALE PELVIC PROCEDURES WITHOUT CC/MCC	2	0.06	2.0
710	PENIS PROCEDURES WITHOUT CC/MCC	1	0.03	1.0
713	TRANSURETHRAL PROSTATECTOMY WITH CC/MCC	4	0.13	2.8
714	TRANSURETHRAL PROSTATECTOMY WITHOUT CC/MCC	5	0.16	2.0
717	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE EXCEPT MALIGNANCY WITH CC/MCC	1	0.03	3.0
725	BENIGN PROSTATIC HYPERTROPHY WITH MCC	1	0.03	3.0
727	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITH MCC	1	0.03	4.0
728	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITHOUT MCC	1	0.03	7.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Glenn County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
729	OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITH CC/MCC	1	0.03	2.0
735	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITHOUT CC/MCC	1	0.03	2.0
737	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH CC	3	0.10	6.0
740	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH CC	4	0.13	2.0
741	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITHOUT CC/MCC	3	0.10	2.3
742	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITH CC/MCC	4	0.13	2.5
743	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITHOUT CC/MCC	23	0.73	1.8
744	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITH CC/MCC	1	0.03	1.0
745	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITHOUT CC/MCC	3	0.10	1.3
746	VAGINA, CERVIX & VULVA PROCEDURES WITH CC/MCC	1	0.03	3.0
747	VAGINA, CERVIX & VULVA PROCEDURES WITHOUT CC/MCC	1	0.03	1.0
748	FEMALE REPRODUCTIVE SYSTEM RECONSTRUCTIVE PROCEDURES	9	0.29	1.2
758	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH CC	1	0.03	4.0
761	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITHOUT CC/MCC	1	0.03	2.0
765	CESAREAN SECTION WITH CC/MCC	35	1.11	3.9
766	CESAREAN SECTION WITHOUT CC/MCC	89	2.83	2.7
767	VAGINAL DELIVERY WITH STERILIZATION &/OR D&C	18	0.57	1.9
774	VAGINAL DELIVERY WITH COMPLICATING DIAGNOSIS	25	0.80	2.1
775	VAGINAL DELIVERY WITHOUT COMPLICATING DIAGNOSIS	260	8.28	1.9
776	POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE	7	0.22	1.7
777	ECTOPIC PREGNANCY	1	0.03	2.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Glenn County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
778	THREATENED ABORTION	6	0.19	6.8
779	ABORTION WITHOUT D&C	1	0.03	.00
781	OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS	17	0.54	1.8
782	OTHER ANTEPARTUM DIAGNOSIS WITHOUT MEDICAL COMPLICATIONS	3	0.10	1.0
789	NEONATES, DIED OR TRANSFERRED TO ANOTHER ACUTE CARE FACILITY	4	0.13	3.5
790	EXTREME IMMATURETY OR RESPIRATORY DISTRESS SYNDROME, NEONATE	2	0.06	63
791	PREMATURITY WITH MAJOR PROBLEMS	5	0.16	26
792	PREMATURITY WITHOUT MAJOR PROBLEMS	23	0.73	5.5
793	FULL TERM NEONATE WITH MAJOR PROBLEMS	12	0.38	4.2
794	NEONATE WITH OTHER SIGNIFICANT PROBLEMS	77	2.45	2.4
795	NORMAL NEWBORN	323	10.28	1.9
801	SPLENECTOMY WITHOUT CC/MCC	2	0.06	3.5
809	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH CC	3	0.10	3.3
810	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITHOUT CC/MCC	1	0.03	2.0
811	RED BLOOD CELL DISORDERS WITH MCC	2	0.06	5.0
812	RED BLOOD CELL DISORDERS WITHOUT MCC	14	0.45	3.9
813	COAGULATION DISORDERS	2	0.06	7.0
815	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH CC	2	0.06	4.0
816	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITHOUT CC/MCC	1	0.03	3.0
821	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH CC	1	0.03	5.0
834	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH MCC	1	0.03	16

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Glenn County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
836	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITHOUT CC/MCC	1	0.03	10
838	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITH CC OR HIGH DOSE CHEMO AGENT	3	0.10	4.7
839	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITHOUT CC/MCC	2	0.06	6.0
840	LYMPHOMA & NON-ACUTE LEUKEMIA WITH MCC	1	0.03	5.0
841	LYMPHOMA & NON-ACUTE LEUKEMIA WITH CC	2	0.06	9.5
842	LYMPHOMA & NON-ACUTE LEUKEMIA WITHOUT CC/MCC	1	0.03	2.0
843	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH MCC	1	0.03	2.0
846	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH MCC	1	0.03	1.0
847	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH CC	13	0.41	3.7
848	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITHOUT CC/MCC	2	0.06	1.0
853	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH MCC	6	0.19	18
856	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH MCC	3	0.10	17
857	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH CC	2	0.06	5.0
863	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC	5	0.16	4.6
864	FEVER	7	0.22	3.1
866	VIRAL ILLNESS WITHOUT MCC	2	0.06	2.5
867	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH MCC	1	0.03	2.0
870	SEPTICEMIA OR SEVERE SEPSIS WITH MECH VENT 96+ HOURS	2	0.06	8.5
871	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC	46	1.46	6.7
872	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC	12	0.38	4.5
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	1	0.03	1.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Glenn County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
881	DEPRESSIVE NEUROSES	1	0.03	7.0
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	3	0.10	14
885	PSYCHOSES	3	0.10	8.3
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	2	0.06	1.5
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	1	0.03	13
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	11	0.35	2.5
901	WOUND DEBRIDE EMENTS FOR INJURIES WITH MCC	1	0.03	37
902	WOUND DEBRIDE EMENTS FOR INJURIES WITH CC	1	0.03	5.0
903	WOUND DEBRIDE EMENTS FOR INJURIES WITHOUT CC/MCC	1	0.03	1.0
904	SKIN GRAFTS FOR INJURIES WITH CC/MCC	1	0.03	18
906	HAND PROCEDURES FOR INJURIES	2	0.06	4.5
908	OTHER O.R. PROCEDURES FOR INJURIES WITH CC	2	0.06	6.5
909	OTHER O.R. PROCEDURES FOR INJURIES WITHOUT CC/MCC	4	0.13	4.3
913	TRAUMATIC INJURY WITH MCC	1	0.03	4.0
914	TRAUMATIC INJURY WITHOUT MCC	5	0.16	4.4
917	POISONING & TOXIC EFFECTS OF DRUGS WITH MCC	10	0.32	3.1
918	POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC	16	0.51	2.4
920	COMPLICATIONS OF TREATMENT WITH CC	2	0.06	3.5
921	COMPLICATIONS OF TREATMENT WITHOUT CC/MCC	1	0.03	2.0
922	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITH MCC	1	0.03	3.0
935	NON-EXTENSIVE BURNS	3	0.10	3.3

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Glenn County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
947	SIGNS & SYMPTOMS WITH MCC	2	0.06	3.0
948	SIGNS & SYMPTOMS WITHOUT MCC	16	0.51	4.4
951	OTHER FACTORS INFLUENCING HEALTH STATUS	1	0.03	.00
955	CRANIOTOMY FOR MULTIPLE SIGNIFICANT TRAUMA	1	0.03	3.0
956	LIMB REATTACHMENT, HIP & FEMUR PROCEDURE FOR MULTIPLE SIGNIFICANT TRAUMA	2	0.06	4.5
958	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH CC	2	0.06	19
963	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH MCC	2	0.06	6.5
964	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH CC	1	0.03	6.0
965	OTHER MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	1	0.03	4.0
981	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	5	0.16	15
982	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	5	0.16	6.4
983	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	1	0.03	4.0
987	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	1	0.03	2.0
988	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	2	0.06	2.5
998	PRINCIPAL DIAGNOSIS INVALID AS DISCHARGE DIAGNOSIS	1	0.03	2.0
All		3,141	100.0	4.0

***MS-DRG by Patient County of Residence
and Type of Care for 2009
Glenn County***

typcare1=Physical Rehabilitation Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
945	REHABILITATION WITH CC/MCC	65	87.84	13
946	REHABILITATION WITHOUT CC/MCC	9	12.16	11
All		74	100.0	13

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Glenn County**

typcare1=Psychiatric Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
881	DEPRESSIVE NEUROSES	16	13.56	5.1
882	NEUROSES EXCEPT DEPRESSIVE	7	5.93	4.0
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	3	2.54	9.7
885	PSYCHOSES	84	71.19	7.3
886	BEHAVIORAL & DEVELOPMENTAL DISORDERS	1	0.85	.00
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	7	5.93	5.0
All		118	100.0	6.7

***MS-DRG by Patient County of Residence
and Type of Care for 2009
Glenn County***

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
092	OTHER DISORDERS OF NERVOUS SYSTEM WITH CC	1	5.88	4.0
175	PULMONARY EMBOLISM WITH MCC	1	5.88	12
191	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC	1	5.88	12
192	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC	1	5.88	8.0
193	SIMPLE PNEUMONIA & PLEURISY WITH MCC	1	5.88	8.0
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	1	5.88	8.0
195	SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC	1	5.88	5.0
540	OSTEOMYELITIS WITH CC	1	5.88	22
552	MEDICAL BACK PROBLEMS WITHOUT MCC	1	5.88	9.0
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	1	5.88	16
811	RED BLOOD CELL DISORDERS WITH MCC	1	5.88	12
945	REHABILITATION WITH CC/MCC	1	5.88	4.0
946	REHABILITATION WITHOUT CC/MCC	1	5.88	5.0
948	SIGNS & SYMPTOMS WITHOUT MCC	2	11.76	8.0
950	AFTERCARE WITHOUT CC/MCC	1	5.88	8.0
951	OTHER FACTORS INFLUENCING HEALTH STATUS	1	5.88	4.0
All		17	100.0	9.0

**MDC by Patient County of Residence
for 2009
Glenn County**

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	195	5.82	4.1
02	EYE, DISEASES & DISORDERS	2	0.06	1.5
03	EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS	21	0.63	2.9
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	376	11.22	5.8
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	321	9.58	4.0
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	264	7.88	4.7
07	HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS	78	2.33	4.6
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	372	11.10	3.9
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	68	2.03	4.0
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	90	2.69	4.0
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	132	3.94	4.3
12	MALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	20	0.60	3.1
13	FEMALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	56	1.67	2.1
14	PREGNANCY, CHILDBIRTH, & THE PUERPERIUM	463	13.82	2.2
15	NEWBORNS AND NEONATE CONDITIONS BEGAN IN PERINATAL PERIOD	446	13.31	2.8
16	BLOOD, BLOOD FORMING ORGANS,IMMUNOLOGICAL, DISEASES & DISORDERS	28	0.84	4.3
17	MYELOPROLIFERATIVE DISEASES & POORLY DIFFERENTIATED NEOPLASMS	30	0.90	5.4
18	INFECTIOUS & PARASITIC DISEASES	88	2.63	8.0
19	MENTAL DISEASES & DISORDERS	119	3.55	7.0
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	21	0.63	3.7
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	49	1.46	4.3
22	BURNS	3	0.09	3.3

(Continued)

*MDC by Patient County of Residence
for 2009
Glenn County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	99	2.96	11
24	MULTIPLE SIGNFICANT TRAUMA	9	0.27	8.0
All		3,350	100.0	4.3

***MDC by Patient County of Residence
and Type of Care for 2009
Glenn County***

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	194	6.18	4.1
02	EYE, DISEASES & DISORDERS	2	0.06	1.5
03	EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS	21	0.67	2.9
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	370	11.78	5.8
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	321	10.22	4.0
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	264	8.40	4.7
07	HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS	78	2.48	4.6
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	370	11.78	3.9
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	68	2.16	4.0
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	89	2.83	3.8
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	132	4.20	4.3
12	MALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	20	0.64	3.1
13	FEMALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	56	1.78	2.1
14	PREGNANCY, CHILDBIRTH, & THE PUERPERIUM	463	14.74	2.2
15	NEWBORNS AND NEONATE CONDITIONS BEGAN IN PERINATAL PERIOD	446	14.20	2.8
16	BLOOD, BLOOD FORMING ORGANS,IMMUNOLOGICAL, DISEASES & DISORDERS	27	0.86	4.0
17	MYELOPROLIFERATIVE DISEASES & POORLY DIFFERENTIATED NEOPLASMS	30	0.96	5.4
18	INFECTIOUS & PARASITIC DISEASES	88	2.80	8.0
19	MENTAL DISEASES & DISORDERS	8	0.25	9.5
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	14	0.45	3.1
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	49	1.56	4.3

(Continued)

***MDC by Patient County of Residence
and Type of Care for 2009
Glenn County***

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
22	BURNS	3	0.10	3.3
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	19	0.60	4.0
24	MULTIPLE SIGNFICANT TRAUMA	9	0.29	8.0
All		3,141	100.0	4.0

***MDC by Patient County of Residence
and Type of Care for 2009
Glenn County***

typcare1=Physical Rehabilitation Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	74	100.0	13
All		74	100.0	13

***MDC by Patient County of Residence
and Type of Care for 2009
Glenn County***

typcare1=Psychiatric Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
19	MENTAL DISEASES & DISORDERS	111	94.07	6.8
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	7	5.93	5.0
All		118	100.0	6.7

***MDC by Patient County of Residence
and Type of Care for 2009
Glenn County***

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	1	5.88	4.0
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	6	35.29	8.8
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	2	11.76	16
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	1	5.88	16
16	BLOOD, BLOOD FORMING ORGANS, IMMUNOLOGICAL, DISEASES & DISORDERS	1	5.88	12
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	6	35.29	6.2
All		17	100.0	9.0