

**Type of Care by Patient County of Residence
for 2010
Mendocino County**

	Number of Discharges	Percent of Subtotal	Average Length of Stay
Acute Care	9,246	95.28	4.0
Chemical Dependency Recovery Care	3	0.03	8.0
Physical Rehabilitation Care	44	0.45	17
Psychiatric Care	218	2.25	9.9
Skilled Nursing/Intermediate Care	193	1.99	12
All	9,704	100.0	4.3

***Disposition by Patient County of Residence
for 2010
Mendocino County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	162	0.00	12
01 - Routine (Home)	2,964,599	74.66	3.6
02 - Acute Care within the admitting hospital	9,793	0.25	64
03 - Other Care with the admitting hospital	20,666	0.52	9.0
04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital	32,649	0.82	8.1
05 - Acute Care at another hospital	83,795	2.11	10
06 - Other Care (not SN/IC) at another hospital	34,381	0.87	9.8
07 - SN/IC at another facility	305,209	7.69	8.8
08 - Residential Care facility	36,313	0.91	9.4
09 - Prison/Jail	20,022	0.50	5.3
10 - Left Against Medical Advice	45,467	1.14	3.2
11 - Died	76,630	1.93	16
12 - Home Health Service	330,832	8.33	7.1
13 - Other	10,404	0.26	11
All	3,970,922	100.0	5.0

***Disposition by Patient County of Residence
and Type of Care for 2010
Mendocino County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	6,812	73.68	3.0
02 - Acute Care within the admitting hospital	3	0.03	5.3
03 - Other Care with the admitting hospital	20	0.22	9.2
04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital	178	1.93	6.6
05 - Acute Care at another hospital	366	3.96	5.1
06 - Other Care (not SN/IC) at another hospital	56	0.61	13
07 - SN/IC at another facility	578	6.25	7.5
08 - Residential Care facility	52	0.56	3.8
09 - Prison/Jail	6	0.06	5.2
10 - Left Against Medical Advice	55	0.59	2.4
11 - Died	188	2.03	9.6
12 - Home Health Service	928	10.04	5.9
13 - Other	4	0.04	12
All	9,246	100.0	4.0

***Disposition by Patient County of Residence
and Type of Care for 2010
Mendocino County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	3	100.0	8.0
All	3	100.0	8.0

***Disposition by Patient County of Residence
and Type of Care for 2010
Mendocino County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	11	25.00	19
02 - Acute Care within the admitting hospital	4	9.09	7.3
05 - Acute Care at another hospital	1	2.27	35
07 - SN/IC at another facility	4	9.09	18
12 - Home Health Service	24	54.55	17
All	44	100.0	17

***Disposition by Patient County of Residence
and Type of Care for 2010
Mendocino County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	188	86.24	9.3
02 - Acute Care within the admitting hospital	3	1.38	4.3
05 - Acute Care at another hospital	4	1.83	14
06 - Other Care (not SN/IC) at another hospital	3	1.38	12
07 - SN/IC at another facility	2	0.92	20
08 - Residential Care facility	15	6.88	14
09 - Prison/Jail	1	0.46	34
10 - Left Against Medical Advice	2	0.92	5.0
All	218	100.0	9.9

***Disposition by Patient County of Residence
and Type of Care for 2010
Mendocino County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	47	24.35	11
02 - Acute Care within the admitting hospital	10	5.18	15
03 - Other Care with the admitting hospital	1	0.52	7.0
04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital	1	0.52	75
05 - Acute Care at another hospital	3	1.55	2.7
06 - Other Care (not SN/IC) at another hospital	1	0.52	57
07 - SN/IC at another facility	42	21.76	17
08 - Residential Care facility	3	1.55	13
11 - Died	22	11.40	6.2
12 - Home Health Service	63	32.64	9.9
All	193	100.0	12

***Gender by Patient County of Residence
for 2010
Mendocino County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	4,191	43.19	4.7
2 - Female	5,513	56.81	4.0
All	9,704	100.0	4.3

***Gender by Patient County of Residence
and Type of Care for 2010
Mendocino County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	3,990	43.15	4.3
2 - Female	5,256	56.85	3.7
All	9,246	100.0	4.0

***Gender by Patient County of Residence
and Type of Care for 2010
Mendocino County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	1	33.33	8.0
2 - Female	2	66.67	8.0
All	3	100.0	8.0

***Gender by Patient County of Residence
and Type of Care for 2010
Mendocino County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	28	63.64	17
2 - Female	16	36.36	17
All	44	100.0	17

***Gender by Patient County of Residence
and Type of Care for 2010
Mendocino County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	104	47.71	8.9
2 - Female	114	52.29	11
All	218	100.0	9.9

***Gender by Patient County of Residence
and Type of Care for 2010
Mendocino County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	68	35.23	14
2 - Female	125	64.77	11
All	193	100.0	12

***Expected Payer by Patient County of Residence
for 2010
Mendocino County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	3,904	40.23	5.1
02 - Medi-Cal	2,718	28.01	3.9
03 - Private Coverage	2,125	21.90	3.6
04 - Workers' Compensatio	94	0.97	3.3
05 - County Indigent Prog	466	4.80	3.9
06 - Other Government	213	2.19	4.8
07 - Other Indigent	42	0.43	5.8
08 - Self-Pay	129	1.33	3.0
09 - Other Payer	13	0.13	3.7
All	9,704	100.0	4.3

***Expected Payer by Patient County of Residence
and Type of Care for 2010
Mendocino County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	3,669	39.68	4.6
02 - Medi-Cal	2,638	28.53	3.6
03 - Private Coverage	2,056	22.24	3.3
04 - Workers' Compensatio	91	0.98	3.1
05 - County Indigent Prog	443	4.79	3.7
06 - Other Government	170	1.84	3.9
07 - Other Indigent	42	0.45	5.8
08 - Self-Pay	126	1.36	3.0
09 - Other Payer	11	0.12	3.3
All	9,246	100.0	4.0

***Expected Payer by Patient County of Residence
and Type of Care for 2010
Mendocino County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	2	66.67	6.0
03 - Private Coverage	1	33.33	12
All	3	100.0	8.0

***Expected Payer by Patient County of Residence
and Type of Care for 2010
Mendocino County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	28	63.64	17
02 - Medi-Cal	1	2.27	28
03 - Private Coverage	11	25.00	20
04 - Workers' Compensatio	2	4.55	11
06 - Other Government	1	2.27	7.0
09 - Other Payer	1	2.27	7.0
All	44	100.0	17

***Expected Payer by Patient County of Residence
and Type of Care for 2010
Mendocino County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	40	18.35	14
02 - Medi-Cal	63	28.90	8.6
03 - Private Coverage	47	21.56	11
05 - County Indigent Prog	23	10.55	6.5
06 - Other Government	42	19.27	8.1
08 - Self-Pay	2	0.92	3.5
09 - Other Payer	1	0.46	5.0
All	218	100.0	9.9

***Expected Payer by Patient County of Residence
and Type of Care for 2010
Mendocino County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	165	85.49	10
02 - Medi-Cal	16	8.29	29
03 - Private Coverage	10	5.18	13
04 - Workers' Compensatio	1	0.52	4.0
08 - Self-Pay	1	0.52	4.0
All	193	100.0	12

***Race Group by Patient County of Residence
for 2010
Mendocino County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	127	1.31	6.3
1 - White	7,673	79.07	4.4
2 - Black	75	0.77	4.5
3 - Hispanic	1,249	12.87	3.6
4 - Asian/Pacific Islander	89	0.92	6.3
5 - Native American/Eskimo/Ale	375	3.86	4.0
6 - Other	116	1.20	5.0
All	9,704	100.0	4.3

***Race Group by Patient County of Residence
and Type of Care for 2010
Mendocino County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	119	1.29	5.8
1 - White	7,281	78.75	4.0
2 - Black	68	0.74	4.5
3 - Hispanic	1,215	13.14	3.5
4 - Asian/Pacific Islander	84	0.91	4.9
5 - Native American/Eskimo/Ale	366	3.96	3.9
6 - Other	113	1.22	5.0
All	9,246	100.0	4.0

***Race Group by Patient County of Residence
and Type of Care for 2010
Mendocino County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - White	3	100.0	8.0
All	3	100.0	8.0

***Race Group by Patient County of Residence
and Type of Care for 2010
Mendocino County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	2	4.55	28
1 - White	38	86.36	17
3 - Hispanic	4	9.09	8.3
All	44	100.0	17

***Race Group by Patient County of Residence
and Type of Care for 2010
Mendocino County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	6	2.75	9.0
1 - White	165	75.69	10
2 - Black	7	3.21	4.4
3 - Hispanic	29	13.30	8.9
4 - Asian/Pacific Islander	1	0.46	5.0
5 - Native American/Eskimo/Ale	8	3.67	8.9
6 - Other	2	0.92	6.0
All	218	100.0	9.9

***Race Group by Patient County of Residence
and Type of Care for 2010
Mendocino County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - White	186	96.37	12
3 - Hispanic	1	0.52	6.0
4 - Asian/Pacific Islander	4	2.07	36
5 - Native American/Eskimo/Ale	1	0.52	4.0
6 - Other	1	0.52	.00
All	193	100.0	12

**Source of Admission by Patient County of Residence
for 2010
Mendocino County**

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Invalid	1	0.01	4.0
1 - Home	7,412	76.38	3.7
2 - Residential Care Facility	103	1.06	4.2
3 - Ambulatory Surgery	73	0.75	2.7
4 - Skilled Nursing/Intermedia	158	1.63	7.1
5 - Acute Inpatient Hospital C	597	6.15	13
6 - Other Inpatient Hospital C	16	0.16	10
7 - Newborn (born in admitting	1,036	10.68	2.2
8 - Prison/Jail	8	0.08	8.4
9 - Other	300	3.09	8.3
All	9,704	100.0	4.3

**Source of Admission by Patient County of Residence
and Type of Care for 2010
Mendocino County**

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Invalid	1	0.01	4.0
1 - Home	7,285	78.79	3.6
2 - Residential Care Facility	101	1.09	4.2
3 - Ambulatory Surgery	73	0.79	2.7
4 - Skilled Nursing/Intermedia	153	1.65	6.6
5 - Acute Inpatient Hospital C	362	3.92	13
6 - Other Inpatient Hospital C	13	0.14	6.0
7 - Newborn (born in admitting	1,036	11.20	2.2
8 - Prison/Jail	6	0.06	5.2
9 - Other	216	2.34	7.3
All	9,246	100.0	4.0

***Source of Admission by Patient County of Residence
and Type of Care for 2010
Mendocino County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	3	100.0	8.0
All	3	100.0	8.0

**Source of Admission by Patient County of Residence
and Type of Care for 2010
Mendocino County**

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
4 - Skilled Nursing/Intermedia	2	4.55	28
5 - Acute Inpatient Hospital C	41	93.18	16
6 - Other Inpatient Hospital C	1	2.27	32
All	44	100.0	17

**Source of Admission by Patient County of Residence
and Type of Care for 2010
Mendocino County**

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	122	55.96	9.1
2 - Residential Care Facility	2	0.92	6.0
5 - Acute Inpatient Hospital C	6	2.75	8.0
6 - Other Inpatient Hospital C	2	0.92	27
8 - Prison/Jail	2	0.92	18
9 - Other	84	38.53	11
All	218	100.0	9.9

**Source of Admission by Patient County of Residence
and Type of Care for 2010
Mendocino County**

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	2	1.04	2.5
4 - Skilled Nursing/Intermedia	3	1.55	22
5 - Acute Inpatient Hospital C	188	97.41	12
All	193	100.0	12

*MS-DRG by Patient County of Residence
for 2010
Mendocino County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
003	ECMO OR TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITH MAJOR O.R.	17	0.18	74
004	TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITHOUT MAJOR O.R.	8	0.08	29
006	LIVER TRANSPLANT WITHOUT MCC	1	0.01	7.0
009	BONE MARROW TRANSPLANT	3	0.03	59
011	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH MCC	1	0.01	13
012	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH CC	1	0.01	19
013	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITHOUT CC/MCC	1	0.01	9.0
020	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH MCC	2	0.02	29
022	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITHOUT CC/MCC	1	0.01	22
023	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITH MCC OR CHEMO IMPLANT	5	0.05	14
025	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH MCC	10	0.10	10
026	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH CC	10	0.10	8.6
027	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITHOUT CC/MCC	20	0.21	3.3
028	SPINAL PROCEDURES WITH MCC	2	0.02	9.5
029	SPINAL PROCEDURES WITH CC OR SPINAL NEUROSTIMULATORS	4	0.04	12
030	SPINAL PROCEDURES WITHOUT CC/MCC	5	0.05	5.4
032	VENTRICULAR SHUNT PROCEDURES WITH CC	4	0.04	3.3
033	VENTRICULAR SHUNT PROCEDURES WITHOUT CC/MCC	5	0.05	2.2
035	CAROTID ARTERY STENT PROCEDURE WITH CC	4	0.04	1.8
036	CAROTID ARTERY STENT PROCEDURE WITHOUT CC/MCC	2	0.02	1.0

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Mendocino County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
037	EXTRACRANIAL PROCEDURES WITH MCC	7	0.07	5.4
038	EXTRACRANIAL PROCEDURES WITH CC	4	0.04	1.8
039	EXTRACRANIAL PROCEDURES WITHOUT CC/MCC	22	0.23	1.6
040	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH MCC	3	0.03	17
041	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH CC OR PERIPH NEUROSTIM	12	0.12	4.8
042	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITHOUT CC/MCC	8	0.08	3.5
052	SPINAL DISORDERS & INJURIES WITH CC/MCC	1	0.01	2.0
053	SPINAL DISORDERS & INJURIES WITHOUT CC/MCC	1	0.01	4.0
054	NERVOUS SYSTEM NEOPLASMS WITH MCC	1	0.01	1.0
055	NERVOUS SYSTEM NEOPLASMS WITHOUT MCC	2	0.02	2.5
056	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC	6	0.06	5.3
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	23	0.24	4.9
058	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH MCC	1	0.01	29
059	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH CC	1	0.01	3.0
061	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH MCC	2	0.02	5.0
062	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH CC	3	0.03	3.3
063	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITHOUT CC/MCC	3	0.03	2.7
064	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC	35	0.36	5.8
065	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC	64	0.66	4.1
066	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC	39	0.40	2.7
067	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITH MCC	1	0.01	4.0
068	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITHOUT MCC	1	0.01	9.0

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Mendocino County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
069	TRANSIENT ISCHEMIA	20	0.21	1.4
070	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH MCC	2	0.02	9.5
071	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH CC	2	0.02	4.0
073	CRANIAL & PERIPHERAL NERVE DISORDERS WITH MCC	5	0.05	4.0
074	CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC	14	0.14	2.7
076	VIRAL MENINGITIS WITHOUT CC/MCC	9	0.09	2.0
080	NONTRAUMATIC STUPOR & COMA WITH MCC	6	0.06	3.8
081	NONTRAUMATIC STUPOR & COMA WITHOUT MCC	9	0.09	3.0
082	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH MCC	3	0.03	5.3
083	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH CC	4	0.04	4.3
084	TRAUMATIC STUPOR & COMA, COMA >1 HR WITHOUT CC/MCC	4	0.04	1.8
085	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH MCC	5	0.05	7.0
086	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH CC	10	0.10	2.3
087	TRAUMATIC STUPOR & COMA, COMA <1 HR WITHOUT CC/MCC	8	0.08	1.6
089	CONCUSSION WITH CC	3	0.03	3.0
090	CONCUSSION WITHOUT CC/MCC	5	0.05	1.0
091	OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC	11	0.11	6.5
092	OTHER DISORDERS OF NERVOUS SYSTEM WITH CC	15	0.15	6.3
093	OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC	11	0.11	5.0
094	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH MCC	8	0.08	18
095	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH CC	5	0.05	5.8
096	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITHOUT CC/MCC	2	0.02	6.0

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Mendocino County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
097	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH MCC	2	0.02	7.0
098	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH CC	2	0.02	7.0
099	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITHOUT CC/MCC	2	0.02	1.5
100	SEIZURES WITH MCC	11	0.11	3.9
101	SEIZURES WITHOUT MCC	48	0.49	2.9
102	HEADACHES WITH MCC	3	0.03	4.3
103	HEADACHES WITHOUT MCC	15	0.15	2.3
115	EXTRAOCULAR PROCEDURES EXCEPT ORBIT	2	0.02	2.0
122	ACUTE MAJOR EYE INFECTIONS WITHOUT CC/MCC	1	0.01	3.0
124	OTHER DISORDERS OF THE EYE WITH MCC	1	0.01	1.0
125	OTHER DISORDERS OF THE EYE WITHOUT MCC	1	0.01	2.0
130	MAJOR HEAD & NECK PROCEDURES WITHOUT CC/MCC	1	0.01	1.0
131	CRANIAL/FACIAL PROCEDURES WITH CC/MCC	3	0.03	3.3
132	CRANIAL/FACIAL PROCEDURES WITHOUT CC/MCC	6	0.06	2.8
133	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITH CC/MCC	5	0.05	3.2
134	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITHOUT CC/MCC	15	0.15	1.7
135	SINUS & MASTOID PROCEDURES WITH CC/MCC	1	0.01	12
137	MOUTH PROCEDURES WITH CC/MCC	1	0.01	6.0
138	MOUTH PROCEDURES WITHOUT CC/MCC	2	0.02	2.0
139	SALIVARY GLAND PROCEDURES	1	0.01	1.0
146	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH MCC	1	0.01	2.0
147	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH CC	2	0.02	2.0

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Mendocino County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
149	DYSEQUILIBRIUM	7	0.07	2.4
151	EPISTAXIS WITHOUT MCC	4	0.04	3.0
152	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITH MCC	2	0.02	1.5
153	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITHOUT MCC	12	0.12	2.5
154	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH MCC	3	0.03	3.7
155	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH CC	7	0.07	3.9
156	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITHOUT CC/MCC	1	0.01	.00
157	DENTAL & ORAL DISEASES WITH MCC	1	0.01	2.0
158	DENTAL & ORAL DISEASES WITH CC	6	0.06	2.0
159	DENTAL & ORAL DISEASES WITHOUT CC/MCC	2	0.02	4.0
163	MAJOR CHEST PROCEDURES WITH MCC	11	0.11	15
164	MAJOR CHEST PROCEDURES WITH CC	13	0.13	12
165	MAJOR CHEST PROCEDURES WITHOUT CC/MCC	6	0.06	2.7
166	OTHER RESP SYSTEM O.R. PROCEDURES WITH MCC	7	0.07	24
167	OTHER RESP SYSTEM O.R. PROCEDURES WITH CC	3	0.03	7.0
168	OTHER RESP SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	4	0.04	1.5
175	PULMONARY EMBOLISM WITH MCC	20	0.21	5.9
176	PULMONARY EMBOLISM WITHOUT MCC	40	0.41	3.6
177	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC	34	0.35	6.9
178	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC	31	0.32	5.3
179	RESPIRATORY INFECTIONS & INFLAMMATIONS WITHOUT CC/MCC	4	0.04	8.0
180	RESPIRATORY NEOPLASMS WITH MCC	11	0.11	4.5

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Mendocino County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
181	RESPIRATORY NEOPLASMS WITH CC	16	0.16	3.6
182	RESPIRATORY NEOPLASMS WITHOUT CC/MCC	2	0.02	1.5
183	MAJOR CHEST TRAUMA WITH MCC	2	0.02	6.0
184	MAJOR CHEST TRAUMA WITH CC	3	0.03	7.0
186	PLEURAL EFFUSION WITH MCC	6	0.06	14
187	PLEURAL EFFUSION WITH CC	5	0.05	4.4
189	PULMONARY EDEMA & RESPIRATORY FAILURE	76	0.78	4.5
190	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC	64	0.66	4.0
191	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC	21	0.22	4.6
192	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC	28	0.29	2.6
193	SIMPLE PNEUMONIA & PLEURISY WITH MCC	85	0.88	5.1
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	139	1.43	4.0
195	SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC	81	0.83	3.3
196	INTERSTITIAL LUNG DISEASE WITH MCC	4	0.04	3.5
198	INTERSTITIAL LUNG DISEASE WITHOUT CC/MCC	3	0.03	1.3
199	PNEUMOTHORAX WITH MCC	1	0.01	.00
200	PNEUMOTHORAX WITH CC	17	0.18	5.1
201	PNEUMOTHORAX WITHOUT CC/MCC	6	0.06	2.8
202	BRONCHITIS & ASTHMA WITH CC/MCC	29	0.30	2.6
203	BRONCHITIS & ASTHMA WITHOUT CC/MCC	42	0.43	2.3
204	RESPIRATORY SIGNS & SYMPTOMS	11	0.11	2.2
205	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITH MCC	5	0.05	3.6

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Mendocino County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
206	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITHOUT MCC	13	0.13	2.7
207	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS	21	0.22	21
208	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS	31	0.32	6.2
216	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH MCC	6	0.06	25
217	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH CC	1	0.01	12
218	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITHOUT CC/MCC	1	0.01	8.0
219	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH MCC	9	0.09	18
220	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH CC	16	0.16	8.9
221	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITHOUT CC/MCC	11	0.11	7.4
222	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITH MCC	1	0.01	32
223	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITHOUT MCC	2	0.02	5.5
225	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITHOUT MCC	2	0.02	4.5
226	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITH MCC	5	0.05	14
227	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITHOUT MCC	16	0.16	1.5
228	OTHER CARDIOTHORACIC PROCEDURES WITH MCC	2	0.02	16
229	OTHER CARDIOTHORACIC PROCEDURES WITH CC	2	0.02	12
230	OTHER CARDIOTHORACIC PROCEDURES WITHOUT CC/MCC	1	0.01	3.0
231	CORONARY BYPASS WITH PTCA WITH MCC	1	0.01	19
233	CORONARY BYPASS WITH CARDIAC CATH WITH MCC	4	0.04	14
234	CORONARY BYPASS WITH CARDIAC CATH WITHOUT MCC	12	0.12	9.1
235	CORONARY BYPASS WITHOUT CARDIAC CATH WITH MCC	1	0.01	7.0
236	CORONARY BYPASS WITHOUT CARDIAC CATH WITHOUT MCC	12	0.12	9.1

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Mendocino County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
237	MAJOR CARDIOVASC PROCEDURES WITH MCC OR THORACIC AORTIC ANEURYSM REPAIR	9	0.09	18
238	MAJOR CARDIOVASC PROCEDURES WITHOUT MCC	29	0.30	4.3
239	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH MCC	1	0.01	16
240	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH CC	4	0.04	12
242	PERMANENT CARDIAC PACEMAKER IMPLANT WITH MCC	8	0.08	6.6
243	PERMANENT CARDIAC PACEMAKER IMPLANT WITH CC	11	0.11	3.2
244	PERMANENT CARDIAC PACEMAKER IMPLANT WITHOUT CC/MCC	26	0.27	1.7
246	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITH MCC OR 4+ VESSELS/STENTS	19	0.20	7.2
247	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITHOUT MCC	77	0.79	1.9
248	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITH MCC OR 4+ VES/STENTS	7	0.07	10
249	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITHOUT MCC	17	0.18	2.3
250	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITH MCC	1	0.01	4.0
251	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITHOUT MCC	14	0.14	1.4
252	OTHER VASCULAR PROCEDURES WITH MCC	14	0.14	6.4
253	OTHER VASCULAR PROCEDURES WITH CC	20	0.21	6.5
254	OTHER VASCULAR PROCEDURES WITHOUT CC/MCC	10	0.10	1.6
255	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH MCC	1	0.01	29
256	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH CC	1	0.01	2.0
258	CARDIAC PACEMAKER DEVICE REPLACEMENT WITH MCC	1	0.01	1.0
259	CARDIAC PACEMAKER DEVICE REPLACEMENT WITHOUT MCC	1	0.01	2.0
260	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH MCC	1	0.01	19
261	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH CC	8	0.08	3.5

(Continued)

**MS-DRG by Patient County of Residence
for 2010
Mendocino County**

		Number of Discharges	Percent of Subtotal	Average Length of Stay
262	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITHOUT CC/MCC	3	0.03	1.3
263	VEIN LIGATION & STRIPPING	2	0.02	1.5
264	OTHER CIRCULATORY SYSTEM O.R. PROCEDURES	9	0.09	4.6
280	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH MCC	22	0.23	5.5
281	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH CC	16	0.16	1.8
282	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITHOUT CC/MCC	22	0.23	2.2
283	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH MCC	7	0.07	3.1
284	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH CC	1	0.01	.00
286	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITH MCC	10	0.10	7.1
287	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITHOUT MCC	26	0.27	2.5
288	ACUTE & SUBACUTE ENDOCARDITIS WITH MCC	4	0.04	8.0
289	ACUTE & SUBACUTE ENDOCARDITIS WITH CC	1	0.01	7.0
291	HEART FAILURE & SHOCK WITH MCC	99	1.02	4.2
292	HEART FAILURE & SHOCK WITH CC	73	0.75	3.4
293	HEART FAILURE & SHOCK WITHOUT CC/MCC	42	0.43	3.2
294	DEEP VEIN THROMBOPHLEBITIS WITH CC/MCC	6	0.06	5.2
299	PERIPHERAL VASCULAR DISORDERS WITH MCC	13	0.13	2.2
300	PERIPHERAL VASCULAR DISORDERS WITH CC	22	0.23	4.4
301	PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC	13	0.13	5.8
302	ATHEROSCLEROSIS WITH MCC	4	0.04	2.8
303	ATHEROSCLEROSIS WITHOUT MCC	32	0.33	1.3
304	HYPERTENSION WITH MCC	1	0.01	4.0

(Continued)

**MS-DRG by Patient County of Residence
for 2010
Mendocino County**

		Number of Discharges	Percent of Subtotal	Average Length of Stay
305	HYPERTENSION WITHOUT MCC	5	0.05	1.0
306	CARDIAC CONGENITAL & VALVULAR DISORDERS WITH MCC	3	0.03	15
307	CARDIAC CONGENITAL & VALVULAR DISORDERS WITHOUT MCC	3	0.03	1.0
308	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH MCC	27	0.28	4.1
309	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC	48	0.49	2.4
310	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITHOUT CC/MCC	50	0.52	1.8
311	ANGINA PECTORIS	19	0.20	.84
312	SYNCOPE & COLLAPSE	70	0.72	2.0
313	CHEST PAIN	49	0.50	1.1
314	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC	29	0.30	5.9
315	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC	15	0.15	2.9
316	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITHOUT CC/MCC	6	0.06	9.0
326	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH MCC	7	0.07	7.1
327	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH CC	8	0.08	6.9
328	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITHOUT CC/MCC	16	0.16	3.2
329	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	35	0.36	12
330	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH CC	50	0.52	8.7
331	MAJOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	21	0.22	5.3
332	RECTAL RESECTION WITH MCC	1	0.01	16
334	RECTAL RESECTION WITHOUT CC/MCC	3	0.03	8.7
335	PERITONEAL ADHESIOLYSIS WITH MCC	2	0.02	9.0
336	PERITONEAL ADHESIOLYSIS WITH CC	17	0.18	8.5

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Mendocino County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
337	PERITONEAL ADHESIOLYSIS WITHOUT CC/MCC	16	0.16	4.3
338	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	1	0.01	7.0
339	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	7	0.07	5.9
340	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	13	0.13	4.3
342	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	16	0.16	2.4
343	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	59	0.61	1.8
345	MINOR SMALL & LARGE BOWEL PROCEDURES WITH CC	2	0.02	4.0
346	MINOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	2	0.02	6.5
347	ANAL & STOMAL PROCEDURES WITH MCC	2	0.02	8.5
348	ANAL & STOMAL PROCEDURES WITH CC	2	0.02	1.5
349	ANAL & STOMAL PROCEDURES WITHOUT CC/MCC	2	0.02	5.0
350	INGUINAL & FEMORAL HERNIA PROCEDURES WITH MCC	1	0.01	1.0
351	INGUINAL & FEMORAL HERNIA PROCEDURES WITH CC	4	0.04	3.3
352	INGUINAL & FEMORAL HERNIA PROCEDURES WITHOUT CC/MCC	1	0.01	3.0
354	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH CC	10	0.10	3.8
355	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITHOUT CC/MCC	11	0.11	1.9
356	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH MCC	6	0.06	11
357	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH CC	5	0.05	5.6
358	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	2	0.02	5.5
368	MAJOR ESOPHAGEAL DISORDERS WITH MCC	3	0.03	6.3
369	MAJOR ESOPHAGEAL DISORDERS WITH CC	3	0.03	4.0
370	MAJOR ESOPHAGEAL DISORDERS WITHOUT CC/MCC	2	0.02	.50

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Mendocino County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
371	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH MCC	13	0.13	8.8
372	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH CC	13	0.13	4.8
373	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITHOUT CC/MCC	4	0.04	8.3
374	DIGESTIVE MALIGNANCY WITH MCC	2	0.02	4.5
375	DIGESTIVE MALIGNANCY WITH CC	16	0.16	4.8
376	DIGESTIVE MALIGNANCY WITHOUT CC/MCC	2	0.02	3.0
377	G.I. HEMORRHAGE WITH MCC	25	0.26	3.2
378	G.I. HEMORRHAGE WITH CC	42	0.43	3.5
379	G.I. HEMORRHAGE WITHOUT CC/MCC	30	0.31	2.8
380	COMPLICATED PEPTIC ULCER WITH MCC	2	0.02	9.5
381	COMPLICATED PEPTIC ULCER WITH CC	2	0.02	3.5
382	COMPLICATED PEPTIC ULCER WITHOUT CC/MCC	6	0.06	2.5
384	UNCOMPLICATED PEPTIC ULCER WITHOUT MCC	3	0.03	2.7
385	INFLAMMATORY BOWEL DISEASE WITH MCC	2	0.02	10
386	INFLAMMATORY BOWEL DISEASE WITH CC	5	0.05	5.4
387	INFLAMMATORY BOWEL DISEASE WITHOUT CC/MCC	3	0.03	3.7
388	G.I. OBSTRUCTION WITH MCC	9	0.09	8.7
389	G.I. OBSTRUCTION WITH CC	32	0.33	3.4
390	G.I. OBSTRUCTION WITHOUT CC/MCC	36	0.37	2.4
391	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITH MCC	29	0.30	6.9
392	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC	148	1.53	3.0
393	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH MCC	11	0.11	5.2

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Mendocino County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
394	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH CC	24	0.25	3.6
395	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	14	0.14	2.1
405	PANCREAS, LIVER & SHUNT PROCEDURES WITH MCC	2	0.02	6.0
406	PANCREAS, LIVER & SHUNT PROCEDURES WITH CC	7	0.07	8.9
407	PANCREAS, LIVER & SHUNT PROCEDURES WITHOUT CC/MCC	1	0.01	6.0
408	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH MCC	2	0.02	8.0
409	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH CC	1	0.01	10
414	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH MCC	5	0.05	10
415	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH CC	9	0.09	5.9
416	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	3	0.03	4.0
417	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH MCC	15	0.15	4.4
418	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH CC	29	0.30	2.6
419	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	85	0.88	2.0
420	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH MCC	3	0.03	16
423	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH MCC	1	0.01	30
424	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH CC	2	0.02	2.0
432	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH MCC	17	0.18	7.6
433	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH CC	6	0.06	4.8
435	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITH MCC	7	0.07	6.3
436	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITH CC	8	0.08	5.8

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Mendocino County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
437	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITHOUT CC/MCC	2	0.02	1.5
438	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH MCC	12	0.12	8.6
439	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH CC	28	0.29	3.8
440	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITHOUT CC/MCC	20	0.21	4.2
441	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH MCC	22	0.23	4.5
442	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH CC	14	0.14	3.1
443	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITHOUT CC/MCC	4	0.04	1.8
444	DISORDERS OF THE BILIARY TRACT WITH MCC	18	0.19	4.6
445	DISORDERS OF THE BILIARY TRACT WITH CC	17	0.18	2.2
446	DISORDERS OF THE BILIARY TRACT WITHOUT CC/MCC	16	0.16	3.1
453	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH MCC	2	0.02	14
454	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH CC	6	0.06	5.2
455	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITHOUT CC/MCC	12	0.12	4.6
456	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH MCC	2	0.02	19
457	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH CC	4	0.04	4.8
458	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITHOUT CC/MCC	3	0.03	4.7
459	SPINAL FUSION EXCEPT CERVICAL WITH MCC	2	0.02	11
460	SPINAL FUSION EXCEPT CERVICAL WITHOUT MCC	43	0.44	3.9
461	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITH MCC	1	0.01	13
462	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITHOUT MCC	1	0.01	5.0
463	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH MCC	2	0.02	14
464	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH CC	5	0.05	9.4

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Mendocino County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
465	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITHOUT CC/MCC	3	0.03	7.0
466	REVISION OF HIP OR KNEE REPLACEMENT WITH MCC	5	0.05	8.0
467	REVISION OF HIP OR KNEE REPLACEMENT WITH CC	22	0.23	5.0
468	REVISION OF HIP OR KNEE REPLACEMENT WITHOUT CC/MCC	28	0.29	3.3
469	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITH MCC	24	0.25	8.0
470	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITHOUT MCC	346	3.57	3.6
472	CERVICAL SPINAL FUSION WITH CC	13	0.13	3.1
473	CERVICAL SPINAL FUSION WITHOUT CC/MCC	37	0.38	1.9
474	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH MCC	1	0.01	22
475	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH CC	1	0.01	8.0
477	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	2	0.02	9.0
478	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	2	0.02	4.0
479	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	2	0.02	5.0
480	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH MCC	13	0.13	8.8
481	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH CC	40	0.41	7.1
482	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITHOUT CC/MCC	19	0.20	3.4
483	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITH CC/MCC	11	0.11	3.2
484	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITHOUT CC/MCC	21	0.22	1.8
485	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH MCC	1	0.01	8.0
486	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH CC	3	0.03	9.3
487	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	1	0.01	8.0
488	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITH CC/MCC	3	0.03	3.0

(Continued)

**MS-DRG by Patient County of Residence
for 2010
Mendocino County**

		Number of Discharges	Percent of Subtotal	Average Length of Stay
489	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	18	0.19	1.7
490	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITH CC/MCC OR DISC DEVICE/NEUROSTIM	21	0.22	5.4
491	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITHOUT CC/MCC	54	0.56	2.1
492	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH MCC	5	0.05	7.8
493	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH CC	29	0.30	6.0
494	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITHOUT CC/MCC	77	0.79	2.4
496	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH CC	13	0.13	8.7
497	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITHOUT CC/MCC	19	0.20	1.5
498	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITH CC/MCC	1	0.01	10
499	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITHOUT CC/MCC	2	0.02	2.5
500	SOFT TISSUE PROCEDURES WITH MCC	3	0.03	5.7
501	SOFT TISSUE PROCEDURES WITH CC	12	0.12	1.8
502	SOFT TISSUE PROCEDURES WITHOUT CC/MCC	11	0.11	1.4
503	FOOT PROCEDURES WITH MCC	2	0.02	16
504	FOOT PROCEDURES WITH CC	5	0.05	6.8
505	FOOT PROCEDURES WITHOUT CC/MCC	9	0.09	2.7
506	MAJOR THUMB OR JOINT PROCEDURES	2	0.02	.50
507	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITH CC/MCC	1	0.01	1.0
508	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITHOUT CC/MCC	1	0.01	1.0
510	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH MCC	1	0.01	9.0
511	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH CC	13	0.13	2.1
512	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITHOUT CC/MCC	25	0.26	1.3

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Mendocino County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
513	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITH CC/MCC	3	0.03	1.7
514	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITHOUT CC/MCC	11	0.11	1.4
515	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH MCC	3	0.03	16
516	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH CC	7	0.07	3.6
517	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITHOUT CC/MCC	9	0.09	1.8
533	FRACTURES OF FEMUR WITH MCC	1	0.01	6.0
534	FRACTURES OF FEMUR WITHOUT MCC	2	0.02	4.0
535	FRACTURES OF HIP & PELVIS WITH MCC	3	0.03	6.3
536	FRACTURES OF HIP & PELVIS WITHOUT MCC	19	0.20	4.6
538	SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITHOUT CC/MCC	1	0.01	2.0
539	OSTEOMYELITIS WITH MCC	5	0.05	6.6
540	OSTEOMYELITIS WITH CC	1	0.01	14
542	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH MCC	6	0.06	9.8
543	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH CC	9	0.09	2.6
544	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITHOUT CC/MCC	6	0.06	3.8
545	CONNECTIVE TISSUE DISORDERS WITH MCC	2	0.02	7.5
546	CONNECTIVE TISSUE DISORDERS WITH CC	4	0.04	2.5
547	CONNECTIVE TISSUE DISORDERS WITHOUT CC/MCC	1	0.01	2.0
548	SEPTIC ARTHRITIS WITH MCC	1	0.01	11
549	SEPTIC ARTHRITIS WITH CC	2	0.02	15
550	SEPTIC ARTHRITIS WITHOUT CC/MCC	2	0.02	2.5
551	MEDICAL BACK PROBLEMS WITH MCC	8	0.08	3.4

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Mendocino County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
552	MEDICAL BACK PROBLEMS WITHOUT MCC	48	0.49	2.6
553	BONE DISEASES & ARTHROPATHIES WITH MCC	1	0.01	16
554	BONE DISEASES & ARTHROPATHIES WITHOUT MCC	7	0.07	3.4
555	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITH MCC	2	0.02	9.0
556	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC	11	0.11	3.4
557	TENDONITIS, MYOSITIS & BURSITIS WITH MCC	4	0.04	4.5
558	TENDONITIS, MYOSITIS & BURSITIS WITHOUT MCC	19	0.20	2.9
559	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	6	0.06	18
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	28	0.29	7.5
561	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	29	0.30	6.0
563	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC	28	0.29	2.2
565	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH CC	4	0.04	8.5
566	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITHOUT CC/MCC	3	0.03	1.0
573	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH MCC	2	0.02	6.5
574	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH CC	8	0.08	12
575	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	2	0.02	2.5
576	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH MCC	1	0.01	3.0
577	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH CC	3	0.03	7.0
578	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	5	0.05	2.2
579	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH MCC	1	0.01	9.0
580	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH CC	9	0.09	3.4
581	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITHOUT CC/MCC	25	0.26	1.4

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Mendocino County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
582	MASTECTOMY FOR MALIGNANCY WITH CC/MCC	2	0.02	1.5
583	MASTECTOMY FOR MALIGNANCY WITHOUT CC/MCC	12	0.12	1.8
584	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITH CC/MCC	4	0.04	1.3
585	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITHOUT CC/MCC	7	0.07	2.0
592	SKIN ULCERS WITH MCC	2	0.02	2.0
593	SKIN ULCERS WITH CC	7	0.07	5.1
596	MAJOR SKIN DISORDERS WITHOUT MCC	1	0.01	4.0
597	MALIGNANT BREAST DISORDERS WITH MCC	1	0.01	6.0
598	MALIGNANT BREAST DISORDERS WITH CC	1	0.01	2.0
601	NON-MALIGNANT BREAST DISORDERS WITHOUT CC/MCC	2	0.02	3.5
602	CELLULITIS WITH MCC	15	0.15	5.2
603	CELLULITIS WITHOUT MCC	153	1.58	3.9
604	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITH MCC	2	0.02	2.0
605	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITHOUT MCC	16	0.16	2.4
606	MINOR SKIN DISORDERS WITH MCC	1	0.01	9.0
607	MINOR SKIN DISORDERS WITHOUT MCC	5	0.05	4.0
614	ADRENAL & PITUITARY PROCEDURES WITH CC/MCC	2	0.02	5.5
615	ADRENAL & PITUITARY PROCEDURES WITHOUT CC/MCC	6	0.06	2.5
617	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH CC	1	0.01	4.0
620	O.R. PROCEDURES FOR OBESITY WITH CC	4	0.04	2.0
621	O.R. PROCEDURES FOR OBESITY WITHOUT CC/MCC	25	0.26	1.7
623	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH CC	2	0.02	6.5

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Mendocino County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
625	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH MCC	1	0.01	1.0
626	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH CC	5	0.05	2.4
627	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITHOUT CC/MCC	11	0.11	1.0
628	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH MCC	3	0.03	8.7
629	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH CC	1	0.01	10
637	DIABETES WITH MCC	19	0.20	3.2
638	DIABETES WITH CC	36	0.37	3.9
639	DIABETES WITHOUT CC/MCC	26	0.27	2.2
640	NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC	27	0.28	5.3
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	82	0.85	2.8
642	INBORN ERRORS OF METABOLISM	1	0.01	17
643	ENDOCRINE DISORDERS WITH MCC	7	0.07	8.1
644	ENDOCRINE DISORDERS WITH CC	12	0.12	3.3
645	ENDOCRINE DISORDERS WITHOUT CC/MCC	6	0.06	1.8
652	KIDNEY TRANSPLANT	4	0.04	5.5
653	MAJOR BLADDER PROCEDURES WITH MCC	1	0.01	6.0
654	MAJOR BLADDER PROCEDURES WITH CC	2	0.02	8.5
655	MAJOR BLADDER PROCEDURES WITHOUT CC/MCC	1	0.01	8.0
656	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH MCC	4	0.04	15
657	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH CC	6	0.06	4.8
658	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITHOUT CC/MCC	9	0.09	3.0
659	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH MCC	6	0.06	10

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Mendocino County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
660	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH CC	7	0.07	3.4
661	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITHOUT CC/MCC	3	0.03	2.0
662	MINOR BLADDER PROCEDURES WITH MCC	1	0.01	3.0
663	MINOR BLADDER PROCEDURES WITH CC	2	0.02	3.5
664	MINOR BLADDER PROCEDURES WITHOUT CC/MCC	2	0.02	1.5
668	TRANSURETHRAL PROCEDURES WITH MCC	1	0.01	9.0
669	TRANSURETHRAL PROCEDURES WITH CC	3	0.03	4.0
670	TRANSURETHRAL PROCEDURES WITHOUT CC/MCC	5	0.05	1.6
672	URETHRAL PROCEDURES WITHOUT CC/MCC	1	0.01	3.0
673	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH MCC	2	0.02	16
674	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH CC	3	0.03	4.3
682	RENAL FAILURE WITH MCC	44	0.45	5.4
683	RENAL FAILURE WITH CC	47	0.48	3.7
684	RENAL FAILURE WITHOUT CC/MCC	7	0.07	2.6
685	ADMIT FOR RENAL DIALYSIS	5	0.05	1.8
686	KIDNEY & URINARY TRACT NEOPLASMS WITH MCC	2	0.02	2.5
687	KIDNEY & URINARY TRACT NEOPLASMS WITH CC	2	0.02	2.5
688	KIDNEY & URINARY TRACT NEOPLASMS WITHOUT CC/MCC	1	0.01	.00
689	KIDNEY & URINARY TRACT INFECTIONS WITH MCC	11	0.11	4.7
690	KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC	64	0.66	3.5
693	URINARY STONES WITHOUT ESW LITHOTRIPSY WITH MCC	2	0.02	5.0
694	URINARY STONES WITHOUT ESW LITHOTRIPSY WITHOUT MCC	12	0.12	1.3

(Continued)

**MS-DRG by Patient County of Residence
for 2010
Mendocino County**

		Number of Discharges	Percent of Subtotal	Average Length of Stay
696	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITHOUT MCC	1	0.01	1.0
698	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH MCC	14	0.14	4.4
699	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH CC	16	0.16	3.8
700	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITHOUT CC/MCC	11	0.11	2.7
707	MAJOR MALE PELVIC PROCEDURES WITH CC/MCC	1	0.01	2.0
708	MAJOR MALE PELVIC PROCEDURES WITHOUT CC/MCC	12	0.12	1.4
711	TESTES PROCEDURES WITH CC/MCC	2	0.02	4.5
713	TRANSURETHRAL PROSTATECTOMY WITH CC/MCC	8	0.08	1.3
714	TRANSURETHRAL PROSTATECTOMY WITHOUT CC/MCC	6	0.06	1.3
715	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE FOR MALIGNANCY WITH CC/MCC	1	0.01	2.0
717	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE EXCEPT MALIGNANCY WITH CC/MCC	1	0.01	3.0
724	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	1	0.01	2.0
725	BENIGN PROSTATIC HYPERTROPHY WITH MCC	1	0.01	2.0
726	BENIGN PROSTATIC HYPERTROPHY WITHOUT MCC	5	0.05	2.8
728	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITHOUT MCC	7	0.07	2.9
730	OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	1	0.01	2.0
734	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITH CC/MCC	2	0.02	2.0
735	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITHOUT CC/MCC	1	0.01	4.0
737	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH CC	4	0.04	5.3
738	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITHOUT CC/MCC	3	0.03	2.3
740	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH CC	7	0.07	2.4
741	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITHOUT CC/MCC	5	0.05	2.8

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Mendocino County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
742	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITH CC/MCC	21	0.22	3.2
743	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITHOUT CC/MCC	107	1.10	1.9
744	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITH CC/MCC	1	0.01	2.0
745	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITHOUT CC/MCC	4	0.04	2.0
746	VAGINA, CERVIX & VULVA PROCEDURES WITH CC/MCC	2	0.02	3.0
747	VAGINA, CERVIX & VULVA PROCEDURES WITHOUT CC/MCC	8	0.08	1.9
748	FEMALE REPRODUCTIVE SYSTEM RECONSTRUCTIVE PROCEDURES	10	0.10	1.5
749	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITH CC/MCC	3	0.03	2.9
750	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	4	0.04	2.3
754	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH MCC	1	0.01	4.0
755	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH CC	2	0.02	5.0
758	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH CC	1	0.01	3.0
760	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITH CC/MCC	4	0.04	2.0
761	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITHOUT CC/MCC	4	0.04	.75
765	CESAREAN SECTION WITH CC/MCC	64	0.66	6.0
766	CESAREAN SECTION WITHOUT CC/MCC	190	1.96	2.7
767	VAGINAL DELIVERY WITH STERILIZATION &/OR D&C	33	0.34	2.5
768	VAGINAL DELIVERY WITH O.R. PROCEDURE EXCEPT STERIL &/OR D&C	1	0.01	5.0
769	POSTPARTUM & POST ABORTION DIAGNOSIS WITH O.R. PROCEDURE	6	0.06	3.2
774	VAGINAL DELIVERY WITH COMPLICATING DIAGNOSIS	122	1.26	2.2
775	VAGINAL DELIVERY WITHOUT COMPLICATING DIAGNOSIS	611	6.30	1.7
776	POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE	9	0.09	2.4

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Mendocino County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
777	ECTOPIC PREGNANCY	11	0.11	2.0
778	THREATENED ABORTION	15	0.15	2.5
779	ABORTION WITHOUT D&C	1	0.01	1.0
781	OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS	43	0.44	3.3
782	OTHER ANTEPARTUM DIAGNOSIS WITHOUT MEDICAL COMPLICATIONS	6	0.06	1.3
789	NEONATES, DIED OR TRANSFERRED TO ANOTHER ACUTE CARE FACILITY	29	0.30	6.7
790	EXTREME IMMATURETY OR RESPIRATORY DISTRESS SYNDROME, NEONATE	13	0.13	27
791	PREMATURITY WITH MAJOR PROBLEMS	17	0.18	19
792	PREMATURITY WITHOUT MAJOR PROBLEMS	52	0.54	5.7
793	FULL TERM NEONATE WITH MAJOR PROBLEMS	42	0.43	4.0
794	NEONATE WITH OTHER SIGNIFICANT PROBLEMS	313	3.23	2.0
795	NORMAL NEWBORN	646	6.66	1.6
799	SPLENECTOMY WITH MCC	1	0.01	6.0
800	SPLENECTOMY WITH CC	1	0.01	6.0
801	SPLENECTOMY WITHOUT CC/MCC	1	0.01	2.0
803	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH CC	1	0.01	1.0
808	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH MCC	4	0.04	9.0
809	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH CC	9	0.09	6.6
810	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITHOUT CC/MCC	2	0.02	2.5
811	RED BLOOD CELL DISORDERS WITH MCC	30	0.31	2.8
812	RED BLOOD CELL DISORDERS WITHOUT MCC	61	0.63	2.4
813	COAGULATION DISORDERS	7	0.07	1.9

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Mendocino County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
815	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH CC	2	0.02	4.0
816	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITHOUT CC/MCC	1	0.01	5.0
820	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH MCC	1	0.01	19
821	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH CC	3	0.03	12
823	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH MCC	1	0.01	13
824	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH CC	1	0.01	7.0
825	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	1	0.01	1.0
826	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH MCC	1	0.01	9.0
827	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH CC	2	0.02	8.5
829	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITH CC/MCC	1	0.01	5.0
830	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	1	0.01	4.0
834	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH MCC	2	0.02	23
835	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH CC	3	0.03	3.3
836	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITHOUT CC/MCC	1	0.01	14
838	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITH CC OR HIGH DOSE CHEMO AGENT	3	0.03	4.7
839	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITHOUT CC/MCC	6	0.06	5.2
840	LYMPHOMA & NON-ACUTE LEUKEMIA WITH MCC	3	0.03	16
841	LYMPHOMA & NON-ACUTE LEUKEMIA WITH CC	6	0.06	7.0
842	LYMPHOMA & NON-ACUTE LEUKEMIA WITHOUT CC/MCC	4	0.04	2.3
845	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITHOUT CC/MCC	2	0.02	1.5
846	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH MCC	3	0.03	9.3
847	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH CC	26	0.27	6.0

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Mendocino County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
848	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITHOUT CC/MCC	2	0.02	2.5
853	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH MCC	27	0.28	15
854	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH CC	7	0.07	5.3
856	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH MCC	8	0.08	23
857	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH CC	3	0.03	12
858	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITHOUT CC/MCC	3	0.03	4.0
862	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITH MCC	10	0.10	9.4
863	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC	25	0.26	5.9
864	FEVER	9	0.09	1.6
866	VIRAL ILLNESS WITHOUT MCC	4	0.04	2.3
867	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH MCC	4	0.04	16
868	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH CC	2	0.02	11
869	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITHOUT CC/MCC	1	0.01	5.0
870	SEPTICEMIA OR SEVERE SEPSIS WITH MECH VENT 96+ HOURS	14	0.14	15
871	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC	134	1.38	4.6
872	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC	58	0.60	4.6
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	4	0.04	34
881	DEPRESSIVE NEUROSES	21	0.22	3.4
882	NEUROSES EXCEPT DEPRESSIVE	6	0.06	3.8
883	DISORDERS OF PERSONALITY & IMPULSE CONTROL	2	0.02	9.5
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	10	0.10	4.9
885	PSYCHOSES	193	1.99	11

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Mendocino County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
886	BEHAVIORAL & DEVELOPMENTAL DISORDERS	1	0.01	2.0
887	OTHER MENTAL DISORDER DIAGNOSIS	2	0.02	2.5
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	8	0.08	2.6
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	48	0.49	3.5
902	WOUND DEBRIDE EMENTS FOR INJURIES WITH CC	1	0.01	10
903	WOUND DEBRIDE EMENTS FOR INJURIES WITHOUT CC/MCC	2	0.02	3.5
905	SKIN GRAFTS FOR INJURIES WITHOUT CC/MCC	2	0.02	4.0
906	HAND PROCEDURES FOR INJURIES	5	0.05	.80
907	OTHER O.R. PROCEDURES FOR INJURIES WITH MCC	2	0.02	8.0
908	OTHER O.R. PROCEDURES FOR INJURIES WITH CC	12	0.12	5.8
909	OTHER O.R. PROCEDURES FOR INJURIES WITHOUT CC/MCC	8	0.08	3.5
913	TRAUMATIC INJURY WITH MCC	2	0.02	2.5
914	TRAUMATIC INJURY WITHOUT MCC	5	0.05	2.0
916	ALLERGIC REACTIONS WITHOUT MCC	6	0.06	1.0
917	POISONING & TOXIC EFFECTS OF DRUGS WITH MCC	36	0.37	3.3
918	POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC	67	0.69	1.6
919	COMPLICATIONS OF TREATMENT WITH MCC	8	0.08	4.0
920	COMPLICATIONS OF TREATMENT WITH CC	11	0.11	7.7
921	COMPLICATIONS OF TREATMENT WITHOUT CC/MCC	3	0.03	1.3
922	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITH MCC	2	0.02	1.5
923	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITHOUT MCC	3	0.03	1.0
928	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITH CC/MCC	2	0.02	11

(Continued)

*MS-DRG by Patient County of Residence
for 2010
Mendocino County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
933	EXTENSIVE BURNS OR FULL THICKNESS BURNS WITH MECH VENT 96+ HRS WITHOUT SKIN GRAFT	1	0.01	.00
934	FULL THICKNESS BURN WITHOUT SKIN GRAFT OR INHAL INJURY	3	0.03	6.3
935	NON-EXTENSIVE BURNS	6	0.06	6.3
940	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC	4	0.04	11
941	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITHOUT CC/MCC	5	0.05	1.6
945	REHABILITATION WITH CC/MCC	46	0.47	19
946	REHABILITATION WITHOUT CC/MCC	13	0.13	10
947	SIGNS & SYMPTOMS WITH MCC	11	0.11	3.9
948	SIGNS & SYMPTOMS WITHOUT MCC	45	0.46	3.7
949	AFTERCARE WITH CC/MCC	13	0.13	7.5
950	AFTERCARE WITHOUT CC/MCC	4	0.04	7.5
951	OTHER FACTORS INFLUENCING HEALTH STATUS	2	0.02	4.0
956	LIMB REATTACHMENT, HIP & FEMUR PROCEDURE FOR MULTIPLE SIGNIFICANT TRAUMA	4	0.04	5.8
957	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH MCC	4	0.04	15
958	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH CC	2	0.02	3.0
959	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	1	0.01	3.0
963	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH MCC	4	0.04	5.0
964	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH CC	4	0.04	2.5
965	OTHER MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	3	0.03	3.7
974	HIV WITH MAJOR RELATED CONDITION WITH MCC	4	0.04	19
975	HIV WITH MAJOR RELATED CONDITION WITH CC	4	0.04	3.5
981	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	14	0.14	29

(Continued)

***MS-DRG by Patient County of Residence
for 2010
Mendocino County***

		Number of Discharges	Percent of Subtotal	Average Length of Stay
982	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	14	0.14	5.1
983	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	4	0.04	1.5
987	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	3	0.03	15
988	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	8	0.08	6.0
989	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	4	0.04	2.3
All		9,704	100.0	4.3

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Mendocino County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
003	ECMO OR TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITH MAJOR O.R.	17	0.18	74
004	TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITHOUT MAJOR O.R.	8	0.09	29
006	LIVER TRANSPLANT WITHOUT MCC	1	0.01	7.0
009	BONE MARROW TRANSPLANT	3	0.03	59
011	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH MCC	1	0.01	13
012	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH CC	1	0.01	19
013	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITHOUT CC/MCC	1	0.01	9.0
020	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH MCC	2	0.02	29
022	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITHOUT CC/MCC	1	0.01	22
023	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITH MCC OR CHEMO IMPLANT	5	0.05	14
025	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH MCC	10	0.11	10
026	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH CC	10	0.11	8.6
027	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITHOUT CC/MCC	20	0.22	3.3
028	SPINAL PROCEDURES WITH MCC	2	0.02	9.5
029	SPINAL PROCEDURES WITH CC OR SPINAL NEUROSTIMULATORS	4	0.04	12
030	SPINAL PROCEDURES WITHOUT CC/MCC	5	0.05	5.4
032	VENTRICULAR SHUNT PROCEDURES WITH CC	4	0.04	3.3
033	VENTRICULAR SHUNT PROCEDURES WITHOUT CC/MCC	5	0.05	2.2
035	CAROTID ARTERY STENT PROCEDURE WITH CC	4	0.04	1.8

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Mendocino County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
036	CAROTID ARTERY STENT PROCEDURE WITHOUT CC/MCC	2	0.02	1.0
037	EXTRACRANIAL PROCEDURES WITH MCC	7	0.08	5.4
038	EXTRACRANIAL PROCEDURES WITH CC	4	0.04	1.8
039	EXTRACRANIAL PROCEDURES WITHOUT CC/MCC	22	0.24	1.6
040	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH MCC	3	0.03	17
041	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH CC OR PERIPH NEUROSTIM	12	0.13	4.8
042	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITHOUT CC/MCC	8	0.09	3.5
052	SPINAL DISORDERS & INJURIES WITH CC/MCC	1	0.01	2.0
053	SPINAL DISORDERS & INJURIES WITHOUT CC/MCC	1	0.01	4.0
054	NERVOUS SYSTEM NEOPLASMS WITH MCC	1	0.01	1.0
055	NERVOUS SYSTEM NEOPLASMS WITHOUT MCC	2	0.02	2.5
056	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC	3	0.03	6.7
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	15	0.16	3.5
058	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH MCC	1	0.01	29
059	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH CC	1	0.01	3.0
061	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH MCC	2	0.02	5.0
062	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH CC	3	0.03	3.3
063	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITHOUT CC/MCC	3	0.03	2.7
064	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC	35	0.38	5.8
065	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC	63	0.68	4.1
066	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC	39	0.42	2.7

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Mendocino County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
067	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITH MCC	1	0.01	4.0
068	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITHOUT MCC	1	0.01	9.0
069	TRANSIENT ISCHEMIA	20	0.22	1.4
070	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH MCC	2	0.02	9.5
071	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH CC	2	0.02	4.0
073	CRANIAL & PERIPHERAL NERVE DISORDERS WITH MCC	5	0.05	4.0
074	CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC	14	0.15	2.7
076	VIRAL MENINGITIS WITHOUT CC/MCC	9	0.10	2.0
080	NONTRAUMATIC STUPOR & COMA WITH MCC	5	0.05	3.8
081	NONTRAUMATIC STUPOR & COMA WITHOUT MCC	8	0.09	2.3
082	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH MCC	3	0.03	5.3
083	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH CC	4	0.04	4.3
084	TRAUMATIC STUPOR & COMA, COMA >1 HR WITHOUT CC/MCC	4	0.04	1.8
085	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH MCC	5	0.05	7.0
086	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH CC	10	0.11	2.3
087	TRAUMATIC STUPOR & COMA, COMA <1 HR WITHOUT CC/MCC	8	0.09	1.6
089	CONCUSSION WITH CC	3	0.03	3.0
090	CONCUSSION WITHOUT CC/MCC	5	0.05	1.0
091	OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC	8	0.09	3.8
092	OTHER DISORDERS OF NERVOUS SYSTEM WITH CC	13	0.14	4.1
093	OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC	10	0.11	3.5

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Mendocino County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
094	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH MCC	7	0.08	13
095	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH CC	5	0.05	5.8
096	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITHOUT CC/MCC	2	0.02	6.0
097	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH MCC	2	0.02	7.0
098	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH CC	2	0.02	7.0
099	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITHOUT CC/MCC	2	0.02	1.5
100	SEIZURES WITH MCC	11	0.12	3.9
101	SEIZURES WITHOUT MCC	47	0.51	2.7
102	HEADACHES WITH MCC	3	0.03	4.3
103	HEADACHES WITHOUT MCC	14	0.15	2.1
115	EXTRAOCULAR PROCEDURES EXCEPT ORBIT	2	0.02	2.0
122	ACUTE MAJOR EYE INFECTIONS WITHOUT CC/MCC	1	0.01	3.0
124	OTHER DISORDERS OF THE EYE WITH MCC	1	0.01	1.0
125	OTHER DISORDERS OF THE EYE WITHOUT MCC	1	0.01	2.0
130	MAJOR HEAD & NECK PROCEDURES WITHOUT CC/MCC	1	0.01	1.0
131	CRANIAL/FACIAL PROCEDURES WITH CC/MCC	3	0.03	3.3
132	CRANIAL/FACIAL PROCEDURES WITHOUT CC/MCC	6	0.06	2.8
133	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITH CC/MCC	5	0.05	3.2
134	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITHOUT CC/MCC	15	0.16	1.7
135	SINUS & MASTOID PROCEDURES WITH CC/MCC	1	0.01	12
137	MOUTH PROCEDURES WITH CC/MCC	1	0.01	6.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Mendocino County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
138	MOUTH PROCEDURES WITHOUT CC/MCC	2	0.02	2.0
139	SALIVARY GLAND PROCEDURES	1	0.01	1.0
146	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH MCC	1	0.01	2.0
147	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH CC	2	0.02	2.0
149	DYSEQUILIBRIUM	7	0.08	2.4
151	EPISTAXIS WITHOUT MCC	4	0.04	3.0
152	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITH MCC	2	0.02	1.5
153	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITHOUT MCC	12	0.13	2.5
154	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH MCC	3	0.03	3.7
155	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH CC	7	0.08	3.9
156	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITHOUT CC/MCC	1	0.01	.00
157	DENTAL & ORAL DISEASES WITH MCC	1	0.01	2.0
158	DENTAL & ORAL DISEASES WITH CC	6	0.06	2.0
159	DENTAL & ORAL DISEASES WITHOUT CC/MCC	2	0.02	4.0
163	MAJOR CHEST PROCEDURES WITH MCC	11	0.12	15
164	MAJOR CHEST PROCEDURES WITH CC	13	0.14	12
165	MAJOR CHEST PROCEDURES WITHOUT CC/MCC	6	0.06	2.7
166	OTHER RESP SYSTEM O.R. PROCEDURES WITH MCC	7	0.08	24
167	OTHER RESP SYSTEM O.R. PROCEDURES WITH CC	2	0.02	2.5
168	OTHER RESP SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	4	0.04	1.5
175	PULMONARY EMBOLISM WITH MCC	20	0.22	5.9

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Mendocino County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
176	PULMONARY EMBOLISM WITHOUT MCC	39	0.42	3.5
177	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC	31	0.34	6.5
178	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC	27	0.29	5.4
179	RESPIRATORY INFECTIONS & INFLAMMATIONS WITHOUT CC/MCC	4	0.04	8.0
180	RESPIRATORY NEOPLASMS WITH MCC	11	0.12	4.5
181	RESPIRATORY NEOPLASMS WITH CC	15	0.16	3.6
182	RESPIRATORY NEOPLASMS WITHOUT CC/MCC	2	0.02	1.5
183	MAJOR CHEST TRAUMA WITH MCC	2	0.02	6.0
184	MAJOR CHEST TRAUMA WITH CC	3	0.03	7.0
186	PLEURAL EFFUSION WITH MCC	6	0.06	14
187	PLEURAL EFFUSION WITH CC	5	0.05	4.4
189	PULMONARY EDEMA & RESPIRATORY FAILURE	74	0.80	3.6
190	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC	59	0.64	4.2
191	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC	20	0.22	4.3
192	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC	28	0.30	2.6
193	SIMPLE PNEUMONIA & PLEURISY WITH MCC	83	0.90	4.8
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	133	1.44	3.7
195	SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC	78	0.84	3.3
196	INTERSTITIAL LUNG DISEASE WITH MCC	3	0.03	4.3
198	INTERSTITIAL LUNG DISEASE WITHOUT CC/MCC	3	0.03	1.3
199	PNEUMOTHORAX WITH MCC	1	0.01	.00

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Mendocino County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
200	PNEUMOTHORAX WITH CC	17	0.18	5.1
201	PNEUMOTHORAX WITHOUT CC/MCC	6	0.06	2.8
202	BRONCHITIS & ASTHMA WITH CC/MCC	29	0.31	2.6
203	BRONCHITIS & ASTHMA WITHOUT CC/MCC	42	0.45	2.3
204	RESPIRATORY SIGNS & SYMPTOMS	10	0.11	2.2
205	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITH MCC	5	0.05	3.6
206	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITHOUT MCC	12	0.13	2.5
207	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS	21	0.23	21
208	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS	31	0.34	6.2
216	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH MCC	6	0.06	25
217	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH CC	1	0.01	12
218	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITHOUT CC/MCC	1	0.01	8.0
219	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH MCC	9	0.10	18
220	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH CC	16	0.17	8.9
221	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITHOUT CC/MCC	11	0.12	7.4
222	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITH MCC	1	0.01	32
223	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITHOUT MCC	2	0.02	5.5
225	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITHOUT MCC	2	0.02	4.5
226	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITH MCC	5	0.05	14
227	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITHOUT MCC	16	0.17	1.5

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Mendocino County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
228	OTHER CARDIOTHORACIC PROCEDURES WITH MCC	2	0.02	16
229	OTHER CARDIOTHORACIC PROCEDURES WITH CC	2	0.02	12
230	OTHER CARDIOTHORACIC PROCEDURES WITHOUT CC/MCC	1	0.01	3.0
231	CORONARY BYPASS WITH PTCA WITH MCC	1	0.01	19
233	CORONARY BYPASS WITH CARDIAC CATH WITH MCC	4	0.04	14
234	CORONARY BYPASS WITH CARDIAC CATH WITHOUT MCC	12	0.13	9.1
235	CORONARY BYPASS WITHOUT CARDIAC CATH WITH MCC	1	0.01	7.0
236	CORONARY BYPASS WITHOUT CARDIAC CATH WITHOUT MCC	12	0.13	9.1
237	MAJOR CARDIOVASC PROCEDURES WITH MCC OR THORACIC AORTIC ANEURYSM REPAIR	9	0.10	18
238	MAJOR CARDIOVASC PROCEDURES WITHOUT MCC	29	0.31	4.3
239	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH MCC	1	0.01	16
240	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH CC	4	0.04	12
242	PERMANENT CARDIAC PACEMAKER IMPLANT WITH MCC	8	0.09	6.6
243	PERMANENT CARDIAC PACEMAKER IMPLANT WITH CC	11	0.12	3.2
244	PERMANENT CARDIAC PACEMAKER IMPLANT WITHOUT CC/MCC	26	0.28	1.7
246	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITH MCC OR 4+ VESSELS/STENTS	19	0.21	7.2
247	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITHOUT MCC	77	0.83	1.9
248	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITH MCC OR 4+ VES/STENTS	7	0.08	10
249	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITHOUT MCC	17	0.18	2.3
250	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITH MCC	1	0.01	4.0
251	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITHOUT MCC	14	0.15	1.4

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Mendocino County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
252	OTHER VASCULAR PROCEDURES WITH MCC	14	0.15	6.4
253	OTHER VASCULAR PROCEDURES WITH CC	20	0.22	6.5
254	OTHER VASCULAR PROCEDURES WITHOUT CC/MCC	10	0.11	1.6
255	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH MCC	1	0.01	29
256	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH CC	1	0.01	2.0
258	CARDIAC PACEMAKER DEVICE REPLACEMENT WITH MCC	1	0.01	1.0
259	CARDIAC PACEMAKER DEVICE REPLACEMENT WITHOUT MCC	1	0.01	2.0
260	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH MCC	1	0.01	19
261	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH CC	8	0.09	3.5
262	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITHOUT CC/MCC	3	0.03	1.3
263	VEIN LIGATION & STRIPPING	2	0.02	1.5
264	OTHER CIRCULATORY SYSTEM O.R. PROCEDURES	9	0.10	4.6
280	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH MCC	22	0.24	5.5
281	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH CC	16	0.17	1.8
282	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITHOUT CC/MCC	22	0.24	2.2
283	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH MCC	7	0.08	3.1
284	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH CC	1	0.01	.00
286	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITH MCC	10	0.11	7.1
287	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITHOUT MCC	26	0.28	2.5
288	ACUTE & SUBACUTE ENDOCARDITIS WITH MCC	4	0.04	8.0
289	ACUTE & SUBACUTE ENDOCARDITIS WITH CC	1	0.01	7.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Mendocino County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
291	HEART FAILURE & SHOCK WITH MCC	95	1.03	3.9
292	HEART FAILURE & SHOCK WITH CC	71	0.77	3.4
293	HEART FAILURE & SHOCK WITHOUT CC/MCC	41	0.44	2.8
294	DEEP VEIN THROMBOPHLEBITIS WITH CC/MCC	4	0.04	3.3
299	PERIPHERAL VASCULAR DISORDERS WITH MCC	13	0.14	2.2
300	PERIPHERAL VASCULAR DISORDERS WITH CC	21	0.23	4.6
301	PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC	12	0.13	2.8
302	ATHEROSCLEROSIS WITH MCC	4	0.04	2.8
303	ATHEROSCLEROSIS WITHOUT MCC	32	0.35	1.3
304	HYPERTENSION WITH MCC	1	0.01	4.0
305	HYPERTENSION WITHOUT MCC	5	0.05	1.0
306	CARDIAC CONGENITAL & VALVULAR DISORDERS WITH MCC	3	0.03	15
307	CARDIAC CONGENITAL & VALVULAR DISORDERS WITHOUT MCC	3	0.03	1.0
308	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH MCC	26	0.28	4.1
309	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC	48	0.52	2.4
310	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITHOUT CC/MCC	49	0.53	1.7
311	ANGINA PECTORIS	19	0.21	.84
312	SYNCOPE & COLLAPSE	70	0.76	2.0
313	CHEST PAIN	49	0.53	1.1
314	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC	26	0.28	5.6
315	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC	14	0.15	2.9

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Mendocino County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
316	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITHOUT CC/MCC	4	0.04	1.8
326	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH MCC	7	0.08	7.1
327	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH CC	8	0.09	6.9
328	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITHOUT CC/MCC	16	0.17	3.2
329	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	35	0.38	12
330	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH CC	50	0.54	8.7
331	MAJOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	21	0.23	5.3
332	RECTAL RESECTION WITH MCC	1	0.01	16
334	RECTAL RESECTION WITHOUT CC/MCC	3	0.03	8.7
335	PERITONEAL ADHESIOLYSIS WITH MCC	2	0.02	9.0
336	PERITONEAL ADHESIOLYSIS WITH CC	17	0.18	8.5
337	PERITONEAL ADHESIOLYSIS WITHOUT CC/MCC	16	0.17	4.3
338	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	1	0.01	7.0
339	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	7	0.08	5.9
340	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	13	0.14	4.3
342	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	16	0.17	2.4
343	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	59	0.64	1.8
345	MINOR SMALL & LARGE BOWEL PROCEDURES WITH CC	2	0.02	4.0
346	MINOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	2	0.02	6.5
347	ANAL & STOMAL PROCEDURES WITH MCC	1	0.01	10
348	ANAL & STOMAL PROCEDURES WITH CC	2	0.02	1.5

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Mendocino County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
349	ANAL & STOMAL PROCEDURES WITHOUT CC/MCC	2	0.02	5.0
350	INGUINAL & FEMORAL HERNIA PROCEDURES WITH MCC	1	0.01	1.0
351	INGUINAL & FEMORAL HERNIA PROCEDURES WITH CC	4	0.04	3.3
352	INGUINAL & FEMORAL HERNIA PROCEDURES WITHOUT CC/MCC	1	0.01	3.0
354	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH CC	10	0.11	3.8
355	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITHOUT CC/MCC	11	0.12	1.9
356	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH MCC	6	0.06	11
357	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH CC	5	0.05	5.6
358	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	2	0.02	5.5
368	MAJOR ESOPHAGEAL DISORDERS WITH MCC	3	0.03	6.3
369	MAJOR ESOPHAGEAL DISORDERS WITH CC	3	0.03	4.0
370	MAJOR ESOPHAGEAL DISORDERS WITHOUT CC/MCC	2	0.02	.50
371	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH MCC	10	0.11	9.1
372	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH CC	13	0.14	4.8
373	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITHOUT CC/MCC	4	0.04	8.3
374	DIGESTIVE MALIGNANCY WITH MCC	2	0.02	4.5
375	DIGESTIVE MALIGNANCY WITH CC	14	0.15	4.2
376	DIGESTIVE MALIGNANCY WITHOUT CC/MCC	2	0.02	3.0
377	G.I. HEMORRHAGE WITH MCC	25	0.27	3.2
378	G.I. HEMORRHAGE WITH CC	40	0.43	3.2
379	G.I. HEMORRHAGE WITHOUT CC/MCC	28	0.30	2.4

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Mendocino County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
380	COMPLICATED PEPTIC ULCER WITH MCC	2	0.02	9.5
381	COMPLICATED PEPTIC ULCER WITH CC	2	0.02	3.5
382	COMPLICATED PEPTIC ULCER WITHOUT CC/MCC	6	0.06	2.5
384	UNCOMPLICATED PEPTIC ULCER WITHOUT MCC	3	0.03	2.7
385	INFLAMMATORY BOWEL DISEASE WITH MCC	2	0.02	10
386	INFLAMMATORY BOWEL DISEASE WITH CC	5	0.05	5.4
387	INFLAMMATORY BOWEL DISEASE WITHOUT CC/MCC	3	0.03	3.7
388	G.I. OBSTRUCTION WITH MCC	8	0.09	9.4
389	G.I. OBSTRUCTION WITH CC	32	0.35	3.4
390	G.I. OBSTRUCTION WITHOUT CC/MCC	36	0.39	2.4
391	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITH MCC	29	0.31	6.9
392	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC	146	1.58	2.9
393	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH MCC	11	0.12	5.2
394	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH CC	24	0.26	3.6
395	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	13	0.14	1.8
405	PANCREAS, LIVER & SHUNT PROCEDURES WITH MCC	2	0.02	6.0
406	PANCREAS, LIVER & SHUNT PROCEDURES WITH CC	7	0.08	8.9
407	PANCREAS, LIVER & SHUNT PROCEDURES WITHOUT CC/MCC	1	0.01	6.0
408	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH MCC	2	0.02	8.0
409	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH CC	1	0.01	10

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Mendocino County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
414	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH MCC	5	0.05	10
415	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH CC	9	0.10	5.9
416	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	3	0.03	4.0
417	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH MCC	15	0.16	4.4
418	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH CC	29	0.31	2.6
419	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	85	0.92	2.0
420	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH MCC	3	0.03	16
423	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH MCC	1	0.01	30
424	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH CC	2	0.02	2.0
432	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH MCC	15	0.16	7.9
433	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH CC	5	0.05	2.0
435	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITH MCC	5	0.05	4.6
436	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITH CC	8	0.09	5.8
437	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITHOUT CC/MCC	2	0.02	1.5
438	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH MCC	11	0.12	8.7
439	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH CC	28	0.30	3.8
440	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITHOUT CC/MCC	20	0.22	4.2
441	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH MCC	22	0.24	4.5
442	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH CC	14	0.15	3.1
443	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITHOUT CC/MCC	4	0.04	1.8

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Mendocino County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
444	DISORDERS OF THE BILIARY TRACT WITH MCC	18	0.19	4.6
445	DISORDERS OF THE BILIARY TRACT WITH CC	17	0.18	2.2
446	DISORDERS OF THE BILIARY TRACT WITHOUT CC/MCC	16	0.17	3.1
453	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH MCC	2	0.02	14
454	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH CC	6	0.06	5.2
455	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITHOUT CC/MCC	12	0.13	4.6
456	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH MCC	2	0.02	19
457	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH CC	4	0.04	4.8
458	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITHOUT CC/MCC	3	0.03	4.7
459	SPINAL FUSION EXCEPT CERVICAL WITH MCC	2	0.02	11
460	SPINAL FUSION EXCEPT CERVICAL WITHOUT MCC	43	0.47	3.9
461	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITH MCC	1	0.01	13
462	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITHOUT MCC	1	0.01	5.0
463	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH MCC	2	0.02	14
464	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH CC	5	0.05	9.4
465	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITHOUT CC/MCC	3	0.03	7.0
466	REVISION OF HIP OR KNEE REPLACEMENT WITH MCC	5	0.05	8.0
467	REVISION OF HIP OR KNEE REPLACEMENT WITH CC	22	0.24	5.0
468	REVISION OF HIP OR KNEE REPLACEMENT WITHOUT CC/MCC	28	0.30	3.3
469	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITH MCC	24	0.26	8.0

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Mendocino County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
470	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITHOUT MCC	346	3.74	3.6
472	CERVICAL SPINAL FUSION WITH CC	13	0.14	3.1
473	CERVICAL SPINAL FUSION WITHOUT CC/MCC	37	0.40	1.9
474	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH MCC	1	0.01	22
475	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH CC	1	0.01	8.0
477	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	2	0.02	9.0
478	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	2	0.02	4.0
479	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	2	0.02	5.0
480	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH MCC	13	0.14	8.8
481	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH CC	40	0.43	7.1
482	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITHOUT CC/MCC	19	0.21	3.4
483	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITH CC/MCC	11	0.12	3.2
484	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITHOUT CC/MCC	21	0.23	1.8
485	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH MCC	1	0.01	8.0
486	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH CC	3	0.03	9.3
487	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	1	0.01	8.0
488	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITH CC/MCC	3	0.03	3.0
489	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	18	0.19	1.7
490	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITH CC/MCC OR DISC DEVICE/NEUROSTIM	21	0.23	5.4
491	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITHOUT CC/MCC	54	0.58	2.1
492	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH MCC	5	0.05	7.8

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Mendocino County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
493	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH CC	29	0.31	6.0
494	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITHOUT CC/MCC	77	0.83	2.4
496	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH CC	13	0.14	8.7
497	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITHOUT CC/MCC	19	0.21	1.5
498	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITH CC/MCC	1	0.01	10
499	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITHOUT CC/MCC	2	0.02	2.5
500	SOFT TISSUE PROCEDURES WITH MCC	3	0.03	5.7
501	SOFT TISSUE PROCEDURES WITH CC	12	0.13	1.8
502	SOFT TISSUE PROCEDURES WITHOUT CC/MCC	11	0.12	1.4
503	FOOT PROCEDURES WITH MCC	2	0.02	16
504	FOOT PROCEDURES WITH CC	5	0.05	6.8
505	FOOT PROCEDURES WITHOUT CC/MCC	9	0.10	2.7
506	MAJOR THUMB OR JOINT PROCEDURES	2	0.02	.50
507	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITH CC/MCC	1	0.01	1.0
508	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITHOUT CC/MCC	1	0.01	1.0
510	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH MCC	1	0.01	9.0
511	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH CC	13	0.14	2.1
512	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITHOUT CC/MCC	25	0.27	1.3
513	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITH CC/MCC	3	0.03	1.7
514	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITHOUT CC/MCC	11	0.12	1.4
515	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH MCC	3	0.03	16

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Mendocino County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
516	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH CC	7	0.08	3.6
517	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITHOUT CC/MCC	9	0.10	1.8
533	FRACTURES OF FEMUR WITH MCC	1	0.01	6.0
534	FRACTURES OF FEMUR WITHOUT MCC	2	0.02	4.0
535	FRACTURES OF HIP & PELVIS WITH MCC	3	0.03	6.3
536	FRACTURES OF HIP & PELVIS WITHOUT MCC	19	0.21	4.6
538	SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITHOUT CC/MCC	1	0.01	2.0
539	OSTEOMYELITIS WITH MCC	5	0.05	6.6
540	OSTEOMYELITIS WITH CC	1	0.01	14
542	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH MCC	6	0.06	9.8
543	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH CC	9	0.10	2.6
544	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITHOUT CC/MCC	6	0.06	3.8
545	CONNECTIVE TISSUE DISORDERS WITH MCC	2	0.02	7.5
546	CONNECTIVE TISSUE DISORDERS WITH CC	4	0.04	2.5
547	CONNECTIVE TISSUE DISORDERS WITHOUT CC/MCC	1	0.01	2.0
548	SEPTIC ARTHRITIS WITH MCC	1	0.01	11
549	SEPTIC ARTHRITIS WITH CC	2	0.02	15
550	SEPTIC ARTHRITIS WITHOUT CC/MCC	2	0.02	2.5
551	MEDICAL BACK PROBLEMS WITH MCC	8	0.09	3.4
552	MEDICAL BACK PROBLEMS WITHOUT MCC	46	0.50	2.5
553	BONE DISEASES & ARTHROPATHIES WITH MCC	1	0.01	16

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Mendocino County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
554	BONE DISEASES & ARTHROPATHIES WITHOUT MCC	7	0.08	3.4
555	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITH MCC	1	0.01	4.0
556	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC	10	0.11	2.7
557	TENDONITIS, MYOSITIS & BURSITIS WITH MCC	4	0.04	4.5
558	TENDONITIS, MYOSITIS & BURSITIS WITHOUT MCC	18	0.19	3.0
559	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	4	0.04	15
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	10	0.11	4.6
561	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	14	0.15	2.2
563	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC	28	0.30	2.2
565	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH CC	4	0.04	8.5
566	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITHOUT CC/MCC	3	0.03	1.0
573	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH MCC	2	0.02	6.5
574	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH CC	7	0.08	4.4
575	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	2	0.02	2.5
576	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH MCC	1	0.01	3.0
577	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH CC	3	0.03	7.0
578	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	5	0.05	2.2
579	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH MCC	1	0.01	9.0
580	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH CC	9	0.10	3.4
581	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITHOUT CC/MCC	25	0.27	1.4
582	MASTECTOMY FOR MALIGNANCY WITH CC/MCC	2	0.02	1.5

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Mendocino County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
583	MASTECTOMY FOR MALIGNANCY WITHOUT CC/MCC	12	0.13	1.8
584	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITH CC/MCC	4	0.04	1.3
585	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITHOUT CC/MCC	7	0.08	2.0
592	SKIN ULCERS WITH MCC	2	0.02	2.0
593	SKIN ULCERS WITH CC	7	0.08	5.1
596	MAJOR SKIN DISORDERS WITHOUT MCC	1	0.01	4.0
597	MALIGNANT BREAST DISORDERS WITH MCC	1	0.01	6.0
598	MALIGNANT BREAST DISORDERS WITH CC	1	0.01	2.0
601	NON-MALIGNANT BREAST DISORDERS WITHOUT CC/MCC	2	0.02	3.5
602	CELLULITIS WITH MCC	13	0.14	4.3
603	CELLULITIS WITHOUT MCC	147	1.59	3.4
604	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITH MCC	2	0.02	2.0
605	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITHOUT MCC	16	0.17	2.4
606	MINOR SKIN DISORDERS WITH MCC	1	0.01	9.0
607	MINOR SKIN DISORDERS WITHOUT MCC	4	0.04	4.3
614	ADRENAL & PITUITARY PROCEDURES WITH CC/MCC	2	0.02	5.5
615	ADRENAL & PITUITARY PROCEDURES WITHOUT CC/MCC	6	0.06	2.5
617	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH CC	1	0.01	4.0
620	O.R. PROCEDURES FOR OBESITY WITH CC	4	0.04	2.0
621	O.R. PROCEDURES FOR OBESITY WITHOUT CC/MCC	25	0.27	1.7
623	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH CC	2	0.02	6.5

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Mendocino County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
625	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH MCC	1	0.01	1.0
626	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH CC	5	0.05	2.4
627	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITHOUT CC/MCC	11	0.12	1.0
628	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH MCC	3	0.03	8.7
629	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH CC	1	0.01	10
637	DIABETES WITH MCC	19	0.21	3.2
638	DIABETES WITH CC	34	0.37	3.1
639	DIABETES WITHOUT CC/MCC	26	0.28	2.2
640	NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC	26	0.28	4.8
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	81	0.88	2.7
643	ENDOCRINE DISORDERS WITH MCC	7	0.08	8.1
644	ENDOCRINE DISORDERS WITH CC	12	0.13	3.3
645	ENDOCRINE DISORDERS WITHOUT CC/MCC	6	0.06	1.8
652	KIDNEY TRANSPLANT	4	0.04	5.5
653	MAJOR BLADDER PROCEDURES WITH MCC	1	0.01	6.0
654	MAJOR BLADDER PROCEDURES WITH CC	2	0.02	8.5
655	MAJOR BLADDER PROCEDURES WITHOUT CC/MCC	1	0.01	8.0
656	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH MCC	4	0.04	15
657	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH CC	6	0.06	4.8
658	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITHOUT CC/MCC	9	0.10	3.0
659	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH MCC	6	0.06	10

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Mendocino County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
660	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH CC	7	0.08	3.4
661	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITHOUT CC/MCC	3	0.03	2.0
662	MINOR BLADDER PROCEDURES WITH MCC	1	0.01	3.0
663	MINOR BLADDER PROCEDURES WITH CC	2	0.02	3.5
664	MINOR BLADDER PROCEDURES WITHOUT CC/MCC	2	0.02	1.5
668	TRANSURETHRAL PROCEDURES WITH MCC	1	0.01	9.0
669	TRANSURETHRAL PROCEDURES WITH CC	3	0.03	4.0
670	TRANSURETHRAL PROCEDURES WITHOUT CC/MCC	5	0.05	1.6
672	URETHRAL PROCEDURES WITHOUT CC/MCC	1	0.01	3.0
673	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH MCC	2	0.02	16
674	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH CC	3	0.03	4.3
682	RENAL FAILURE WITH MCC	44	0.48	5.4
683	RENAL FAILURE WITH CC	47	0.51	3.7
684	RENAL FAILURE WITHOUT CC/MCC	7	0.08	2.6
685	ADMIT FOR RENAL DIALYSIS	5	0.05	1.8
686	KIDNEY & URINARY TRACT NEOPLASMS WITH MCC	2	0.02	2.5
687	KIDNEY & URINARY TRACT NEOPLASMS WITH CC	2	0.02	2.5
688	KIDNEY & URINARY TRACT NEOPLASMS WITHOUT CC/MCC	1	0.01	.00
689	KIDNEY & URINARY TRACT INFECTIONS WITH MCC	10	0.11	3.2
690	KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC	60	0.65	3.0
693	URINARY STONES WITHOUT ESW LITHOTRIPSY WITH MCC	2	0.02	5.0

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Mendocino County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
694	URINARY STONES WITHOUT ESW LITHOTRIPSY WITHOUT MCC	12	0.13	1.3
696	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITHOUT MCC	1	0.01	1.0
698	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH MCC	13	0.14	4.4
699	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH CC	16	0.17	3.8
700	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITHOUT CC/MCC	11	0.12	2.7
707	MAJOR MALE PELVIC PROCEDURES WITH CC/MCC	1	0.01	2.0
708	MAJOR MALE PELVIC PROCEDURES WITHOUT CC/MCC	12	0.13	1.4
711	TESTES PROCEDURES WITH CC/MCC	2	0.02	4.5
713	TRANSURETHRAL PROSTATECTOMY WITH CC/MCC	8	0.09	1.3
714	TRANSURETHRAL PROSTATECTOMY WITHOUT CC/MCC	6	0.06	1.3
715	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE FOR MALIGNANCY WITH CC/MCC	1	0.01	2.0
717	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE EXCEPT MALIGNANCY WITH CC/MCC	1	0.01	3.0
724	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	1	0.01	2.0
725	BENIGN PROSTATIC HYPERTROPHY WITH MCC	1	0.01	2.0
726	BENIGN PROSTATIC HYPERTROPHY WITHOUT MCC	5	0.05	2.8
728	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITHOUT MCC	7	0.08	2.9
730	OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	1	0.01	2.0
734	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITH CC/MCC	2	0.02	2.0
735	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITHOUT CC/MCC	1	0.01	4.0
737	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH CC	4	0.04	5.3
738	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITHOUT CC/MCC	3	0.03	2.3

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Mendocino County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
740	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH CC	7	0.08	2.4
741	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITHOUT CC/MCC	5	0.05	2.8
742	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITH CC/MCC	21	0.23	3.2
743	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITHOUT CC/MCC	107	1.16	1.9
744	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITH CC/MCC	1	0.01	2.0
745	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITHOUT CC/MCC	4	0.04	2.0
746	VAGINA, CERVIX & VULVA PROCEDURES WITH CC/MCC	2	0.02	3.0
747	VAGINA, CERVIX & VULVA PROCEDURES WITHOUT CC/MCC	8	0.09	1.9
748	FEMALE REPRODUCTIVE SYSTEM RECONSTRUCTIVE PROCEDURES	10	0.11	1.5
749	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITH CC/MCC	2	0.02	4.0
750	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	4	0.04	2.3
754	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH MCC	1	0.01	4.0
755	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH CC	2	0.02	5.0
758	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH CC	1	0.01	3.0
760	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITH CC/MCC	4	0.04	2.0
761	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITHOUT CC/MCC	4	0.04	.75
765	CESAREAN SECTION WITH CC/MCC	64	0.69	6.0
766	CESAREAN SECTION WITHOUT CC/MCC	190	2.05	2.7
767	VAGINAL DELIVERY WITH STERILIZATION &/OR D&C	33	0.36	2.5
768	VAGINAL DELIVERY WITH O.R. PROCEDURE EXCEPT STERIL &/OR D&C	1	0.01	5.0
769	POSTPARTUM & POST ABORTION DIAGNOSIS WITH O.R. PROCEDURE	6	0.06	3.2

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Mendocino County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
774	VAGINAL DELIVERY WITH COMPLICATING DIAGNOSIS	122	1.32	2.2
775	VAGINAL DELIVERY WITHOUT COMPLICATING DIAGNOSIS	611	6.61	1.7
776	POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE	9	0.10	2.4
777	ECTOPIC PREGNANCY	11	0.12	2.0
778	THREATENED ABORTION	15	0.16	2.5
779	ABORTION WITHOUT D&C	1	0.01	1.0
781	OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS	43	0.47	3.3
782	OTHER ANTEPARTUM DIAGNOSIS WITHOUT MEDICAL COMPLICATIONS	6	0.06	1.3
789	NEONATES, DIED OR TRANSFERRED TO ANOTHER ACUTE CARE FACILITY	29	0.31	6.7
790	EXTREME IMMATUREITY OR RESPIRATORY DISTRESS SYNDROME, NEONATE	13	0.14	27
791	PREMATURITY WITH MAJOR PROBLEMS	17	0.18	19
792	PREMATURITY WITHOUT MAJOR PROBLEMS	52	0.56	5.7
793	FULL TERM NEONATE WITH MAJOR PROBLEMS	42	0.45	4.0
794	NEONATE WITH OTHER SIGNIFICANT PROBLEMS	313	3.39	2.0
795	NORMAL NEWBORN	646	6.99	1.6
799	SPLENECTOMY WITH MCC	1	0.01	6.0
800	SPLENECTOMY WITH CC	1	0.01	6.0
801	SPLENECTOMY WITHOUT CC/MCC	1	0.01	2.0
803	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH CC	1	0.01	1.0
808	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH MCC	4	0.04	9.0
809	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH CC	9	0.10	6.6

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Mendocino County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
810	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITHOUT CC/MCC	2	0.02	2.5
811	RED BLOOD CELL DISORDERS WITH MCC	30	0.32	2.8
812	RED BLOOD CELL DISORDERS WITHOUT MCC	61	0.66	2.4
813	COAGULATION DISORDERS	7	0.08	1.9
815	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH CC	2	0.02	4.0
816	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITHOUT CC/MCC	1	0.01	5.0
820	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH MCC	1	0.01	19
821	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH CC	3	0.03	12
823	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH MCC	1	0.01	13
824	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH CC	1	0.01	7.0
825	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	1	0.01	1.0
826	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH MCC	1	0.01	9.0
827	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH CC	2	0.02	8.5
829	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITH CC/MCC	1	0.01	5.0
830	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	1	0.01	4.0
834	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH MCC	2	0.02	23
835	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH CC	3	0.03	3.3
836	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITHOUT CC/MCC	1	0.01	14
838	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITH CC OR HIGH DOSE CHEMO AGENT	3	0.03	4.7
839	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITHOUT CC/MCC	6	0.06	5.2
840	LYMPHOMA & NON-ACUTE LEUKEMIA WITH MCC	3	0.03	16

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Mendocino County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
841	LYMPHOMA & NON-ACUTE LEUKEMIA WITH CC	6	0.06	7.0
842	LYMPHOMA & NON-ACUTE LEUKEMIA WITHOUT CC/MCC	4	0.04	2.3
845	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITHOUT CC/MCC	2	0.02	1.5
846	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH MCC	3	0.03	9.3
847	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH CC	26	0.28	6.0
848	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITHOUT CC/MCC	2	0.02	2.5
853	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH MCC	27	0.29	15
854	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH CC	7	0.08	5.3
856	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH MCC	8	0.09	23
857	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH CC	3	0.03	12
858	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITHOUT CC/MCC	3	0.03	4.0
862	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITH MCC	10	0.11	9.4
863	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC	24	0.26	5.8
864	FEVER	9	0.10	1.6
866	VIRAL ILLNESS WITHOUT MCC	4	0.04	2.3
867	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH MCC	4	0.04	16
868	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH CC	2	0.02	11
869	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITHOUT CC/MCC	1	0.01	5.0
870	SEPTICEMIA OR SEVERE SEPSIS WITH MECH VENT 96+ HOURS	14	0.15	15
871	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC	134	1.45	4.6
872	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC	55	0.59	4.7

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Mendocino County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	2	0.02	1.0
881	DEPRESSIVE NEUROSES	1	0.01	2.0
882	NEUROSES EXCEPT DEPRESSIVE	1	0.01	5.0
883	DISORDERS OF PERSONALITY & IMPULSE CONTROL	1	0.01	18
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	8	0.09	3.1
885	PSYCHOSES	8	0.09	3.3
887	OTHER MENTAL DISORDER DIAGNOSIS	2	0.02	2.5
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	8	0.09	2.6
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	40	0.43	2.8
902	WOUND DEBRIDE EMENTS FOR INJURIES WITH CC	1	0.01	10
903	WOUND DEBRIDE EMENTS FOR INJURIES WITHOUT CC/MCC	2	0.02	3.5
905	SKIN GRAFTS FOR INJURIES WITHOUT CC/MCC	2	0.02	4.0
906	HAND PROCEDURES FOR INJURIES	5	0.05	.80
907	OTHER O.R. PROCEDURES FOR INJURIES WITH MCC	2	0.02	8.0
908	OTHER O.R. PROCEDURES FOR INJURIES WITH CC	12	0.13	5.8
909	OTHER O.R. PROCEDURES FOR INJURIES WITHOUT CC/MCC	8	0.09	3.5
913	TRAUMATIC INJURY WITH MCC	2	0.02	2.5
914	TRAUMATIC INJURY WITHOUT MCC	5	0.05	2.0
916	ALLERGIC REACTIONS WITHOUT MCC	6	0.06	1.0
917	POISONING & TOXIC EFFECTS OF DRUGS WITH MCC	36	0.39	3.3
918	POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC	67	0.72	1.6

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Mendocino County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
919	COMPLICATIONS OF TREATMENT WITH MCC	8	0.09	4.0
920	COMPLICATIONS OF TREATMENT WITH CC	11	0.12	7.7
921	COMPLICATIONS OF TREATMENT WITHOUT CC/MCC	3	0.03	1.3
922	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITH MCC	2	0.02	1.5
923	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITHOUT MCC	3	0.03	1.0
928	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITH CC/MCC	2	0.02	11
933	EXTENSIVE BURNS OR FULL THICKNESS BURNS WITH MECH VENT 96+ HRS WITHOUT SKIN GRAFT	1	0.01	.00
934	FULL THICKNESS BURN WITHOUT SKIN GRAFT OR INHAL INJURY	3	0.03	6.3
935	NON-EXTENSIVE BURNS	6	0.06	6.3
940	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC	3	0.03	4.3
941	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITHOUT CC/MCC	5	0.05	1.6
947	SIGNS & SYMPTOMS WITH MCC	10	0.11	3.6
948	SIGNS & SYMPTOMS WITHOUT MCC	43	0.47	3.8
949	AFTERCARE WITH CC/MCC	6	0.06	1.5
950	AFTERCARE WITHOUT CC/MCC	1	0.01	6.0
951	OTHER FACTORS INFLUENCING HEALTH STATUS	1	0.01	4.0
956	LIMB REATTACHMENT, HIP & FEMUR PROCEDURE FOR MULTIPLE SIGNIFICANT TRAUMA	4	0.04	5.8
957	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH MCC	4	0.04	15
958	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH CC	2	0.02	3.0
959	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	1	0.01	3.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
Mendocino County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
963	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH MCC	4	0.04	5.0
964	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH CC	4	0.04	2.5
965	OTHER MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	3	0.03	3.7
974	HIV WITH MAJOR RELATED CONDITION WITH MCC	4	0.04	19
975	HIV WITH MAJOR RELATED CONDITION WITH CC	4	0.04	3.5
981	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	14	0.15	29
982	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	14	0.15	5.1
983	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	4	0.04	1.5
987	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	3	0.03	15
988	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	8	0.09	6.0
989	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	4	0.04	2.3
All		9,246	100.0	4.0

***MS-DRG by Patient County of Residence
and Type of Care for 2010
Mendocino County***

typcare1=Chemical Dependency Recovery Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	3	100.0	8.0
All		3	100.0	8.0

***MS-DRG by Patient County of Residence
and Type of Care for 2010
Mendocino County***

typcare1=Physical Rehabilitation Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
940	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC	1	2.27	32
945	REHABILITATION WITH CC/MCC	36	81.82	18
946	REHABILITATION WITHOUT CC/MCC	7	15.91	9.0
All		44	100.0	17

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Mendocino County**

typcare1=Psychiatric Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	1	0.46	9.0
881	DEPRESSIVE NEUROSES	20	9.17	3.5
882	NEUROSES EXCEPT DEPRESSIVE	5	2.29	3.6
883	DISORDERS OF PERSONALITY & IMPULSE CONTROL	1	0.46	1.0
885	PSYCHOSES	185	84.86	11
886	BEHAVIORAL & DEVELOPMENTAL DISORDERS	1	0.46	2.0
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	5	2.29	6.4
All		218	100.0	9.9

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Mendocino County**

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
056	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC	3	1.55	4.0
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	8	4.15	7.5
065	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC	1	0.52	2.0
080	NONTRAUMATIC STUPOR & COMA WITH MCC	1	0.52	4.0
081	NONTRAUMATIC STUPOR & COMA WITHOUT MCC	1	0.52	9.0
091	OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC	3	1.55	14
092	OTHER DISORDERS OF NERVOUS SYSTEM WITH CC	2	1.04	21
093	OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC	1	0.52	20
094	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH MCC	1	0.52	50
101	SEIZURES WITHOUT MCC	1	0.52	11
103	HEADACHES WITHOUT MCC	1	0.52	6.0
167	OTHER RESP SYSTEM O.R. PROCEDURES WITH CC	1	0.52	16
176	PULMONARY EMBOLISM WITHOUT MCC	1	0.52	7.0
177	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC	3	1.55	10
178	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC	4	2.07	4.5
181	RESPIRATORY NEOPLASMS WITH CC	1	0.52	3.0
189	PULMONARY EDEMA & RESPIRATORY FAILURE	2	1.04	39
190	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC	5	2.59	2.2
191	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC	1	0.52	11
193	SIMPLE PNEUMONIA & PLEURISY WITH MCC	2	1.04	15
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	6	3.11	11

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Mendocino County**

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
195	SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC	3	1.55	3.0
196	INTERSTITIAL LUNG DISEASE WITH MCC	1	0.52	1.0
204	RESPIRATORY SIGNS & SYMPTOMS	1	0.52	2.0
206	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITHOUT MCC	1	0.52	5.0
291	HEART FAILURE & SHOCK WITH MCC	4	2.07	12
292	HEART FAILURE & SHOCK WITH CC	2	1.04	3.5
293	HEART FAILURE & SHOCK WITHOUT CC/MCC	1	0.52	17
294	DEEP VEIN THROMBOPHLEBITIS WITH CC/MCC	2	1.04	9.0
300	PERIPHERAL VASCULAR DISORDERS WITH CC	1	0.52	1.0
301	PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC	1	0.52	42
308	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH MCC	1	0.52	3.0
310	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITHOUT CC/MCC	1	0.52	5.0
314	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC	3	1.55	8.3
315	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC	1	0.52	3.0
316	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITHOUT CC/MCC	2	1.04	24
347	ANAL & STOMAL PROCEDURES WITH MCC	1	0.52	7.0
371	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH MCC	3	1.55	7.7
375	DIGESTIVE MALIGNANCY WITH CC	2	1.04	9.0
378	G.I. HEMORRHAGE WITH CC	2	1.04	9.5
379	G.I. HEMORRHAGE WITHOUT CC/MCC	2	1.04	9.0
388	G.I. OBSTRUCTION WITH MCC	1	0.52	3.0

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
Mendocino County**

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
392	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC	2	1.04	9.5
395	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	1	0.52	6.0
432	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH MCC	2	1.04	5.5
433	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH CC	1	0.52	19
435	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITH MCC	2	1.04	11
438	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH MCC	1	0.52	7.0
552	MEDICAL BACK PROBLEMS WITHOUT MCC	2	1.04	3.5
555	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITH MCC	1	0.52	14
556	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC	1	0.52	10
558	TENDONITIS, MYOSITIS & BURSITIS WITHOUT MCC	1	0.52	1.0
559	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	2	1.04	22
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	18	9.33	9.1
561	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	15	7.77	9.6
574	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH CC	1	0.52	64
602	CELLULITIS WITH MCC	2	1.04	11
603	CELLULITIS WITHOUT MCC	6	3.11	16
607	MINOR SKIN DISORDERS WITHOUT MCC	1	0.52	3.0
638	DIABETES WITH CC	2	1.04	17
640	NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC	1	0.52	19
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	1	0.52	11
642	INBORN ERRORS OF METABOLISM	1	0.52	17

(Continued)

***MS-DRG by Patient County of Residence
and Type of Care for 2010
Mendocino County***

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
689	KIDNEY & URINARY TRACT INFECTIONS WITH MCC	1	0.52	20
690	KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC	4	2.07	11
698	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH MCC	1	0.52	4.0
749	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITH CC/MCC	1	0.52	79
863	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC	1	0.52	9.0
872	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC	3	1.55	2.3
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	1	0.52	126
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	2	1.04	12
945	REHABILITATION WITH CC/MCC	10	5.18	22
946	REHABILITATION WITHOUT CC/MCC	6	3.11	11
947	SIGNS & SYMPTOMS WITH MCC	1	0.52	7.0
948	SIGNS & SYMPTOMS WITHOUT MCC	2	1.04	1.0
949	AFTERCARE WITH CC/MCC	7	3.63	13
950	AFTERCARE WITHOUT CC/MCC	3	1.55	8.0
951	OTHER FACTORS INFLUENCING HEALTH STATUS	1	0.52	4.0
All		193	100.0	12

**MDC by Patient County of Residence
for 2010
Mendocino County**

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	575	5.93	6.3
02	EYE, DISEASES & DISORDERS	5	0.05	2.0
03	EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS	89	0.92	4.4
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	907	9.35	5.2
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	1,147	11.82	4.2
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	809	8.34	4.7
07	HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS	358	3.69	4.2
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	1,303	13.43	4.1
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	290	2.99	3.8
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	283	2.92	3.6
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	306	3.15	4.2
12	MALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	46	0.47	2.0
13	FEMALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	194	2.00	2.6
14	PREGNANCY, CHILDBIRTH, & THE PUERPERIUM	1,112	11.46	2.3
15	NEWBORNS AND NEONATE CONDITIONS BEGAN IN PERINATAL PERIOD	1,112	11.46	2.7
16	BLOOD, BLOOD FORMING ORGANS, IMMUNOLOGICAL, DISEASES & DISORDERS	123	1.27	3.4
17	MYELOPROLIFERATIVE DISEASES & POORLY DIFFERENTIATED NEOPLASMS	74	0.76	8.4
18	INFECTIOUS & PARASITIC DISEASES	313	3.23	7.2
19	MENTAL DISEASES & DISORDERS	239	2.46	9.9
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	56	0.58	3.4
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	178	1.83	3.1
22	BURNS	12	0.12	6.6

(Continued)

*MDC by Patient County of Residence
for 2010
Mendocino County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	143	1.47	9.8
24	MULTIPLE SIGNFICANT TRAUMA	22	0.23	6.1
25	HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS	8	0.08	11
All		9,704	100.0	4.3

**MDC by Patient County of Residence
and Type of Care for 2010
Mendocino County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	552	5.97	6.1
02	EYE, DISEASES & DISORDERS	5	0.05	2.0
03	EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS	89	0.96	4.4
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	875	9.46	5.0
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	1,128	12.20	4.1
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	795	8.60	4.6
07	HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS	352	3.81	4.1
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	1,263	13.66	3.9
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	280	3.03	3.3
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	278	3.01	3.4
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	300	3.24	4.1
12	MALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	46	0.50	2.0
13	FEMALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	193	2.09	2.2
14	PREGNANCY, CHILDBIRTH, & THE PUERPERIUM	1,112	12.03	2.3
15	NEWBORNS AND NEONATE CONDITIONS BEGAN IN PERINATAL PERIOD	1,112	12.03	2.7
16	BLOOD, BLOOD FORMING ORGANS, IMMUNOLOGICAL, DISEASES & DISORDERS	123	1.33	3.4
17	MYELOPROLIFERATIVE DISEASES & POORLY DIFFERENTIATED NEOPLASMS	74	0.80	8.4
18	INFECTIOUS & PARASITIC DISEASES	309	3.34	7.3
19	MENTAL DISEASES & DISORDERS	23	0.25	3.6
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	48	0.52	2.8
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	178	1.93	3.1

(Continued)

***MDC by Patient County of Residence
and Type of Care for 2010
Mendocino County***

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
22	BURNS	12	0.13	6.6
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	69	0.75	3.5
24	MULTIPLE SIGNFICANT TRAUMA	22	0.24	6.1
25	HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS	8	0.09	11
All		9,246	100.0	4.0

***MDC by Patient County of Residence
and Type of Care for 2010
Mendocino County***

typcare1=Chemical Dependency Recovery Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	3	100.0	8.0
All		3	100.0	8.0

***MDC by Patient County of Residence
and Type of Care for 2010
Mendocino County***

typcare1=Physical Rehabilitation Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	44	100.0	17
All		44	100.0	17

***MDC by Patient County of Residence
and Type of Care for 2010
Mendocino County***

typcare1=Psychiatric Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
19	MENTAL DISEASES & DISORDERS	213	97.71	10
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	5	2.29	6.4
All		218	100.0	9.9

***MDC by Patient County of Residence
and Type of Care for 2010
Mendocino County***

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	23	11.92	11
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	32	16.58	9.0
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	19	9.84	11
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	14	7.25	8.1
07	HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS	6	3.11	9.7
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	40	20.73	9.6
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	10	5.18	19
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	5	2.59	16
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	6	3.11	11
13	FEMALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	1	0.52	79
18	INFECTIOUS & PARASITIC DISEASES	4	2.07	4.0
19	MENTAL DISEASES & DISORDERS	3	1.55	50
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	30	15.54	14
All		193	100.0	12