

**Type of Care by Patient County of Residence
for 2009
San Joaquin County**

	Number of Discharges	Percent of Subtotal	Average Length of Stay
Acute Care	72,017	94.94	4.3
Chemical Dependency Recovery Care	48	0.06	10
Physical Rehabilitation Care	248	0.33	16
Psychiatric Care	2,694	3.55	9.1
Skilled Nursing/Intermediate Care	847	1.12	28
All	75,854	100.0	4.8

***Disposition by Patient County of Residence
for 2009
San Joaquin County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	278	0.01	11
01 - Routine (Home)	3,004,054	75.38	3.6
02 - Acute Care within the admitting hospital	10,153	0.25	53
03 - Other Care with the admitting hospital	20,525	0.52	9.0
04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital	34,806	0.87	7.9
05 - Acute Care at another hospital	82,489	2.07	11
06 - Other Care (not SN/IC) at another hospital	35,667	0.89	9.8
07 - SN/IC at another facility	293,004	7.35	8.8
08 - Residential Care facility	35,985	0.90	10
09 - Prison/Jail	19,746	0.50	5.7
10 - Left Against Medical Advice	43,300	1.09	3.3
11 - Died	79,937	2.01	17
12 - Home Health Service	313,429	7.86	7.3
13 - Other	11,793	0.30	11
All	3,985,166	100.0	5.0

**Disposition by Patient County of Residence
and Type of Care for 2009
San Joaquin County**

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	2	0.00	6.5
01 - Routine (Home)	55,819	77.51	3.4
02 - Acute Care within the admitting hospital	4	0.01	.50
03 - Other Care with the admitting hospital	89	0.12	11
04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital	753	1.05	9.3
05 - Acute Care at another hospital	1,860	2.58	4.9
06 - Other Care (not SN/IC) at another hospital	449	0.62	8.5
07 - SN/IC at another facility	5,763	8.00	7.8
08 - Residential Care facility	296	0.41	7.6
09 - Prison/Jail	342	0.47	7.3
10 - Left Against Medical Advice	624	0.87	2.9
11 - Died	1,546	2.15	9.1
12 - Home Health Service	4,262	5.92	7.5
13 - Other	208	0.29	8.1
All	72,017	100.0	4.3

***Disposition by Patient County of Residence
and Type of Care for 2009
San Joaquin County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	45	93.75	11
08 - Residential Care facility	1	2.08	4.0
10 - Left Against Medical Advice	2	4.17	1.0
All	48	100.0	10

***Disposition by Patient County of Residence
and Type of Care for 2009
San Joaquin County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	140	56.45	16
02 - Acute Care within the admitting hospital	21	8.47	17
04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital	1	0.40	9.0
05 - Acute Care at another hospital	12	4.84	10
06 - Other Care (not SN/IC) at another hospital	2	0.81	19
07 - SN/IC at another facility	17	6.85	16
08 - Residential Care facility	4	1.61	12
12 - Home Health Service	51	20.56	18
All	248	100.0	16

***Disposition by Patient County of Residence
and Type of Care for 2009
San Joaquin County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	11	0.41	9.9
01 - Routine (Home)	2,244	83.30	8.3
02 - Acute Care within the admitting hospital	5	0.19	4.8
03 - Other Care with the admitting hospital	1	0.04	3.0
04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital	1	0.04	10
05 - Acute Care at another hospital	50	1.86	6.3
06 - Other Care (not SN/IC) at another hospital	15	0.56	7.1
07 - SN/IC at another facility	43	1.60	17
08 - Residential Care facility	282	10.47	14
09 - Prison/Jail	15	0.56	5.9
10 - Left Against Medical Advice	15	0.56	3.1
11 - Died	1	0.04	8.0
12 - Home Health Service	6	0.22	23
13 - Other	5	0.19	27
All	2,694	100.0	9.1

***Disposition by Patient County of Residence
and Type of Care for 2009
San Joaquin County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	131	15.47	18
02 - Acute Care within the admitting hospital	124	14.64	36
03 - Other Care with the admitting hospital	3	0.35	88
04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital	1	0.12	11
05 - Acute Care at another hospital	23	2.72	122
06 - Other Care (not SN/IC) at another hospital	3	0.35	292
07 - SN/IC at another facility	188	22.20	25
08 - Residential Care facility	12	1.42	8.8
11 - Died	107	12.63	39
12 - Home Health Service	251	29.63	15
13 - Other	4	0.47	13
All	847	100.0	28

***Gender by Patient County of Residence
for 2009
San Joaquin County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	30,826	40.64	5.2
2 - Female	45,023	59.35	4.4
3 - Other	1	0.00	.00
4 - Unknown	4	0.01	2.0
All	75,854	100.0	4.8

***Gender by Patient County of Residence
and Type of Care for 2009
San Joaquin County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	28,976	40.23	4.8
2 - Female	43,036	59.76	4.0
3 - Other	1	0.00	.00
4 - Unknown	4	0.01	2.0
All	72,017	100.0	4.3

***Gender by Patient County of Residence
and Type of Care for 2009
San Joaquin County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	34	70.83	12
2 - Female	14	29.17	7.6
All	48	100.0	10

***Gender by Patient County of Residence
and Type of Care for 2009
San Joaquin County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	138	55.65	16
2 - Female	110	44.35	17
All	248	100.0	16

***Gender by Patient County of Residence
and Type of Care for 2009
San Joaquin County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	1,308	48.55	8.5
2 - Female	1,386	51.45	9.6
All	2,694	100.0	9.1

***Gender by Patient County of Residence
and Type of Care for 2009
San Joaquin County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	370	43.68	25
2 - Female	477	56.32	30
All	847	100.0	28

***Expected Payer by Patient County of Residence
for 2009
San Joaquin County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	1	0.00	1.0
01 - Medicare	22,869	30.15	6.0
02 - Medi-Cal	21,027	27.72	4.2
03 - Private Coverage	24,634	32.48	3.7
04 - Workers' Compensatio	432	0.57	5.4
05 - County Indigent Prog	1,455	1.92	10
06 - Other Government	1,410	1.86	6.7
07 - Other Indigent	139	0.18	4.2
08 - Self-Pay	3,826	5.04	4.5
09 - Other Payer	61	0.08	6.5
All	75,854	100.0	4.8

***Expected Payer by Patient County of Residence
and Type of Care for 2009
San Joaquin County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	1	0.00	1.0
01 - Medicare	21,427	29.75	5.3
02 - Medi-Cal	20,835	28.93	4.0
03 - Private Coverage	23,572	32.73	3.5
04 - Workers' Compensatio	419	0.58	3.7
05 - County Indigent Prog	533	0.74	4.1
06 - Other Government	1,362	1.89	6.4
07 - Other Indigent	137	0.19	3.6
08 - Self-Pay	3,673	5.10	4.4
09 - Other Payer	58	0.08	6.7
All	72,017	100.0	4.3

***Expected Payer by Patient County of Residence
and Type of Care for 2009
San Joaquin County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	5	10.42	5.4
03 - Private Coverage	40	83.33	11
06 - Other Government	3	6.25	10
All	48	100.0	10

***Expected Payer by Patient County of Residence
and Type of Care for 2009
San Joaquin County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	82	33.06	14
02 - Medi-Cal	56	22.58	18
03 - Private Coverage	78	31.45	16
04 - Workers' Compensatio	8	3.23	17
06 - Other Government	15	6.05	21
08 - Self-Pay	9	3.63	19
All	248	100.0	16

***Expected Payer by Patient County of Residence
and Type of Care for 2009
San Joaquin County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	600	22.27	8.6
02 - Medi-Cal	98	3.64	10
03 - Private Coverage	896	33.26	5.5
04 - Workers' Compensatio	3	0.11	4.0
05 - County Indigent Prog	922	34.22	13
06 - Other Government	30	1.11	10
08 - Self-Pay	142	5.27	4.8
09 - Other Payer	3	0.11	4.0
All	2,694	100.0	9.1

***Expected Payer by Patient County of Residence
and Type of Care for 2009
San Joaquin County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	755	89.14	22
02 - Medi-Cal	38	4.49	113
03 - Private Coverage	48	5.67	40
04 - Workers' Compensatio	2	0.24	332
07 - Other Indigent	2	0.24	43
08 - Self-Pay	2	0.24	36
All	847	100.0	28

***Race Group by Patient County of Residence
for 2009
San Joaquin County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	479	0.63	6.9
1 - White	36,417	48.01	5.1
2 - Black	7,341	9.68	5.4
3 - Hispanic	22,050	29.07	4.1
4 - Asian/Pacific Islander	7,014	9.25	4.4
5 - Native American/Eskimo/Ale	209	0.28	4.6
6 - Other	2,344	3.09	4.7
All	75,854	100.0	4.8

***Race Group by Patient County of Residence
and Type of Care for 2009
San Joaquin County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	455	0.63	6.8
1 - White	34,156	47.43	4.5
2 - Black	6,859	9.52	4.9
3 - Hispanic	21,289	29.56	3.8
4 - Asian/Pacific Islander	6,790	9.43	4.1
5 - Native American/Eskimo/Ale	188	0.26	4.6
6 - Other	2,280	3.17	4.5
All	72,017	100.0	4.3

***Race Group by Patient County of Residence
and Type of Care for 2009
San Joaquin County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	4	8.33	12
1 - White	39	81.25	11
2 - Black	1	2.08	9.0
3 - Hispanic	3	6.25	3.7
6 - Other	1	2.08	17
All	48	100.0	10

***Race Group by Patient County of Residence
and Type of Care for 2009
San Joaquin County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	2	0.81	15
1 - White	145	58.47	16
2 - Black	25	10.08	13
3 - Hispanic	42	16.94	19
4 - Asian/Pacific Islander	22	8.87	12
6 - Other	12	4.84	21
All	248	100.0	16

***Race Group by Patient County of Residence
and Type of Care for 2009
San Joaquin County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	18	0.67	7.1
1 - White	1,497	55.57	9.2
2 - Black	373	13.85	10
3 - Hispanic	590	21.90	8.1
4 - Asian/Pacific Islander	161	5.98	9.6
5 - Native American/Eskimo/Ale	17	0.63	4.7
6 - Other	38	1.41	6.4
All	2,694	100.0	9.1

***Race Group by Patient County of Residence
and Type of Care for 2009
San Joaquin County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - White	580	68.48	29
2 - Black	83	9.80	18
3 - Hispanic	126	14.88	28
4 - Asian/Pacific Islander	41	4.84	24
5 - Native American/Eskimo/Ale	4	0.47	7.0
6 - Other	13	1.53	30
All	847	100.0	28

**Source of Admission by Patient County of Residence
for 2009
San Joaquin County**

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Invalid	5	0.01	2.6
1 - Home	57,056	75.22	4.3
2 - Residential Care Facility	680	0.90	9.8
3 - Ambulatory Surgery	283	0.37	4.1
4 - Skilled Nursing/Intermedia	2,115	2.79	8.3
5 - Acute Inpatient Hospital C	3,162	4.17	14
6 - Other Inpatient Hospital C	332	0.44	11
7 - Newborn (born in admitting	10,746	14.17	3.3
8 - Prison/Jail	461	0.61	7.4
9 - Other	1,014	1.34	6.2
All	75,854	100.0	4.8

**Source of Admission by Patient County of Residence
and Type of Care for 2009
San Joaquin County**

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Invalid	5	0.01	2.6
1 - Home	54,654	75.89	4.1
2 - Residential Care Facility	557	0.77	8.2
3 - Ambulatory Surgery	283	0.39	4.1
4 - Skilled Nursing/Intermedia	2,078	2.89	7.9
5 - Acute Inpatient Hospital C	1,969	2.73	9.6
6 - Other Inpatient Hospital C	311	0.43	6.2
7 - Newborn (born in admitting	10,746	14.92	3.3
8 - Prison/Jail	432	0.60	7.2
9 - Other	982	1.36	5.5
All	72,017	100.0	4.3

*Source of Admission by Patient County of Residence
and Type of Care for 2009
San Joaquin County*

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	48	100.0	10
All	48	100.0	10

**Source of Admission by Patient County of Residence
and Type of Care for 2009
San Joaquin County**

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	12	4.84	7.9
2 - Residential Care Facility	1	0.40	5.0
4 - Skilled Nursing/Intermedia	3	1.21	26
5 - Acute Inpatient Hospital C	226	91.13	17
6 - Other Inpatient Hospital C	6	2.42	19
All	248	100.0	16

**Source of Admission by Patient County of Residence
and Type of Care for 2009
San Joaquin County**

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	2,334	86.64	8.7
2 - Residential Care Facility	122	4.53	17
4 - Skilled Nursing/Intermedia	29	1.08	12
5 - Acute Inpatient Hospital C	148	5.49	7.1
6 - Other Inpatient Hospital C	3	0.11	4.3
8 - Prison/Jail	29	1.08	9.4
9 - Other	29	1.08	11
All	2,694	100.0	9.1

**Source of Admission by Patient County of Residence
and Type of Care for 2009
San Joaquin County**

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	8	0.94	27
4 - Skilled Nursing/Intermedia	5	0.59	129
5 - Acute Inpatient Hospital C	819	96.69	25
6 - Other Inpatient Hospital C	12	1.42	130
9 - Other	3	0.35	163
All	847	100.0	28

*MS-DRG by Patient County of Residence
for 2009
San Joaquin County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
001	HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM WITH MCC	6	0.01	49
002	HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM WITHOUT MCC	3	0.00	14
003	ECMO OR TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITH MAJOR O.R.	91	0.12	51
004	TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITHOUT MAJOR O.R.	97	0.13	43
005	LIVER TRANSPLANT WITH MCC OR INTESTINAL TRANSPLANT	7	0.01	21
006	LIVER TRANSPLANT WITHOUT MCC	3	0.00	16
007	LUNG TRANSPLANT	4	0.01	16
009	BONE MARROW TRANSPLANT	12	0.02	31
011	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH MCC	5	0.01	13
012	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH CC	11	0.01	10
013	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITHOUT CC/MCC	10	0.01	7.3
020	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH MCC	12	0.02	25
021	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH CC	7	0.01	22
022	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITHOUT CC/MCC	6	0.01	12
023	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITH MCC OR CHEMO IMPLANT	18	0.02	18
024	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITHOUT MCC	8	0.01	9.6
025	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH MCC	69	0.09	14
026	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH CC	76	0.10	7.9
027	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITHOUT CC/MCC	90	0.12	4.0
028	SPINAL PROCEDURES WITH MCC	10	0.01	11

(Continued)

*MS-DRG by Patient County of Residence
for 2009
San Joaquin County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
029	SPINAL PROCEDURES WITH CC OR SPINAL NEUROSTIMULATORS	25	0.03	7.6
030	SPINAL PROCEDURES WITHOUT CC/MCC	22	0.03	5.5
031	VENTRICULAR SHUNT PROCEDURES WITH MCC	13	0.02	9.1
032	VENTRICULAR SHUNT PROCEDURES WITH CC	20	0.03	4.0
033	VENTRICULAR SHUNT PROCEDURES WITHOUT CC/MCC	17	0.02	3.8
034	CAROTID ARTERY STENT PROCEDURE WITH MCC	3	0.00	2.3
035	CAROTID ARTERY STENT PROCEDURE WITH CC	5	0.01	1.8
036	CAROTID ARTERY STENT PROCEDURE WITHOUT CC/MCC	10	0.01	1.1
037	EXTRACRANIAL PROCEDURES WITH MCC	11	0.01	6.3
038	EXTRACRANIAL PROCEDURES WITH CC	43	0.06	2.6
039	EXTRACRANIAL PROCEDURES WITHOUT CC/MCC	144	0.19	1.4
040	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH MCC	14	0.02	11
041	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH CC OR PERIPH NEUROSTIM	29	0.04	8.8
042	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITHOUT CC/MCC	17	0.02	3.3
052	SPINAL DISORDERS & INJURIES WITH CC/MCC	9	0.01	24
053	SPINAL DISORDERS & INJURIES WITHOUT CC/MCC	1	0.00	10
054	NERVOUS SYSTEM NEOPLASMS WITH MCC	19	0.03	5.3
055	NERVOUS SYSTEM NEOPLASMS WITHOUT MCC	62	0.08	4.3
056	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC	22	0.03	8.2
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	240	0.32	11
058	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH MCC	4	0.01	7.0
059	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH CC	8	0.01	4.1

(Continued)

*MS-DRG by Patient County of Residence
for 2009
San Joaquin County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
060	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITHOUT CC/MCC	18	0.02	3.7
061	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH MCC	1	0.00	13
062	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH CC	13	0.02	6.4
063	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITHOUT CC/MCC	5	0.01	3.8
064	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC	224	0.30	8.1
065	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC	411	0.54	5.2
066	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC	225	0.30	2.9
067	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITH MCC	3	0.00	8.3
068	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITHOUT MCC	27	0.04	3.6
069	TRANSIENT ISCHEMIA	256	0.34	2.5
070	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH MCC	25	0.03	9.3
071	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH CC	27	0.04	5.8
072	NONSPECIFIC CEREBROVASCULAR DISORDERS WITHOUT CC/MCC	10	0.01	4.5
073	CRANIAL & PERIPHERAL NERVE DISORDERS WITH MCC	32	0.04	6.4
074	CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC	133	0.18	3.5
075	VIRAL MENINGITIS WITH CC/MCC	16	0.02	9.2
076	VIRAL MENINGITIS WITHOUT CC/MCC	52	0.07	3.1
077	HYPERTENSIVE ENCEPHALOPATHY WITH MCC	4	0.01	4.3
078	HYPERTENSIVE ENCEPHALOPATHY WITH CC	2	0.00	7.5
079	HYPERTENSIVE ENCEPHALOPATHY WITHOUT CC/MCC	2	0.00	1.5
080	NONTRAUMATIC STUPOR & COMA WITH MCC	31	0.04	54
081	NONTRAUMATIC STUPOR & COMA WITHOUT MCC	101	0.13	3.2

(Continued)

*MS-DRG by Patient County of Residence
for 2009
San Joaquin County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
082	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH MCC	16	0.02	7.6
083	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH CC	13	0.02	6.7
084	TRAUMATIC STUPOR & COMA, COMA >1 HR WITHOUT CC/MCC	22	0.03	3.2
085	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH MCC	41	0.05	8.4
086	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH CC	50	0.07	3.8
087	TRAUMATIC STUPOR & COMA, COMA <1 HR WITHOUT CC/MCC	133	0.18	2.2
088	CONCUSSION WITH MCC	5	0.01	5.4
089	CONCUSSION WITH CC	14	0.02	2.1
090	CONCUSSION WITHOUT CC/MCC	34	0.04	1.3
091	OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC	30	0.04	6.3
092	OTHER DISORDERS OF NERVOUS SYSTEM WITH CC	65	0.09	4.3
093	OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC	78	0.10	9.3
094	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH MCC	17	0.02	12
095	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH CC	14	0.02	9.4
096	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITHOUT CC/MCC	16	0.02	4.8
097	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH MCC	9	0.01	16
098	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH CC	11	0.01	15
099	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITHOUT CC/MCC	8	0.01	2.5
100	SEIZURES WITH MCC	89	0.12	5.9
101	SEIZURES WITHOUT MCC	343	0.45	2.8
102	HEADACHES WITH MCC	6	0.01	5.0
103	HEADACHES WITHOUT MCC	94	0.12	2.5

(Continued)

*MS-DRG by Patient County of Residence
for 2009
San Joaquin County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
113	ORBITAL PROCEDURES WITH CC/MCC	6	0.01	5.7
114	ORBITAL PROCEDURES WITHOUT CC/MCC	5	0.01	6.2
115	EXTRAOCULAR PROCEDURES EXCEPT ORBIT	4	0.01	3.0
116	INTRAOCULAR PROCEDURES WITH CC/MCC	2	0.00	5.5
117	INTRAOCULAR PROCEDURES WITHOUT CC/MCC	3	0.00	1.3
121	ACUTE MAJOR EYE INFECTIONS WITH CC/MCC	4	0.01	3.0
122	ACUTE MAJOR EYE INFECTIONS WITHOUT CC/MCC	9	0.01	3.7
123	NEUROLOGICAL EYE DISORDERS	12	0.02	2.3
124	OTHER DISORDERS OF THE EYE WITH MCC	5	0.01	4.8
125	OTHER DISORDERS OF THE EYE WITHOUT MCC	36	0.05	3.7
129	MAJOR HEAD & NECK PROCEDURES WITH CC/MCC OR MAJOR DEVICE	5	0.01	2.8
130	MAJOR HEAD & NECK PROCEDURES WITHOUT CC/MCC	3	0.00	4.7
131	CRANIAL/FACIAL PROCEDURES WITH CC/MCC	19	0.03	7.8
132	CRANIAL/FACIAL PROCEDURES WITHOUT CC/MCC	38	0.05	1.6
133	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITH CC/MCC	26	0.03	2.8
134	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITHOUT CC/MCC	114	0.15	1.8
135	SINUS & MASTOID PROCEDURES WITH CC/MCC	4	0.01	7.5
136	SINUS & MASTOID PROCEDURES WITHOUT CC/MCC	2	0.00	1.5
137	MOUTH PROCEDURES WITH CC/MCC	10	0.01	2.7
138	MOUTH PROCEDURES WITHOUT CC/MCC	9	0.01	1.8
139	SALIVARY GLAND PROCEDURES	13	0.02	1.4
146	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH MCC	6	0.01	8.7

(Continued)

*MS-DRG by Patient County of Residence
for 2009
San Joaquin County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
147	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH CC	4	0.01	3.8
148	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITHOUT CC/MCC	6	0.01	2.2
149	DYSEQUILIBRIUM	78	0.10	2.4
150	EPISTAXIS WITH MCC	3	0.00	1.3
151	EPISTAXIS WITHOUT MCC	19	0.03	2.6
152	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITH MCC	27	0.04	6.1
153	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITHOUT MCC	244	0.32	2.5
154	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH MCC	10	0.01	9.6
155	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH CC	17	0.02	2.9
156	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITHOUT CC/MCC	32	0.04	2.1
157	DENTAL & ORAL DISEASES WITH MCC	14	0.02	11
158	DENTAL & ORAL DISEASES WITH CC	40	0.05	3.8
159	DENTAL & ORAL DISEASES WITHOUT CC/MCC	37	0.05	2.6
163	MAJOR CHEST PROCEDURES WITH MCC	67	0.09	16
164	MAJOR CHEST PROCEDURES WITH CC	64	0.08	8.0
165	MAJOR CHEST PROCEDURES WITHOUT CC/MCC	56	0.07	4.8
166	OTHER RESP SYSTEM O.R. PROCEDURES WITH MCC	62	0.08	15
167	OTHER RESP SYSTEM O.R. PROCEDURES WITH CC	56	0.07	8.2
168	OTHER RESP SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	29	0.04	4.7
175	PULMONARY EMBOLISM WITH MCC	46	0.06	8.3
176	PULMONARY EMBOLISM WITHOUT MCC	161	0.21	5.5
177	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC	201	0.26	9.3

(Continued)

*MS-DRG by Patient County of Residence
for 2009
San Joaquin County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
178	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC	217	0.29	9.6
179	RESPIRATORY INFECTIONS & INFLAMMATIONS WITHOUT CC/MCC	90	0.12	7.3
180	RESPIRATORY NEOPLASMS WITH MCC	67	0.09	7.4
181	RESPIRATORY NEOPLASMS WITH CC	111	0.15	5.3
182	RESPIRATORY NEOPLASMS WITHOUT CC/MCC	21	0.03	4.0
183	MAJOR CHEST TRAUMA WITH MCC	11	0.01	3.6
184	MAJOR CHEST TRAUMA WITH CC	29	0.04	3.5
185	MAJOR CHEST TRAUMA WITHOUT CC/MCC	9	0.01	3.0
186	PLEURAL EFFUSION WITH MCC	37	0.05	7.3
187	PLEURAL EFFUSION WITH CC	37	0.05	6.2
188	PLEURAL EFFUSION WITHOUT CC/MCC	9	0.01	3.7
189	PULMONARY EDEMA & RESPIRATORY FAILURE	224	0.30	11
190	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC	395	0.52	5.6
191	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC	451	0.59	4.9
192	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC	492	0.65	3.4
193	SIMPLE PNEUMONIA & PLEURISY WITH MCC	394	0.52	7.0
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	919	1.21	4.8
195	SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC	728	0.96	3.2
196	INTERSTITIAL LUNG DISEASE WITH MCC	26	0.03	5.8
197	INTERSTITIAL LUNG DISEASE WITH CC	23	0.03	5.9
198	INTERSTITIAL LUNG DISEASE WITHOUT CC/MCC	10	0.01	8.3
199	PNEUMOTHORAX WITH MCC	12	0.02	10

(Continued)

*MS-DRG by Patient County of Residence
for 2009
San Joaquin County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
200	PNEUMOTHORAX WITH CC	56	0.07	4.1
201	PNEUMOTHORAX WITHOUT CC/MCC	30	0.04	4.0
202	BRONCHITIS & ASTHMA WITH CC/MCC	303	0.40	3.6
203	BRONCHITIS & ASTHMA WITHOUT CC/MCC	687	0.91	2.4
204	RESPIRATORY SIGNS & SYMPTOMS	153	0.20	2.7
205	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITH MCC	28	0.04	6.4
206	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITHOUT MCC	93	0.12	3.7
207	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS	208	0.27	27
208	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS	296	0.39	6.9
216	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH MCC	31	0.04	18
217	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH CC	19	0.03	12
218	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITHOUT CC/MCC	5	0.01	13
219	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH MCC	65	0.09	15
220	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH CC	82	0.11	7.8
221	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITHOUT CC/MCC	39	0.05	6.1
222	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITH MCC	9	0.01	18
223	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITHOUT MCC	7	0.01	14
224	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITH MCC	13	0.02	14
225	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITHOUT MCC	7	0.01	5.7
226	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITH MCC	35	0.05	5.5
227	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITHOUT MCC	82	0.11	3.0
228	OTHER CARDIOTHORACIC PROCEDURES WITH MCC	15	0.02	20

(Continued)

*MS-DRG by Patient County of Residence
for 2009
San Joaquin County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
229	OTHER CARDIOTHORACIC PROCEDURES WITH CC	32	0.04	8.7
230	OTHER CARDIOTHORACIC PROCEDURES WITHOUT CC/MCC	9	0.01	4.2
231	CORONARY BYPASS WITH PTCA WITH MCC	5	0.01	23
232	CORONARY BYPASS WITH PTCA WITHOUT MCC	3	0.00	11
233	CORONARY BYPASS WITH CARDIAC CATH WITH MCC	53	0.07	15
234	CORONARY BYPASS WITH CARDIAC CATH WITHOUT MCC	160	0.21	8.2
235	CORONARY BYPASS WITHOUT CARDIAC CATH WITH MCC	31	0.04	12
236	CORONARY BYPASS WITHOUT CARDIAC CATH WITHOUT MCC	149	0.20	6.0
237	MAJOR CARDIOVASC PROCEDURES WITH MCC OR THORACIC AORTIC ANEURYSM REPAIR	70	0.09	21
238	MAJOR CARDIOVASC PROCEDURES WITHOUT MCC	106	0.14	4.7
239	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH MCC	34	0.04	18
240	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH CC	33	0.04	8.8
241	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITHOUT CC/MCC	2	0.00	7.5
242	PERMANENT CARDIAC PACEMAKER IMPLANT WITH MCC	42	0.06	6.7
243	PERMANENT CARDIAC PACEMAKER IMPLANT WITH CC	101	0.13	4.1
244	PERMANENT CARDIAC PACEMAKER IMPLANT WITHOUT CC/MCC	107	0.14	2.6
245	AICD GENERATOR PROCEDURES	11	0.01	.73
246	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITH MCC OR 4+ VESSELS/STENTS	54	0.07	3.9
247	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITHOUT MCC	412	0.54	2.0
248	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITH MCC OR 4+ VES/STENTS	42	0.06	4.2
249	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITHOUT MCC	191	0.25	2.3
250	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITH MCC	23	0.03	7.8

(Continued)

*MS-DRG by Patient County of Residence
for 2009
San Joaquin County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
251	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITHOUT MCC	117	0.15	1.7
252	OTHER VASCULAR PROCEDURES WITH MCC	84	0.11	9.4
253	OTHER VASCULAR PROCEDURES WITH CC	143	0.19	4.2
254	OTHER VASCULAR PROCEDURES WITHOUT CC/MCC	171	0.23	1.9
255	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH MCC	5	0.01	12
256	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH CC	21	0.03	6.0
257	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITHOUT CC/MCC	3	0.00	1.3
258	CARDIAC PACEMAKER DEVICE REPLACEMENT WITH MCC	2	0.00	5.5
259	CARDIAC PACEMAKER DEVICE REPLACEMENT WITHOUT MCC	15	0.02	1.6
260	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH MCC	4	0.01	4.0
261	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH CC	13	0.02	4.2
262	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITHOUT CC/MCC	10	0.01	1.7
263	VEIN LIGATION & STRIPPING	3	0.00	4.7
264	OTHER CIRCULATORY SYSTEM O.R. PROCEDURES	52	0.07	10
265	AICD LEAD PROCEDURES	6	0.01	3.0
280	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH MCC	180	0.24	6.1
281	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH CC	162	0.21	3.8
282	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITHOUT CC/MCC	256	0.34	2.4
283	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH MCC	28	0.04	3.9
284	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH CC	8	0.01	1.8
285	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITHOUT CC/MCC	4	0.01	2.5
286	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITH MCC	84	0.11	7.7

(Continued)

*MS-DRG by Patient County of Residence
for 2009
San Joaquin County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
287	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITHOUT MCC	474	0.62	3.1
288	ACUTE & SUBACUTE ENDOCARDITIS WITH MCC	16	0.02	12
289	ACUTE & SUBACUTE ENDOCARDITIS WITH CC	11	0.01	11
290	ACUTE & SUBACUTE ENDOCARDITIS WITHOUT CC/MCC	2	0.00	4.0
291	HEART FAILURE & SHOCK WITH MCC	551	0.73	6.5
292	HEART FAILURE & SHOCK WITH CC	644	0.85	4.6
293	HEART FAILURE & SHOCK WITHOUT CC/MCC	414	0.55	3.3
294	DEEP VEIN THROMBOPHLEBITIS WITH CC/MCC	6	0.01	10
295	DEEP VEIN THROMBOPHLEBITIS WITHOUT CC/MCC	2	0.00	3.0
296	CARDIAC ARREST, UNEXPLAINED WITH MCC	5	0.01	2.6
297	CARDIAC ARREST, UNEXPLAINED WITH CC	2	0.00	.50
298	CARDIAC ARREST, UNEXPLAINED WITHOUT CC/MCC	1	0.00	1.0
299	PERIPHERAL VASCULAR DISORDERS WITH MCC	73	0.10	7.2
300	PERIPHERAL VASCULAR DISORDERS WITH CC	185	0.24	5.3
301	PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC	89	0.12	3.3
302	ATHEROSCLEROSIS WITH MCC	16	0.02	3.3
303	ATHEROSCLEROSIS WITHOUT MCC	177	0.23	2.4
304	HYPERTENSION WITH MCC	13	0.02	6.0
305	HYPERTENSION WITHOUT MCC	123	0.16	3.5
306	CARDIAC CONGENITAL & VALVULAR DISORDERS WITH MCC	14	0.02	5.9
307	CARDIAC CONGENITAL & VALVULAR DISORDERS WITHOUT MCC	30	0.04	3.3
308	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH MCC	145	0.19	4.8

(Continued)

*MS-DRG by Patient County of Residence
for 2009
San Joaquin County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
309	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC	274	0.36	3.7
310	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITHOUT CC/MCC	442	0.58	2.4
311	ANGINA PECTORIS	108	0.14	2.0
312	SYNCOPE & COLLAPSE	428	0.56	2.4
313	CHEST PAIN	1,052	1.39	1.8
314	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC	192	0.25	8.2
315	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC	131	0.17	5.2
316	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITHOUT CC/MCC	60	0.08	3.0
326	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH MCC	55	0.07	21
327	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH CC	63	0.08	8.7
328	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITHOUT CC/MCC	88	0.12	3.6
329	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	166	0.22	18
330	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH CC	223	0.29	9.1
331	MAJOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	132	0.17	6.0
332	RECTAL RESECTION WITH MCC	6	0.01	24
333	RECTAL RESECTION WITH CC	19	0.03	7.8
334	RECTAL RESECTION WITHOUT CC/MCC	17	0.02	5.9
335	PERITONEAL ADHESIOLYSIS WITH MCC	12	0.02	17
336	PERITONEAL ADHESIOLYSIS WITH CC	40	0.05	7.8
337	PERITONEAL ADHESIOLYSIS WITHOUT CC/MCC	53	0.07	5.2
338	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	7	0.01	7.3
339	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	56	0.07	7.0

(Continued)

*MS-DRG by Patient County of Residence
for 2009
San Joaquin County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
340	APPENECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	150	0.20	4.3
341	APPENECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	11	0.01	4.1
342	APPENECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	38	0.05	2.6
343	APPENECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	544	0.72	1.8
344	MINOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	4	0.01	8.5
345	MINOR SMALL & LARGE BOWEL PROCEDURES WITH CC	14	0.02	6.0
346	MINOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	37	0.05	5.2
347	ANAL & STOMAL PROCEDURES WITH MCC	6	0.01	8.2
348	ANAL & STOMAL PROCEDURES WITH CC	41	0.05	5.3
349	ANAL & STOMAL PROCEDURES WITHOUT CC/MCC	47	0.06	3.5
350	INGUINAL & FEMORAL HERNIA PROCEDURES WITH MCC	9	0.01	5.9
351	INGUINAL & FEMORAL HERNIA PROCEDURES WITH CC	12	0.02	3.3
352	INGUINAL & FEMORAL HERNIA PROCEDURES WITHOUT CC/MCC	48	0.06	2.1
353	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH MCC	10	0.01	10
354	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH CC	52	0.07	4.6
355	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITHOUT CC/MCC	84	0.11	2.5
356	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH MCC	34	0.04	12
357	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH CC	42	0.06	6.1
358	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	23	0.03	3.6
368	MAJOR ESOPHAGEAL DISORDERS WITH MCC	9	0.01	6.8
369	MAJOR ESOPHAGEAL DISORDERS WITH CC	24	0.03	4.2
370	MAJOR ESOPHAGEAL DISORDERS WITHOUT CC/MCC	12	0.02	2.7

(Continued)

*MS-DRG by Patient County of Residence
for 2009
San Joaquin County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
371	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH MCC	92	0.12	9.1
372	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH CC	136	0.18	7.6
373	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITHOUT CC/MCC	71	0.09	5.4
374	DIGESTIVE MALIGNANCY WITH MCC	31	0.04	7.9
375	DIGESTIVE MALIGNANCY WITH CC	73	0.10	5.9
376	DIGESTIVE MALIGNANCY WITHOUT CC/MCC	18	0.02	3.1
377	G.I. HEMORRHAGE WITH MCC	176	0.23	5.6
378	G.I. HEMORRHAGE WITH CC	481	0.63	3.6
379	G.I. HEMORRHAGE WITHOUT CC/MCC	245	0.32	2.4
380	COMPLICATED PEPTIC ULCER WITH MCC	12	0.02	5.8
381	COMPLICATED PEPTIC ULCER WITH CC	28	0.04	5.3
382	COMPLICATED PEPTIC ULCER WITHOUT CC/MCC	14	0.02	5.5
383	UNCOMPLICATED PEPTIC ULCER WITH MCC	2	0.00	9.5
384	UNCOMPLICATED PEPTIC ULCER WITHOUT MCC	22	0.03	3.0
385	INFLAMMATORY BOWEL DISEASE WITH MCC	14	0.02	11
386	INFLAMMATORY BOWEL DISEASE WITH CC	64	0.08	6.0
387	INFLAMMATORY BOWEL DISEASE WITHOUT CC/MCC	56	0.07	4.0
388	G.I. OBSTRUCTION WITH MCC	63	0.08	6.6
389	G.I. OBSTRUCTION WITH CC	153	0.20	4.9
390	G.I. OBSTRUCTION WITHOUT CC/MCC	251	0.33	3.1
391	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITH MCC	187	0.25	4.7
392	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC	1,308	1.72	3.1

(Continued)

*MS-DRG by Patient County of Residence
for 2009
San Joaquin County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
393	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH MCC	98	0.13	8.7
394	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH CC	200	0.26	4.6
395	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	157	0.21	2.8
405	PANCREAS, LIVER & SHUNT PROCEDURES WITH MCC	25	0.03	22
406	PANCREAS, LIVER & SHUNT PROCEDURES WITH CC	19	0.03	9.7
407	PANCREAS, LIVER & SHUNT PROCEDURES WITHOUT CC/MCC	14	0.02	3.2
408	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH MCC	4	0.01	12
409	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH CC	11	0.01	11
410	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	3	0.00	7.0
411	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH MCC	5	0.01	8.8
412	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH CC	8	0.01	7.5
413	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITHOUT CC/MCC	6	0.01	4.5
414	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH MCC	20	0.03	12
415	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH CC	31	0.04	8.9
416	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	32	0.04	4.9
417	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH MCC	128	0.17	6.2
418	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH CC	203	0.27	4.4
419	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	520	0.69	2.4
420	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH MCC	3	0.00	11
421	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH CC	4	0.01	13

(Continued)

*MS-DRG by Patient County of Residence
for 2009
San Joaquin County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
422	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITHOUT CC/MCC	2	0.00	1.0
423	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH MCC	5	0.01	5.4
424	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH CC	4	0.01	7.8
425	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITHOUT CC/MCC	1	0.00	7.0
432	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH MCC	105	0.14	6.0
433	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH CC	58	0.08	3.3
434	CIRRHOSIS & ALCOHOLIC HEPATITIS WITHOUT CC/MCC	6	0.01	2.7
435	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITH MCC	63	0.08	6.5
436	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITH CC	50	0.07	4.5
437	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITHOUT CC/MCC	14	0.02	3.4
438	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH MCC	106	0.14	8.9
439	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH CC	226	0.30	5.6
440	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITHOUT CC/MCC	268	0.35	3.7
441	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH MCC	158	0.21	7.0
442	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH CC	131	0.17	4.9
443	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITHOUT CC/MCC	67	0.09	3.1
444	DISORDERS OF THE BILIARY TRACT WITH MCC	48	0.06	5.4
445	DISORDERS OF THE BILIARY TRACT WITH CC	60	0.08	3.9
446	DISORDERS OF THE BILIARY TRACT WITHOUT CC/MCC	77	0.10	2.7
453	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH MCC	20	0.03	18
454	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH CC	31	0.04	7.1
455	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITHOUT CC/MCC	49	0.06	4.6

(Continued)

*MS-DRG by Patient County of Residence
for 2009
San Joaquin County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
456	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH MCC	5	0.01	17
457	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH CC	16	0.02	6.9
458	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITHOUT CC/MCC	16	0.02	5.5
459	SPINAL FUSION EXCEPT CERVICAL WITH MCC	8	0.01	6.4
460	SPINAL FUSION EXCEPT CERVICAL WITHOUT MCC	238	0.31	4.4
461	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITH MCC	4	0.01	21
462	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITHOUT MCC	33	0.04	4.3
463	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH MCC	16	0.02	13
464	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH CC	30	0.04	14
465	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITHOUT CC/MCC	13	0.02	3.7
466	REVISION OF HIP OR KNEE REPLACEMENT WITH MCC	12	0.02	6.8
467	REVISION OF HIP OR KNEE REPLACEMENT WITH CC	38	0.05	4.4
468	REVISION OF HIP OR KNEE REPLACEMENT WITHOUT CC/MCC	58	0.08	3.4
469	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITH MCC	63	0.08	7.4
470	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITHOUT MCC	1,284	1.69	3.6
471	CERVICAL SPINAL FUSION WITH MCC	15	0.02	7.1
472	CERVICAL SPINAL FUSION WITH CC	39	0.05	2.8
473	CERVICAL SPINAL FUSION WITHOUT CC/MCC	146	0.19	1.7
474	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH MCC	8	0.01	16
475	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH CC	17	0.02	5.1
476	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITHOUT CC/MCC	4	0.01	4.5
477	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	4	0.01	23

(Continued)

*MS-DRG by Patient County of Residence
for 2009
San Joaquin County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
478	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	21	0.03	7.9
479	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	2	0.00	8.5
480	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH MCC	73	0.10	9.3
481	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH CC	213	0.28	5.7
482	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITHOUT CC/MCC	174	0.23	4.1
483	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITH CC/MCC	21	0.03	3.8
484	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITHOUT CC/MCC	61	0.08	2.4
485	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH MCC	2	0.00	9.0
486	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH CC	16	0.02	7.5
487	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	8	0.01	3.9
488	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITH CC/MCC	17	0.02	4.6
489	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	37	0.05	2.7
490	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITH CC/MCC OR DISC DEVICE/NEUROSTIM	92	0.12	3.6
491	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITHOUT CC/MCC	253	0.33	1.8
492	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH MCC	20	0.03	9.1
493	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH CC	91	0.12	5.7
494	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITHOUT CC/MCC	312	0.41	2.3
495	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH MCC	3	0.00	14
496	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH CC	40	0.05	8.2
497	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITHOUT CC/MCC	56	0.07	2.5
498	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITH CC/MCC	2	0.00	6.0
499	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITHOUT CC/MCC	7	0.01	2.9

(Continued)

*MS-DRG by Patient County of Residence
for 2009
San Joaquin County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
500	SOFT TISSUE PROCEDURES WITH MCC	10	0.01	15
501	SOFT TISSUE PROCEDURES WITH CC	35	0.05	5.8
502	SOFT TISSUE PROCEDURES WITHOUT CC/MCC	48	0.06	2.4
503	FOOT PROCEDURES WITH MCC	2	0.00	7.0
504	FOOT PROCEDURES WITH CC	20	0.03	4.3
505	FOOT PROCEDURES WITHOUT CC/MCC	30	0.04	2.0
506	MAJOR THUMB OR JOINT PROCEDURES	5	0.01	1.8
507	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITH CC/MCC	1	0.00	1.0
508	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITHOUT CC/MCC	6	0.01	1.3
510	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH MCC	4	0.01	6.5
511	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH CC	17	0.02	3.1
512	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITHOUT CC/MCC	77	0.10	1.4
513	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITH CC/MCC	15	0.02	4.3
514	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITHOUT CC/MCC	21	0.03	1.6
515	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH MCC	10	0.01	12
516	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH CC	15	0.02	2.7
517	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITHOUT CC/MCC	34	0.04	2.8
533	FRACTURES OF FEMUR WITH MCC	1	0.00	1.0
534	FRACTURES OF FEMUR WITHOUT MCC	15	0.02	1.9
535	FRACTURES OF HIP & PELVIS WITH MCC	25	0.03	4.2
536	FRACTURES OF HIP & PELVIS WITHOUT MCC	86	0.11	3.7
537	SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITH CC/MCC	5	0.01	5.2

(Continued)

*MS-DRG by Patient County of Residence
for 2009
San Joaquin County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
538	SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITHOUT CC/MCC	6	0.01	1.5
539	OSTEOMYELITIS WITH MCC	21	0.03	12
540	OSTEOMYELITIS WITH CC	17	0.02	8.8
541	OSTEOMYELITIS WITHOUT CC/MCC	9	0.01	6.2
542	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH MCC	15	0.02	11
543	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH CC	46	0.06	6.1
544	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITHOUT CC/MCC	17	0.02	3.2
545	CONNECTIVE TISSUE DISORDERS WITH MCC	16	0.02	9.6
546	CONNECTIVE TISSUE DISORDERS WITH CC	38	0.05	5.4
547	CONNECTIVE TISSUE DISORDERS WITHOUT CC/MCC	29	0.04	3.4
548	SEPTIC ARTHRITIS WITH MCC	1	0.00	9.0
549	SEPTIC ARTHRITIS WITH CC	4	0.01	20
550	SEPTIC ARTHRITIS WITHOUT CC/MCC	5	0.01	5.0
551	MEDICAL BACK PROBLEMS WITH MCC	41	0.05	6.4
552	MEDICAL BACK PROBLEMS WITHOUT MCC	274	0.36	3.3
553	BONE DISEASES & ARTHROPATHIES WITH MCC	8	0.01	8.8
554	BONE DISEASES & ARTHROPATHIES WITHOUT MCC	53	0.07	3.3
555	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITH MCC	10	0.01	5.7
556	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC	69	0.09	3.1
557	TENDONITIS, MYOSITIS & BURSITIS WITH MCC	27	0.04	8.4
558	TENDONITIS, MYOSITIS & BURSITIS WITHOUT MCC	70	0.09	3.7
559	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	16	0.02	11

(Continued)

*MS-DRG by Patient County of Residence
for 2009
San Joaquin County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	26	0.03	42
561	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	42	0.06	5.1
562	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITH MCC	17	0.02	5.2
563	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC	128	0.17	2.4
564	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH MCC	10	0.01	9.1
565	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH CC	27	0.04	4.8
566	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITHOUT CC/MCC	15	0.02	2.6
573	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH MCC	13	0.02	15
574	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH CC	42	0.06	8.7
575	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	30	0.04	5.9
576	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH MCC	2	0.00	4.0
577	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH CC	7	0.01	4.7
578	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	23	0.03	4.6
579	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH MCC	26	0.03	11
580	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH CC	73	0.10	4.4
581	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITHOUT CC/MCC	123	0.16	2.5
582	MASTECTOMY FOR MALIGNANCY WITH CC/MCC	28	0.04	2.4
583	MASTECTOMY FOR MALIGNANCY WITHOUT CC/MCC	56	0.07	2.0
584	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITH CC/MCC	4	0.01	4.8
585	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITHOUT CC/MCC	23	0.03	2.3
592	SKIN ULCERS WITH MCC	24	0.03	28
593	SKIN ULCERS WITH CC	48	0.06	8.7

(Continued)

*MS-DRG by Patient County of Residence
for 2009
San Joaquin County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
594	SKIN ULCERS WITHOUT CC/MCC	8	0.01	16
595	MAJOR SKIN DISORDERS WITH MCC	3	0.00	23
596	MAJOR SKIN DISORDERS WITHOUT MCC	24	0.03	5.8
597	MALIGNANT BREAST DISORDERS WITH MCC	1	0.00	1.0
598	MALIGNANT BREAST DISORDERS WITH CC	10	0.01	4.1
600	NON-MALIGNANT BREAST DISORDERS WITH CC/MCC	5	0.01	12
601	NON-MALIGNANT BREAST DISORDERS WITHOUT CC/MCC	13	0.02	3.5
602	CELLULITIS WITH MCC	125	0.16	9.0
603	CELLULITIS WITHOUT MCC	941	1.24	4.5
604	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITH MCC	10	0.01	5.0
605	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITHOUT MCC	136	0.18	2.5
606	MINOR SKIN DISORDERS WITH MCC	8	0.01	9.0
607	MINOR SKIN DISORDERS WITHOUT MCC	57	0.08	3.0
614	ADRENAL & PITUITARY PROCEDURES WITH CC/MCC	11	0.01	4.8
615	ADRENAL & PITUITARY PROCEDURES WITHOUT CC/MCC	21	0.03	2.3
616	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH MCC	5	0.01	10
617	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH CC	30	0.04	7.3
619	O.R. PROCEDURES FOR OBESITY WITH MCC	4	0.01	9.8
620	O.R. PROCEDURES FOR OBESITY WITH CC	47	0.06	3.3
621	O.R. PROCEDURES FOR OBESITY WITHOUT CC/MCC	442	0.58	1.8
622	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH MCC	5	0.01	12
623	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH CC	4	0.01	15

(Continued)

*MS-DRG by Patient County of Residence
for 2009
San Joaquin County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
625	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH MCC	5	0.01	5.0
626	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH CC	16	0.02	1.6
627	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITHOUT CC/MCC	123	0.16	1.3
628	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH MCC	14	0.02	13
629	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH CC	22	0.03	8.2
630	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITHOUT CC/MCC	3	0.00	2.7
637	DIABETES WITH MCC	113	0.15	5.5
638	DIABETES WITH CC	274	0.36	3.9
639	DIABETES WITHOUT CC/MCC	252	0.33	2.4
640	NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC	274	0.36	4.6
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	792	1.04	3.2
642	INBORN ERRORS OF METABOLISM	18	0.02	3.2
643	ENDOCRINE DISORDERS WITH MCC	24	0.03	5.9
644	ENDOCRINE DISORDERS WITH CC	33	0.04	5.5
645	ENDOCRINE DISORDERS WITHOUT CC/MCC	31	0.04	3.6
652	KIDNEY TRANSPLANT	23	0.03	5.9
653	MAJOR BLADDER PROCEDURES WITH MCC	6	0.01	16
654	MAJOR BLADDER PROCEDURES WITH CC	4	0.01	12
655	MAJOR BLADDER PROCEDURES WITHOUT CC/MCC	6	0.01	5.7
656	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH MCC	15	0.02	9.4
657	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH CC	28	0.04	5.6
658	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITHOUT CC/MCC	33	0.04	3.5

(Continued)

*MS-DRG by Patient County of Residence
for 2009
San Joaquin County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
659	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH MCC	11	0.01	8.2
660	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH CC	47	0.06	5.6
661	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITHOUT CC/MCC	49	0.06	2.9
662	MINOR BLADDER PROCEDURES WITH MCC	3	0.00	4.0
663	MINOR BLADDER PROCEDURES WITH CC	6	0.01	5.8
664	MINOR BLADDER PROCEDURES WITHOUT CC/MCC	27	0.04	2.4
665	PROSTATECTOMY WITH MCC	1	0.00	1.0
666	PROSTATECTOMY WITH CC	2	0.00	5.0
667	PROSTATECTOMY WITHOUT CC/MCC	9	0.01	1.8
668	TRANSURETHRAL PROCEDURES WITH MCC	7	0.01	7.6
669	TRANSURETHRAL PROCEDURES WITH CC	55	0.07	2.8
670	TRANSURETHRAL PROCEDURES WITHOUT CC/MCC	46	0.06	1.7
671	URETHRAL PROCEDURES WITH CC/MCC	1	0.00	1.0
672	URETHRAL PROCEDURES WITHOUT CC/MCC	3	0.00	2.0
673	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH MCC	32	0.04	7.0
674	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH CC	35	0.05	6.4
675	OTHER KIDNEY & URINARY TRACT PROCEDURES WITHOUT CC/MCC	18	0.02	1.5
682	RENAL FAILURE WITH MCC	231	0.30	7.0
683	RENAL FAILURE WITH CC	357	0.47	5.0
684	RENAL FAILURE WITHOUT CC/MCC	99	0.13	3.7
685	ADMIT FOR RENAL DIALYSIS	14	0.02	5.2
686	KIDNEY & URINARY TRACT NEOPLASMS WITH MCC	5	0.01	19

(Continued)

*MS-DRG by Patient County of Residence
for 2009
San Joaquin County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
687	KIDNEY & URINARY TRACT NEOPLASMS WITH CC	8	0.01	5.6
688	KIDNEY & URINARY TRACT NEOPLASMS WITHOUT CC/MCC	4	0.01	2.3
689	KIDNEY & URINARY TRACT INFECTIONS WITH MCC	190	0.25	6.1
690	KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC	814	1.07	4.3
691	URINARY STONES WITH ESW LITHOTRIPSY WITH CC/MCC	10	0.01	3.6
692	URINARY STONES WITH ESW LITHOTRIPSY WITHOUT CC/MCC	5	0.01	2.4
693	URINARY STONES WITHOUT ESW LITHOTRIPSY WITH MCC	15	0.02	3.5
694	URINARY STONES WITHOUT ESW LITHOTRIPSY WITHOUT MCC	88	0.12	2.5
695	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITH MCC	1	0.00	4.0
696	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITHOUT MCC	33	0.04	3.1
697	URETHRAL STRICTURE	3	0.00	2.0
698	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH MCC	90	0.12	7.2
699	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH CC	93	0.12	4.9
700	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITHOUT CC/MCC	57	0.08	2.2
707	MAJOR MALE PELVIC PROCEDURES WITH CC/MCC	16	0.02	4.2
708	MAJOR MALE PELVIC PROCEDURES WITHOUT CC/MCC	74	0.10	2.2
709	PENIS PROCEDURES WITH CC/MCC	1	0.00	4.0
710	PENIS PROCEDURES WITHOUT CC/MCC	9	0.01	2.1
711	TESTES PROCEDURES WITH CC/MCC	2	0.00	8.0
712	TESTES PROCEDURES WITHOUT CC/MCC	8	0.01	1.0
713	TRANSURETHRAL PROSTATECTOMY WITH CC/MCC	24	0.03	3.2
714	TRANSURETHRAL PROSTATECTOMY WITHOUT CC/MCC	62	0.08	1.5

(Continued)

*MS-DRG by Patient County of Residence
for 2009
San Joaquin County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
715	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE FOR MALIGNANCY WITH CC/MCC	1	0.00	8.0
716	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE FOR MALIGNANCY WITHOUT CC/MCC	2	0.00	2.5
717	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE EXCEPT MALIGNANCY WITH CC/MCC	2	0.00	8.5
718	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE EXCEPT MALIGNANCY WITHOUT CC/MCC	1	0.00	2.0
722	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH MCC	3	0.00	5.7
723	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH CC	3	0.00	7.0
724	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	1	0.00	.00
725	BENIGN PROSTATIC HYPERTROPHY WITH MCC	3	0.00	4.7
726	BENIGN PROSTATIC HYPERTROPHY WITHOUT MCC	8	0.01	3.6
727	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITH MCC	3	0.00	11
728	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITHOUT MCC	23	0.03	3.8
729	OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITH CC/MCC	3	0.00	2.0
730	OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	6	0.01	1.0
734	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITH CC/MCC	3	0.00	4.7
735	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITHOUT CC/MCC	8	0.01	2.6
736	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH MCC	3	0.00	6.3
737	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH CC	16	0.02	6.3
738	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITHOUT CC/MCC	7	0.01	4.3
739	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH MCC	5	0.01	7.0
740	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH CC	31	0.04	5.0
741	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITHOUT CC/MCC	47	0.06	2.9
742	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITH CC/MCC	177	0.23	3.5

(Continued)

*MS-DRG by Patient County of Residence
for 2009
San Joaquin County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
743	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITHOUT CC/MCC	867	1.14	2.4
744	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITH CC/MCC	15	0.02	3.2
745	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITHOUT CC/MCC	19	0.03	1.8
746	VAGINA, CERVIX & VULVA PROCEDURES WITH CC/MCC	12	0.02	2.9
747	VAGINA, CERVIX & VULVA PROCEDURES WITHOUT CC/MCC	47	0.06	1.8
748	FEMALE REPRODUCTIVE SYSTEM RECONSTRUCTIVE PROCEDURES	133	0.18	1.5
749	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITH CC/MCC	7	0.01	4.9
750	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	11	0.01	2.7
754	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH MCC	8	0.01	19
755	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH CC	20	0.03	5.4
756	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	2	0.00	2.0
757	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH MCC	5	0.01	7.0
758	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH CC	18	0.02	5.8
759	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	28	0.04	3.4
760	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITH CC/MCC	26	0.03	3.6
761	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITHOUT CC/MCC	57	0.08	1.6
765	CESAREAN SECTION WITH CC/MCC	1,004	1.32	4.1
766	CESAREAN SECTION WITHOUT CC/MCC	2,286	3.01	3.1
767	VAGINAL DELIVERY WITH STERILIZATION &/OR D&C	215	0.28	2.5
768	VAGINAL DELIVERY WITH O.R. PROCEDURE EXCEPT STERIL &/OR D&C	6	0.01	2.2
769	POSTPARTUM & POST ABORTION DIAGNOSIS WITH O.R. PROCEDURE	24	0.03	3.6
770	ABORTION WITH D&C, ASPIRATION CURETTAGE OR HYSTEROTOMY	53	0.07	1.2

(Continued)

*MS-DRG by Patient County of Residence
for 2009
San Joaquin County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
774	VAGINAL DELIVERY WITH COMPLICATING DIAGNOSIS	764	1.01	2.6
775	VAGINAL DELIVERY WITHOUT COMPLICATING DIAGNOSIS	6,378	8.41	2.1
776	POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE	107	0.14	2.9
777	ECTOPIC PREGNANCY	64	0.08	2.1
778	THREATENED ABORTION	155	0.20	2.5
779	ABORTION WITHOUT D&C	62	0.08	1.4
780	FALSE LABOR	26	0.03	.62
781	OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS	480	0.63	2.5
782	OTHER ANTEPARTUM DIAGNOSIS WITHOUT MEDICAL COMPLICATIONS	97	0.13	2.0
789	NEONATES, DIED OR TRANSFERRED TO ANOTHER ACUTE CARE FACILITY	242	0.32	6.8
790	EXTREME IMMATURETY OR RESPIRATORY DISTRESS SYNDROME, NEONATE	147	0.19	38
791	PREMATURITY WITH MAJOR PROBLEMS	155	0.20	22
792	PREMATURITY WITHOUT MAJOR PROBLEMS	461	0.61	8.8
793	FULL TERM NEONATE WITH MAJOR PROBLEMS	475	0.63	7.1
794	NEONATE WITH OTHER SIGNIFICANT PROBLEMS	1,647	2.17	2.8
795	NORMAL NEWBORN	8,378	11.04	2.0
799	SPLENECTOMY WITH MCC	7	0.01	17
800	SPLENECTOMY WITH CC	4	0.01	7.3
801	SPLENECTOMY WITHOUT CC/MCC	7	0.01	4.1
802	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH MCC	5	0.01	12
803	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH CC	9	0.01	4.9
804	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITHOUT CC/MCC	11	0.01	3.6

(Continued)

*MS-DRG by Patient County of Residence
for 2009
San Joaquin County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
808	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH MCC	29	0.04	8.4
809	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH CC	93	0.12	6.2
810	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITHOUT CC/MCC	18	0.02	4.8
811	RED BLOOD CELL DISORDERS WITH MCC	112	0.15	4.5
812	RED BLOOD CELL DISORDERS WITHOUT MCC	415	0.55	3.0
813	COAGULATION DISORDERS	74	0.10	3.9
814	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH MCC	13	0.02	9.8
815	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH CC	25	0.03	3.3
816	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITHOUT CC/MCC	38	0.05	3.2
820	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH MCC	8	0.01	22
821	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH CC	10	0.01	8.0
822	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITHOUT CC/MCC	12	0.02	4.3
823	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH MCC	5	0.01	17
824	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH CC	9	0.01	12
825	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	13	0.02	3.2
826	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH MCC	2	0.00	30
827	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH CC	8	0.01	9.1
828	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITHOUT CC/MCC	5	0.01	5.6
829	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITH CC/MCC	10	0.01	8.1
830	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	6	0.01	4.3
834	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH MCC	35	0.05	20
835	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH CC	27	0.04	11

(Continued)

*MS-DRG by Patient County of Residence
for 2009
San Joaquin County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
836	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITHOUT CC/MCC	17	0.02	8.2
837	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS OR WITH HIGH DOSE CHEMO AGENT WITH MCC	10	0.01	20
838	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITH CC OR HIGH DOSE CHEMO AGENT	29	0.04	7.6
839	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITHOUT CC/MCC	25	0.03	5.5
840	LYMPHOMA & NON-ACUTE LEUKEMIA WITH MCC	43	0.06	11
841	LYMPHOMA & NON-ACUTE LEUKEMIA WITH CC	47	0.06	6.4
842	LYMPHOMA & NON-ACUTE LEUKEMIA WITHOUT CC/MCC	16	0.02	3.0
843	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH MCC	11	0.01	8.3
844	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH CC	15	0.02	8.1
845	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITHOUT CC/MCC	6	0.01	3.7
846	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH MCC	30	0.04	7.0
847	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH CC	191	0.25	3.8
848	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITHOUT CC/MCC	31	0.04	3.5
849	RADIOTHERAPY	4	0.01	4.8
853	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH MCC	132	0.17	19
854	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH CC	22	0.03	14
855	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITHOUT CC/MCC	2	0.00	11
856	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH MCC	32	0.04	20
857	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH CC	51	0.07	9.1
858	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITHOUT CC/MCC	22	0.03	7.8
862	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITH MCC	50	0.07	13
863	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC	128	0.17	5.4

(Continued)

*MS-DRG by Patient County of Residence
for 2009
San Joaquin County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
864	FEVER	167	0.22	2.8
865	VIRAL ILLNESS WITH MCC	16	0.02	4.6
866	VIRAL ILLNESS WITHOUT MCC	148	0.20	2.5
867	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH MCC	27	0.04	14
868	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH CC	15	0.02	11
869	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITHOUT CC/MCC	6	0.01	3.5
870	SEPTICEMIA OR SEVERE SEPSIS WITH MECH VENT 96+ HOURS	137	0.18	17
871	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC	929	1.22	7.7
872	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC	342	0.45	6.7
876	O.R. PROCEDURE WITH PRINCIPAL DIAGNOSIS OF MENTAL ILLNESS	2	0.00	13
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	51	0.07	3.8
881	DEPRESSIVE NEUROSES	147	0.19	18
882	NEUROSES EXCEPT DEPRESSIVE	41	0.05	4.3
883	DISORDERS OF PERSONALITY & IMPULSE CONTROL	12	0.02	11
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	45	0.06	12
885	PSYCHOSES	2,169	2.86	8.9
886	BEHAVIORAL & DEVELOPMENTAL DISORDERS	13	0.02	5.2
887	OTHER MENTAL DISORDER DIAGNOSIS	5	0.01	5.0
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	26	0.03	1.2
895	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITH REHABILITATION THERAPY	6	0.01	10
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	53	0.07	6.7
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	404	0.53	4.8

(Continued)

*MS-DRG by Patient County of Residence
for 2009
San Joaquin County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
901	WOUND DEBRIDE EMENTS FOR INJURIES WITH MCC	5	0.01	5.6
902	WOUND DEBRIDE EMENTS FOR INJURIES WITH CC	4	0.01	13
903	WOUND DEBRIDE EMENTS FOR INJURIES WITHOUT CC/MCC	9	0.01	7.1
904	SKIN GRAFTS FOR INJURIES WITH CC/MCC	9	0.01	21
905	SKIN GRAFTS FOR INJURIES WITHOUT CC/MCC	8	0.01	3.1
906	HAND PROCEDURES FOR INJURIES	14	0.02	2.9
907	OTHER O.R. PROCEDURES FOR INJURIES WITH MCC	46	0.06	9.5
908	OTHER O.R. PROCEDURES FOR INJURIES WITH CC	51	0.07	5.2
909	OTHER O.R. PROCEDURES FOR INJURIES WITHOUT CC/MCC	47	0.06	2.9
913	TRAUMATIC INJURY WITH MCC	4	0.01	5.0
914	TRAUMATIC INJURY WITHOUT MCC	43	0.06	2.5
915	ALLERGIC REACTIONS WITH MCC	7	0.01	5.4
916	ALLERGIC REACTIONS WITHOUT MCC	44	0.06	2.7
917	POISONING & TOXIC EFFECTS OF DRUGS WITH MCC	119	0.16	4.8
918	POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC	302	0.40	1.8
919	COMPLICATIONS OF TREATMENT WITH MCC	54	0.07	9.6
920	COMPLICATIONS OF TREATMENT WITH CC	61	0.08	5.0
921	COMPLICATIONS OF TREATMENT WITHOUT CC/MCC	51	0.07	3.5
922	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITH MCC	17	0.02	3.6
923	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITHOUT MCC	37	0.05	1.6
927	EXTENSIVE BURNS OR FULL THICKNESS BURNS WITH MECH VENT 96+ HRS WITH SKIN GRAFT	3	0.00	30
928	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITH CC/MCC	3	0.00	12

(Continued)

*MS-DRG by Patient County of Residence
for 2009
San Joaquin County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
929	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITHOUT CC/MCC	5	0.01	10
933	EXTENSIVE BURNS OR FULL THICKNESS BURNS WITH MECH VENT 96+ HRS WITHOUT SKIN GRAFT	1	0.00	1.0
934	FULL THICKNESS BURN WITHOUT SKIN GRAFT OR INHAL INJURY	5	0.01	3.8
935	NON-EXTENSIVE BURNS	35	0.05	3.0
939	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH MCC	9	0.01	16
940	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC	14	0.02	11
941	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITHOUT CC/MCC	14	0.02	2.2
945	REHABILITATION WITH CC/MCC	241	0.32	37
946	REHABILITATION WITHOUT CC/MCC	50	0.07	13
947	SIGNS & SYMPTOMS WITH MCC	36	0.05	4.5
948	SIGNS & SYMPTOMS WITHOUT MCC	248	0.33	4.3
949	AFTERCARE WITH CC/MCC	104	0.14	13
950	AFTERCARE WITHOUT CC/MCC	63	0.08	9.9
951	OTHER FACTORS INFLUENCING HEALTH STATUS	49	0.06	4.3
955	CRANIOTOMY FOR MULTIPLE SIGNIFICANT TRAUMA	9	0.01	39
956	LIMB REATTACHMENT, HIP & FEMUR PROCEDURE FOR MULTIPLE SIGNIFICANT TRAUMA	28	0.04	11
957	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH MCC	21	0.03	20
958	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH CC	37	0.05	11
959	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	7	0.01	6.3
963	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH MCC	13	0.02	7.2
964	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH CC	29	0.04	6.0
965	OTHER MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	15	0.02	3.5

(Continued)

*MS-DRG by Patient County of Residence
for 2009
San Joaquin County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
969	HIV WITH EXTENSIVE O.R. PROCEDURE WITH MCC	3	0.00	12
970	HIV WITH EXTENSIVE O.R. PROCEDURE WITHOUT MCC	1	0.00	3.0
974	HIV WITH MAJOR RELATED CONDITION WITH MCC	21	0.03	12
975	HIV WITH MAJOR RELATED CONDITION WITH CC	13	0.02	12
976	HIV WITH MAJOR RELATED CONDITION WITHOUT CC/MCC	13	0.02	12
977	HIV WITH OR WITHOUT OTHER RELATED CONDITION	16	0.02	3.8
981	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	99	0.13	16
982	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	76	0.10	8.2
983	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	52	0.07	4.0
984	PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	1	0.00	10
985	PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	3	0.00	6.7
987	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	22	0.03	11
988	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	31	0.04	7.4
989	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	19	0.03	2.4
All		75,854	100.0	4.8

*MS-DRG by Patient County of Residence
and Type of Care for 2009
San Joaquin County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
001	HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM WITH MCC	6	0.01	49
002	HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM WITHOUT MCC	3	0.00	14
003	ECMO OR TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITH MAJOR O.R.	91	0.13	51
004	TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITHOUT MAJOR O.R.	97	0.13	43
005	LIVER TRANSPLANT WITH MCC OR INTESTINAL TRANSPLANT	7	0.01	21
006	LIVER TRANSPLANT WITHOUT MCC	3	0.00	16
007	LUNG TRANSPLANT	4	0.01	16
009	BONE MARROW TRANSPLANT	12	0.02	31
011	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH MCC	5	0.01	13
012	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH CC	11	0.02	10
013	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITHOUT CC/MCC	10	0.01	7.3
020	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH MCC	12	0.02	25
021	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH CC	7	0.01	22
022	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITHOUT CC/MCC	6	0.01	12
023	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITH MCC OR CHEMO IMPLANT	18	0.02	18
024	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITHOUT MCC	8	0.01	9.6
025	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH MCC	69	0.10	14
026	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH CC	76	0.11	7.9
027	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITHOUT CC/MCC	90	0.12	4.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
San Joaquin County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
028	SPINAL PROCEDURES WITH MCC	10	0.01	11
029	SPINAL PROCEDURES WITH CC OR SPINAL NEUROSTIMULATORS	25	0.03	7.6
030	SPINAL PROCEDURES WITHOUT CC/MCC	22	0.03	5.5
031	VENTRICULAR SHUNT PROCEDURES WITH MCC	13	0.02	9.1
032	VENTRICULAR SHUNT PROCEDURES WITH CC	20	0.03	4.0
033	VENTRICULAR SHUNT PROCEDURES WITHOUT CC/MCC	17	0.02	3.8
034	CAROTID ARTERY STENT PROCEDURE WITH MCC	3	0.00	2.3
035	CAROTID ARTERY STENT PROCEDURE WITH CC	5	0.01	1.8
036	CAROTID ARTERY STENT PROCEDURE WITHOUT CC/MCC	10	0.01	1.1
037	EXTRACRANIAL PROCEDURES WITH MCC	11	0.02	6.3
038	EXTRACRANIAL PROCEDURES WITH CC	43	0.06	2.6
039	EXTRACRANIAL PROCEDURES WITHOUT CC/MCC	144	0.20	1.4
040	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH MCC	14	0.02	11
041	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH CC OR PERIPH NEUROSTIM	28	0.04	8.9
042	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITHOUT CC/MCC	17	0.02	3.3
052	SPINAL DISORDERS & INJURIES WITH CC/MCC	9	0.01	24
053	SPINAL DISORDERS & INJURIES WITHOUT CC/MCC	1	0.00	10
054	NERVOUS SYSTEM NEOPLASMS WITH MCC	19	0.03	5.3
055	NERVOUS SYSTEM NEOPLASMS WITHOUT MCC	61	0.08	4.0
056	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC	13	0.02	5.5
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	97	0.13	6.2

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
San Joaquin County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
058	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH MCC	4	0.01	7.0
059	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH CC	8	0.01	4.1
060	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITHOUT CC/MCC	18	0.02	3.7
061	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH MCC	1	0.00	13
062	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH CC	13	0.02	6.4
063	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITHOUT CC/MCC	5	0.01	3.8
064	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC	223	0.31	7.6
065	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC	410	0.57	5.1
066	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC	225	0.31	2.9
067	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITH MCC	3	0.00	8.3
068	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITHOUT MCC	27	0.04	3.6
069	TRANSIENT ISCHEMIA	256	0.36	2.5
070	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH MCC	24	0.03	9.0
071	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH CC	25	0.03	5.0
072	NONSPECIFIC CEREBROVASCULAR DISORDERS WITHOUT CC/MCC	10	0.01	4.5
073	CRANIAL & PERIPHERAL NERVE DISORDERS WITH MCC	32	0.04	6.4
074	CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC	133	0.18	3.5
075	VIRAL MENINGITIS WITH CC/MCC	16	0.02	9.2
076	VIRAL MENINGITIS WITHOUT CC/MCC	52	0.07	3.1
077	HYPERTENSIVE ENCEPHALOPATHY WITH MCC	4	0.01	4.3
078	HYPERTENSIVE ENCEPHALOPATHY WITH CC	2	0.00	7.5

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
San Joaquin County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
079	HYPERTENSIVE ENCEPHALOPATHY WITHOUT CC/MCC	2	0.00	1.5
080	NONTRAUMATIC STUPOR & COMA WITH MCC	29	0.04	13
081	NONTRAUMATIC STUPOR & COMA WITHOUT MCC	99	0.14	3.2
082	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH MCC	16	0.02	7.6
083	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH CC	12	0.02	6.0
084	TRAUMATIC STUPOR & COMA, COMA >1 HR WITHOUT CC/MCC	21	0.03	3.3
085	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH MCC	41	0.06	8.4
086	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH CC	50	0.07	3.8
087	TRAUMATIC STUPOR & COMA, COMA <1 HR WITHOUT CC/MCC	133	0.18	2.2
088	CONCUSSION WITH MCC	5	0.01	5.4
089	CONCUSSION WITH CC	14	0.02	2.1
090	CONCUSSION WITHOUT CC/MCC	34	0.05	1.3
091	OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC	27	0.04	5.4
092	OTHER DISORDERS OF NERVOUS SYSTEM WITH CC	64	0.09	4.3
093	OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC	74	0.10	2.6
094	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH MCC	16	0.02	13
095	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH CC	13	0.02	8.5
096	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITHOUT CC/MCC	15	0.02	4.9
097	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH MCC	8	0.01	11
098	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH CC	11	0.02	15
099	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITHOUT CC/MCC	8	0.01	2.5

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
San Joaquin County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
100	SEIZURES WITH MCC	87	0.12	5.8
101	SEIZURES WITHOUT MCC	342	0.47	2.7
102	HEADACHES WITH MCC	6	0.01	5.0
103	HEADACHES WITHOUT MCC	94	0.13	2.5
113	ORBITAL PROCEDURES WITH CC/MCC	6	0.01	5.7
114	ORBITAL PROCEDURES WITHOUT CC/MCC	5	0.01	6.2
115	EXTRAOCULAR PROCEDURES EXCEPT ORBIT	4	0.01	3.0
116	INTRAOCULAR PROCEDURES WITH CC/MCC	2	0.00	5.5
117	INTRAOCULAR PROCEDURES WITHOUT CC/MCC	3	0.00	1.3
121	ACUTE MAJOR EYE INFECTIONS WITH CC/MCC	4	0.01	3.0
122	ACUTE MAJOR EYE INFECTIONS WITHOUT CC/MCC	9	0.01	3.7
123	NEUROLOGICAL EYE DISORDERS	12	0.02	2.3
124	OTHER DISORDERS OF THE EYE WITH MCC	5	0.01	4.8
125	OTHER DISORDERS OF THE EYE WITHOUT MCC	36	0.05	3.7
129	MAJOR HEAD & NECK PROCEDURES WITH CC/MCC OR MAJOR DEVICE	5	0.01	2.8
130	MAJOR HEAD & NECK PROCEDURES WITHOUT CC/MCC	3	0.00	4.7
131	CRANIAL/FACIAL PROCEDURES WITH CC/MCC	19	0.03	7.8
132	CRANIAL/FACIAL PROCEDURES WITHOUT CC/MCC	38	0.05	1.6
133	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITH CC/MCC	25	0.03	2.9
134	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITHOUT CC/MCC	114	0.16	1.8
135	SINUS & MASTOID PROCEDURES WITH CC/MCC	4	0.01	7.5

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
San Joaquin County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
136	SINUS & MASTOID PROCEDURES WITHOUT CC/MCC	2	0.00	1.5
137	MOUTH PROCEDURES WITH CC/MCC	10	0.01	2.7
138	MOUTH PROCEDURES WITHOUT CC/MCC	9	0.01	1.8
139	SALIVARY GLAND PROCEDURES	13	0.02	1.4
146	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH MCC	6	0.01	8.7
147	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH CC	4	0.01	3.8
148	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITHOUT CC/MCC	6	0.01	2.2
149	DYSEQUILIBRIUM	77	0.11	2.4
150	EPISTAXIS WITH MCC	3	0.00	1.3
151	EPISTAXIS WITHOUT MCC	19	0.03	2.6
152	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITH MCC	27	0.04	6.1
153	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITHOUT MCC	244	0.34	2.5
154	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH MCC	10	0.01	9.6
155	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH CC	17	0.02	2.9
156	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITHOUT CC/MCC	32	0.04	2.1
157	DENTAL & ORAL DISEASES WITH MCC	14	0.02	11
158	DENTAL & ORAL DISEASES WITH CC	39	0.05	3.8
159	DENTAL & ORAL DISEASES WITHOUT CC/MCC	37	0.05	2.6
163	MAJOR CHEST PROCEDURES WITH MCC	67	0.09	16
164	MAJOR CHEST PROCEDURES WITH CC	64	0.09	8.0
165	MAJOR CHEST PROCEDURES WITHOUT CC/MCC	56	0.08	4.8

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
San Joaquin County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
166	OTHER RESP SYSTEM O.R. PROCEDURES WITH MCC	62	0.09	15
167	OTHER RESP SYSTEM O.R. PROCEDURES WITH CC	56	0.08	8.2
168	OTHER RESP SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	29	0.04	4.7
175	PULMONARY EMBOLISM WITH MCC	45	0.06	8.4
176	PULMONARY EMBOLISM WITHOUT MCC	160	0.22	5.5
177	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC	192	0.27	9.2
178	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC	205	0.28	9.4
179	RESPIRATORY INFECTIONS & INFLAMMATIONS WITHOUT CC/MCC	88	0.12	7.3
180	RESPIRATORY NEOPLASMS WITH MCC	65	0.09	7.4
181	RESPIRATORY NEOPLASMS WITH CC	105	0.15	5.0
182	RESPIRATORY NEOPLASMS WITHOUT CC/MCC	18	0.02	2.4
183	MAJOR CHEST TRAUMA WITH MCC	11	0.02	3.6
184	MAJOR CHEST TRAUMA WITH CC	29	0.04	3.5
185	MAJOR CHEST TRAUMA WITHOUT CC/MCC	9	0.01	3.0
186	PLEURAL EFFUSION WITH MCC	34	0.05	6.6
187	PLEURAL EFFUSION WITH CC	36	0.05	6.3
188	PLEURAL EFFUSION WITHOUT CC/MCC	9	0.01	3.7
189	PULMONARY EDEMA & RESPIRATORY FAILURE	216	0.30	5.8
190	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC	391	0.54	5.6
191	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC	439	0.61	4.6
192	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC	488	0.68	3.4

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
San Joaquin County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
193	SIMPLE PNEUMONIA & PLEURISY WITH MCC	382	0.53	6.9
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	895	1.24	4.7
195	SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC	709	0.98	3.1
196	INTERSTITIAL LUNG DISEASE WITH MCC	24	0.03	5.9
197	INTERSTITIAL LUNG DISEASE WITH CC	23	0.03	5.9
198	INTERSTITIAL LUNG DISEASE WITHOUT CC/MCC	10	0.01	8.3
199	PNEUMOTHORAX WITH MCC	12	0.02	10
200	PNEUMOTHORAX WITH CC	56	0.08	4.1
201	PNEUMOTHORAX WITHOUT CC/MCC	30	0.04	4.0
202	BRONCHITIS & ASTHMA WITH CC/MCC	303	0.42	3.6
203	BRONCHITIS & ASTHMA WITHOUT CC/MCC	686	0.95	2.4
204	RESPIRATORY SIGNS & SYMPTOMS	153	0.21	2.7
205	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITH MCC	28	0.04	6.4
206	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITHOUT MCC	91	0.13	2.8
207	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS	185	0.26	19
208	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS	295	0.41	6.9
216	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH MCC	31	0.04	18
217	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH CC	19	0.03	12
218	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITHOUT CC/MCC	5	0.01	13
219	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH MCC	65	0.09	15
220	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH CC	82	0.11	7.8

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
San Joaquin County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
221	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITHOUT CC/MCC	39	0.05	6.1
222	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITH MCC	9	0.01	18
223	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITHOUT MCC	7	0.01	14
224	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITH MCC	13	0.02	14
225	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITHOUT MCC	7	0.01	5.7
226	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITH MCC	35	0.05	5.5
227	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITHOUT MCC	82	0.11	3.0
228	OTHER CARDIOTHORACIC PROCEDURES WITH MCC	15	0.02	20
229	OTHER CARDIOTHORACIC PROCEDURES WITH CC	32	0.04	8.7
230	OTHER CARDIOTHORACIC PROCEDURES WITHOUT CC/MCC	9	0.01	4.2
231	CORONARY BYPASS WITH PTCA WITH MCC	5	0.01	23
232	CORONARY BYPASS WITH PTCA WITHOUT MCC	3	0.00	11
233	CORONARY BYPASS WITH CARDIAC CATH WITH MCC	53	0.07	15
234	CORONARY BYPASS WITH CARDIAC CATH WITHOUT MCC	160	0.22	8.2
235	CORONARY BYPASS WITHOUT CARDIAC CATH WITH MCC	31	0.04	12
236	CORONARY BYPASS WITHOUT CARDIAC CATH WITHOUT MCC	149	0.21	6.0
237	MAJOR CARDIOVASC PROCEDURES WITH MCC OR THORACIC AORTIC ANEURYSM REPAIR	70	0.10	21
238	MAJOR CARDIOVASC PROCEDURES WITHOUT MCC	106	0.15	4.7
239	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH MCC	34	0.05	18
240	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH CC	33	0.05	8.8

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
San Joaquin County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
241	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITHOUT CC/MCC	2	0.00	7.5
242	PERMANENT CARDIAC PACEMAKER IMPLANT WITH MCC	42	0.06	6.7
243	PERMANENT CARDIAC PACEMAKER IMPLANT WITH CC	101	0.14	4.1
244	PERMANENT CARDIAC PACEMAKER IMPLANT WITHOUT CC/MCC	107	0.15	2.6
245	AICD GENERATOR PROCEDURES	11	0.02	.73
246	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITH MCC OR 4+ VESSELS/STENTS	54	0.07	3.9
247	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITHOUT MCC	412	0.57	2.0
248	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITH MCC OR 4+ VES/STENTS	42	0.06	4.2
249	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITHOUT MCC	191	0.27	2.3
250	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITH MCC	23	0.03	7.8
251	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITHOUT MCC	117	0.16	1.7
252	OTHER VASCULAR PROCEDURES WITH MCC	84	0.12	9.4
253	OTHER VASCULAR PROCEDURES WITH CC	143	0.20	4.2
254	OTHER VASCULAR PROCEDURES WITHOUT CC/MCC	171	0.24	1.9
255	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH MCC	5	0.01	12
256	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH CC	21	0.03	6.0
257	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITHOUT CC/MCC	3	0.00	1.3
258	CARDIAC PACEMAKER DEVICE REPLACEMENT WITH MCC	2	0.00	5.5
259	CARDIAC PACEMAKER DEVICE REPLACEMENT WITHOUT MCC	15	0.02	1.6
260	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH MCC	4	0.01	4.0
261	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH CC	13	0.02	4.2

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
San Joaquin County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
262	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITHOUT CC/MCC	10	0.01	1.7
263	VEIN LIGATION & STRIPPING	3	0.00	4.7
264	OTHER CIRCULATORY SYSTEM O.R. PROCEDURES	50	0.07	8.9
265	AICD LEAD PROCEDURES	6	0.01	3.0
280	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH MCC	180	0.25	6.1
281	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH CC	162	0.22	3.8
282	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITHOUT CC/MCC	256	0.36	2.4
283	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH MCC	28	0.04	3.9
284	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH CC	8	0.01	1.8
285	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITHOUT CC/MCC	4	0.01	2.5
286	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITH MCC	84	0.12	7.7
287	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITHOUT MCC	474	0.66	3.1
288	ACUTE & SUBACUTE ENDOCARDITIS WITH MCC	14	0.02	13
289	ACUTE & SUBACUTE ENDOCARDITIS WITH CC	9	0.01	13
290	ACUTE & SUBACUTE ENDOCARDITIS WITHOUT CC/MCC	2	0.00	4.0
291	HEART FAILURE & SHOCK WITH MCC	544	0.76	6.4
292	HEART FAILURE & SHOCK WITH CC	626	0.87	4.5
293	HEART FAILURE & SHOCK WITHOUT CC/MCC	410	0.57	3.3
294	DEEP VEIN THROMBOPHLEBITIS WITH CC/MCC	6	0.01	10
295	DEEP VEIN THROMBOPHLEBITIS WITHOUT CC/MCC	2	0.00	3.0
296	CARDIAC ARREST, UNEXPLAINED WITH MCC	5	0.01	2.6

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
San Joaquin County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
297	CARDIAC ARREST, UNEXPLAINED WITH CC	2	0.00	.50
298	CARDIAC ARREST, UNEXPLAINED WITHOUT CC/MCC	1	0.00	1.0
299	PERIPHERAL VASCULAR DISORDERS WITH MCC	73	0.10	7.2
300	PERIPHERAL VASCULAR DISORDERS WITH CC	181	0.25	5.3
301	PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC	87	0.12	3.4
302	ATHEROSCLEROSIS WITH MCC	15	0.02	3.3
303	ATHEROSCLEROSIS WITHOUT MCC	175	0.24	2.4
304	HYPERTENSION WITH MCC	11	0.02	4.6
305	HYPERTENSION WITHOUT MCC	121	0.17	2.7
306	CARDIAC CONGENITAL & VALVULAR DISORDERS WITH MCC	14	0.02	5.9
307	CARDIAC CONGENITAL & VALVULAR DISORDERS WITHOUT MCC	30	0.04	3.3
308	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH MCC	144	0.20	4.8
309	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC	273	0.38	3.6
310	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITHOUT CC/MCC	440	0.61	2.4
311	ANGINA PECTORIS	108	0.15	2.0
312	SYNCOPE & COLLAPSE	426	0.59	2.4
313	CHEST PAIN	1,052	1.46	1.8
314	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC	185	0.26	7.7
315	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC	128	0.18	5.0
316	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITHOUT CC/MCC	55	0.08	2.2
326	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH MCC	55	0.08	21

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
San Joaquin County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
327	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH CC	63	0.09	8.7
328	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITHOUT CC/MCC	88	0.12	3.6
329	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	166	0.23	18
330	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH CC	223	0.31	9.1
331	MAJOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	132	0.18	6.0
332	RECTAL RESECTION WITH MCC	6	0.01	24
333	RECTAL RESECTION WITH CC	19	0.03	7.8
334	RECTAL RESECTION WITHOUT CC/MCC	17	0.02	5.9
335	PERITONEAL ADHESIOLYSIS WITH MCC	12	0.02	17
336	PERITONEAL ADHESIOLYSIS WITH CC	40	0.06	7.8
337	PERITONEAL ADHESIOLYSIS WITHOUT CC/MCC	53	0.07	5.2
338	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	7	0.01	7.3
339	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	56	0.08	7.0
340	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	150	0.21	4.3
341	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	11	0.02	4.1
342	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	38	0.05	2.6
343	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	544	0.76	1.8
344	MINOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	4	0.01	8.5
345	MINOR SMALL & LARGE BOWEL PROCEDURES WITH CC	14	0.02	6.0
346	MINOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	37	0.05	5.2
347	ANAL & STOMAL PROCEDURES WITH MCC	6	0.01	8.2

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
San Joaquin County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
348	ANAL & STOMAL PROCEDURES WITH CC	41	0.06	5.3
349	ANAL & STOMAL PROCEDURES WITHOUT CC/MCC	47	0.07	3.5
350	INGUINAL & FEMORAL HERNIA PROCEDURES WITH MCC	9	0.01	5.9
351	INGUINAL & FEMORAL HERNIA PROCEDURES WITH CC	12	0.02	3.3
352	INGUINAL & FEMORAL HERNIA PROCEDURES WITHOUT CC/MCC	48	0.07	2.1
353	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH MCC	10	0.01	10
354	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH CC	52	0.07	4.6
355	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITHOUT CC/MCC	84	0.12	2.5
356	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH MCC	34	0.05	12
357	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH CC	42	0.06	6.1
358	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	23	0.03	3.6
368	MAJOR ESOPHAGEAL DISORDERS WITH MCC	9	0.01	6.8
369	MAJOR ESOPHAGEAL DISORDERS WITH CC	24	0.03	4.2
370	MAJOR ESOPHAGEAL DISORDERS WITHOUT CC/MCC	12	0.02	2.7
371	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH MCC	82	0.11	8.6
372	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH CC	131	0.18	7.0
373	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITHOUT CC/MCC	68	0.09	4.8
374	DIGESTIVE MALIGNANCY WITH MCC	30	0.04	8.0
375	DIGESTIVE MALIGNANCY WITH CC	72	0.10	6.0
376	DIGESTIVE MALIGNANCY WITHOUT CC/MCC	18	0.02	3.1
377	G.I. HEMORRHAGE WITH MCC	175	0.24	5.6

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
San Joaquin County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
378	G.I. HEMORRHAGE WITH CC	480	0.67	3.6
379	G.I. HEMORRHAGE WITHOUT CC/MCC	244	0.34	2.4
380	COMPLICATED PEPTIC ULCER WITH MCC	12	0.02	5.8
381	COMPLICATED PEPTIC ULCER WITH CC	28	0.04	5.3
382	COMPLICATED PEPTIC ULCER WITHOUT CC/MCC	14	0.02	5.5
383	UNCOMPLICATED PEPTIC ULCER WITH MCC	2	0.00	9.5
384	UNCOMPLICATED PEPTIC ULCER WITHOUT MCC	22	0.03	3.0
385	INFLAMMATORY BOWEL DISEASE WITH MCC	14	0.02	11
386	INFLAMMATORY BOWEL DISEASE WITH CC	64	0.09	6.0
387	INFLAMMATORY BOWEL DISEASE WITHOUT CC/MCC	56	0.08	4.0
388	G.I. OBSTRUCTION WITH MCC	63	0.09	6.6
389	G.I. OBSTRUCTION WITH CC	151	0.21	4.4
390	G.I. OBSTRUCTION WITHOUT CC/MCC	250	0.35	3.1
391	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITH MCC	184	0.26	4.5
392	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC	1,300	1.81	3.0
393	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH MCC	95	0.13	8.2
394	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH CC	195	0.27	4.3
395	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	154	0.21	2.7
405	PANCREAS, LIVER & SHUNT PROCEDURES WITH MCC	25	0.03	22
406	PANCREAS, LIVER & SHUNT PROCEDURES WITH CC	19	0.03	9.7
407	PANCREAS, LIVER & SHUNT PROCEDURES WITHOUT CC/MCC	14	0.02	3.2

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
San Joaquin County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
408	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH MCC	4	0.01	12
409	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH CC	11	0.02	11
410	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	3	0.00	7.0
411	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH MCC	5	0.01	8.8
412	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH CC	8	0.01	7.5
413	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITHOUT CC/MCC	6	0.01	4.5
414	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH MCC	20	0.03	12
415	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH CC	31	0.04	8.9
416	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	32	0.04	4.9
417	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH MCC	128	0.18	6.2
418	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH CC	203	0.28	4.4
419	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	520	0.72	2.4
420	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH MCC	3	0.00	11
421	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH CC	4	0.01	13
422	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITHOUT CC/MCC	2	0.00	1.0
423	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH MCC	5	0.01	5.4
424	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH CC	4	0.01	7.8
425	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITHOUT CC/MCC	1	0.00	7.0
432	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH MCC	104	0.14	5.9

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
San Joaquin County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
433	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH CC	58	0.08	3.3
434	CIRRHOSIS & ALCOHOLIC HEPATITIS WITHOUT CC/MCC	6	0.01	2.7
435	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITH MCC	63	0.09	6.5
436	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITH CC	48	0.07	4.5
437	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITHOUT CC/MCC	13	0.02	3.5
438	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH MCC	103	0.14	8.9
439	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH CC	223	0.31	5.4
440	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITHOUT CC/MCC	266	0.37	3.7
441	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH MCC	157	0.22	7.0
442	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH CC	130	0.18	4.8
443	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITHOUT CC/MCC	65	0.09	3.2
444	DISORDERS OF THE BILIARY TRACT WITH MCC	47	0.07	5.3
445	DISORDERS OF THE BILIARY TRACT WITH CC	60	0.08	3.9
446	DISORDERS OF THE BILIARY TRACT WITHOUT CC/MCC	76	0.11	2.6
453	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH MCC	20	0.03	18
454	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH CC	31	0.04	7.1
455	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITHOUT CC/MCC	49	0.07	4.6
456	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH MCC	5	0.01	17
457	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH CC	16	0.02	6.9
458	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITHOUT CC/MCC	16	0.02	5.5

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
San Joaquin County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
459	SPINAL FUSION EXCEPT CERVICAL WITH MCC	8	0.01	6.4
460	SPINAL FUSION EXCEPT CERVICAL WITHOUT MCC	238	0.33	4.4
461	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITH MCC	4	0.01	21
462	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITHOUT MCC	33	0.05	4.3
463	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH MCC	16	0.02	13
464	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH CC	30	0.04	14
465	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITHOUT CC/MCC	13	0.02	3.7
466	REVISION OF HIP OR KNEE REPLACEMENT WITH MCC	12	0.02	6.8
467	REVISION OF HIP OR KNEE REPLACEMENT WITH CC	38	0.05	4.4
468	REVISION OF HIP OR KNEE REPLACEMENT WITHOUT CC/MCC	58	0.08	3.4
469	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITH MCC	63	0.09	7.4
470	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITHOUT MCC	1,284	1.78	3.6
471	CERVICAL SPINAL FUSION WITH MCC	15	0.02	7.1
472	CERVICAL SPINAL FUSION WITH CC	39	0.05	2.8
473	CERVICAL SPINAL FUSION WITHOUT CC/MCC	146	0.20	1.7
474	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH MCC	8	0.01	16
475	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH CC	17	0.02	5.1
476	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITHOUT CC/MCC	4	0.01	4.5
477	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	4	0.01	23
478	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	21	0.03	7.9
479	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	1	0.00	7.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
San Joaquin County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
480	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH MCC	73	0.10	9.3
481	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH CC	213	0.30	5.7
482	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITHOUT CC/MCC	174	0.24	4.1
483	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITH CC/MCC	21	0.03	3.8
484	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITHOUT CC/MCC	61	0.08	2.4
485	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH MCC	2	0.00	9.0
486	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH CC	15	0.02	6.7
487	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	8	0.01	3.9
488	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITH CC/MCC	17	0.02	4.6
489	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	37	0.05	2.7
490	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITH CC/MCC OR DISC DEVICE/NEUROSTIM	92	0.13	3.6
491	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITHOUT CC/MCC	253	0.35	1.8
492	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH MCC	20	0.03	9.1
493	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH CC	91	0.13	5.7
494	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITHOUT CC/MCC	312	0.43	2.3
495	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH MCC	3	0.00	14
496	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH CC	40	0.06	8.2
497	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITHOUT CC/MCC	56	0.08	2.5
498	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITH CC/MCC	2	0.00	6.0
499	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITHOUT CC/MCC	7	0.01	2.9
500	SOFT TISSUE PROCEDURES WITH MCC	9	0.01	12

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
San Joaquin County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
501	SOFT TISSUE PROCEDURES WITH CC	35	0.05	5.8
502	SOFT TISSUE PROCEDURES WITHOUT CC/MCC	48	0.07	2.4
503	FOOT PROCEDURES WITH MCC	2	0.00	7.0
504	FOOT PROCEDURES WITH CC	20	0.03	4.3
505	FOOT PROCEDURES WITHOUT CC/MCC	30	0.04	2.0
506	MAJOR THUMB OR JOINT PROCEDURES	5	0.01	1.8
507	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITH CC/MCC	1	0.00	1.0
508	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITHOUT CC/MCC	6	0.01	1.3
510	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH MCC	4	0.01	6.5
511	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH CC	17	0.02	3.1
512	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITHOUT CC/MCC	77	0.11	1.4
513	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITH CC/MCC	15	0.02	4.3
514	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITHOUT CC/MCC	21	0.03	1.6
515	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH MCC	10	0.01	12
516	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH CC	15	0.02	2.7
517	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITHOUT CC/MCC	34	0.05	2.8
533	FRACTURES OF FEMUR WITH MCC	1	0.00	1.0
534	FRACTURES OF FEMUR WITHOUT MCC	15	0.02	1.9
535	FRACTURES OF HIP & PELVIS WITH MCC	25	0.03	4.2
536	FRACTURES OF HIP & PELVIS WITHOUT MCC	86	0.12	3.7
537	SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITH CC/MCC	5	0.01	5.2

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
San Joaquin County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
538	SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITHOUT CC/MCC	6	0.01	1.5
539	OSTEOMYELITIS WITH MCC	19	0.03	13
540	OSTEOMYELITIS WITH CC	17	0.02	8.8
541	OSTEOMYELITIS WITHOUT CC/MCC	7	0.01	3.6
542	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH MCC	15	0.02	11
543	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH CC	45	0.06	6.0
544	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITHOUT CC/MCC	16	0.02	3.3
545	CONNECTIVE TISSUE DISORDERS WITH MCC	16	0.02	9.6
546	CONNECTIVE TISSUE DISORDERS WITH CC	38	0.05	5.4
547	CONNECTIVE TISSUE DISORDERS WITHOUT CC/MCC	28	0.04	3.4
548	SEPTIC ARTHRITIS WITH MCC	1	0.00	9.0
549	SEPTIC ARTHRITIS WITH CC	3	0.00	12
550	SEPTIC ARTHRITIS WITHOUT CC/MCC	4	0.01	4.8
551	MEDICAL BACK PROBLEMS WITH MCC	39	0.05	6.2
552	MEDICAL BACK PROBLEMS WITHOUT MCC	271	0.38	3.3
553	BONE DISEASES & ARTHROPATHIES WITH MCC	8	0.01	8.8
554	BONE DISEASES & ARTHROPATHIES WITHOUT MCC	52	0.07	3.2
555	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITH MCC	9	0.01	4.7
556	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC	69	0.10	3.1
557	TENDONITIS, MYOSITIS & BURSITIS WITH MCC	26	0.04	7.2
558	TENDONITIS, MYOSITIS & BURSITIS WITHOUT MCC	67	0.09	3.6

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
San Joaquin County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
559	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	8	0.01	7.0
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	6	0.01	10
561	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	26	0.04	2.9
562	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITH MCC	17	0.02	5.2
563	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC	128	0.18	2.4
564	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH MCC	10	0.01	9.1
565	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH CC	26	0.04	4.8
566	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITHOUT CC/MCC	15	0.02	2.6
573	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH MCC	12	0.02	9.0
574	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH CC	42	0.06	8.7
575	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	30	0.04	5.9
576	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH MCC	2	0.00	4.0
577	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH CC	7	0.01	4.7
578	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	23	0.03	4.6
579	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH MCC	26	0.04	11
580	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH CC	72	0.10	4.2
581	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITHOUT CC/MCC	123	0.17	2.5
582	MASTECTOMY FOR MALIGNANCY WITH CC/MCC	28	0.04	2.4
583	MASTECTOMY FOR MALIGNANCY WITHOUT CC/MCC	56	0.08	2.0
584	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITH CC/MCC	4	0.01	4.8
585	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITHOUT CC/MCC	23	0.03	2.3

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
San Joaquin County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
592	SKIN ULCERS WITH MCC	22	0.03	10
593	SKIN ULCERS WITH CC	43	0.06	8.5
594	SKIN ULCERS WITHOUT CC/MCC	5	0.01	5.6
595	MAJOR SKIN DISORDERS WITH MCC	3	0.00	23
596	MAJOR SKIN DISORDERS WITHOUT MCC	23	0.03	5.3
597	MALIGNANT BREAST DISORDERS WITH MCC	1	0.00	1.0
598	MALIGNANT BREAST DISORDERS WITH CC	10	0.01	4.1
600	NON-MALIGNANT BREAST DISORDERS WITH CC/MCC	4	0.01	7.3
601	NON-MALIGNANT BREAST DISORDERS WITHOUT CC/MCC	13	0.02	3.5
602	CELLULITIS WITH MCC	119	0.17	8.7
603	CELLULITIS WITHOUT MCC	926	1.29	4.1
604	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITH MCC	10	0.01	5.0
605	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITHOUT MCC	134	0.19	2.4
606	MINOR SKIN DISORDERS WITH MCC	7	0.01	5.4
607	MINOR SKIN DISORDERS WITHOUT MCC	57	0.08	3.0
614	ADRENAL & PITUITARY PROCEDURES WITH CC/MCC	11	0.02	4.8
615	ADRENAL & PITUITARY PROCEDURES WITHOUT CC/MCC	21	0.03	2.3
616	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH MCC	5	0.01	10
617	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH CC	30	0.04	7.3
619	O.R. PROCEDURES FOR OBESITY WITH MCC	4	0.01	9.8
620	O.R. PROCEDURES FOR OBESITY WITH CC	47	0.07	3.3

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
San Joaquin County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
621	O.R. PROCEDURES FOR OBESITY WITHOUT CC/MCC	442	0.61	1.8
622	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH MCC	5	0.01	12
623	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH CC	4	0.01	15
625	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH MCC	5	0.01	5.0
626	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH CC	16	0.02	1.6
627	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITHOUT CC/MCC	123	0.17	1.3
628	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH MCC	14	0.02	13
629	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH CC	22	0.03	8.2
630	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITHOUT CC/MCC	3	0.00	2.7
637	DIABETES WITH MCC	112	0.16	5.4
638	DIABETES WITH CC	271	0.38	3.8
639	DIABETES WITHOUT CC/MCC	250	0.35	2.4
640	NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC	273	0.38	4.5
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	788	1.09	3.2
642	INBORN ERRORS OF METABOLISM	18	0.02	3.2
643	ENDOCRINE DISORDERS WITH MCC	24	0.03	5.9
644	ENDOCRINE DISORDERS WITH CC	31	0.04	5.2
645	ENDOCRINE DISORDERS WITHOUT CC/MCC	31	0.04	3.6
652	KIDNEY TRANSPLANT	23	0.03	5.9
653	MAJOR BLADDER PROCEDURES WITH MCC	6	0.01	16
654	MAJOR BLADDER PROCEDURES WITH CC	4	0.01	12

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
San Joaquin County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
655	MAJOR BLADDER PROCEDURES WITHOUT CC/MCC	6	0.01	5.7
656	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH MCC	15	0.02	9.4
657	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH CC	28	0.04	5.6
658	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITHOUT CC/MCC	33	0.05	3.5
659	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH MCC	11	0.02	8.2
660	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH CC	46	0.06	5.2
661	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITHOUT CC/MCC	49	0.07	2.9
662	MINOR BLADDER PROCEDURES WITH MCC	3	0.00	4.0
663	MINOR BLADDER PROCEDURES WITH CC	6	0.01	5.8
664	MINOR BLADDER PROCEDURES WITHOUT CC/MCC	27	0.04	2.4
665	PROSTATECTOMY WITH MCC	1	0.00	1.0
666	PROSTATECTOMY WITH CC	2	0.00	5.0
667	PROSTATECTOMY WITHOUT CC/MCC	9	0.01	1.8
668	TRANSURETHRAL PROCEDURES WITH MCC	7	0.01	7.6
669	TRANSURETHRAL PROCEDURES WITH CC	55	0.08	2.8
670	TRANSURETHRAL PROCEDURES WITHOUT CC/MCC	46	0.06	1.7
671	URETHRAL PROCEDURES WITH CC/MCC	1	0.00	1.0
672	URETHRAL PROCEDURES WITHOUT CC/MCC	3	0.00	2.0
673	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH MCC	32	0.04	7.0
674	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH CC	34	0.05	6.3
675	OTHER KIDNEY & URINARY TRACT PROCEDURES WITHOUT CC/MCC	18	0.02	1.5

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
San Joaquin County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
682	RENAL FAILURE WITH MCC	224	0.31	6.9
683	RENAL FAILURE WITH CC	347	0.48	4.9
684	RENAL FAILURE WITHOUT CC/MCC	99	0.14	3.7
685	ADMIT FOR RENAL DIALYSIS	14	0.02	5.2
686	KIDNEY & URINARY TRACT NEOPLASMS WITH MCC	4	0.01	21
687	KIDNEY & URINARY TRACT NEOPLASMS WITH CC	7	0.01	4.7
688	KIDNEY & URINARY TRACT NEOPLASMS WITHOUT CC/MCC	4	0.01	2.3
689	KIDNEY & URINARY TRACT INFECTIONS WITH MCC	184	0.26	5.8
690	KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC	802	1.11	3.7
691	URINARY STONES WITH ESW LITHOTRIPSY WITH CC/MCC	10	0.01	3.6
692	URINARY STONES WITH ESW LITHOTRIPSY WITHOUT CC/MCC	5	0.01	2.4
693	URINARY STONES WITHOUT ESW LITHOTRIPSY WITH MCC	15	0.02	3.5
694	URINARY STONES WITHOUT ESW LITHOTRIPSY WITHOUT MCC	86	0.12	2.5
695	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITH MCC	1	0.00	4.0
696	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITHOUT MCC	33	0.05	3.1
697	URETHRAL STRICTURE	3	0.00	2.0
698	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH MCC	87	0.12	6.9
699	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH CC	93	0.13	4.9
700	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITHOUT CC/MCC	57	0.08	2.2
707	MAJOR MALE PELVIC PROCEDURES WITH CC/MCC	16	0.02	4.2
708	MAJOR MALE PELVIC PROCEDURES WITHOUT CC/MCC	74	0.10	2.2

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
San Joaquin County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
709	PENIS PROCEDURES WITH CC/MCC	1	0.00	4.0
710	PENIS PROCEDURES WITHOUT CC/MCC	9	0.01	2.1
711	TESTES PROCEDURES WITH CC/MCC	2	0.00	8.0
712	TESTES PROCEDURES WITHOUT CC/MCC	8	0.01	1.0
713	TRANSURETHRAL PROSTATECTOMY WITH CC/MCC	24	0.03	3.2
714	TRANSURETHRAL PROSTATECTOMY WITHOUT CC/MCC	62	0.09	1.5
715	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE FOR MALIGNANCY WITH CC/MCC	1	0.00	8.0
716	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE FOR MALIGNANCY WITHOUT CC/MCC	2	0.00	2.5
717	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE EXCEPT MALIGNANCY WITH CC/MCC	2	0.00	8.5
718	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE EXCEPT MALIGNANCY WITHOUT CC/MCC	1	0.00	2.0
722	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH MCC	3	0.00	5.7
723	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH CC	3	0.00	7.0
724	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	1	0.00	.00
725	BENIGN PROSTATIC HYPERTROPHY WITH MCC	3	0.00	4.7
726	BENIGN PROSTATIC HYPERTROPHY WITHOUT MCC	8	0.01	3.6
727	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITH MCC	2	0.00	13
728	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITHOUT MCC	23	0.03	3.8
729	OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITH CC/MCC	3	0.00	2.0
730	OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	6	0.01	1.0
734	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITH CC/MCC	3	0.00	4.7
735	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITHOUT CC/MCC	8	0.01	2.6

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
San Joaquin County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
736	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH MCC	3	0.00	6.3
737	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH CC	16	0.02	6.3
738	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITHOUT CC/MCC	7	0.01	4.3
739	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH MCC	5	0.01	7.0
740	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH CC	31	0.04	5.0
741	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITHOUT CC/MCC	47	0.07	2.9
742	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITH CC/MCC	177	0.25	3.5
743	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITHOUT CC/MCC	867	1.20	2.4
744	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITH CC/MCC	15	0.02	3.2
745	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITHOUT CC/MCC	19	0.03	1.8
746	VAGINA, CERVIX & VULVA PROCEDURES WITH CC/MCC	12	0.02	2.9
747	VAGINA, CERVIX & VULVA PROCEDURES WITHOUT CC/MCC	47	0.07	1.8
748	FEMALE REPRODUCTIVE SYSTEM RECONSTRUCTIVE PROCEDURES	133	0.18	1.5
749	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITH CC/MCC	7	0.01	4.9
750	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	11	0.02	2.7
754	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH MCC	7	0.01	19
755	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH CC	17	0.02	4.8
756	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	2	0.00	2.0
757	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH MCC	5	0.01	7.0
758	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH CC	18	0.02	5.8
759	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	28	0.04	3.4

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
San Joaquin County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
760	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITH CC/MCC	25	0.03	2.6
761	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITHOUT CC/MCC	57	0.08	1.6
765	CESAREAN SECTION WITH CC/MCC	1,004	1.39	4.1
766	CESAREAN SECTION WITHOUT CC/MCC	2,286	3.17	3.1
767	VAGINAL DELIVERY WITH STERILIZATION &/OR D&C	215	0.30	2.5
768	VAGINAL DELIVERY WITH O.R. PROCEDURE EXCEPT STERIL &/OR D&C	6	0.01	2.2
769	POSTPARTUM & POST ABORTION DIAGNOSIS WITH O.R. PROCEDURE	24	0.03	3.6
770	ABORTION WITH D&C, ASPIRATION CURETTAGE OR HYSTEROTOMY	53	0.07	1.2
774	VAGINAL DELIVERY WITH COMPLICATING DIAGNOSIS	764	1.06	2.6
775	VAGINAL DELIVERY WITHOUT COMPLICATING DIAGNOSIS	6,378	8.86	2.1
776	POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE	107	0.15	2.9
777	ECTOPIC PREGNANCY	64	0.09	2.1
778	THREATENED ABORTION	155	0.22	2.5
779	ABORTION WITHOUT D&C	62	0.09	1.4
780	FALSE LABOR	26	0.04	.62
781	OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS	478	0.66	2.5
782	OTHER ANTEPARTUM DIAGNOSIS WITHOUT MEDICAL COMPLICATIONS	97	0.13	2.0
789	NEONATES, DIED OR TRANSFERRED TO ANOTHER ACUTE CARE FACILITY	242	0.34	6.8
790	EXTREME IMMATURETY OR RESPIRATORY DISTRESS SYNDROME, NEONATE	147	0.20	38
791	PREMATURITY WITH MAJOR PROBLEMS	155	0.22	22
792	PREMATURITY WITHOUT MAJOR PROBLEMS	461	0.64	8.8

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
San Joaquin County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
793	FULL TERM NEONATE WITH MAJOR PROBLEMS	475	0.66	7.1
794	NEONATE WITH OTHER SIGNIFICANT PROBLEMS	1,647	2.29	2.8
795	NORMAL NEWBORN	8,378	11.63	2.0
799	SPLENECTOMY WITH MCC	7	0.01	17
800	SPLENECTOMY WITH CC	4	0.01	7.3
801	SPLENECTOMY WITHOUT CC/MCC	7	0.01	4.1
802	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH MCC	5	0.01	12
803	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH CC	9	0.01	4.9
804	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITHOUT CC/MCC	11	0.02	3.6
808	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH MCC	29	0.04	8.4
809	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH CC	91	0.13	5.6
810	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITHOUT CC/MCC	17	0.02	4.8
811	RED BLOOD CELL DISORDERS WITH MCC	111	0.15	4.4
812	RED BLOOD CELL DISORDERS WITHOUT MCC	413	0.57	3.0
813	COAGULATION DISORDERS	74	0.10	3.9
814	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH MCC	12	0.02	9.8
815	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH CC	25	0.03	3.3
816	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITHOUT CC/MCC	38	0.05	3.2
820	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH MCC	8	0.01	22
821	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH CC	10	0.01	8.0
822	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITHOUT CC/MCC	12	0.02	4.3

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
San Joaquin County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
823	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH MCC	5	0.01	17
824	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH CC	9	0.01	12
825	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	13	0.02	3.2
826	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH MCC	2	0.00	30
827	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH CC	8	0.01	9.1
828	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITHOUT CC/MCC	5	0.01	5.6
829	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITH CC/MCC	9	0.01	8.0
830	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	6	0.01	4.3
834	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH MCC	35	0.05	20
835	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH CC	26	0.04	11
836	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITHOUT CC/MCC	17	0.02	8.2
837	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS OR WITH HIGH DOSE CHEMO AGENT WITH MCC	10	0.01	20
838	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITH CC OR HIGH DOSE CHEMO AGENT	29	0.04	7.6
839	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITHOUT CC/MCC	25	0.03	5.5
840	LYMPHOMA & NON-ACUTE LEUKEMIA WITH MCC	41	0.06	11
841	LYMPHOMA & NON-ACUTE LEUKEMIA WITH CC	47	0.07	6.4
842	LYMPHOMA & NON-ACUTE LEUKEMIA WITHOUT CC/MCC	15	0.02	3.0
843	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH MCC	9	0.01	8.1
844	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH CC	15	0.02	8.1
845	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITHOUT CC/MCC	5	0.01	2.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
San Joaquin County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
846	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH MCC	30	0.04	7.0
847	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH CC	191	0.27	3.8
848	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITHOUT CC/MCC	31	0.04	3.5
849	RADIOTHERAPY	4	0.01	4.8
853	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH MCC	132	0.18	19
854	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH CC	20	0.03	13
855	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITHOUT CC/MCC	1	0.00	3.0
856	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH MCC	31	0.04	20
857	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH CC	51	0.07	9.1
858	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITHOUT CC/MCC	22	0.03	7.8
862	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITH MCC	43	0.06	12
863	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC	123	0.17	4.6
864	FEVER	166	0.23	2.8
865	VIRAL ILLNESS WITH MCC	16	0.02	4.6
866	VIRAL ILLNESS WITHOUT MCC	148	0.21	2.5
867	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH MCC	26	0.04	15
868	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH CC	13	0.02	5.8
869	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITHOUT CC/MCC	6	0.01	3.5
870	SEPTICEMIA OR SEVERE SEPSIS WITH MECH VENT 96+ HOURS	137	0.19	17
871	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC	891	1.24	7.3
872	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC	312	0.43	6.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
San Joaquin County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
876	O.R. PROCEDURE WITH PRINCIPAL DIAGNOSIS OF MENTAL ILLNESS	2	0.00	13
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	39	0.05	2.9
881	DEPRESSIVE NEUROSES	4	0.01	3.0
882	NEUROSES EXCEPT DEPRESSIVE	1	0.00	15
883	DISORDERS OF PERSONALITY & IMPULSE CONTROL	2	0.00	13
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	32	0.04	4.9
885	PSYCHOSES	38	0.05	4.0
886	BEHAVIORAL & DEVELOPMENTAL DISORDERS	1	0.00	2.0
887	OTHER MENTAL DISORDER DIAGNOSIS	5	0.01	5.0
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	19	0.03	1.1
895	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITH REHABILITATION THERAPY	1	0.00	8.0
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	50	0.07	6.8
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	153	0.21	3.7
901	WOUND DEBRIDE EMENTS FOR INJURIES WITH MCC	5	0.01	5.6
902	WOUND DEBRIDE EMENTS FOR INJURIES WITH CC	4	0.01	13
903	WOUND DEBRIDE EMENTS FOR INJURIES WITHOUT CC/MCC	8	0.01	2.9
904	SKIN GRAFTS FOR INJURIES WITH CC/MCC	9	0.01	21
905	SKIN GRAFTS FOR INJURIES WITHOUT CC/MCC	8	0.01	3.1
906	HAND PROCEDURES FOR INJURIES	14	0.02	2.9
907	OTHER O.R. PROCEDURES FOR INJURIES WITH MCC	46	0.06	9.5
908	OTHER O.R. PROCEDURES FOR INJURIES WITH CC	51	0.07	5.2

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
San Joaquin County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
909	OTHER O.R. PROCEDURES FOR INJURIES WITHOUT CC/MCC	47	0.07	2.9
913	TRAUMATIC INJURY WITH MCC	4	0.01	5.0
914	TRAUMATIC INJURY WITHOUT MCC	43	0.06	2.5
915	ALLERGIC REACTIONS WITH MCC	7	0.01	5.4
916	ALLERGIC REACTIONS WITHOUT MCC	44	0.06	2.7
917	POISONING & TOXIC EFFECTS OF DRUGS WITH MCC	119	0.17	4.8
918	POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC	302	0.42	1.8
919	COMPLICATIONS OF TREATMENT WITH MCC	52	0.07	8.8
920	COMPLICATIONS OF TREATMENT WITH CC	60	0.08	4.5
921	COMPLICATIONS OF TREATMENT WITHOUT CC/MCC	51	0.07	3.5
922	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITH MCC	17	0.02	3.6
923	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITHOUT MCC	36	0.05	1.5
927	EXTENSIVE BURNS OR FULL THICKNESS BURNS WITH MECH VENT 96+ HRS WITH SKIN GRAFT	3	0.00	30
928	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITH CC/MCC	3	0.00	12
929	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITHOUT CC/MCC	5	0.01	10
933	EXTENSIVE BURNS OR FULL THICKNESS BURNS WITH MECH VENT 96+ HRS WITHOUT SKIN GRAFT	1	0.00	1.0
934	FULL THICKNESS BURN WITHOUT SKIN GRAFT OR INHAL INJURY	5	0.01	3.8
935	NON-EXTENSIVE BURNS	35	0.05	3.0
939	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH MCC	4	0.01	8.0
940	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC	10	0.01	3.8

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
San Joaquin County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
941	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITHOUT CC/MCC	14	0.02	2.2
945	REHABILITATION WITH CC/MCC	2	0.00	21
947	SIGNS & SYMPTOMS WITH MCC	34	0.05	4.4
948	SIGNS & SYMPTOMS WITHOUT MCC	236	0.33	3.4
949	AFTERCARE WITH CC/MCC	16	0.02	8.3
950	AFTERCARE WITHOUT CC/MCC	12	0.02	4.1
951	OTHER FACTORS INFLUENCING HEALTH STATUS	47	0.07	2.5
955	CRANIOTOMY FOR MULTIPLE SIGNIFICANT TRAUMA	9	0.01	39
956	LIMB REATTACHMENT, HIP & FEMUR PROCEDURE FOR MULTIPLE SIGNIFICANT TRAUMA	28	0.04	11
957	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH MCC	21	0.03	20
958	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH CC	37	0.05	11
959	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	7	0.01	6.3
963	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH MCC	13	0.02	7.2
964	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH CC	29	0.04	6.0
965	OTHER MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	15	0.02	3.5
969	HIV WITH EXTENSIVE O.R. PROCEDURE WITH MCC	3	0.00	12
970	HIV WITH EXTENSIVE O.R. PROCEDURE WITHOUT MCC	1	0.00	3.0
974	HIV WITH MAJOR RELATED CONDITION WITH MCC	20	0.03	12
975	HIV WITH MAJOR RELATED CONDITION WITH CC	12	0.02	13
976	HIV WITH MAJOR RELATED CONDITION WITHOUT CC/MCC	10	0.01	10

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
San Joaquin County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
977	HIV WITH OR WITHOUT OTHER RELATED CONDITION	14	0.02	4.1
981	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	98	0.14	16
982	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	76	0.11	8.2
983	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	52	0.07	4.0
984	PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	1	0.00	10
985	PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	3	0.00	6.7
987	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	22	0.03	11
988	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	31	0.04	7.4
989	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	19	0.03	2.4
All		72,017	100.0	4.3

**MS-DRG by Patient County of Residence
and Type of Care for 2009
San Joaquin County**

typcare1=Chemical Dependency Recovery Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	1	2.08	5.0
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	2	4.17	1.0
895	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITH REHABILITATION THERAPY	5	10.42	11
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	40	83.33	11
All		48	100.0	10

**MS-DRG by Patient County of Residence
and Type of Care for 2009
San Joaquin County**

typcare1=Physical Rehabilitation Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
133	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITH CC/MCC	1	0.40	1.0
312	SYNCOPE & COLLAPSE	1	0.40	4.0
552	MEDICAL BACK PROBLEMS WITHOUT MCC	1	0.40	2.0
694	URINARY STONES WITHOUT ESW LITHOTRIPSY WITHOUT MCC	1	0.40	1.0
812	RED BLOOD CELL DISORDERS WITHOUT MCC	1	0.40	2.0
864	FEVER	1	0.40	2.0
939	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH MCC	4	1.61	20
940	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC	2	0.81	28
945	REHABILITATION WITH CC/MCC	204	82.26	17
946	REHABILITATION WITHOUT CC/MCC	32	12.90	13
All		248	100.0	16

**MS-DRG by Patient County of Residence
and Type of Care for 2009
San Joaquin County**

typcare1=Psychiatric Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
056	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC	4	0.15	5.3
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	108	4.01	11
081	NONTRAUMATIC STUPOR & COMA WITHOUT MCC	1	0.04	.00
093	OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC	1	0.04	1.0
781	OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS	2	0.07	3.0
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	10	0.37	3.2
881	DEPRESSIVE NEUROSES	143	5.31	19
882	NEUROSES EXCEPT DEPRESSIVE	40	1.48	4.0
883	DISORDERS OF PERSONALITY & IMPULSE CONTROL	10	0.37	10
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	10	0.37	8.2
885	PSYCHOSES	2,130	79.06	8.9
886	BEHAVIORAL & DEVELOPMENTAL DISORDERS	12	0.45	5.5
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	5	0.19	1.8
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	3	0.11	5.3
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	210	7.80	4.5
976	HIV WITH MAJOR RELATED CONDITION WITHOUT CC/MCC	3	0.11	20
977	HIV WITH OR WITHOUT OTHER RELATED CONDITION	2	0.07	2.0
All		2,694	100.0	9.1

*MS-DRG by Patient County of Residence
and Type of Care for 2009
San Joaquin County*

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
041	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH CC OR PERIPH NEUROSTIM	1	0.12	6.0
055	NERVOUS SYSTEM NEOPLASMS WITHOUT MCC	1	0.12	26
056	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC	5	0.59	18
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	35	4.13	26
064	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC	1	0.12	99
065	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC	1	0.12	50
070	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH MCC	1	0.12	16
071	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH CC	2	0.24	16
080	NONTRAUMATIC STUPOR & COMA WITH MCC	2	0.24	654
081	NONTRAUMATIC STUPOR & COMA WITHOUT MCC	1	0.12	3.0
083	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH CC	1	0.12	15
084	TRAUMATIC STUPOR & COMA, COMA >1 HR WITHOUT CC/MCC	1	0.12	1.0
091	OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC	3	0.35	15
092	OTHER DISORDERS OF NERVOUS SYSTEM WITH CC	1	0.12	5.0
093	OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC	3	0.35	177
094	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH MCC	1	0.12	2.0
095	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH CC	1	0.12	21
096	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITHOUT CC/MCC	1	0.12	4.0
097	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH MCC	1	0.12	61
100	SEIZURES WITH MCC	2	0.24	14
101	SEIZURES WITHOUT MCC	1	0.12	16

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
San Joaquin County**

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
149	DYSEQUILIBRIUM	1	0.12	3.0
158	DENTAL & ORAL DISEASES WITH CC	1	0.12	4.0
175	PULMONARY EMBOLISM WITH MCC	1	0.12	3.0
176	PULMONARY EMBOLISM WITHOUT MCC	1	0.12	3.0
177	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC	9	1.06	11
178	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC	12	1.42	13
179	RESPIRATORY INFECTIONS & INFLAMMATIONS WITHOUT CC/MCC	2	0.24	5.0
180	RESPIRATORY NEOPLASMS WITH MCC	2	0.24	6.0
181	RESPIRATORY NEOPLASMS WITH CC	6	0.71	9.5
182	RESPIRATORY NEOPLASMS WITHOUT CC/MCC	3	0.35	14
186	PLEURAL EFFUSION WITH MCC	3	0.35	15
187	PLEURAL EFFUSION WITH CC	1	0.12	5.0
189	PULMONARY EDEMA & RESPIRATORY FAILURE	8	0.94	139
190	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC	4	0.47	10
191	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC	12	1.42	14
192	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC	4	0.47	6.3
193	SIMPLE PNEUMONIA & PLEURISY WITH MCC	12	1.42	10
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	24	2.83	8.5
195	SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC	19	2.24	7.1
196	INTERSTITIAL LUNG DISEASE WITH MCC	2	0.24	5.0
203	BRONCHITIS & ASTHMA WITHOUT CC/MCC	1	0.12	2.0

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
San Joaquin County**

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
206	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITHOUT MCC	2	0.24	45
207	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS	23	2.72	97
208	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS	1	0.12	3.0
264	OTHER CIRCULATORY SYSTEM O.R. PROCEDURES	2	0.24	41
288	ACUTE & SUBACUTE ENDOCARDITIS WITH MCC	2	0.24	8.0
289	ACUTE & SUBACUTE ENDOCARDITIS WITH CC	2	0.24	4.5
291	HEART FAILURE & SHOCK WITH MCC	7	0.83	12
292	HEART FAILURE & SHOCK WITH CC	18	2.13	9.5
293	HEART FAILURE & SHOCK WITHOUT CC/MCC	4	0.47	6.3
300	PERIPHERAL VASCULAR DISORDERS WITH CC	4	0.47	8.8
301	PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC	2	0.24	2.0
302	ATHEROSCLEROSIS WITH MCC	1	0.12	4.0
303	ATHEROSCLEROSIS WITHOUT MCC	2	0.24	10
304	HYPERTENSION WITH MCC	2	0.24	14
305	HYPERTENSION WITHOUT MCC	2	0.24	53
308	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH MCC	1	0.12	2.0
309	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC	1	0.12	21
310	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITHOUT CC/MCC	2	0.24	4.5
312	SYNCOPE & COLLAPSE	1	0.12	5.0
314	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC	7	0.83	22
315	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC	3	0.35	14

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
San Joaquin County**

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
316	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITHOUT CC/MCC	5	0.59	11
371	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH MCC	10	1.18	13
372	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH CC	5	0.59	23
373	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITHOUT CC/MCC	3	0.35	20
374	DIGESTIVE MALIGNANCY WITH MCC	1	0.12	6.0
375	DIGESTIVE MALIGNANCY WITH CC	1	0.12	4.0
377	G.I. HEMORRHAGE WITH MCC	1	0.12	8.0
378	G.I. HEMORRHAGE WITH CC	1	0.12	7.0
379	G.I. HEMORRHAGE WITHOUT CC/MCC	1	0.12	3.0
389	G.I. OBSTRUCTION WITH CC	2	0.24	41
390	G.I. OBSTRUCTION WITHOUT CC/MCC	1	0.12	14
391	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITH MCC	3	0.35	13
392	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC	8	0.94	11
393	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH MCC	3	0.35	24
394	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH CC	5	0.59	15
395	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	3	0.35	5.7
432	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH MCC	1	0.12	11
436	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITH CC	2	0.24	5.0
437	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITHOUT CC/MCC	1	0.12	2.0
438	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH MCC	3	0.35	11
439	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH CC	3	0.35	22

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
San Joaquin County*

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
440	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITHOUT CC/MCC	2	0.24	5.0
441	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH MCC	1	0.12	3.0
442	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH CC	1	0.12	19
443	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITHOUT CC/MCC	2	0.24	2.0
444	DISORDERS OF THE BILIARY TRACT WITH MCC	1	0.12	12
446	DISORDERS OF THE BILIARY TRACT WITHOUT CC/MCC	1	0.12	5.0
479	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	1	0.12	10
486	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH CC	1	0.12	19
500	SOFT TISSUE PROCEDURES WITH MCC	1	0.12	41
539	OSTEOMYELITIS WITH MCC	2	0.24	5.5
541	OSTEOMYELITIS WITHOUT CC/MCC	2	0.24	16
543	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH CC	1	0.12	11
544	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITHOUT CC/MCC	1	0.12	3.0
547	CONNECTIVE TISSUE DISORDERS WITHOUT CC/MCC	1	0.12	3.0
549	SEPTIC ARTHRITIS WITH CC	1	0.12	42
550	SEPTIC ARTHRITIS WITHOUT CC/MCC	1	0.12	6.0
551	MEDICAL BACK PROBLEMS WITH MCC	2	0.24	11
552	MEDICAL BACK PROBLEMS WITHOUT MCC	2	0.24	4.5
554	BONE DISEASES & ARTHROPATHIES WITHOUT MCC	1	0.12	5.0
555	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITH MCC	1	0.12	15
557	TENDONITIS, MYOSITIS & BURSITIS WITH MCC	1	0.12	42

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
San Joaquin County*

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
558	TENDONITIS, MYOSITIS & BURSITIS WITHOUT MCC	3	0.35	6.3
559	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	8	0.94	15
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	20	2.36	51
561	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	16	1.89	8.6
565	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH CC	1	0.12	5.0
573	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH MCC	1	0.12	92
580	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH CC	1	0.12	13
592	SKIN ULCERS WITH MCC	2	0.24	226
593	SKIN ULCERS WITH CC	5	0.59	11
594	SKIN ULCERS WITHOUT CC/MCC	3	0.35	32
596	MAJOR SKIN DISORDERS WITHOUT MCC	1	0.12	15
600	NON-MALIGNANT BREAST DISORDERS WITH CC/MCC	1	0.12	31
602	CELLULITIS WITH MCC	6	0.71	15
603	CELLULITIS WITHOUT MCC	15	1.77	29
605	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITHOUT MCC	2	0.24	6.5
606	MINOR SKIN DISORDERS WITH MCC	1	0.12	34
637	DIABETES WITH MCC	1	0.12	19
638	DIABETES WITH CC	3	0.35	12
639	DIABETES WITHOUT CC/MCC	2	0.24	3.0
640	NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC	1	0.12	9.0
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	4	0.47	4.3

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
San Joaquin County*

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
644	ENDOCRINE DISORDERS WITH CC	2	0.24	9.0
660	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH CC	1	0.12	20
674	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH CC	1	0.12	9.0
682	RENAL FAILURE WITH MCC	7	0.83	8.4
683	RENAL FAILURE WITH CC	10	1.18	11
686	KIDNEY & URINARY TRACT NEOPLASMS WITH MCC	1	0.12	8.0
687	KIDNEY & URINARY TRACT NEOPLASMS WITH CC	1	0.12	12
689	KIDNEY & URINARY TRACT INFECTIONS WITH MCC	6	0.71	15
690	KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC	12	1.42	40
694	URINARY STONES WITHOUT ESW LITHOTRIPSY WITHOUT MCC	1	0.12	8.0
698	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH MCC	3	0.35	14
727	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITH MCC	1	0.12	6.0
754	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH MCC	1	0.12	16
755	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH CC	3	0.35	8.7
760	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITH CC/MCC	1	0.12	30
809	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH CC	2	0.24	35
810	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITHOUT CC/MCC	1	0.12	4.0
811	RED BLOOD CELL DISORDERS WITH MCC	1	0.12	13
812	RED BLOOD CELL DISORDERS WITHOUT MCC	1	0.12	10
814	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH MCC	1	0.12	11
829	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITH CC/MCC	1	0.12	9.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
San Joaquin County*

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
835	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH CC	1	0.12	5.0
840	LYMPHOMA & NON-ACUTE LEUKEMIA WITH MCC	2	0.24	16
842	LYMPHOMA & NON-ACUTE LEUKEMIA WITHOUT CC/MCC	1	0.12	3.0
843	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH MCC	2	0.24	9.0
845	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITHOUT CC/MCC	1	0.12	12
854	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH CC	2	0.24	24
855	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITHOUT CC/MCC	1	0.12	19
856	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH MCC	1	0.12	32
862	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITH MCC	7	0.83	15
863	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC	5	0.59	25
867	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH MCC	1	0.12	2.0
868	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH CC	2	0.24	43
871	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC	38	4.49	15
872	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC	30	3.54	14
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	1	0.12	44
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	3	0.35	99
885	PSYCHOSES	1	0.12	2.0
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	1	0.12	3.0
903	WOUND DEBRIDEMENTS FOR INJURIES WITHOUT CC/MCC	1	0.12	41
919	COMPLICATIONS OF TREATMENT WITH MCC	2	0.24	31
920	COMPLICATIONS OF TREATMENT WITH CC	1	0.12	32

(Continued)

***MS-DRG by Patient County of Residence
and Type of Care for 2009
San Joaquin County***

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
923	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITHOUT MCC	1	0.12	6.0
939	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH MCC	1	0.12	35
940	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC	2	0.24	28
945	REHABILITATION WITH CC/MCC	35	4.13	153
946	REHABILITATION WITHOUT CC/MCC	18	2.13	13
947	SIGNS & SYMPTOMS WITH MCC	2	0.24	5.5
948	SIGNS & SYMPTOMS WITHOUT MCC	12	1.42	23
949	AFTERCARE WITH CC/MCC	88	10.39	14
950	AFTERCARE WITHOUT CC/MCC	51	6.02	11
951	OTHER FACTORS INFLUENCING HEALTH STATUS	2	0.24	48
974	HIV WITH MAJOR RELATED CONDITION WITH MCC	1	0.12	5.0
975	HIV WITH MAJOR RELATED CONDITION WITH CC	1	0.12	2.0
981	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	1	0.12	10
All		847	100.0	28

**MDC by Patient County of Residence
for 2009
San Joaquin County**

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	3,823	5.04	6.2
02	EYE, DISEASES & DISORDERS	89	0.12	4.4
03	EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS	816	1.08	3.6
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	7,020	9.25	6.3
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	9,197	12.12	4.5
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	6,185	8.15	5.0
07	HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS	2,512	3.31	5.1
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	5,257	6.93	4.5
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	1,886	2.49	5.2
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	2,599	3.43	3.4
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	2,602	3.43	4.9
12	MALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	261	0.34	3.0
13	FEMALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	1,577	2.08	2.8
14	PREGNANCY, CHILDBIRTH, & THE PUERPERIUM	11,725	15.46	2.5
15	NEWBORNS AND NEONATE CONDITIONS BEGAN IN PERINATAL PERIOD	11,509	15.17	3.4
16	BLOOD, BLOOD FORMING ORGANS,IMMUNOLOGICAL, DISEASES & DISORDERS	876	1.15	4.5
17	MYELOPROLIFERATIVE DISEASES & POORLY DIFFERENTIATED NEOPLASMS	633	0.83	7.6
18	INFECTIOUS & PARASITIC DISEASES	2,252	2.97	8.9
19	MENTAL DISEASES & DISORDERS	2,485	3.28	9.3
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	490	0.65	4.9
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	953	1.26	4.3
22	BURNS	52	0.07	5.8

(Continued)

***MDC by Patient County of Residence
for 2009
San Joaquin County***

		Number of Discharges	Percent of Subtotal	Average Length of Stay
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	828	1.09	16
24	MULTIPLE SIGNFICANT TRAUMA	159	0.21	12
25	HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS	68	0.09	12
All		75,854	100.0	4.8

**MDC by Patient County of Residence
and Type of Care for 2009
San Joaquin County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	3,643	5.06	5.3
02	EYE, DISEASES & DISORDERS	89	0.12	4.4
03	EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS	813	1.13	3.6
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	6,867	9.54	5.8
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	9,128	12.67	4.5
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	6,137	8.52	5.0
07	HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS	2,494	3.46	5.1
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	5,189	7.21	4.3
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	1,848	2.57	4.6
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	2,586	3.59	3.4
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	2,558	3.55	4.6
12	MALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	260	0.36	3.0
13	FEMALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	1,572	2.18	2.8
14	PREGNANCY, CHILDBIRTH, & THE PUERPERIUM	11,723	16.28	2.5
15	NEWBORNS AND NEONATE CONDITIONS BEGAN IN PERINATAL PERIOD	11,509	15.98	3.4
16	BLOOD, BLOOD FORMING ORGANS,IMMUNOLOGICAL, DISEASES & DISORDERS	869	1.21	4.4
17	MYELOPROLIFERATIVE DISEASES & POORLY DIFFERENTIATED NEOPLASMS	625	0.87	7.6
18	INFECTIOUS & PARASITIC DISEASES	2,164	3.00	8.6
19	MENTAL DISEASES & DISORDERS	124	0.17	4.3
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	224	0.31	4.2
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	948	1.32	4.2

(Continued)

***MDC by Patient County of Residence
and Type of Care for 2009
San Joaquin County***

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
22	BURNS	52	0.07	5.8
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	375	0.52	3.7
24	MULTIPLE SIGNFICANT TRAUMA	159	0.22	12
25	HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS	61	0.08	12
All		72,017	100.0	4.3

***MDC by Patient County of Residence
and Type of Care for 2009
San Joaquin County***

typcare1=Chemical Dependency Recovery Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
19	MENTAL DISEASES & DISORDERS	1	2.08	5.0
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	47	97.92	11
All		48	100.0	10

***MDC by Patient County of Residence
and Type of Care for 2009
San Joaquin County***

typcare1=Physical Rehabilitation Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
03	EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS	1	0.40	1.0
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	1	0.40	4.0
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	1	0.40	2.0
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	1	0.40	1.0
16	BLOOD, BLOOD FORMING ORGANS, IMMUNOLOGICAL, DISEASES & DISORDERS	1	0.40	2.0
18	INFECTIOUS & PARASITIC DISEASES	1	0.40	2.0
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	242	97.58	17
All		248	100.0	16

***MDC by Patient County of Residence
and Type of Care for 2009
San Joaquin County***

typcare1=Psychiatric Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	114	4.23	11
14	PREGNANCY, CHILDBIRTH, & THE PUERPERIUM	2	0.07	3.0
19	MENTAL DISEASES & DISORDERS	2,355	87.42	9.4
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	218	8.09	4.4
25	HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS	5	0.19	13
All		2,694	100.0	9.1

***MDC by Patient County of Residence
and Type of Care for 2009
San Joaquin County***

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	66	7.79	50
03	EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS	2	0.24	3.5
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	153	18.06	30
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	68	8.03	13
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	48	5.67	15
07	HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS	18	2.13	9.7
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	67	7.91	23
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	38	4.49	35
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	13	1.53	8.0
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	43	5.08	20
12	MALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	1	0.12	6.0
13	FEMALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	5	0.59	14
16	BLOOD, BLOOD FORMING ORGANS,IMMUNOLOGICAL, DISEASES & DISORDERS	6	0.71	18
17	MYELOPROLIFERATIVE DISEASES & POORLY DIFFERENTIATED NEOPLASMS	8	0.94	9.9
18	INFECTIOUS & PARASITIC DISEASES	87	10.27	16
19	MENTAL DISEASES & DISORDERS	5	0.59	68
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	1	0.12	3.0
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	5	0.59	28
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	211	24.91	37
25	HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS	2	0.24	3.5
All		847	100.0	28