

**Type of Care by Patient County of Residence
for 2010
San Joaquin County**

	Number of Discharges	Percent of Subtotal	Average Length of Stay
Acute Care	70,991	94.88	4.2
Chemical Dependency Recovery Care	31	0.04	13
Physical Rehabilitation Care	210	0.28	15
Psychiatric Care	2,920	3.90	7.6
Skilled Nursing/Intermediate Care	672	0.90	44
All	74,824	100.0	4.8

***Disposition by Patient County of Residence
for 2010
San Joaquin County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	162	0.00	12
01 - Routine (Home)	2,964,599	74.66	3.6
02 - Acute Care within the admitting hospital	9,793	0.25	64
03 - Other Care with the admitting hospital	20,666	0.52	9.0
04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital	32,649	0.82	8.1
05 - Acute Care at another hospital	83,795	2.11	10
06 - Other Care (not SN/IC) at another hospital	34,381	0.87	9.8
07 - SN/IC at another facility	305,209	7.69	8.8
08 - Residential Care facility	36,313	0.91	9.4
09 - Prison/Jail	20,022	0.50	5.3
10 - Left Against Medical Advice	45,467	1.14	3.2
11 - Died	76,630	1.93	16
12 - Home Health Service	330,832	8.33	7.1
13 - Other	10,404	0.26	11
All	3,970,922	100.0	5.0

***Disposition by Patient County of Residence
and Type of Care for 2010
San Joaquin County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
00 - Invalid	1	0.00	3.0
01 - Routine (Home)	54,430	76.67	3.3
02 - Acute Care within the admitting hospital	3	0.00	2.7
03 - Other Care with the admitting hospital	77	0.11	8.3
04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital	624	0.88	8.9
05 - Acute Care at another hospital	1,704	2.40	4.4
06 - Other Care (not SN/IC) at another hospital	537	0.76	9.0
07 - SN/IC at another facility	6,137	8.64	7.8
08 - Residential Care facility	301	0.42	7.2
09 - Prison/Jail	299	0.42	6.0
10 - Left Against Medical Advice	657	0.93	2.5
11 - Died	1,594	2.25	8.5
12 - Home Health Service	4,430	6.24	7.1
13 - Other	197	0.28	7.9
All	70,991	100.0	4.2

***Disposition by Patient County of Residence
and Type of Care for 2010
San Joaquin County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	29	93.55	14
10 - Left Against Medical Advice	2	6.45	3.5
All	31	100.0	13

***Disposition by Patient County of Residence
and Type of Care for 2010
San Joaquin County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	120	57.14	14
02 - Acute Care within the admitting hospital	15	7.14	9.7
05 - Acute Care at another hospital	9	4.29	11
06 - Other Care (not SN/IC) at another hospital	1	0.48	14
07 - SN/IC at another facility	18	8.57	18
08 - Residential Care facility	4	1.90	12
12 - Home Health Service	43	20.48	19
All	210	100.0	15

***Disposition by Patient County of Residence
and Type of Care for 2010
San Joaquin County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	2,423	82.98	6.6
02 - Acute Care within the admitting hospital	5	0.17	108
03 - Other Care with the admitting hospital	1	0.03	13
04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital	1	0.03	512
05 - Acute Care at another hospital	44	1.51	7.9
06 - Other Care (not SN/IC) at another hospital	31	1.06	7.1
07 - SN/IC at another facility	42	1.44	20
08 - Residential Care facility	268	9.18	11
09 - Prison/Jail	46	1.58	7.7
10 - Left Against Medical Advice	25	0.86	3.2
12 - Home Health Service	3	0.10	11
13 - Other	31	1.06	7.6
All	2,920	100.0	7.6

***Disposition by Patient County of Residence
and Type of Care for 2010
San Joaquin County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Routine (Home)	107	15.92	15
02 - Acute Care within the admitting hospital	94	13.99	44
03 - Other Care with the admitting hospital	5	0.74	460
04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital	2	0.30	3.0
05 - Acute Care at another hospital	5	0.74	217
06 - Other Care (not SN/IC) at another hospital	7	1.04	447
07 - SN/IC at another facility	154	22.92	74
08 - Residential Care facility	8	1.19	10
10 - Left Against Medical Advice	1	0.15	5.0
11 - Died	61	9.08	38
12 - Home Health Service	222	33.04	14
13 - Other	6	0.89	12
All	672	100.0	44

***Gender by Patient County of Residence
for 2010
San Joaquin County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	30,323	40.53	5.3
2 - Female	44,497	59.47	4.4
3 - Other	1	0.00	2.0
4 - Unknown	3	0.00	1.3
All	74,824	100.0	4.8

***Gender by Patient County of Residence
and Type of Care for 2010
San Joaquin County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	28,469	40.10	4.7
2 - Female	42,518	59.89	3.9
3 - Other	1	0.00	2.0
4 - Unknown	3	0.00	1.3
All	70,991	100.0	4.2

***Gender by Patient County of Residence
and Type of Care for 2010
San Joaquin County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	20	64.52	16
2 - Female	11	35.48	9.1
All	31	100.0	13

***Gender by Patient County of Residence
and Type of Care for 2010
San Joaquin County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	116	55.24	16
2 - Female	94	44.76	15
All	210	100.0	15

***Gender by Patient County of Residence
and Type of Care for 2010
San Joaquin County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	1,435	49.14	8.3
2 - Female	1,485	50.86	7.0
All	2,920	100.0	7.6

***Gender by Patient County of Residence
and Type of Care for 2010
San Joaquin County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Male	283	42.11	40
2 - Female	389	57.89	46
All	672	100.0	44

***Expected Payer by Patient County of Residence
for 2010
San Joaquin County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	23,550	31.47	5.9
02 - Medi-Cal	20,727	27.70	4.7
03 - Private Coverage	23,112	30.89	3.5
04 - Workers' Compensatio	363	0.49	4.1
05 - County Indigent Prog	1,617	2.16	7.0
06 - Other Government	1,156	1.54	6.1
07 - Other Indigent	165	0.22	4.6
08 - Self-Pay	4,049	5.41	4.4
09 - Other Payer	85	0.11	6.7
All	74,824	100.0	4.8

***Expected Payer by Patient County of Residence
and Type of Care for 2010
San Joaquin County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	22,236	31.32	5.3
02 - Medi-Cal	20,544	28.94	4.0
03 - Private Coverage	22,128	31.17	3.3
04 - Workers' Compensatio	355	0.50	3.9
05 - County Indigent Prog	521	0.73	4.0
06 - Other Government	1,126	1.59	5.8
07 - Other Indigent	161	0.23	4.4
08 - Self-Pay	3,841	5.41	4.4
09 - Other Payer	79	0.11	6.4
All	70,991	100.0	4.2

***Expected Payer by Patient County of Residence
and Type of Care for 2010
San Joaquin County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
02 - Medi-Cal	1	3.23	3.0
03 - Private Coverage	24	77.42	11
06 - Other Government	2	6.45	62
08 - Self-Pay	4	12.90	8.5
All	31	100.0	13

***Expected Payer by Patient County of Residence
and Type of Care for 2010
San Joaquin County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	87	41.43	14
02 - Medi-Cal	32	15.24	17
03 - Private Coverage	73	34.76	15
04 - Workers' Compensatio	4	1.90	11
05 - County Indigent Prog	1	0.48	16
06 - Other Government	10	4.76	20
07 - Other Indigent	1	0.48	28
08 - Self-Pay	2	0.95	15
All	210	100.0	15

***Expected Payer by Patient County of Residence
and Type of Care for 2010
San Joaquin County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	626	21.44	9.2
02 - Medi-Cal	121	4.14	12
03 - Private Coverage	853	29.21	5.6
04 - Workers' Compensatio	1	0.03	4.0
05 - County Indigent Prog	1,095	37.50	8.4
06 - Other Government	18	0.62	6.5
07 - Other Indigent	2	0.07	6.0
08 - Self-Pay	198	6.78	4.5
09 - Other Payer	6	0.21	10
All	2,920	100.0	7.6

***Expected Payer by Patient County of Residence
and Type of Care for 2010
San Joaquin County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
01 - Medicare	601	89.43	24
02 - Medi-Cal	29	4.32	473
03 - Private Coverage	34	5.06	36
04 - Workers' Compensatio	3	0.45	22
07 - Other Indigent	1	0.15	20
08 - Self-Pay	4	0.60	14
All	672	100.0	44

***Race Group by Patient County of Residence
for 2010
San Joaquin County***

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	426	0.57	6.0
1 - White	34,839	46.56	4.9
2 - Black	7,268	9.71	5.1
3 - Hispanic	22,738	30.39	4.3
4 - Asian/Pacific Islander	7,151	9.56	5.2
5 - Native American/Eskimo/Ale	207	0.28	4.4
6 - Other	2,195	2.93	5.2
All	74,824	100.0	4.8

***Race Group by Patient County of Residence
and Type of Care for 2010
San Joaquin County***

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	370	0.52	5.2
1 - White	32,799	46.20	4.4
2 - Black	6,812	9.60	4.5
3 - Hispanic	21,773	30.67	3.9
4 - Asian/Pacific Islander	6,910	9.73	4.2
5 - Native American/Eskimo/Ale	188	0.26	4.2
6 - Other	2,139	3.01	4.3
All	70,991	100.0	4.2

***Race Group by Patient County of Residence
and Type of Care for 2010
San Joaquin County***

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - White	26	83.87	9.9
2 - Black	1	3.23	120
3 - Hispanic	4	12.90	10
All	31	100.0	13

***Race Group by Patient County of Residence
and Type of Care for 2010
San Joaquin County***

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	8	3.81	14
1 - White	126	60.00	14
2 - Black	23	10.95	15
3 - Hispanic	37	17.62	19
4 - Asian/Pacific Islander	13	6.19	17
6 - Other	3	1.43	13
All	210	100.0	15

***Race Group by Patient County of Residence
and Type of Care for 2010
San Joaquin County***

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	44	1.51	5.1
1 - White	1,469	50.31	7.1
2 - Black	378	12.95	7.5
3 - Hispanic	784	26.85	8.5
4 - Asian/Pacific Islander	182	6.23	9.3
5 - Native American/Eskimo/Ale	17	0.58	6.1
6 - Other	46	1.58	5.5
All	2,920	100.0	7.6

***Race Group by Patient County of Residence
and Type of Care for 2010
San Joaquin County***

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Unknown	4	0.60	73
1 - White	419	62.35	31
2 - Black	54	8.04	56
3 - Hispanic	140	20.83	35
4 - Asian/Pacific Islander	46	6.85	136
5 - Native American/Eskimo/Ale	2	0.30	12
6 - Other	7	1.04	267
All	672	100.0	44

**Source of Admission by Patient County of Residence
for 2010
San Joaquin County**

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Invalid	3	0.00	4.0
1 - Home	56,279	75.22	4.2
2 - Residential Care Facility	658	0.88	7.8
3 - Ambulatory Surgery	285	0.38	7.0
4 - Skilled Nursing/Intermedia	2,465	3.29	8.1
5 - Acute Inpatient Hospital C	2,907	3.89	16
6 - Other Inpatient Hospital C	222	0.30	23
7 - Newborn (born in admitting	10,499	14.03	3.3
8 - Prison/Jail	326	0.44	5.3
9 - Other	1,180	1.58	5.9
All	74,824	100.0	4.8

**Source of Admission by Patient County of Residence
and Type of Care for 2010
San Joaquin County**

typcare1=Acute Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
0 - Invalid	3	0.00	4.0
1 - Home	53,728	75.68	4.0
2 - Residential Care Facility	569	0.80	6.1
3 - Ambulatory Surgery	282	0.40	4.5
4 - Skilled Nursing/Intermedia	2,426	3.42	7.8
5 - Acute Inpatient Hospital C	1,908	2.69	9.8
6 - Other Inpatient Hospital C	189	0.27	7.4
7 - Newborn (born in admitting	10,499	14.79	3.3
8 - Prison/Jail	282	0.40	4.7
9 - Other	1,105	1.56	5.4
All	70,991	100.0	4.2

**Source of Admission by Patient County of Residence
and Type of Care for 2010
San Joaquin County**

typcare1=Chemical Dependency Recovery Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	29	93.55	14
8 - Prison/Jail	1	3.23	3.0
9 - Other	1	3.23	3.0
All	31	100.0	13

**Source of Admission by Patient County of Residence
and Type of Care for 2010
San Joaquin County**

typcare1=Physical Rehabilitation Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	10	4.76	8.4
4 - Skilled Nursing/Intermedia	3	1.43	25
5 - Acute Inpatient Hospital C	190	90.48	15
6 - Other Inpatient Hospital C	5	2.38	19
9 - Other	2	0.95	14
All	210	100.0	15

**Source of Admission by Patient County of Residence
and Type of Care for 2010
San Joaquin County**

typcare1=Psychiatric Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	2,493	85.38	7.0
2 - Residential Care Facility	87	2.98	17
4 - Skilled Nursing/Intermedia	27	0.92	16
5 - Acute Inpatient Hospital C	200	6.85	6.9
6 - Other Inpatient Hospital C	7	0.24	78
8 - Prison/Jail	43	1.47	9.5
9 - Other	63	2.16	6.7
All	2,920	100.0	7.6

**Source of Admission by Patient County of Residence
and Type of Care for 2010
San Joaquin County**

typcare1=Skilled Nursing/Intermediate Care

	Number of Discharges	Percent of Subtotal	Average Length of Stay
1 - Home	19	2.83	16
2 - Residential Care Facility	2	0.30	55
3 - Ambulatory Surgery	3	0.45	239
4 - Skilled Nursing/Intermedia	9	1.34	77
5 - Acute Inpatient Hospital C	609	90.63	39
6 - Other Inpatient Hospital C	21	3.13	145
9 - Other	9	1.34	59
All	672	100.0	44

*MS-DRG by Patient County of Residence
for 2010
San Joaquin County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
001	HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM WITH MCC	10	0.01	39
002	HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM WITHOUT MCC	2	0.00	22
003	ECMO OR TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITH MAJOR O.R.	84	0.11	60
004	TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITHOUT MAJOR O.R.	79	0.11	43
005	LIVER TRANSPLANT WITH MCC OR INTESTINAL TRANSPLANT	10	0.01	20
006	LIVER TRANSPLANT WITHOUT MCC	3	0.00	7.0
009	BONE MARROW TRANSPLANT	17	0.02	40
011	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH MCC	4	0.01	22
012	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH CC	15	0.02	9.5
013	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITHOUT CC/MCC	7	0.01	8.9
020	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH MCC	9	0.01	19
021	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH CC	6	0.01	18
022	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITHOUT CC/MCC	2	0.00	11
023	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITH MCC OR CHEMO IMPLANT	22	0.03	23
024	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITHOUT MCC	10	0.01	9.6
025	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH MCC	80	0.11	13
026	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH CC	77	0.10	7.9
027	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITHOUT CC/MCC	81	0.11	3.7
028	SPINAL PROCEDURES WITH MCC	7	0.01	7.4
029	SPINAL PROCEDURES WITH CC OR SPINAL NEUROSTIMULATORS	21	0.03	7.9

(Continued)

*MS-DRG by Patient County of Residence
for 2010
San Joaquin County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
030	SPINAL PROCEDURES WITHOUT CC/MCC	31	0.04	4.1
031	VENTRICULAR SHUNT PROCEDURES WITH MCC	10	0.01	5.3
032	VENTRICULAR SHUNT PROCEDURES WITH CC	20	0.03	6.2
033	VENTRICULAR SHUNT PROCEDURES WITHOUT CC/MCC	7	0.01	2.6
035	CAROTID ARTERY STENT PROCEDURE WITH CC	5	0.01	1.6
036	CAROTID ARTERY STENT PROCEDURE WITHOUT CC/MCC	17	0.02	1.1
037	EXTRACRANIAL PROCEDURES WITH MCC	15	0.02	12
038	EXTRACRANIAL PROCEDURES WITH CC	42	0.06	3.0
039	EXTRACRANIAL PROCEDURES WITHOUT CC/MCC	108	0.14	1.7
040	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH MCC	11	0.01	9.0
041	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH CC OR PERIPH NEUROSTIM	24	0.03	7.0
042	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITHOUT CC/MCC	16	0.02	2.6
052	SPINAL DISORDERS & INJURIES WITH CC/MCC	6	0.01	5.8
053	SPINAL DISORDERS & INJURIES WITHOUT CC/MCC	6	0.01	7.0
054	NERVOUS SYSTEM NEOPLASMS WITH MCC	24	0.03	6.0
055	NERVOUS SYSTEM NEOPLASMS WITHOUT MCC	65	0.09	5.0
056	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC	28	0.04	98
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	185	0.25	13
058	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH MCC	8	0.01	7.1
059	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH CC	12	0.02	5.1
060	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITHOUT CC/MCC	10	0.01	3.8
061	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH MCC	9	0.01	7.9

(Continued)

*MS-DRG by Patient County of Residence
for 2010
San Joaquin County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
062	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH CC	10	0.01	8.0
063	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITHOUT CC/MCC	10	0.01	3.6
064	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC	211	0.28	6.7
065	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC	399	0.53	4.8
066	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC	255	0.34	3.4
067	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITH MCC	4	0.01	2.0
068	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITHOUT MCC	34	0.05	3.0
069	TRANSIENT ISCHEMIA	268	0.36	2.5
070	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH MCC	36	0.05	6.9
071	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH CC	24	0.03	4.8
072	NONSPECIFIC CEREBROVASCULAR DISORDERS WITHOUT CC/MCC	12	0.02	2.1
073	CRANIAL & PERIPHERAL NERVE DISORDERS WITH MCC	32	0.04	4.8
074	CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC	121	0.16	3.6
075	VIRAL MENINGITIS WITH CC/MCC	19	0.03	5.9
076	VIRAL MENINGITIS WITHOUT CC/MCC	36	0.05	4.1
077	HYPERTENSIVE ENCEPHALOPATHY WITH MCC	4	0.01	5.8
078	HYPERTENSIVE ENCEPHALOPATHY WITH CC	2	0.00	6.5
079	HYPERTENSIVE ENCEPHALOPATHY WITHOUT CC/MCC	2	0.00	3.0
080	NONTRAUMATIC STUPOR & COMA WITH MCC	26	0.03	5.9
081	NONTRAUMATIC STUPOR & COMA WITHOUT MCC	90	0.12	2.5
082	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH MCC	22	0.03	4.3
083	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH CC	10	0.01	5.6

(Continued)

*MS-DRG by Patient County of Residence
for 2010
San Joaquin County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
084	TRAUMATIC STUPOR & COMA, COMA >1 HR WITHOUT CC/MCC	16	0.02	1.8
085	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH MCC	33	0.04	6.2
086	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH CC	48	0.06	3.8
087	TRAUMATIC STUPOR & COMA, COMA <1 HR WITHOUT CC/MCC	86	0.11	2.0
088	CONCUSSION WITH MCC	2	0.00	3.5
089	CONCUSSION WITH CC	16	0.02	1.9
090	CONCUSSION WITHOUT CC/MCC	35	0.05	1.4
091	OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC	47	0.06	97
092	OTHER DISORDERS OF NERVOUS SYSTEM WITH CC	68	0.09	4.6
093	OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC	57	0.08	2.9
094	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH MCC	13	0.02	11
095	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH CC	10	0.01	12
096	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITHOUT CC/MCC	9	0.01	5.1
097	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH MCC	9	0.01	15
098	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH CC	9	0.01	7.8
099	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITHOUT CC/MCC	11	0.01	6.2
100	SEIZURES WITH MCC	100	0.13	7.2
101	SEIZURES WITHOUT MCC	336	0.45	2.8
102	HEADACHES WITH MCC	4	0.01	8.8
103	HEADACHES WITHOUT MCC	92	0.12	3.0
113	ORBITAL PROCEDURES WITH CC/MCC	4	0.01	6.8
114	ORBITAL PROCEDURES WITHOUT CC/MCC	4	0.01	2.5

(Continued)

*MS-DRG by Patient County of Residence
for 2010
San Joaquin County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
115	EXTRAOCULAR PROCEDURES EXCEPT ORBIT	7	0.01	2.4
116	INTRAOCULAR PROCEDURES WITH CC/MCC	3	0.00	1.3
121	ACUTE MAJOR EYE INFECTIONS WITH CC/MCC	7	0.01	7.1
122	ACUTE MAJOR EYE INFECTIONS WITHOUT CC/MCC	10	0.01	3.9
123	NEUROLOGICAL EYE DISORDERS	9	0.01	2.4
124	OTHER DISORDERS OF THE EYE WITH MCC	4	0.01	6.3
125	OTHER DISORDERS OF THE EYE WITHOUT MCC	32	0.04	3.0
129	MAJOR HEAD & NECK PROCEDURES WITH CC/MCC OR MAJOR DEVICE	5	0.01	2.2
130	MAJOR HEAD & NECK PROCEDURES WITHOUT CC/MCC	6	0.01	3.3
131	CRANIAL/FACIAL PROCEDURES WITH CC/MCC	15	0.02	6.4
132	CRANIAL/FACIAL PROCEDURES WITHOUT CC/MCC	43	0.06	1.9
133	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITH CC/MCC	36	0.05	4.8
134	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITHOUT CC/MCC	99	0.13	1.8
135	SINUS & MASTOID PROCEDURES WITH CC/MCC	4	0.01	3.3
136	SINUS & MASTOID PROCEDURES WITHOUT CC/MCC	2	0.00	1.5
137	MOUTH PROCEDURES WITH CC/MCC	4	0.01	4.5
138	MOUTH PROCEDURES WITHOUT CC/MCC	9	0.01	2.8
139	SALIVARY GLAND PROCEDURES	13	0.02	1.1
146	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH MCC	2	0.00	3.5
147	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH CC	6	0.01	6.0
148	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITHOUT CC/MCC	2	0.00	3.0
149	DYSEQUILIBRIUM	101	0.13	2.7

(Continued)

*MS-DRG by Patient County of Residence
for 2010
San Joaquin County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
150	EPISTAXIS WITH MCC	7	0.01	5.3
151	EPISTAXIS WITHOUT MCC	19	0.03	3.4
152	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITH MCC	23	0.03	5.6
153	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITHOUT MCC	158	0.21	2.2
154	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH MCC	11	0.01	5.5
155	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH CC	28	0.04	3.3
156	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITHOUT CC/MCC	36	0.05	2.0
157	DENTAL & ORAL DISEASES WITH MCC	6	0.01	6.7
158	DENTAL & ORAL DISEASES WITH CC	36	0.05	3.7
159	DENTAL & ORAL DISEASES WITHOUT CC/MCC	36	0.05	2.5
163	MAJOR CHEST PROCEDURES WITH MCC	54	0.07	17
164	MAJOR CHEST PROCEDURES WITH CC	79	0.11	5.9
165	MAJOR CHEST PROCEDURES WITHOUT CC/MCC	71	0.09	4.6
166	OTHER RESP SYSTEM O.R. PROCEDURES WITH MCC	66	0.09	12
167	OTHER RESP SYSTEM O.R. PROCEDURES WITH CC	79	0.11	8.9
168	OTHER RESP SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	21	0.03	3.5
175	PULMONARY EMBOLISM WITH MCC	42	0.06	6.8
176	PULMONARY EMBOLISM WITHOUT MCC	165	0.22	5.4
177	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC	174	0.23	13
178	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC	204	0.27	7.3
179	RESPIRATORY INFECTIONS & INFLAMMATIONS WITHOUT CC/MCC	83	0.11	5.1
180	RESPIRATORY NEOPLASMS WITH MCC	68	0.09	6.4

(Continued)

*MS-DRG by Patient County of Residence
for 2010
San Joaquin County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
181	RESPIRATORY NEOPLASMS WITH CC	107	0.14	5.4
182	RESPIRATORY NEOPLASMS WITHOUT CC/MCC	11	0.01	4.4
183	MAJOR CHEST TRAUMA WITH MCC	10	0.01	6.4
184	MAJOR CHEST TRAUMA WITH CC	23	0.03	3.8
185	MAJOR CHEST TRAUMA WITHOUT CC/MCC	14	0.02	2.6
186	PLEURAL EFFUSION WITH MCC	21	0.03	6.9
187	PLEURAL EFFUSION WITH CC	36	0.05	3.9
188	PLEURAL EFFUSION WITHOUT CC/MCC	16	0.02	3.1
189	PULMONARY EDEMA & RESPIRATORY FAILURE	242	0.32	25
190	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC	403	0.54	5.2
191	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC	443	0.59	4.3
192	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC	420	0.56	3.4
193	SIMPLE PNEUMONIA & PLEURISY WITH MCC	411	0.55	6.4
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	960	1.28	4.6
195	SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC	686	0.92	3.1
196	INTERSTITIAL LUNG DISEASE WITH MCC	29	0.04	5.4
197	INTERSTITIAL LUNG DISEASE WITH CC	23	0.03	4.1
198	INTERSTITIAL LUNG DISEASE WITHOUT CC/MCC	10	0.01	3.4
199	PNEUMOTHORAX WITH MCC	15	0.02	6.4
200	PNEUMOTHORAX WITH CC	46	0.06	4.7
201	PNEUMOTHORAX WITHOUT CC/MCC	45	0.06	3.2
202	BRONCHITIS & ASTHMA WITH CC/MCC	326	0.44	3.7

(Continued)

*MS-DRG by Patient County of Residence
for 2010
San Joaquin County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
203	BRONCHITIS & ASTHMA WITHOUT CC/MCC	610	0.82	2.4
204	RESPIRATORY SIGNS & SYMPTOMS	113	0.15	2.8
205	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITH MCC	26	0.03	7.2
206	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITHOUT MCC	82	0.11	3.0
207	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS	179	0.24	66
208	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS	330	0.44	6.5
216	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH MCC	39	0.05	18
217	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH CC	32	0.04	11
218	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITHOUT CC/MCC	4	0.01	10
219	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH MCC	73	0.10	14
220	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH CC	92	0.12	7.7
221	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITHOUT CC/MCC	26	0.03	6.6
222	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITH MCC	9	0.01	9.0
223	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITHOUT MCC	13	0.02	5.6
224	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITH MCC	4	0.01	10
225	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITHOUT MCC	12	0.02	5.9
226	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITH MCC	21	0.03	8.6
227	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITHOUT MCC	83	0.11	3.3
228	OTHER CARDIOTHORACIC PROCEDURES WITH MCC	21	0.03	15
229	OTHER CARDIOTHORACIC PROCEDURES WITH CC	17	0.02	7.2
230	OTHER CARDIOTHORACIC PROCEDURES WITHOUT CC/MCC	10	0.01	4.5
231	CORONARY BYPASS WITH PTCA WITH MCC	10	0.01	13

(Continued)

*MS-DRG by Patient County of Residence
for 2010
San Joaquin County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
232	CORONARY BYPASS WITH PTCA WITHOUT MCC	8	0.01	8.6
233	CORONARY BYPASS WITH CARDIAC CATH WITH MCC	59	0.08	13
234	CORONARY BYPASS WITH CARDIAC CATH WITHOUT MCC	124	0.17	8.0
235	CORONARY BYPASS WITHOUT CARDIAC CATH WITH MCC	21	0.03	12
236	CORONARY BYPASS WITHOUT CARDIAC CATH WITHOUT MCC	113	0.15	6.3
237	MAJOR CARDIOVASC PROCEDURES WITH MCC OR THORACIC AORTIC ANEURYSM REPAIR	63	0.08	14
238	MAJOR CARDIOVASC PROCEDURES WITHOUT MCC	130	0.17	4.7
239	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH MCC	27	0.04	19
240	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH CC	34	0.05	7.7
241	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITHOUT CC/MCC	6	0.01	8.5
242	PERMANENT CARDIAC PACEMAKER IMPLANT WITH MCC	58	0.08	8.0
243	PERMANENT CARDIAC PACEMAKER IMPLANT WITH CC	99	0.13	4.7
244	PERMANENT CARDIAC PACEMAKER IMPLANT WITHOUT CC/MCC	89	0.12	2.4
245	AICD GENERATOR PROCEDURES	7	0.01	2.9
246	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITH MCC OR 4+ VESSELS/STENTS	63	0.08	5.5
247	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITHOUT MCC	393	0.53	2.0
248	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITH MCC OR 4+ VES/STENTS	39	0.05	5.1
249	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITHOUT MCC	184	0.25	2.4
250	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITH MCC	18	0.02	4.1
251	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITHOUT MCC	123	0.16	1.3
252	OTHER VASCULAR PROCEDURES WITH MCC	107	0.14	6.7
253	OTHER VASCULAR PROCEDURES WITH CC	136	0.18	4.4

(Continued)

*MS-DRG by Patient County of Residence
for 2010
San Joaquin County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
254	OTHER VASCULAR PROCEDURES WITHOUT CC/MCC	231	0.31	1.9
255	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH MCC	7	0.01	19
256	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH CC	15	0.02	6.6
258	CARDIAC PACEMAKER DEVICE REPLACEMENT WITH MCC	3	0.00	2.3
259	CARDIAC PACEMAKER DEVICE REPLACEMENT WITHOUT MCC	14	0.02	2.1
261	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH CC	15	0.02	4.9
262	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITHOUT CC/MCC	10	0.01	2.7
263	VEIN LIGATION & STRIPPING	4	0.01	6.0
264	OTHER CIRCULATORY SYSTEM O.R. PROCEDURES	46	0.06	18
265	AICD LEAD PROCEDURES	8	0.01	3.5
280	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH MCC	214	0.29	5.8
281	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH CC	169	0.23	3.7
282	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITHOUT CC/MCC	219	0.29	2.3
283	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH MCC	46	0.06	4.6
284	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH CC	10	0.01	.80
285	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITHOUT CC/MCC	1	0.00	1.0
286	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITH MCC	105	0.14	7.3
287	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITHOUT MCC	474	0.63	2.8
288	ACUTE & SUBACUTE ENDOCARDITIS WITH MCC	15	0.02	12
289	ACUTE & SUBACUTE ENDOCARDITIS WITH CC	2	0.00	19
291	HEART FAILURE & SHOCK WITH MCC	521	0.70	5.9
292	HEART FAILURE & SHOCK WITH CC	659	0.88	4.3

(Continued)

*MS-DRG by Patient County of Residence
for 2010
San Joaquin County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
293	HEART FAILURE & SHOCK WITHOUT CC/MCC	340	0.45	3.1
294	DEEP VEIN THROMBOPHLEBITIS WITH CC/MCC	4	0.01	9.0
295	DEEP VEIN THROMBOPHLEBITIS WITHOUT CC/MCC	6	0.01	3.3
296	CARDIAC ARREST, UNEXPLAINED WITH MCC	9	0.01	1.7
297	CARDIAC ARREST, UNEXPLAINED WITH CC	4	0.01	2.0
298	CARDIAC ARREST, UNEXPLAINED WITHOUT CC/MCC	1	0.00	.00
299	PERIPHERAL VASCULAR DISORDERS WITH MCC	58	0.08	6.9
300	PERIPHERAL VASCULAR DISORDERS WITH CC	147	0.20	5.4
301	PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC	122	0.16	3.5
302	ATHEROSCLEROSIS WITH MCC	24	0.03	3.2
303	ATHEROSCLEROSIS WITHOUT MCC	142	0.19	2.3
304	HYPERTENSION WITH MCC	12	0.02	4.4
305	HYPERTENSION WITHOUT MCC	107	0.14	2.1
306	CARDIAC CONGENITAL & VALVULAR DISORDERS WITH MCC	9	0.01	7.4
307	CARDIAC CONGENITAL & VALVULAR DISORDERS WITHOUT MCC	33	0.04	3.0
308	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH MCC	154	0.21	4.8
309	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC	241	0.32	3.6
310	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITHOUT CC/MCC	404	0.54	2.3
311	ANGINA PECTORIS	123	0.16	1.8
312	SYNCOPE & COLLAPSE	410	0.55	2.8
313	CHEST PAIN	878	1.17	2.0
314	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC	195	0.26	7.3

(Continued)

*MS-DRG by Patient County of Residence
for 2010
San Joaquin County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
315	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC	110	0.15	5.4
316	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITHOUT CC/MCC	56	0.07	2.6
326	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH MCC	40	0.05	15
327	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH CC	59	0.08	7.9
328	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITHOUT CC/MCC	75	0.10	3.8
329	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	152	0.20	14
330	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH CC	241	0.32	9.0
331	MAJOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	142	0.19	5.2
332	RECTAL RESECTION WITH MCC	9	0.01	16
333	RECTAL RESECTION WITH CC	14	0.02	6.6
334	RECTAL RESECTION WITHOUT CC/MCC	19	0.03	5.8
335	PERITONEAL ADHESIOLYSIS WITH MCC	30	0.04	18
336	PERITONEAL ADHESIOLYSIS WITH CC	60	0.08	8.1
337	PERITONEAL ADHESIOLYSIS WITHOUT CC/MCC	45	0.06	4.9
338	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	12	0.02	14
339	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	44	0.06	5.8
340	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	139	0.19	4.2
341	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	9	0.01	3.7
342	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	50	0.07	3.7
343	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	539	0.72	1.7
344	MINOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	3	0.00	5.7
345	MINOR SMALL & LARGE BOWEL PROCEDURES WITH CC	16	0.02	5.9

(Continued)

*MS-DRG by Patient County of Residence
for 2010
San Joaquin County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
346	MINOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	20	0.03	4.4
347	ANAL & STOMAL PROCEDURES WITH MCC	2	0.00	2.0
348	ANAL & STOMAL PROCEDURES WITH CC	34	0.05	5.3
349	ANAL & STOMAL PROCEDURES WITHOUT CC/MCC	46	0.06	2.3
350	INGUINAL & FEMORAL HERNIA PROCEDURES WITH MCC	2	0.00	12
351	INGUINAL & FEMORAL HERNIA PROCEDURES WITH CC	7	0.01	4.7
352	INGUINAL & FEMORAL HERNIA PROCEDURES WITHOUT CC/MCC	40	0.05	2.0
353	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH MCC	9	0.01	5.9
354	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH CC	50	0.07	4.2
355	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITHOUT CC/MCC	87	0.12	2.4
356	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH MCC	32	0.04	9.6
357	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH CC	22	0.03	9.0
358	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	20	0.03	3.9
368	MAJOR ESOPHAGEAL DISORDERS WITH MCC	15	0.02	4.4
369	MAJOR ESOPHAGEAL DISORDERS WITH CC	26	0.03	4.5
370	MAJOR ESOPHAGEAL DISORDERS WITHOUT CC/MCC	13	0.02	1.7
371	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH MCC	125	0.17	8.3
372	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH CC	130	0.17	6.1
373	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITHOUT CC/MCC	90	0.12	4.9
374	DIGESTIVE MALIGNANCY WITH MCC	30	0.04	12
375	DIGESTIVE MALIGNANCY WITH CC	72	0.10	5.6
376	DIGESTIVE MALIGNANCY WITHOUT CC/MCC	11	0.01	4.7

(Continued)

*MS-DRG by Patient County of Residence
for 2010
San Joaquin County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
377	G.I. HEMORRHAGE WITH MCC	191	0.26	5.4
378	G.I. HEMORRHAGE WITH CC	441	0.59	3.8
379	G.I. HEMORRHAGE WITHOUT CC/MCC	264	0.35	2.4
380	COMPLICATED PEPTIC ULCER WITH MCC	9	0.01	4.4
381	COMPLICATED PEPTIC ULCER WITH CC	19	0.03	4.2
382	COMPLICATED PEPTIC ULCER WITHOUT CC/MCC	24	0.03	3.0
383	UNCOMPLICATED PEPTIC ULCER WITH MCC	3	0.00	3.7
384	UNCOMPLICATED PEPTIC ULCER WITHOUT MCC	32	0.04	2.6
385	INFLAMMATORY BOWEL DISEASE WITH MCC	11	0.01	6.7
386	INFLAMMATORY BOWEL DISEASE WITH CC	53	0.07	6.2
387	INFLAMMATORY BOWEL DISEASE WITHOUT CC/MCC	47	0.06	3.8
388	G.I. OBSTRUCTION WITH MCC	66	0.09	7.5
389	G.I. OBSTRUCTION WITH CC	199	0.27	4.6
390	G.I. OBSTRUCTION WITHOUT CC/MCC	230	0.31	3.1
391	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITH MCC	246	0.33	5.6
392	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC	1,452	1.94	3.1
393	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH MCC	86	0.11	5.9
394	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH CC	203	0.27	5.2
395	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	126	0.17	2.6
405	PANCREAS, LIVER & SHUNT PROCEDURES WITH MCC	30	0.04	18
406	PANCREAS, LIVER & SHUNT PROCEDURES WITH CC	30	0.04	9.6
407	PANCREAS, LIVER & SHUNT PROCEDURES WITHOUT CC/MCC	12	0.02	5.7

(Continued)

*MS-DRG by Patient County of Residence
for 2010
San Joaquin County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
408	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH MCC	11	0.01	13
409	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH CC	5	0.01	12
410	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	4	0.01	8.3
411	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH MCC	6	0.01	11
412	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH CC	1	0.00	9.0
413	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITHOUT CC/MCC	5	0.01	3.4
414	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH MCC	16	0.02	8.4
415	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH CC	21	0.03	6.0
416	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	38	0.05	5.6
417	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH MCC	112	0.15	6.3
418	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH CC	216	0.29	4.6
419	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	494	0.66	2.4
420	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH MCC	2	0.00	5.0
421	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH CC	3	0.00	3.0
422	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITHOUT CC/MCC	2	0.00	2.5
423	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH MCC	4	0.01	8.5
424	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH CC	2	0.00	11
425	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITHOUT CC/MCC	2	0.00	5.0
432	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH MCC	99	0.13	6.0
433	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH CC	39	0.05	4.0

(Continued)

*MS-DRG by Patient County of Residence
for 2010
San Joaquin County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
434	CIRRHOSIS & ALCOHOLIC HEPATITIS WITHOUT CC/MCC	5	0.01	4.0
435	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITH MCC	55	0.07	5.6
436	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITH CC	50	0.07	6.0
437	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITHOUT CC/MCC	17	0.02	3.6
438	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH MCC	113	0.15	7.4
439	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH CC	194	0.26	4.8
440	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITHOUT CC/MCC	262	0.35	3.4
441	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH MCC	151	0.20	6.1
442	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH CC	124	0.17	4.5
443	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITHOUT CC/MCC	78	0.10	3.3
444	DISORDERS OF THE BILIARY TRACT WITH MCC	53	0.07	5.7
445	DISORDERS OF THE BILIARY TRACT WITH CC	66	0.09	4.5
446	DISORDERS OF THE BILIARY TRACT WITHOUT CC/MCC	79	0.11	2.7
453	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH MCC	12	0.02	15
454	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH CC	38	0.05	8.3
455	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITHOUT CC/MCC	59	0.08	3.9
456	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH MCC	9	0.01	14
457	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH CC	22	0.03	8.6
458	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITHOUT CC/MCC	13	0.02	5.1
459	SPINAL FUSION EXCEPT CERVICAL WITH MCC	12	0.02	7.3
460	SPINAL FUSION EXCEPT CERVICAL WITHOUT MCC	238	0.32	4.1
461	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITH MCC	1	0.00	5.0

(Continued)

*MS-DRG by Patient County of Residence
for 2010
San Joaquin County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
462	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITHOUT MCC	41	0.05	3.5
463	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH MCC	16	0.02	20
464	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH CC	33	0.04	17
465	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITHOUT CC/MCC	18	0.02	5.4
466	REVISION OF HIP OR KNEE REPLACEMENT WITH MCC	8	0.01	8.5
467	REVISION OF HIP OR KNEE REPLACEMENT WITH CC	55	0.07	5.0
468	REVISION OF HIP OR KNEE REPLACEMENT WITHOUT CC/MCC	50	0.07	3.4
469	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITH MCC	72	0.10	6.8
470	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITHOUT MCC	1,339	1.79	3.4
471	CERVICAL SPINAL FUSION WITH MCC	16	0.02	9.2
472	CERVICAL SPINAL FUSION WITH CC	46	0.06	3.8
473	CERVICAL SPINAL FUSION WITHOUT CC/MCC	160	0.21	1.8
474	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH MCC	6	0.01	10
475	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH CC	15	0.02	7.7
476	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITHOUT CC/MCC	6	0.01	3.3
477	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	2	0.00	4.0
478	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	8	0.01	8.3
479	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	7	0.01	4.7
480	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH MCC	61	0.08	7.4
481	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH CC	200	0.27	4.6
482	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITHOUT CC/MCC	165	0.22	3.8
483	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITH CC/MCC	17	0.02	3.1

(Continued)

*MS-DRG by Patient County of Residence
for 2010
San Joaquin County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
484	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITHOUT CC/MCC	53	0.07	2.1
485	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH MCC	7	0.01	17
486	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH CC	4	0.01	5.0
487	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	3	0.00	4.7
488	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITH CC/MCC	15	0.02	3.5
489	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	40	0.05	2.5
490	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITH CC/MCC OR DISC DEVICE/NEUROSTIM	77	0.10	4.3
491	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITHOUT CC/MCC	228	0.30	1.9
492	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH MCC	19	0.03	3.6
493	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH CC	113	0.15	4.9
494	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITHOUT CC/MCC	298	0.40	2.2
495	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH MCC	10	0.01	11
496	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH CC	28	0.04	4.9
497	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITHOUT CC/MCC	45	0.06	1.9
498	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITH CC/MCC	6	0.01	7.3
499	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITHOUT CC/MCC	15	0.02	1.5
500	SOFT TISSUE PROCEDURES WITH MCC	11	0.01	13
501	SOFT TISSUE PROCEDURES WITH CC	28	0.04	8.3
502	SOFT TISSUE PROCEDURES WITHOUT CC/MCC	44	0.06	2.5
503	FOOT PROCEDURES WITH MCC	5	0.01	13
504	FOOT PROCEDURES WITH CC	13	0.02	6.5
505	FOOT PROCEDURES WITHOUT CC/MCC	25	0.03	1.8

(Continued)

*MS-DRG by Patient County of Residence
for 2010
San Joaquin County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
506	MAJOR THUMB OR JOINT PROCEDURES	5	0.01	1.8
507	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITH CC/MCC	2	0.00	6.5
508	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITHOUT CC/MCC	4	0.01	1.5
509	ARTHROSCOPY	2	0.00	3.5
510	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH MCC	4	0.01	6.5
511	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH CC	12	0.02	3.6
512	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITHOUT CC/MCC	62	0.08	1.5
513	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITH CC/MCC	13	0.02	3.8
514	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITHOUT CC/MCC	18	0.02	3.1
515	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH MCC	8	0.01	15
516	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH CC	33	0.04	4.4
517	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITHOUT CC/MCC	41	0.05	2.2
533	FRACTURES OF FEMUR WITH MCC	1	0.00	4.0
534	FRACTURES OF FEMUR WITHOUT MCC	7	0.01	1.7
535	FRACTURES OF HIP & PELVIS WITH MCC	15	0.02	4.9
536	FRACTURES OF HIP & PELVIS WITHOUT MCC	88	0.12	3.4
537	SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITH CC/MCC	2	0.00	3.0
538	SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITHOUT CC/MCC	3	0.00	4.0
539	OSTEOMYELITIS WITH MCC	20	0.03	10
540	OSTEOMYELITIS WITH CC	24	0.03	7.4
541	OSTEOMYELITIS WITHOUT CC/MCC	7	0.01	2.6
542	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH MCC	18	0.02	8.0

(Continued)

*MS-DRG by Patient County of Residence
for 2010
San Joaquin County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
543	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH CC	42	0.06	5.6
544	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITHOUT CC/MCC	21	0.03	3.3
545	CONNECTIVE TISSUE DISORDERS WITH MCC	24	0.03	16
546	CONNECTIVE TISSUE DISORDERS WITH CC	25	0.03	5.0
547	CONNECTIVE TISSUE DISORDERS WITHOUT CC/MCC	29	0.04	3.6
548	SEPTIC ARTHRITIS WITH MCC	2	0.00	9.5
549	SEPTIC ARTHRITIS WITH CC	6	0.01	11
550	SEPTIC ARTHRITIS WITHOUT CC/MCC	2	0.00	6.0
551	MEDICAL BACK PROBLEMS WITH MCC	34	0.05	8.6
552	MEDICAL BACK PROBLEMS WITHOUT MCC	250	0.33	3.4
553	BONE DISEASES & ARTHROPATHIES WITH MCC	11	0.01	7.8
554	BONE DISEASES & ARTHROPATHIES WITHOUT MCC	76	0.10	3.0
555	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITH MCC	15	0.02	4.7
556	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC	65	0.09	2.8
557	TENDONITIS, MYOSITIS & BURSITIS WITH MCC	24	0.03	6.4
558	TENDONITIS, MYOSITIS & BURSITIS WITHOUT MCC	68	0.09	3.7
559	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	6	0.01	7.7
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	18	0.02	6.3
561	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	17	0.02	4.2
562	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITH MCC	12	0.02	4.7
563	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC	121	0.16	2.5
564	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH MCC	14	0.02	4.9

(Continued)

*MS-DRG by Patient County of Residence
for 2010
San Joaquin County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
565	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH CC	25	0.03	3.1
566	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITHOUT CC/MCC	10	0.01	2.3
573	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH MCC	11	0.01	36
574	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH CC	26	0.03	9.3
575	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	19	0.03	4.4
576	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH MCC	2	0.00	54
577	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH CC	14	0.02	8.1
578	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	26	0.03	4.9
579	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH MCC	15	0.02	13
580	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH CC	68	0.09	4.9
581	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITHOUT CC/MCC	91	0.12	2.4
582	MASTECTOMY FOR MALIGNANCY WITH CC/MCC	27	0.04	2.5
583	MASTECTOMY FOR MALIGNANCY WITHOUT CC/MCC	42	0.06	1.6
584	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITH CC/MCC	6	0.01	2.8
585	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITHOUT CC/MCC	31	0.04	2.4
592	SKIN ULCERS WITH MCC	17	0.02	10
593	SKIN ULCERS WITH CC	47	0.06	11
594	SKIN ULCERS WITHOUT CC/MCC	4	0.01	14
595	MAJOR SKIN DISORDERS WITH MCC	6	0.01	5.8
596	MAJOR SKIN DISORDERS WITHOUT MCC	19	0.03	4.8
597	MALIGNANT BREAST DISORDERS WITH MCC	2	0.00	11
598	MALIGNANT BREAST DISORDERS WITH CC	8	0.01	7.3

(Continued)

*MS-DRG by Patient County of Residence
for 2010
San Joaquin County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
599	MALIGNANT BREAST DISORDERS WITHOUT CC/MCC	2	0.00	4.0
600	NON-MALIGNANT BREAST DISORDERS WITH CC/MCC	14	0.02	4.7
601	NON-MALIGNANT BREAST DISORDERS WITHOUT CC/MCC	23	0.03	2.6
602	CELLULITIS WITH MCC	116	0.16	7.9
603	CELLULITIS WITHOUT MCC	949	1.27	3.9
604	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITH MCC	20	0.03	3.1
605	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITHOUT MCC	112	0.15	2.4
606	MINOR SKIN DISORDERS WITH MCC	10	0.01	7.2
607	MINOR SKIN DISORDERS WITHOUT MCC	47	0.06	3.4
614	ADRENAL & PITUITARY PROCEDURES WITH CC/MCC	16	0.02	3.8
615	ADRENAL & PITUITARY PROCEDURES WITHOUT CC/MCC	10	0.01	2.7
616	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH MCC	8	0.01	19
617	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH CC	38	0.05	6.7
619	O.R. PROCEDURES FOR OBESITY WITH MCC	7	0.01	17
620	O.R. PROCEDURES FOR OBESITY WITH CC	42	0.06	2.4
621	O.R. PROCEDURES FOR OBESITY WITHOUT CC/MCC	293	0.39	1.8
622	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH MCC	3	0.00	8.3
623	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH CC	5	0.01	5.4
625	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH MCC	3	0.00	2.7
626	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH CC	20	0.03	2.7
627	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITHOUT CC/MCC	115	0.15	1.3
628	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH MCC	17	0.02	7.4

(Continued)

*MS-DRG by Patient County of Residence
for 2010
San Joaquin County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
629	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH CC	27	0.04	7.7
630	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITHOUT CC/MCC	3	0.00	3.7
637	DIABETES WITH MCC	150	0.20	5.4
638	DIABETES WITH CC	284	0.38	3.9
639	DIABETES WITHOUT CC/MCC	263	0.35	2.5
640	NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC	353	0.47	4.3
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	754	1.01	3.4
642	INBORN ERRORS OF METABOLISM	22	0.03	2.7
643	ENDOCRINE DISORDERS WITH MCC	26	0.03	7.1
644	ENDOCRINE DISORDERS WITH CC	50	0.07	4.5
645	ENDOCRINE DISORDERS WITHOUT CC/MCC	29	0.04	3.6
652	KIDNEY TRANSPLANT	42	0.06	6.1
653	MAJOR BLADDER PROCEDURES WITH MCC	3	0.00	13
654	MAJOR BLADDER PROCEDURES WITH CC	10	0.01	16
655	MAJOR BLADDER PROCEDURES WITHOUT CC/MCC	3	0.00	6.3
656	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH MCC	10	0.01	8.2
657	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH CC	29	0.04	4.8
658	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITHOUT CC/MCC	46	0.06	3.6
659	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH MCC	21	0.03	12
660	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH CC	38	0.05	5.4
661	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITHOUT CC/MCC	71	0.09	2.4
662	MINOR BLADDER PROCEDURES WITH MCC	2	0.00	7.0

(Continued)

*MS-DRG by Patient County of Residence
for 2010
San Joaquin County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
663	MINOR BLADDER PROCEDURES WITH CC	8	0.01	3.9
664	MINOR BLADDER PROCEDURES WITHOUT CC/MCC	33	0.04	1.3
666	PROSTATECTOMY WITH CC	3	0.00	4.3
667	PROSTATECTOMY WITHOUT CC/MCC	9	0.01	2.7
668	TRANSURETHRAL PROCEDURES WITH MCC	13	0.02	7.4
669	TRANSURETHRAL PROCEDURES WITH CC	44	0.06	2.8
670	TRANSURETHRAL PROCEDURES WITHOUT CC/MCC	52	0.07	1.5
671	URETHRAL PROCEDURES WITH CC/MCC	2	0.00	2.5
672	URETHRAL PROCEDURES WITHOUT CC/MCC	4	0.01	2.0
673	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH MCC	31	0.04	8.8
674	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH CC	45	0.06	6.2
675	OTHER KIDNEY & URINARY TRACT PROCEDURES WITHOUT CC/MCC	9	0.01	2.6
682	RENAL FAILURE WITH MCC	206	0.28	7.5
683	RENAL FAILURE WITH CC	318	0.43	5.0
684	RENAL FAILURE WITHOUT CC/MCC	78	0.10	3.2
685	ADMIT FOR RENAL DIALYSIS	12	0.02	4.1
686	KIDNEY & URINARY TRACT NEOPLASMS WITH MCC	4	0.01	1.8
687	KIDNEY & URINARY TRACT NEOPLASMS WITH CC	9	0.01	32
688	KIDNEY & URINARY TRACT NEOPLASMS WITHOUT CC/MCC	4	0.01	6.0
689	KIDNEY & URINARY TRACT INFECTIONS WITH MCC	199	0.27	10
690	KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC	816	1.09	3.8
691	URINARY STONES WITH ESW LITHOTRIPSY WITH CC/MCC	6	0.01	4.7

(Continued)

*MS-DRG by Patient County of Residence
for 2010
San Joaquin County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
692	URINARY STONES WITH ESW LITHOTRIPSY WITHOUT CC/MCC	3	0.00	1.0
693	URINARY STONES WITHOUT ESW LITHOTRIPSY WITH MCC	11	0.01	3.9
694	URINARY STONES WITHOUT ESW LITHOTRIPSY WITHOUT MCC	115	0.15	2.4
695	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITH MCC	5	0.01	4.4
696	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITHOUT MCC	29	0.04	2.7
697	URETHRAL STRICTURE	1	0.00	2.0
698	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH MCC	88	0.12	6.2
699	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH CC	92	0.12	3.9
700	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITHOUT CC/MCC	40	0.05	2.4
707	MAJOR MALE PELVIC PROCEDURES WITH CC/MCC	14	0.02	4.7
708	MAJOR MALE PELVIC PROCEDURES WITHOUT CC/MCC	83	0.11	1.9
709	PENIS PROCEDURES WITH CC/MCC	4	0.01	9.3
710	PENIS PROCEDURES WITHOUT CC/MCC	6	0.01	1.0
711	TESTES PROCEDURES WITH CC/MCC	2	0.00	6.5
712	TESTES PROCEDURES WITHOUT CC/MCC	14	0.02	1.1
713	TRANSURETHRAL PROSTATECTOMY WITH CC/MCC	22	0.03	3.2
714	TRANSURETHRAL PROSTATECTOMY WITHOUT CC/MCC	76	0.10	1.4
715	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE FOR MALIGNANCY WITH CC/MCC	2	0.00	7.5
716	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE FOR MALIGNANCY WITHOUT CC/MCC	3	0.00	1.0
717	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE EXCEPT MALIGNANCY WITH CC/MCC	3	0.00	9.0
723	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH CC	2	0.00	4.5
724	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	1	0.00	2.0

(Continued)

*MS-DRG by Patient County of Residence
for 2010
San Joaquin County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
726	BENIGN PROSTATIC HYPERTROPHY WITHOUT MCC	9	0.01	3.0
727	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITH MCC	3	0.00	6.7
728	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITHOUT MCC	44	0.06	2.6
729	OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITH CC/MCC	2	0.00	5.5
730	OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	6	0.01	1.5
734	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITH CC/MCC	13	0.02	4.0
735	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITHOUT CC/MCC	6	0.01	2.5
736	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH MCC	4	0.01	17
737	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH CC	12	0.02	6.2
738	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITHOUT CC/MCC	7	0.01	4.6
739	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH MCC	3	0.00	12
740	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH CC	31	0.04	4.4
741	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITHOUT CC/MCC	32	0.04	2.3
742	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITH CC/MCC	200	0.27	3.4
743	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITHOUT CC/MCC	807	1.08	2.2
744	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITH CC/MCC	14	0.02	2.9
745	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITHOUT CC/MCC	11	0.01	.73
746	VAGINA, CERVIX & VULVA PROCEDURES WITH CC/MCC	19	0.03	2.3
747	VAGINA, CERVIX & VULVA PROCEDURES WITHOUT CC/MCC	80	0.11	1.3
748	FEMALE REPRODUCTIVE SYSTEM RECONSTRUCTIVE PROCEDURES	132	0.18	1.4
749	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITH CC/MCC	9	0.01	7.9
750	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	7	0.01	2.4

(Continued)

*MS-DRG by Patient County of Residence
for 2010
San Joaquin County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
754	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH MCC	7	0.01	3.7
755	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH CC	16	0.02	6.8
756	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	3	0.00	2.7
757	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH MCC	5	0.01	32
758	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH CC	16	0.02	3.9
759	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	29	0.04	2.8
760	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITH CC/MCC	23	0.03	2.0
761	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITHOUT CC/MCC	50	0.07	1.4
765	CESAREAN SECTION WITH CC/MCC	1,062	1.42	3.9
766	CESAREAN SECTION WITHOUT CC/MCC	2,164	2.89	3.1
767	VAGINAL DELIVERY WITH STERILIZATION &/OR D&C	264	0.35	2.4
768	VAGINAL DELIVERY WITH O.R. PROCEDURE EXCEPT STERIL &/OR D&C	4	0.01	3.5
769	POSTPARTUM & POST ABORTION DIAGNOSIS WITH O.R. PROCEDURE	33	0.04	3.1
770	ABORTION WITH D&C, ASPIRATION CURETTAGE OR HYSTEROTOMY	52	0.07	1.5
774	VAGINAL DELIVERY WITH COMPLICATING DIAGNOSIS	745	1.00	2.5
775	VAGINAL DELIVERY WITHOUT COMPLICATING DIAGNOSIS	6,142	8.21	2.1
776	POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE	108	0.14	2.3
777	ECTOPIC PREGNANCY	60	0.08	1.9
778	THREATENED ABORTION	158	0.21	1.8
779	ABORTION WITHOUT D&C	51	0.07	1.4
780	FALSE LABOR	20	0.03	.65
781	OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS	423	0.57	2.5

(Continued)

*MS-DRG by Patient County of Residence
for 2010
San Joaquin County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
782	OTHER ANTEPARTUM DIAGNOSIS WITHOUT MEDICAL COMPLICATIONS	101	0.13	1.5
789	NEONATES, DIED OR TRANSFERRED TO ANOTHER ACUTE CARE FACILITY	206	0.28	6.1
790	EXTREME IMMATURETY OR RESPIRATORY DISTRESS SYNDROME, NEONATE	136	0.18	37
791	PREMATURITY WITH MAJOR PROBLEMS	166	0.22	21
792	PREMATURITY WITHOUT MAJOR PROBLEMS	440	0.59	8.6
793	FULL TERM NEONATE WITH MAJOR PROBLEMS	488	0.65	7.4
794	NEONATE WITH OTHER SIGNIFICANT PROBLEMS	1,644	2.20	2.8
795	NORMAL NEWBORN	8,081	10.80	2.0
799	SPLENECTOMY WITH MCC	3	0.00	7.3
800	SPLENECTOMY WITH CC	3	0.00	5.7
801	SPLENECTOMY WITHOUT CC/MCC	6	0.01	3.3
802	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH MCC	5	0.01	6.6
803	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH CC	3	0.00	3.0
804	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITHOUT CC/MCC	13	0.02	3.5
808	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH MCC	40	0.05	7.0
809	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH CC	85	0.11	5.0
810	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITHOUT CC/MCC	24	0.03	4.2
811	RED BLOOD CELL DISORDERS WITH MCC	126	0.17	4.8
812	RED BLOOD CELL DISORDERS WITHOUT MCC	441	0.59	3.2
813	COAGULATION DISORDERS	68	0.09	3.8
814	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH MCC	14	0.02	6.1
815	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH CC	30	0.04	3.8

(Continued)

*MS-DRG by Patient County of Residence
for 2010
San Joaquin County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
816	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITHOUT CC/MCC	18	0.02	2.9
820	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH MCC	3	0.00	22
821	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH CC	10	0.01	9.2
822	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITHOUT CC/MCC	7	0.01	2.6
823	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH MCC	7	0.01	18
824	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH CC	13	0.02	6.0
825	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	8	0.01	5.4
826	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH MCC	6	0.01	58
827	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH CC	13	0.02	7.3
828	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITHOUT CC/MCC	8	0.01	4.8
829	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITH CC/MCC	8	0.01	17
830	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	6	0.01	4.8
834	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH MCC	18	0.02	21
835	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH CC	21	0.03	15
836	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITHOUT CC/MCC	6	0.01	6.2
837	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS OR WITH HIGH DOSE CHEMO AGENT WITH MCC	9	0.01	21
838	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITH CC OR HIGH DOSE CHEMO AGENT	24	0.03	8.2
839	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITHOUT CC/MCC	26	0.03	7.4
840	LYMPHOMA & NON-ACUTE LEUKEMIA WITH MCC	26	0.03	8.7
841	LYMPHOMA & NON-ACUTE LEUKEMIA WITH CC	22	0.03	6.5
842	LYMPHOMA & NON-ACUTE LEUKEMIA WITHOUT CC/MCC	14	0.02	4.8
843	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH MCC	5	0.01	2.6

(Continued)

*MS-DRG by Patient County of Residence
for 2010
San Joaquin County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
844	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH CC	10	0.01	3.5
845	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITHOUT CC/MCC	7	0.01	3.9
846	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH MCC	16	0.02	10
847	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH CC	131	0.18	3.8
848	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITHOUT CC/MCC	25	0.03	2.1
849	RADIOTHERAPY	9	0.01	15
853	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH MCC	199	0.27	19
854	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH CC	38	0.05	9.9
855	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITHOUT CC/MCC	4	0.01	8.0
856	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH MCC	29	0.04	14
857	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH CC	32	0.04	11
858	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITHOUT CC/MCC	21	0.03	4.7
862	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITH MCC	49	0.07	11
863	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC	98	0.13	5.4
864	FEVER	142	0.19	2.9
865	VIRAL ILLNESS WITH MCC	11	0.01	7.7
866	VIRAL ILLNESS WITHOUT MCC	80	0.11	2.8
867	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH MCC	37	0.05	14
868	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH CC	15	0.02	4.4
869	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITHOUT CC/MCC	3	0.00	10
870	SEPTICEMIA OR SEVERE SEPSIS WITH MECH VENT 96+ HOURS	130	0.17	17
871	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC	1,325	1.77	7.3

(Continued)

*MS-DRG by Patient County of Residence
for 2010
San Joaquin County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
872	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC	507	0.68	5.7
876	O.R. PROCEDURE WITH PRINCIPAL DIAGNOSIS OF MENTAL ILLNESS	2	0.00	5.5
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	61	0.08	3.6
881	DEPRESSIVE NEUROSES	197	0.26	3.3
882	NEUROSES EXCEPT DEPRESSIVE	58	0.08	2.1
883	DISORDERS OF PERSONALITY & IMPULSE CONTROL	15	0.02	7.2
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	86	0.11	14
885	PSYCHOSES	2,380	3.18	7.7
886	BEHAVIORAL & DEVELOPMENTAL DISORDERS	13	0.02	12
887	OTHER MENTAL DISORDER DIAGNOSIS	5	0.01	7.0
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	27	0.04	2.0
895	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITH REHABILITATION THERAPY	5	0.01	13
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	54	0.07	5.5
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	326	0.44	4.4
902	WOUND DEBRIDE EMENTS FOR INJURIES WITH CC	8	0.01	7.3
903	WOUND DEBRIDE EMENTS FOR INJURIES WITHOUT CC/MCC	2	0.00	4.0
904	SKIN GRAFTS FOR INJURIES WITH CC/MCC	11	0.01	21
905	SKIN GRAFTS FOR INJURIES WITHOUT CC/MCC	10	0.01	2.6
906	HAND PROCEDURES FOR INJURIES	18	0.02	3.4
907	OTHER O.R. PROCEDURES FOR INJURIES WITH MCC	39	0.05	11
908	OTHER O.R. PROCEDURES FOR INJURIES WITH CC	48	0.06	6.6
909	OTHER O.R. PROCEDURES FOR INJURIES WITHOUT CC/MCC	64	0.09	2.9

(Continued)

*MS-DRG by Patient County of Residence
for 2010
San Joaquin County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
913	TRAUMATIC INJURY WITH MCC	4	0.01	6.3
914	TRAUMATIC INJURY WITHOUT MCC	37	0.05	2.3
915	ALLERGIC REACTIONS WITH MCC	5	0.01	2.6
916	ALLERGIC REACTIONS WITHOUT MCC	26	0.03	1.8
917	POISONING & TOXIC EFFECTS OF DRUGS WITH MCC	154	0.21	3.9
918	POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC	327	0.44	2.0
919	COMPLICATIONS OF TREATMENT WITH MCC	39	0.05	6.5
920	COMPLICATIONS OF TREATMENT WITH CC	50	0.07	5.9
921	COMPLICATIONS OF TREATMENT WITHOUT CC/MCC	47	0.06	3.4
922	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITH MCC	10	0.01	9.6
923	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITHOUT MCC	25	0.03	2.6
928	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITH CC/MCC	6	0.01	39
929	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITHOUT CC/MCC	20	0.03	9.6
933	EXTENSIVE BURNS OR FULL THICKNESS BURNS WITH MECH VENT 96+ HRS WITHOUT SKIN GRAFT	1	0.00	3.0
934	FULL THICKNESS BURN WITHOUT SKIN GRAFT OR INHAL INJURY	7	0.01	4.9
935	NON-EXTENSIVE BURNS	33	0.04	3.4
939	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH MCC	4	0.01	14
940	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC	7	0.01	2.7
941	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITHOUT CC/MCC	17	0.02	2.8
945	REHABILITATION WITH CC/MCC	210	0.28	16
946	REHABILITATION WITHOUT CC/MCC	42	0.06	10
947	SIGNS & SYMPTOMS WITH MCC	65	0.09	4.7

(Continued)

*MS-DRG by Patient County of Residence
for 2010
San Joaquin County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
948	SIGNS & SYMPTOMS WITHOUT MCC	258	0.34	4.1
949	AFTERCARE WITH CC/MCC	94	0.13	10
950	AFTERCARE WITHOUT CC/MCC	34	0.05	9.3
951	OTHER FACTORS INFLUENCING HEALTH STATUS	37	0.05	4.8
955	CRANIOTOMY FOR MULTIPLE SIGNIFICANT TRAUMA	6	0.01	13
956	LIMB REATTACHMENT, HIP & FEMUR PROCEDURE FOR MULTIPLE SIGNIFICANT TRAUMA	33	0.04	13
957	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH MCC	32	0.04	21
958	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH CC	39	0.05	8.4
959	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	13	0.02	7.5
963	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH MCC	13	0.02	5.9
964	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH CC	34	0.05	4.5
965	OTHER MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	15	0.02	2.4
969	HIV WITH EXTENSIVE O.R. PROCEDURE WITH MCC	2	0.00	14
970	HIV WITH EXTENSIVE O.R. PROCEDURE WITHOUT MCC	2	0.00	2.5
974	HIV WITH MAJOR RELATED CONDITION WITH MCC	27	0.04	14
975	HIV WITH MAJOR RELATED CONDITION WITH CC	23	0.03	12
976	HIV WITH MAJOR RELATED CONDITION WITHOUT CC/MCC	18	0.02	4.6
977	HIV WITH OR WITHOUT OTHER RELATED CONDITION	12	0.02	3.3
981	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	84	0.11	14
982	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	81	0.11	7.9
983	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	71	0.09	2.6
984	PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	2	0.00	12

(Continued)

*MS-DRG by Patient County of Residence
for 2010
San Joaquin County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
985	PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	4	0.01	11
987	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	20	0.03	10
988	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	33	0.04	10
989	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	26	0.03	2.5
All		74,820	100.0	4.8

*MS-DRG by Patient County of Residence
and Type of Care for 2010
San Joaquin County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
001	HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM WITH MCC	10	0.01	39
002	HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM WITHOUT MCC	2	0.00	22
003	ECMO OR TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITH MAJOR O.R.	84	0.12	60
004	TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITHOUT MAJOR O.R.	79	0.11	43
005	LIVER TRANSPLANT WITH MCC OR INTESTINAL TRANSPLANT	10	0.01	20
006	LIVER TRANSPLANT WITHOUT MCC	3	0.00	7.0
009	BONE MARROW TRANSPLANT	17	0.02	40
011	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH MCC	4	0.01	22
012	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH CC	15	0.02	9.5
013	TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITHOUT CC/MCC	7	0.01	8.9
020	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH MCC	9	0.01	19
021	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH CC	6	0.01	18
022	INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITHOUT CC/MCC	2	0.00	11
023	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITH MCC OR CHEMO IMPLANT	22	0.03	23
024	CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITHOUT MCC	10	0.01	9.6
025	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH MCC	80	0.11	13
026	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH CC	77	0.11	7.9
027	CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITHOUT CC/MCC	81	0.11	3.7
028	SPINAL PROCEDURES WITH MCC	7	0.01	7.4

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
San Joaquin County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
029	SPINAL PROCEDURES WITH CC OR SPINAL NEUROSTIMULATORS	21	0.03	7.9
030	SPINAL PROCEDURES WITHOUT CC/MCC	31	0.04	4.1
031	VENTRICULAR SHUNT PROCEDURES WITH MCC	10	0.01	5.3
032	VENTRICULAR SHUNT PROCEDURES WITH CC	20	0.03	6.2
033	VENTRICULAR SHUNT PROCEDURES WITHOUT CC/MCC	7	0.01	2.6
035	CAROTID ARTERY STENT PROCEDURE WITH CC	5	0.01	1.6
036	CAROTID ARTERY STENT PROCEDURE WITHOUT CC/MCC	17	0.02	1.1
037	EXTRACRANIAL PROCEDURES WITH MCC	15	0.02	12
038	EXTRACRANIAL PROCEDURES WITH CC	42	0.06	3.0
039	EXTRACRANIAL PROCEDURES WITHOUT CC/MCC	108	0.15	1.7
040	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH MCC	11	0.02	9.0
041	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH CC OR PERIPH NEUROSTIM	24	0.03	7.0
042	PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITHOUT CC/MCC	16	0.02	2.6
052	SPINAL DISORDERS & INJURIES WITH CC/MCC	6	0.01	5.8
053	SPINAL DISORDERS & INJURIES WITHOUT CC/MCC	5	0.01	6.4
054	NERVOUS SYSTEM NEOPLASMS WITH MCC	23	0.03	4.2
055	NERVOUS SYSTEM NEOPLASMS WITHOUT MCC	62	0.09	4.7
056	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC	16	0.02	6.8
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	85	0.12	4.4
058	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH MCC	8	0.01	7.1
059	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH CC	11	0.02	5.3

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
San Joaquin County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
060	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITHOUT CC/MCC	10	0.01	3.8
061	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH MCC	9	0.01	7.9
062	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH CC	10	0.01	8.0
063	ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITHOUT CC/MCC	10	0.01	3.6
064	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC	209	0.29	6.6
065	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC	397	0.56	4.7
066	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC	255	0.36	3.4
067	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITH MCC	4	0.01	2.0
068	NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITHOUT MCC	34	0.05	3.0
069	TRANSIENT ISCHEMIA	268	0.38	2.5
070	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH MCC	34	0.05	6.9
071	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH CC	24	0.03	4.8
072	NONSPECIFIC CEREBROVASCULAR DISORDERS WITHOUT CC/MCC	12	0.02	2.1
073	CRANIAL & PERIPHERAL NERVE DISORDERS WITH MCC	32	0.05	4.8
074	CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC	119	0.17	3.5
075	VIRAL MENINGITIS WITH CC/MCC	19	0.03	5.9
076	VIRAL MENINGITIS WITHOUT CC/MCC	35	0.05	3.9
077	HYPERTENSIVE ENCEPHALOPATHY WITH MCC	4	0.01	5.8
078	HYPERTENSIVE ENCEPHALOPATHY WITH CC	2	0.00	6.5
079	HYPERTENSIVE ENCEPHALOPATHY WITHOUT CC/MCC	2	0.00	3.0
080	NONTRAUMATIC STUPOR & COMA WITH MCC	24	0.03	6.1

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
San Joaquin County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
081	NONTRAUMATIC STUPOR & COMA WITHOUT MCC	84	0.12	2.4
082	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH MCC	22	0.03	4.3
083	TRAUMATIC STUPOR & COMA, COMA >1 HR WITH CC	10	0.01	5.6
084	TRAUMATIC STUPOR & COMA, COMA >1 HR WITHOUT CC/MCC	16	0.02	1.8
085	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH MCC	33	0.05	6.2
086	TRAUMATIC STUPOR & COMA, COMA <1 HR WITH CC	48	0.07	3.8
087	TRAUMATIC STUPOR & COMA, COMA <1 HR WITHOUT CC/MCC	86	0.12	2.0
088	CONCUSSION WITH MCC	2	0.00	3.5
089	CONCUSSION WITH CC	16	0.02	1.9
090	CONCUSSION WITHOUT CC/MCC	35	0.05	1.4
091	OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC	42	0.06	14
092	OTHER DISORDERS OF NERVOUS SYSTEM WITH CC	67	0.09	4.5
093	OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC	54	0.08	2.7
094	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH MCC	13	0.02	11
095	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH CC	10	0.01	12
096	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITHOUT CC/MCC	8	0.01	5.1
097	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH MCC	9	0.01	15
098	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH CC	9	0.01	7.8
099	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITHOUT CC/MCC	10	0.01	6.5
100	SEIZURES WITH MCC	98	0.14	6.1
101	SEIZURES WITHOUT MCC	334	0.47	2.8

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
San Joaquin County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
102	HEADACHES WITH MCC	4	0.01	8.8
103	HEADACHES WITHOUT MCC	92	0.13	3.0
113	ORBITAL PROCEDURES WITH CC/MCC	4	0.01	6.8
114	ORBITAL PROCEDURES WITHOUT CC/MCC	4	0.01	2.5
115	EXTRAOCULAR PROCEDURES EXCEPT ORBIT	7	0.01	2.4
116	INTRAOCULAR PROCEDURES WITH CC/MCC	3	0.00	1.3
121	ACUTE MAJOR EYE INFECTIONS WITH CC/MCC	7	0.01	7.1
122	ACUTE MAJOR EYE INFECTIONS WITHOUT CC/MCC	10	0.01	3.9
123	NEUROLOGICAL EYE DISORDERS	9	0.01	2.4
124	OTHER DISORDERS OF THE EYE WITH MCC	3	0.00	2.7
125	OTHER DISORDERS OF THE EYE WITHOUT MCC	32	0.05	3.0
129	MAJOR HEAD & NECK PROCEDURES WITH CC/MCC OR MAJOR DEVICE	5	0.01	2.2
130	MAJOR HEAD & NECK PROCEDURES WITHOUT CC/MCC	6	0.01	3.3
131	CRANIAL/FACIAL PROCEDURES WITH CC/MCC	15	0.02	6.4
132	CRANIAL/FACIAL PROCEDURES WITHOUT CC/MCC	43	0.06	1.9
133	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITH CC/MCC	36	0.05	4.8
134	OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITHOUT CC/MCC	99	0.14	1.8
135	SINUS & MASTOID PROCEDURES WITH CC/MCC	4	0.01	3.3
136	SINUS & MASTOID PROCEDURES WITHOUT CC/MCC	2	0.00	1.5
137	MOUTH PROCEDURES WITH CC/MCC	4	0.01	4.5
138	MOUTH PROCEDURES WITHOUT CC/MCC	9	0.01	2.8

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
San Joaquin County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
139	SALIVARY GLAND PROCEDURES	13	0.02	1.1
146	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH MCC	2	0.00	3.5
147	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH CC	6	0.01	6.0
148	EAR, NOSE, MOUTH & THROAT MALIGNANCY WITHOUT CC/MCC	2	0.00	3.0
149	DYSEQUILIBRIUM	100	0.14	2.7
150	EPISTAXIS WITH MCC	7	0.01	5.3
151	EPISTAXIS WITHOUT MCC	19	0.03	3.4
152	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITH MCC	22	0.03	4.9
153	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITHOUT MCC	158	0.22	2.2
154	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH MCC	11	0.02	5.5
155	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH CC	28	0.04	3.3
156	OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITHOUT CC/MCC	36	0.05	2.0
157	DENTAL & ORAL DISEASES WITH MCC	6	0.01	6.7
158	DENTAL & ORAL DISEASES WITH CC	34	0.05	3.6
159	DENTAL & ORAL DISEASES WITHOUT CC/MCC	35	0.05	2.3
163	MAJOR CHEST PROCEDURES WITH MCC	54	0.08	17
164	MAJOR CHEST PROCEDURES WITH CC	78	0.11	5.8
165	MAJOR CHEST PROCEDURES WITHOUT CC/MCC	71	0.10	4.6
166	OTHER RESP SYSTEM O.R. PROCEDURES WITH MCC	66	0.09	12
167	OTHER RESP SYSTEM O.R. PROCEDURES WITH CC	79	0.11	8.9
168	OTHER RESP SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	21	0.03	3.5

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
San Joaquin County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
175	PULMONARY EMBOLISM WITH MCC	42	0.06	6.8
176	PULMONARY EMBOLISM WITHOUT MCC	164	0.23	5.4
177	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC	167	0.24	13
178	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC	197	0.28	7.3
179	RESPIRATORY INFECTIONS & INFLAMMATIONS WITHOUT CC/MCC	79	0.11	4.9
180	RESPIRATORY NEOPLASMS WITH MCC	65	0.09	6.6
181	RESPIRATORY NEOPLASMS WITH CC	104	0.15	5.5
182	RESPIRATORY NEOPLASMS WITHOUT CC/MCC	11	0.02	4.4
183	MAJOR CHEST TRAUMA WITH MCC	10	0.01	6.4
184	MAJOR CHEST TRAUMA WITH CC	23	0.03	3.8
185	MAJOR CHEST TRAUMA WITHOUT CC/MCC	14	0.02	2.6
186	PLEURAL EFFUSION WITH MCC	21	0.03	6.9
187	PLEURAL EFFUSION WITH CC	36	0.05	3.9
188	PLEURAL EFFUSION WITHOUT CC/MCC	16	0.02	3.1
189	PULMONARY EDEMA & RESPIRATORY FAILURE	235	0.33	5.9
190	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC	399	0.56	5.2
191	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC	437	0.62	4.3
192	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC	414	0.58	3.4
193	SIMPLE PNEUMONIA & PLEURISY WITH MCC	403	0.57	6.4
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	931	1.31	4.5
195	SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC	675	0.95	3.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
San Joaquin County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
196	INTERSTITIAL LUNG DISEASE WITH MCC	29	0.04	5.4
197	INTERSTITIAL LUNG DISEASE WITH CC	23	0.03	4.1
198	INTERSTITIAL LUNG DISEASE WITHOUT CC/MCC	10	0.01	3.4
199	PNEUMOTHORAX WITH MCC	15	0.02	6.4
200	PNEUMOTHORAX WITH CC	46	0.06	4.7
201	PNEUMOTHORAX WITHOUT CC/MCC	45	0.06	3.2
202	BRONCHITIS & ASTHMA WITH CC/MCC	326	0.46	3.7
203	BRONCHITIS & ASTHMA WITHOUT CC/MCC	610	0.86	2.4
204	RESPIRATORY SIGNS & SYMPTOMS	113	0.16	2.8
205	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITH MCC	26	0.04	7.2
206	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITHOUT MCC	80	0.11	2.7
207	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS	156	0.22	18
208	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS	328	0.46	6.5
216	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH MCC	39	0.05	18
217	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH CC	32	0.05	11
218	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITHOUT CC/MCC	4	0.01	10
219	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH MCC	73	0.10	14
220	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH CC	92	0.13	7.7
221	CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITHOUT CC/MCC	26	0.04	6.6
222	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITH MCC	9	0.01	9.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
San Joaquin County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
223	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITHOUT MCC	13	0.02	5.6
224	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITH MCC	4	0.01	10
225	CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITHOUT MCC	12	0.02	5.9
226	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITH MCC	21	0.03	8.6
227	CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITHOUT MCC	83	0.12	3.3
228	OTHER CARDIOTHORACIC PROCEDURES WITH MCC	21	0.03	15
229	OTHER CARDIOTHORACIC PROCEDURES WITH CC	17	0.02	7.2
230	OTHER CARDIOTHORACIC PROCEDURES WITHOUT CC/MCC	10	0.01	4.5
231	CORONARY BYPASS WITH PTCA WITH MCC	10	0.01	13
232	CORONARY BYPASS WITH PTCA WITHOUT MCC	8	0.01	8.6
233	CORONARY BYPASS WITH CARDIAC CATH WITH MCC	59	0.08	13
234	CORONARY BYPASS WITH CARDIAC CATH WITHOUT MCC	124	0.17	8.0
235	CORONARY BYPASS WITHOUT CARDIAC CATH WITH MCC	21	0.03	12
236	CORONARY BYPASS WITHOUT CARDIAC CATH WITHOUT MCC	112	0.16	6.3
237	MAJOR CARDIOVASC PROCEDURES WITH MCC OR THORACIC AORTIC ANEURYSM REPAIR	63	0.09	14
238	MAJOR CARDIOVASC PROCEDURES WITHOUT MCC	130	0.18	4.7
239	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH MCC	26	0.04	18
240	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH CC	34	0.05	7.7
241	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITHOUT CC/MCC	5	0.01	3.8
242	PERMANENT CARDIAC PACEMAKER IMPLANT WITH MCC	58	0.08	8.0
243	PERMANENT CARDIAC PACEMAKER IMPLANT WITH CC	99	0.14	4.7

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
San Joaquin County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
244	PERMANENT CARDIAC PACEMAKER IMPLANT WITHOUT CC/MCC	89	0.13	2.4
245	AICD GENERATOR PROCEDURES	7	0.01	2.9
246	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITH MCC OR 4+ VESSELS/STENTS	63	0.09	5.5
247	PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITHOUT MCC	393	0.55	2.0
248	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITH MCC OR 4+ VES/STENTS	39	0.05	5.1
249	PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITHOUT MCC	184	0.26	2.4
250	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITH MCC	18	0.03	4.1
251	PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITHOUT MCC	123	0.17	1.3
252	OTHER VASCULAR PROCEDURES WITH MCC	106	0.15	6.7
253	OTHER VASCULAR PROCEDURES WITH CC	136	0.19	4.4
254	OTHER VASCULAR PROCEDURES WITHOUT CC/MCC	230	0.32	1.9
255	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH MCC	7	0.01	19
256	UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH CC	15	0.02	6.6
258	CARDIAC PACEMAKER DEVICE REPLACEMENT WITH MCC	3	0.00	2.3
259	CARDIAC PACEMAKER DEVICE REPLACEMENT WITHOUT MCC	14	0.02	2.1
261	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH CC	15	0.02	4.9
262	CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITHOUT CC/MCC	10	0.01	2.7
263	VEIN LIGATION & STRIPPING	4	0.01	6.0
264	OTHER CIRCULATORY SYSTEM O.R. PROCEDURES	46	0.06	18
265	AICD LEAD PROCEDURES	8	0.01	3.5
280	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH MCC	214	0.30	5.8

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
San Joaquin County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
281	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH CC	169	0.24	3.7
282	ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITHOUT CC/MCC	219	0.31	2.3
283	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH MCC	46	0.06	4.6
284	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH CC	10	0.01	.80
285	ACUTE MYOCARDIAL INFARCTION, EXPIRED WITHOUT CC/MCC	1	0.00	1.0
286	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITH MCC	105	0.15	7.3
287	CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITHOUT MCC	474	0.67	2.8
288	ACUTE & SUBACUTE ENDOCARDITIS WITH MCC	13	0.02	10
289	ACUTE & SUBACUTE ENDOCARDITIS WITH CC	2	0.00	19
291	HEART FAILURE & SHOCK WITH MCC	515	0.73	5.8
292	HEART FAILURE & SHOCK WITH CC	652	0.92	4.3
293	HEART FAILURE & SHOCK WITHOUT CC/MCC	339	0.48	3.1
294	DEEP VEIN THROMBOPHLEBITIS WITH CC/MCC	4	0.01	9.0
295	DEEP VEIN THROMBOPHLEBITIS WITHOUT CC/MCC	6	0.01	3.3
296	CARDIAC ARREST, UNEXPLAINED WITH MCC	9	0.01	1.7
297	CARDIAC ARREST, UNEXPLAINED WITH CC	4	0.01	2.0
298	CARDIAC ARREST, UNEXPLAINED WITHOUT CC/MCC	1	0.00	.00
299	PERIPHERAL VASCULAR DISORDERS WITH MCC	55	0.08	6.9
300	PERIPHERAL VASCULAR DISORDERS WITH CC	145	0.20	5.4
301	PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC	121	0.17	3.4
302	ATHEROSCLEROSIS WITH MCC	24	0.03	3.2

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
San Joaquin County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
303	ATHEROSCLEROSIS WITHOUT MCC	142	0.20	2.3
304	HYPERTENSION WITH MCC	12	0.02	4.4
305	HYPERTENSION WITHOUT MCC	107	0.15	2.1
306	CARDIAC CONGENITAL & VALVULAR DISORDERS WITH MCC	9	0.01	7.4
307	CARDIAC CONGENITAL & VALVULAR DISORDERS WITHOUT MCC	32	0.05	3.0
308	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH MCC	153	0.22	4.8
309	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC	240	0.34	3.6
310	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITHOUT CC/MCC	402	0.57	2.2
311	ANGINA PECTORIS	122	0.17	1.8
312	SYNCOPE & COLLAPSE	409	0.58	2.7
313	CHEST PAIN	878	1.24	2.0
314	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC	184	0.26	6.9
315	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC	107	0.15	5.2
316	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITHOUT CC/MCC	55	0.08	2.6
326	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH MCC	40	0.06	15
327	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH CC	59	0.08	7.9
328	STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITHOUT CC/MCC	75	0.11	3.8
329	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	152	0.21	14
330	MAJOR SMALL & LARGE BOWEL PROCEDURES WITH CC	241	0.34	9.0
331	MAJOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	142	0.20	5.2
332	RECTAL RESECTION WITH MCC	9	0.01	16

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
San Joaquin County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
333	RECTAL RESECTION WITH CC	14	0.02	6.6
334	RECTAL RESECTION WITHOUT CC/MCC	19	0.03	5.8
335	PERITONEAL ADHESIOLYSIS WITH MCC	30	0.04	18
336	PERITONEAL ADHESIOLYSIS WITH CC	60	0.08	8.1
337	PERITONEAL ADHESIOLYSIS WITHOUT CC/MCC	45	0.06	4.9
338	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	12	0.02	14
339	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	44	0.06	5.8
340	APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	139	0.20	4.2
341	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC	9	0.01	3.7
342	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH CC	50	0.07	3.7
343	APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	539	0.76	1.7
344	MINOR SMALL & LARGE BOWEL PROCEDURES WITH MCC	3	0.00	5.7
345	MINOR SMALL & LARGE BOWEL PROCEDURES WITH CC	16	0.02	5.9
346	MINOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC	20	0.03	4.4
347	ANAL & STOMAL PROCEDURES WITH MCC	2	0.00	2.0
348	ANAL & STOMAL PROCEDURES WITH CC	34	0.05	5.3
349	ANAL & STOMAL PROCEDURES WITHOUT CC/MCC	46	0.06	2.3
350	INGUINAL & FEMORAL HERNIA PROCEDURES WITH MCC	2	0.00	12
351	INGUINAL & FEMORAL HERNIA PROCEDURES WITH CC	7	0.01	4.7
352	INGUINAL & FEMORAL HERNIA PROCEDURES WITHOUT CC/MCC	40	0.06	2.0
353	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH MCC	9	0.01	5.9

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
San Joaquin County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
354	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH CC	50	0.07	4.2
355	HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITHOUT CC/MCC	87	0.12	2.4
356	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH MCC	32	0.05	9.6
357	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH CC	22	0.03	9.0
358	OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	20	0.03	3.9
368	MAJOR ESOPHAGEAL DISORDERS WITH MCC	15	0.02	4.4
369	MAJOR ESOPHAGEAL DISORDERS WITH CC	26	0.04	4.5
370	MAJOR ESOPHAGEAL DISORDERS WITHOUT CC/MCC	13	0.02	1.7
371	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH MCC	123	0.17	8.3
372	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH CC	127	0.18	6.2
373	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITHOUT CC/MCC	87	0.12	4.7
374	DIGESTIVE MALIGNANCY WITH MCC	30	0.04	12
375	DIGESTIVE MALIGNANCY WITH CC	67	0.09	5.4
376	DIGESTIVE MALIGNANCY WITHOUT CC/MCC	10	0.01	3.8
377	G.I. HEMORRHAGE WITH MCC	191	0.27	5.4
378	G.I. HEMORRHAGE WITH CC	440	0.62	3.8
379	G.I. HEMORRHAGE WITHOUT CC/MCC	261	0.37	2.3
380	COMPLICATED PEPTIC ULCER WITH MCC	9	0.01	4.4
381	COMPLICATED PEPTIC ULCER WITH CC	19	0.03	4.2
382	COMPLICATED PEPTIC ULCER WITHOUT CC/MCC	24	0.03	3.0
383	UNCOMPLICATED PEPTIC ULCER WITH MCC	3	0.00	3.7

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
San Joaquin County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
384	UNCOMPLICATED PEPTIC ULCER WITHOUT MCC	32	0.05	2.6
385	INFLAMMATORY BOWEL DISEASE WITH MCC	11	0.02	6.7
386	INFLAMMATORY BOWEL DISEASE WITH CC	53	0.07	6.2
387	INFLAMMATORY BOWEL DISEASE WITHOUT CC/MCC	47	0.07	3.8
388	G.I. OBSTRUCTION WITH MCC	65	0.09	7.3
389	G.I. OBSTRUCTION WITH CC	195	0.27	4.5
390	G.I. OBSTRUCTION WITHOUT CC/MCC	229	0.32	3.1
391	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITH MCC	241	0.34	5.5
392	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC	1,444	2.03	3.1
393	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH MCC	84	0.12	5.9
394	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH CC	201	0.28	5.0
395	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	126	0.18	2.6
405	PANCREAS, LIVER & SHUNT PROCEDURES WITH MCC	30	0.04	18
406	PANCREAS, LIVER & SHUNT PROCEDURES WITH CC	30	0.04	9.6
407	PANCREAS, LIVER & SHUNT PROCEDURES WITHOUT CC/MCC	12	0.02	5.7
408	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH MCC	11	0.02	13
409	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH CC	5	0.01	12
410	BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	4	0.01	8.3
411	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH MCC	6	0.01	11

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
San Joaquin County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
412	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH CC	1	0.00	9.0
413	CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITHOUT CC/MCC	5	0.01	3.4
414	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH MCC	16	0.02	8.4
415	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH CC	21	0.03	6.0
416	CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	38	0.05	5.6
417	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH MCC	112	0.16	6.3
418	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH CC	216	0.30	4.6
419	LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC	494	0.70	2.4
420	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH MCC	2	0.00	5.0
421	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH CC	3	0.00	3.0
422	HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITHOUT CC/MCC	2	0.00	2.5
423	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH MCC	4	0.01	8.5
424	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH CC	2	0.00	11
425	OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITHOUT CC/MCC	2	0.00	5.0
432	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH MCC	99	0.14	6.0
433	CIRRHOSIS & ALCOHOLIC HEPATITIS WITH CC	39	0.05	4.0
434	CIRRHOSIS & ALCOHOLIC HEPATITIS WITHOUT CC/MCC	5	0.01	4.0
435	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITH MCC	54	0.08	5.7
436	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITH CC	49	0.07	6.0
437	MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITHOUT CC/MCC	17	0.02	3.6

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
San Joaquin County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
438	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH MCC	112	0.16	7.4
439	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH CC	193	0.27	4.6
440	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITHOUT CC/MCC	261	0.37	3.4
441	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH MCC	150	0.21	6.2
442	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH CC	123	0.17	4.5
443	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITHOUT CC/MCC	77	0.11	3.1
444	DISORDERS OF THE BILIARY TRACT WITH MCC	53	0.07	5.7
445	DISORDERS OF THE BILIARY TRACT WITH CC	66	0.09	4.5
446	DISORDERS OF THE BILIARY TRACT WITHOUT CC/MCC	78	0.11	2.7
453	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH MCC	12	0.02	15
454	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH CC	38	0.05	8.3
455	COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITHOUT CC/MCC	59	0.08	3.9
456	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH MCC	9	0.01	14
457	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH CC	22	0.03	8.6
458	SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITHOUT CC/MCC	13	0.02	5.1
459	SPINAL FUSION EXCEPT CERVICAL WITH MCC	12	0.02	7.3
460	SPINAL FUSION EXCEPT CERVICAL WITHOUT MCC	238	0.34	4.1
461	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITH MCC	1	0.00	5.0
462	BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITHOUT MCC	41	0.06	3.5
463	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH MCC	16	0.02	20

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
San Joaquin County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
464	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH CC	33	0.05	17
465	WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITHOUT CC/MCC	18	0.03	5.4
466	REVISION OF HIP OR KNEE REPLACEMENT WITH MCC	8	0.01	8.5
467	REVISION OF HIP OR KNEE REPLACEMENT WITH CC	55	0.08	5.0
468	REVISION OF HIP OR KNEE REPLACEMENT WITHOUT CC/MCC	50	0.07	3.4
469	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITH MCC	72	0.10	6.8
470	MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITHOUT MCC	1,339	1.89	3.4
471	CERVICAL SPINAL FUSION WITH MCC	16	0.02	9.2
472	CERVICAL SPINAL FUSION WITH CC	46	0.06	3.8
473	CERVICAL SPINAL FUSION WITHOUT CC/MCC	160	0.23	1.8
474	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH MCC	6	0.01	10
475	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH CC	15	0.02	7.7
476	AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITHOUT CC/MCC	6	0.01	3.3
477	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	2	0.00	4.0
478	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	8	0.01	8.3
479	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	6	0.01	4.2
480	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH MCC	61	0.09	7.4
481	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH CC	200	0.28	4.6
482	HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITHOUT CC/MCC	165	0.23	3.8
483	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITH CC/MCC	17	0.02	3.1
484	MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITHOUT CC/MCC	53	0.07	2.1

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
San Joaquin County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
485	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH MCC	7	0.01	17
486	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH CC	4	0.01	5.0
487	KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	3	0.00	4.7
488	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITH CC/MCC	15	0.02	3.5
489	KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC	40	0.06	2.5
490	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITH CC/MCC OR DISC DEVICE/NEUROSTIM	77	0.11	4.3
491	BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITHOUT CC/MCC	228	0.32	1.9
492	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH MCC	19	0.03	3.6
493	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH CC	113	0.16	4.9
494	LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITHOUT CC/MCC	298	0.42	2.2
495	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH MCC	10	0.01	11
496	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH CC	28	0.04	4.9
497	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITHOUT CC/MCC	45	0.06	1.9
498	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITH CC/MCC	6	0.01	7.3
499	LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITHOUT CC/MCC	15	0.02	1.5
500	SOFT TISSUE PROCEDURES WITH MCC	11	0.02	13
501	SOFT TISSUE PROCEDURES WITH CC	28	0.04	8.3
502	SOFT TISSUE PROCEDURES WITHOUT CC/MCC	44	0.06	2.5
503	FOOT PROCEDURES WITH MCC	4	0.01	11
504	FOOT PROCEDURES WITH CC	13	0.02	6.5
505	FOOT PROCEDURES WITHOUT CC/MCC	25	0.04	1.8

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
San Joaquin County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
506	MAJOR THUMB OR JOINT PROCEDURES	5	0.01	1.8
507	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITH CC/MCC	2	0.00	6.5
508	MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITHOUT CC/MCC	4	0.01	1.5
509	ARTHROSCOPY	2	0.00	3.5
510	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH MCC	4	0.01	6.5
511	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH CC	12	0.02	3.6
512	SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITHOUT CC/MCC	62	0.09	1.5
513	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITH CC/MCC	13	0.02	3.8
514	HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITHOUT CC/MCC	18	0.03	3.1
515	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH MCC	8	0.01	15
516	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH CC	33	0.05	4.4
517	OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITHOUT CC/MCC	41	0.06	2.2
533	FRACTURES OF FEMUR WITH MCC	1	0.00	4.0
534	FRACTURES OF FEMUR WITHOUT MCC	7	0.01	1.7
535	FRACTURES OF HIP & PELVIS WITH MCC	15	0.02	4.9
536	FRACTURES OF HIP & PELVIS WITHOUT MCC	88	0.12	3.4
537	SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITH CC/MCC	2	0.00	3.0
538	SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITHOUT CC/MCC	3	0.00	4.0
539	OSTEOMYELITIS WITH MCC	17	0.02	8.6
540	OSTEOMYELITIS WITH CC	22	0.03	6.8
541	OSTEOMYELITIS WITHOUT CC/MCC	7	0.01	2.6

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
San Joaquin County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
542	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH MCC	18	0.03	8.0
543	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH CC	41	0.06	5.6
544	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITHOUT CC/MCC	21	0.03	3.3
545	CONNECTIVE TISSUE DISORDERS WITH MCC	23	0.03	16
546	CONNECTIVE TISSUE DISORDERS WITH CC	25	0.04	5.0
547	CONNECTIVE TISSUE DISORDERS WITHOUT CC/MCC	29	0.04	3.6
548	SEPTIC ARTHRITIS WITH MCC	2	0.00	9.5
549	SEPTIC ARTHRITIS WITH CC	6	0.01	11
550	SEPTIC ARTHRITIS WITHOUT CC/MCC	2	0.00	6.0
551	MEDICAL BACK PROBLEMS WITH MCC	34	0.05	8.6
552	MEDICAL BACK PROBLEMS WITHOUT MCC	249	0.35	3.4
553	BONE DISEASES & ARTHROPATHIES WITH MCC	9	0.01	6.0
554	BONE DISEASES & ARTHROPATHIES WITHOUT MCC	75	0.11	2.8
555	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITH MCC	14	0.02	4.4
556	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC	64	0.09	2.7
557	TENDONITIS, MYOSITIS & BURSITIS WITH MCC	22	0.03	5.9
558	TENDONITIS, MYOSITIS & BURSITIS WITHOUT MCC	67	0.09	3.6
559	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	5	0.01	6.2
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	13	0.02	4.9
561	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	12	0.02	2.1
562	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITH MCC	12	0.02	4.7

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
San Joaquin County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
563	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC	119	0.17	2.4
564	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH MCC	13	0.02	4.5
565	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH CC	25	0.04	3.1
566	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITHOUT CC/MCC	10	0.01	2.3
573	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH MCC	11	0.02	36
574	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH CC	26	0.04	9.3
575	SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	19	0.03	4.4
576	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH MCC	2	0.00	54
577	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH CC	14	0.02	8.1
578	SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC	26	0.04	4.9
579	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH MCC	15	0.02	13
580	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH CC	68	0.10	4.9
581	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITHOUT CC/MCC	90	0.13	2.3
582	MASTECTOMY FOR MALIGNANCY WITH CC/MCC	27	0.04	2.5
583	MASTECTOMY FOR MALIGNANCY WITHOUT CC/MCC	42	0.06	1.6
584	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITH CC/MCC	6	0.01	2.8
585	BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITHOUT CC/MCC	31	0.04	2.4
592	SKIN ULCERS WITH MCC	16	0.02	10
593	SKIN ULCERS WITH CC	43	0.06	7.3
594	SKIN ULCERS WITHOUT CC/MCC	4	0.01	14
595	MAJOR SKIN DISORDERS WITH MCC	5	0.01	6.0

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
San Joaquin County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
596	MAJOR SKIN DISORDERS WITHOUT MCC	19	0.03	4.8
597	MALIGNANT BREAST DISORDERS WITH MCC	2	0.00	11
598	MALIGNANT BREAST DISORDERS WITH CC	8	0.01	7.3
599	MALIGNANT BREAST DISORDERS WITHOUT CC/MCC	2	0.00	4.0
600	NON-MALIGNANT BREAST DISORDERS WITH CC/MCC	14	0.02	4.7
601	NON-MALIGNANT BREAST DISORDERS WITHOUT CC/MCC	23	0.03	2.6
602	CELLULITIS WITH MCC	108	0.15	7.6
603	CELLULITIS WITHOUT MCC	934	1.32	3.8
604	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITH MCC	20	0.03	3.1
605	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITHOUT MCC	111	0.16	2.4
606	MINOR SKIN DISORDERS WITH MCC	10	0.01	7.2
607	MINOR SKIN DISORDERS WITHOUT MCC	47	0.07	3.4
614	ADRENAL & PITUITARY PROCEDURES WITH CC/MCC	16	0.02	3.8
615	ADRENAL & PITUITARY PROCEDURES WITHOUT CC/MCC	10	0.01	2.7
616	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH MCC	8	0.01	19
617	AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH CC	38	0.05	6.7
619	O.R. PROCEDURES FOR OBESITY WITH MCC	7	0.01	17
620	O.R. PROCEDURES FOR OBESITY WITH CC	42	0.06	2.4
621	O.R. PROCEDURES FOR OBESITY WITHOUT CC/MCC	293	0.41	1.8
622	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH MCC	3	0.00	8.3
623	SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH CC	5	0.01	5.4

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
San Joaquin County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
625	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH MCC	3	0.00	2.7
626	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH CC	20	0.03	2.7
627	THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITHOUT CC/MCC	115	0.16	1.3
628	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH MCC	17	0.02	7.4
629	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH CC	27	0.04	7.7
630	OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITHOUT CC/MCC	3	0.00	3.7
637	DIABETES WITH MCC	148	0.21	5.3
638	DIABETES WITH CC	279	0.39	3.7
639	DIABETES WITHOUT CC/MCC	262	0.37	2.4
640	NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC	351	0.49	4.3
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	747	1.05	3.4
642	INBORN ERRORS OF METABOLISM	22	0.03	2.7
643	ENDOCRINE DISORDERS WITH MCC	26	0.04	7.1
644	ENDOCRINE DISORDERS WITH CC	48	0.07	4.6
645	ENDOCRINE DISORDERS WITHOUT CC/MCC	29	0.04	3.6
652	KIDNEY TRANSPLANT	42	0.06	6.1
653	MAJOR BLADDER PROCEDURES WITH MCC	3	0.00	13
654	MAJOR BLADDER PROCEDURES WITH CC	10	0.01	16
655	MAJOR BLADDER PROCEDURES WITHOUT CC/MCC	3	0.00	6.3
656	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH MCC	10	0.01	8.2
657	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH CC	29	0.04	4.8

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
San Joaquin County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
658	KIDNEY & URETER PROCEDURES FOR NEOPLASM WITHOUT CC/MCC	46	0.06	3.6
659	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH MCC	21	0.03	12
660	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH CC	38	0.05	5.4
661	KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITHOUT CC/MCC	71	0.10	2.4
662	MINOR BLADDER PROCEDURES WITH MCC	2	0.00	7.0
663	MINOR BLADDER PROCEDURES WITH CC	8	0.01	3.9
664	MINOR BLADDER PROCEDURES WITHOUT CC/MCC	33	0.05	1.3
666	PROSTATECTOMY WITH CC	3	0.00	4.3
667	PROSTATECTOMY WITHOUT CC/MCC	9	0.01	2.7
668	TRANSURETHRAL PROCEDURES WITH MCC	13	0.02	7.4
669	TRANSURETHRAL PROCEDURES WITH CC	44	0.06	2.8
670	TRANSURETHRAL PROCEDURES WITHOUT CC/MCC	52	0.07	1.5
671	URETHRAL PROCEDURES WITH CC/MCC	2	0.00	2.5
672	URETHRAL PROCEDURES WITHOUT CC/MCC	4	0.01	2.0
673	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH MCC	29	0.04	8.0
674	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH CC	45	0.06	6.2
675	OTHER KIDNEY & URINARY TRACT PROCEDURES WITHOUT CC/MCC	9	0.01	2.6
682	RENAL FAILURE WITH MCC	206	0.29	7.5
683	RENAL FAILURE WITH CC	313	0.44	4.9
684	RENAL FAILURE WITHOUT CC/MCC	74	0.10	3.2
685	ADMIT FOR RENAL DIALYSIS	12	0.02	4.1

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
San Joaquin County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
686	KIDNEY & URINARY TRACT NEOPLASMS WITH MCC	4	0.01	1.8
687	KIDNEY & URINARY TRACT NEOPLASMS WITH CC	8	0.01	6.5
688	KIDNEY & URINARY TRACT NEOPLASMS WITHOUT CC/MCC	4	0.01	6.0
689	KIDNEY & URINARY TRACT INFECTIONS WITH MCC	195	0.27	5.4
690	KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC	804	1.13	3.7
691	URINARY STONES WITH ESW LITHOTRIPSY WITH CC/MCC	6	0.01	4.7
692	URINARY STONES WITH ESW LITHOTRIPSY WITHOUT CC/MCC	3	0.00	1.0
693	URINARY STONES WITHOUT ESW LITHOTRIPSY WITH MCC	11	0.02	3.9
694	URINARY STONES WITHOUT ESW LITHOTRIPSY WITHOUT MCC	115	0.16	2.4
695	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITH MCC	5	0.01	4.4
696	KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITHOUT MCC	29	0.04	2.7
697	URETHRAL STRICTURE	1	0.00	2.0
698	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH MCC	87	0.12	6.1
699	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH CC	92	0.13	3.9
700	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITHOUT CC/MCC	39	0.05	2.4
707	MAJOR MALE PELVIC PROCEDURES WITH CC/MCC	14	0.02	4.7
708	MAJOR MALE PELVIC PROCEDURES WITHOUT CC/MCC	83	0.12	1.9
709	PENIS PROCEDURES WITH CC/MCC	4	0.01	9.3
710	PENIS PROCEDURES WITHOUT CC/MCC	6	0.01	1.0
711	TESTES PROCEDURES WITH CC/MCC	2	0.00	6.5
712	TESTES PROCEDURES WITHOUT CC/MCC	14	0.02	1.1

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
San Joaquin County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
713	TRANSURETHRAL PROSTATECTOMY WITH CC/MCC	22	0.03	3.2
714	TRANSURETHRAL PROSTATECTOMY WITHOUT CC/MCC	76	0.11	1.4
715	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE FOR MALIGNANCY WITH CC/MCC	2	0.00	7.5
716	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE FOR MALIGNANCY WITHOUT CC/MCC	3	0.00	1.0
717	OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE EXCEPT MALIGNANCY WITH CC/MCC	3	0.00	9.0
723	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH CC	2	0.00	4.5
724	MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	1	0.00	2.0
726	BENIGN PROSTATIC HYPERTROPHY WITHOUT MCC	8	0.01	2.8
727	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITH MCC	3	0.00	6.7
728	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITHOUT MCC	43	0.06	2.6
729	OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITH CC/MCC	2	0.00	5.5
730	OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC	6	0.01	1.5
734	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITH CC/MCC	13	0.02	4.0
735	PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITHOUT CC/MCC	6	0.01	2.5
736	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH MCC	4	0.01	17
737	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH CC	12	0.02	6.2
738	UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITHOUT CC/MCC	7	0.01	4.6
739	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH MCC	3	0.00	12
740	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH CC	31	0.04	4.4
741	UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITHOUT CC/MCC	32	0.05	2.3
742	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITH CC/MCC	200	0.28	3.4

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
San Joaquin County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
743	UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITHOUT CC/MCC	807	1.14	2.2
744	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITH CC/MCC	14	0.02	2.9
745	D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITHOUT CC/MCC	11	0.02	.73
746	VAGINA, CERVIX & VULVA PROCEDURES WITH CC/MCC	19	0.03	2.3
747	VAGINA, CERVIX & VULVA PROCEDURES WITHOUT CC/MCC	80	0.11	1.3
748	FEMALE REPRODUCTIVE SYSTEM RECONSTRUCTIVE PROCEDURES	132	0.19	1.4
749	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITH CC/MCC	9	0.01	7.9
750	OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC	7	0.01	2.4
754	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH MCC	6	0.01	3.7
755	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH CC	13	0.02	6.3
756	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	3	0.00	2.7
757	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH MCC	5	0.01	32
758	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH CC	16	0.02	3.9
759	INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC	29	0.04	2.8
760	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITH CC/MCC	23	0.03	2.0
761	MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITHOUT CC/MCC	50	0.07	1.4
765	CESAREAN SECTION WITH CC/MCC	1,062	1.50	3.9
766	CESAREAN SECTION WITHOUT CC/MCC	2,164	3.05	3.1
767	VAGINAL DELIVERY WITH STERILIZATION &/OR D&C	264	0.37	2.4
768	VAGINAL DELIVERY WITH O.R. PROCEDURE EXCEPT STERIL &/OR D&C	4	0.01	3.5
769	POSTPARTUM & POST ABORTION DIAGNOSIS WITH O.R. PROCEDURE	33	0.05	3.1

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
San Joaquin County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
770	ABORTION WITH D&C, ASPIRATION CURETTAGE OR HYSTEROTOMY	52	0.07	1.5
774	VAGINAL DELIVERY WITH COMPLICATING DIAGNOSIS	745	1.05	2.5
775	VAGINAL DELIVERY WITHOUT COMPLICATING DIAGNOSIS	6,141	8.65	2.1
776	POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE	108	0.15	2.3
777	ECTOPIC PREGNANCY	60	0.08	1.9
778	THREATENED ABORTION	158	0.22	1.8
779	ABORTION WITHOUT D&C	51	0.07	1.4
780	FALSE LABOR	20	0.03	.65
781	OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS	420	0.59	2.4
782	OTHER ANTEPARTUM DIAGNOSIS WITHOUT MEDICAL COMPLICATIONS	101	0.14	1.5
789	NEONATES, DIED OR TRANSFERRED TO ANOTHER ACUTE CARE FACILITY	206	0.29	6.1
790	EXTREME IMMATURITY OR RESPIRATORY DISTRESS SYNDROME, NEONATE	136	0.19	37
791	PREMATURITY WITH MAJOR PROBLEMS	166	0.23	21
792	PREMATURITY WITHOUT MAJOR PROBLEMS	440	0.62	8.6
793	FULL TERM NEONATE WITH MAJOR PROBLEMS	488	0.69	7.4
794	NEONATE WITH OTHER SIGNIFICANT PROBLEMS	1,644	2.32	2.8
795	NORMAL NEWBORN	8,081	11.38	2.0
799	SPLENECTOMY WITH MCC	3	0.00	7.3
800	SPLENECTOMY WITH CC	3	0.00	5.7
801	SPLENECTOMY WITHOUT CC/MCC	6	0.01	3.3
802	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH MCC	5	0.01	6.6

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
San Joaquin County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
803	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH CC	3	0.00	3.0
804	OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITHOUT CC/MCC	13	0.02	3.5
808	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH MCC	40	0.06	7.0
809	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH CC	85	0.12	5.0
810	MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITHOUT CC/MCC	24	0.03	4.2
811	RED BLOOD CELL DISORDERS WITH MCC	125	0.18	4.8
812	RED BLOOD CELL DISORDERS WITHOUT MCC	440	0.62	3.2
813	COAGULATION DISORDERS	66	0.09	3.7
814	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH MCC	14	0.02	6.1
815	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH CC	29	0.04	3.7
816	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITHOUT CC/MCC	18	0.03	2.9
820	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH MCC	3	0.00	22
821	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH CC	10	0.01	9.2
822	LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITHOUT CC/MCC	7	0.01	2.6
823	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH MCC	7	0.01	18
824	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH CC	13	0.02	6.0
825	LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	8	0.01	5.4
826	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH MCC	6	0.01	58
827	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH CC	13	0.02	7.3
828	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITHOUT CC/MCC	8	0.01	4.8
829	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITH CC/MCC	8	0.01	17

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
San Joaquin County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
830	MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC	6	0.01	4.8
834	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH MCC	18	0.03	21
835	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH CC	21	0.03	15
836	ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITHOUT CC/MCC	6	0.01	6.2
837	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS OR WITH HIGH DOSE CHEMO AGENT WITH MCC	9	0.01	21
838	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITH CC OR HIGH DOSE CHEMO AGENT	24	0.03	8.2
839	CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITHOUT CC/MCC	26	0.04	7.4
840	LYMPHOMA & NON-ACUTE LEUKEMIA WITH MCC	25	0.04	8.9
841	LYMPHOMA & NON-ACUTE LEUKEMIA WITH CC	21	0.03	6.1
842	LYMPHOMA & NON-ACUTE LEUKEMIA WITHOUT CC/MCC	14	0.02	4.8
843	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH MCC	5	0.01	2.6
844	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH CC	10	0.01	3.5
845	OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITHOUT CC/MCC	7	0.01	3.9
846	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH MCC	16	0.02	10
847	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH CC	130	0.18	3.9
848	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITHOUT CC/MCC	25	0.04	2.1
849	RADIOTHERAPY	7	0.01	13
853	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH MCC	198	0.28	19
854	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH CC	38	0.05	9.9
855	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITHOUT CC/MCC	4	0.01	8.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
San Joaquin County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
856	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH MCC	28	0.04	13
857	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH CC	32	0.05	11
858	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITHOUT CC/MCC	21	0.03	4.7
862	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITH MCC	46	0.06	10
863	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC	90	0.13	4.1
864	FEVER	142	0.20	2.9
865	VIRAL ILLNESS WITH MCC	11	0.02	7.7
866	VIRAL ILLNESS WITHOUT MCC	80	0.11	2.8
867	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH MCC	36	0.05	11
868	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH CC	14	0.02	4.6
869	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITHOUT CC/MCC	3	0.00	10
870	SEPTICEMIA OR SEVERE SEPSIS WITH MECH VENT 96+ HOURS	130	0.18	17
871	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC	1,292	1.82	7.1
872	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC	480	0.68	5.3
876	O.R. PROCEDURE WITH PRINCIPAL DIAGNOSIS OF MENTAL ILLNESS	2	0.00	5.5
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	38	0.05	2.7
881	DEPRESSIVE NEUROSES	5	0.01	7.0
882	NEUROSES EXCEPT DEPRESSIVE	1	0.00	2.0
883	DISORDERS OF PERSONALITY & IMPULSE CONTROL	4	0.01	10
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	52	0.07	6.5
885	PSYCHOSES	36	0.05	3.9

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
San Joaquin County**

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
886	BEHAVIORAL & DEVELOPMENTAL DISORDERS	2	0.00	1.0
887	OTHER MENTAL DISORDER DIAGNOSIS	3	0.00	2.3
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	20	0.03	1.9
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	51	0.07	5.7
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	158	0.22	3.3
902	WOUND DEBRIDEMENTS FOR INJURIES WITH CC	8	0.01	7.3
903	WOUND DEBRIDEMENTS FOR INJURIES WITHOUT CC/MCC	2	0.00	4.0
904	SKIN GRAFTS FOR INJURIES WITH CC/MCC	11	0.02	21
905	SKIN GRAFTS FOR INJURIES WITHOUT CC/MCC	10	0.01	2.6
906	HAND PROCEDURES FOR INJURIES	18	0.03	3.4
907	OTHER O.R. PROCEDURES FOR INJURIES WITH MCC	38	0.05	11
908	OTHER O.R. PROCEDURES FOR INJURIES WITH CC	48	0.07	6.6
909	OTHER O.R. PROCEDURES FOR INJURIES WITHOUT CC/MCC	64	0.09	2.9
913	TRAUMATIC INJURY WITH MCC	4	0.01	6.3
914	TRAUMATIC INJURY WITHOUT MCC	36	0.05	2.3
915	ALLERGIC REACTIONS WITH MCC	5	0.01	2.6
916	ALLERGIC REACTIONS WITHOUT MCC	26	0.04	1.8
917	POISONING & TOXIC EFFECTS OF DRUGS WITH MCC	154	0.22	3.9
918	POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC	326	0.46	2.0
919	COMPLICATIONS OF TREATMENT WITH MCC	39	0.05	6.5
920	COMPLICATIONS OF TREATMENT WITH CC	48	0.07	4.3

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
San Joaquin County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
921	COMPLICATIONS OF TREATMENT WITHOUT CC/MCC	46	0.06	3.3
922	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITH MCC	10	0.01	9.6
923	OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITHOUT MCC	25	0.04	2.6
928	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITH CC/MCC	6	0.01	39
929	FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITHOUT CC/MCC	20	0.03	9.6
933	EXTENSIVE BURNS OR FULL THICKNESS BURNS WITH MECH VENT 96+ HRS WITHOUT SKIN GRAFT	1	0.00	3.0
934	FULL THICKNESS BURN WITHOUT SKIN GRAFT OR INHAL INJURY	7	0.01	4.9
935	NON-EXTENSIVE BURNS	33	0.05	3.4
939	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH MCC	2	0.00	4.0
940	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC	7	0.01	2.7
941	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITHOUT CC/MCC	17	0.02	2.8
945	REHABILITATION WITH CC/MCC	1	0.00	10
946	REHABILITATION WITHOUT CC/MCC	1	0.00	8.0
947	SIGNS & SYMPTOMS WITH MCC	62	0.09	4.8
948	SIGNS & SYMPTOMS WITHOUT MCC	243	0.34	3.6
949	AFTERCARE WITH CC/MCC	19	0.03	5.0
950	AFTERCARE WITHOUT CC/MCC	4	0.01	2.0
951	OTHER FACTORS INFLUENCING HEALTH STATUS	35	0.05	2.0
955	CRANIOTOMY FOR MULTIPLE SIGNIFICANT TRAUMA	6	0.01	13
956	LIMB REATTACHMENT, HIP & FEMUR PROCEDURE FOR MULTIPLE SIGNIFICANT TRAUMA	33	0.05	13

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
San Joaquin County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
957	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH MCC	32	0.05	21
958	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH CC	39	0.05	8.4
959	OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	13	0.02	7.5
963	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH MCC	13	0.02	5.9
964	OTHER MULTIPLE SIGNIFICANT TRAUMA WITH CC	34	0.05	4.5
965	OTHER MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC	15	0.02	2.4
969	HIV WITH EXTENSIVE O.R. PROCEDURE WITH MCC	2	0.00	14
970	HIV WITH EXTENSIVE O.R. PROCEDURE WITHOUT MCC	2	0.00	2.5
974	HIV WITH MAJOR RELATED CONDITION WITH MCC	25	0.04	14
975	HIV WITH MAJOR RELATED CONDITION WITH CC	21	0.03	11
976	HIV WITH MAJOR RELATED CONDITION WITHOUT CC/MCC	16	0.02	4.6
977	HIV WITH OR WITHOUT OTHER RELATED CONDITION	11	0.02	3.5
981	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	84	0.12	14
982	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	81	0.11	7.9
983	EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	71	0.10	2.6
984	PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	2	0.00	12
985	PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	4	0.01	11
987	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC	20	0.03	10
988	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC	33	0.05	10
989	NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC	26	0.04	2.5
All		70,987	100.0	4.2

**MS-DRG by Patient County of Residence
and Type of Care for 2010
San Joaquin County**

typcare1=Chemical Dependency Recovery Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
885	PSYCHOSES	1	3.23	3.0
886	BEHAVIORAL & DEVELOPMENTAL DISORDERS	1	3.23	120
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	1	3.23	4.0
895	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITH REHABILITATION THERAPY	5	16.13	13
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	23	74.19	9.8
All		31	100.0	13

***MS-DRG by Patient County of Residence
and Type of Care for 2010
San Joaquin County***

typcare1=Physical Rehabilitation Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
099	NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITHOUT CC/MCC	1	0.48	3.0
206	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITHOUT MCC	1	0.48	2.0
373	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITHOUT CC/MCC	1	0.48	4.0
811	RED BLOOD CELL DISORDERS WITH MCC	1	0.48	3.0
813	COAGULATION DISORDERS	1	0.48	2.0
914	TRAUMATIC INJURY WITHOUT MCC	1	0.48	3.0
945	REHABILITATION WITH CC/MCC	178	84.76	16
946	REHABILITATION WITHOUT CC/MCC	26	12.38	12
All		210	100.0	15

**MS-DRG by Patient County of Residence
and Type of Care for 2010
San Joaquin County**

typcare1=Psychiatric Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
056	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC	2	0.07	8.0
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	81	2.77	19
080	NONTRAUMATIC STUPOR & COMA WITH MCC	1	0.03	5.0
081	NONTRAUMATIC STUPOR & COMA WITHOUT MCC	4	0.14	2.5
101	SEIZURES WITHOUT MCC	1	0.03	1.0
639	DIABETES WITHOUT CC/MCC	1	0.03	31
781	OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS	3	0.10	9.0
880	ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION	23	0.79	5.1
881	DEPRESSIVE NEUROSES	192	6.58	3.2
882	NEUROSES EXCEPT DEPRESSIVE	57	1.95	2.1
883	DISORDERS OF PERSONALITY & IMPULSE CONTROL	11	0.38	6.1
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	31	1.06	27
885	PSYCHOSES	2,343	80.24	7.7
886	BEHAVIORAL & DEVELOPMENTAL DISORDERS	10	0.34	3.8
887	OTHER MENTAL DISORDER DIAGNOSIS	2	0.07	14
894	ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA	6	0.21	2.0
896	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC	3	0.10	2.7
897	ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC	145	4.97	4.8
918	POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC	1	0.03	3.0
951	OTHER FACTORS INFLUENCING HEALTH STATUS	1	0.03	2.0

(Continued)

***MS-DRG by Patient County of Residence
and Type of Care for 2010
San Joaquin County***

typcare1=Psychiatric Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
976	HIV WITH MAJOR RELATED CONDITION WITHOUT CC/MCC	2	0.07	4.0
All		2,920	100.0	7.6

*MS-DRG by Patient County of Residence
and Type of Care for 2010
San Joaquin County*

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
053	SPINAL DISORDERS & INJURIES WITHOUT CC/MCC	1	0.15	10
054	NERVOUS SYSTEM NEOPLASMS WITH MCC	1	0.15	47
055	NERVOUS SYSTEM NEOPLASMS WITHOUT MCC	3	0.45	11
056	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC	10	1.49	262
057	DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC	19	2.83	28
059	MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH CC	1	0.15	3.0
064	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC	2	0.30	20
065	INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC	2	0.30	30
070	NONSPECIFIC CEREBROVASCULAR DISORDERS WITH MCC	2	0.30	7.5
074	CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC	2	0.30	11
076	VIRAL MENINGITIS WITHOUT CC/MCC	1	0.15	10
080	NONTRAUMATIC STUPOR & COMA WITH MCC	1	0.15	2.0
081	NONTRAUMATIC STUPOR & COMA WITHOUT MCC	2	0.30	6.5
091	OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC	5	0.74	792
092	OTHER DISORDERS OF NERVOUS SYSTEM WITH CC	1	0.15	13
093	OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC	3	0.45	6.0
096	BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITHOUT CC/MCC	1	0.15	5.0
100	SEIZURES WITH MCC	2	0.30	62
101	SEIZURES WITHOUT MCC	1	0.15	2.0
124	OTHER DISORDERS OF THE EYE WITH MCC	1	0.15	17
149	DYSEQUILIBRIUM	1	0.15	4.0

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
San Joaquin County*

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
152	OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITH MCC	1	0.15	20
158	DENTAL & ORAL DISEASES WITH CC	2	0.30	4.5
159	DENTAL & ORAL DISEASES WITHOUT CC/MCC	1	0.15	9.0
164	MAJOR CHEST PROCEDURES WITH CC	1	0.15	14
176	PULMONARY EMBOLISM WITHOUT MCC	1	0.15	14
177	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC	7	1.04	19
178	RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC	7	1.04	7.3
179	RESPIRATORY INFECTIONS & INFLAMMATIONS WITHOUT CC/MCC	4	0.60	8.8
180	RESPIRATORY NEOPLASMS WITH MCC	3	0.45	3.0
181	RESPIRATORY NEOPLASMS WITH CC	3	0.45	1.7
189	PULMONARY EDEMA & RESPIRATORY FAILURE	7	1.04	674
190	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC	4	0.60	11
191	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC	6	0.89	8.8
192	CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC	6	0.89	4.8
193	SIMPLE PNEUMONIA & PLEURISY WITH MCC	8	1.19	8.4
194	SIMPLE PNEUMONIA & PLEURISY WITH CC	29	4.32	8.4
195	SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC	11	1.64	7.5
206	OTHER RESPIRATORY SYSTEM DIAGNOSIS WITHOUT MCC	1	0.15	30
207	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS	23	3.42	391
208	RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS	2	0.30	2.0
236	CORONARY BYPASS WITHOUT CARDIAC CATH WITHOUT MCC	1	0.15	8.0

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
San Joaquin County**

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
239	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH MCC	1	0.15	35
241	AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITHOUT CC/MCC	1	0.15	32
252	OTHER VASCULAR PROCEDURES WITH MCC	1	0.15	7.0
254	OTHER VASCULAR PROCEDURES WITHOUT CC/MCC	1	0.15	6.0
288	ACUTE & SUBACUTE ENDOCARDITIS WITH MCC	2	0.30	21
291	HEART FAILURE & SHOCK WITH MCC	6	0.89	10
292	HEART FAILURE & SHOCK WITH CC	7	1.04	11
293	HEART FAILURE & SHOCK WITHOUT CC/MCC	1	0.15	4.0
299	PERIPHERAL VASCULAR DISORDERS WITH MCC	3	0.45	7.0
300	PERIPHERAL VASCULAR DISORDERS WITH CC	2	0.30	12
301	PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC	1	0.15	4.0
307	CARDIAC CONGENITAL & VALVULAR DISORDERS WITHOUT MCC	1	0.15	3.0
308	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH MCC	1	0.15	8.0
309	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC	1	0.15	4.0
310	CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITHOUT CC/MCC	2	0.30	7.0
311	ANGINA PECTORIS	1	0.15	1.0
312	SYNCOPE & COLLAPSE	1	0.15	10
314	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC	11	1.64	13
315	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC	3	0.45	12
316	OTHER CIRCULATORY SYSTEM DIAGNOSIS WITHOUT CC/MCC	1	0.15	6.0
371	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH MCC	2	0.30	4.5

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
San Joaquin County*

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
372	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH CC	3	0.45	3.3
373	MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITHOUT CC/MCC	2	0.30	14
375	DIGESTIVE MALIGNANCY WITH CC	5	0.74	8.0
376	DIGESTIVE MALIGNANCY WITHOUT CC/MCC	1	0.15	14
378	G.I. HEMORRHAGE WITH CC	1	0.15	4.0
379	G.I. HEMORRHAGE WITHOUT CC/MCC	3	0.45	4.7
388	G.I. OBSTRUCTION WITH MCC	1	0.15	23
389	G.I. OBSTRUCTION WITH CC	4	0.60	8.5
390	G.I. OBSTRUCTION WITHOUT CC/MCC	1	0.15	6.0
391	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITH MCC	5	0.74	11
392	ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC	8	1.19	9.1
393	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH MCC	2	0.30	5.5
394	OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH CC	2	0.30	25
435	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITH MCC	1	0.15	1.0
436	MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITH CC	1	0.15	4.0
438	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH MCC	1	0.15	7.0
439	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH CC	1	0.15	37
440	DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITHOUT CC/MCC	1	0.15	3.0
441	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH MCC	1	0.15	.00
442	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH CC	1	0.15	4.0
443	DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITHOUT CC/MCC	1	0.15	19

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
San Joaquin County*

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
446	DISORDERS OF THE BILIARY TRACT WITHOUT CC/MCC	1	0.15	3.0
479	BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	1	0.15	8.0
503	FOOT PROCEDURES WITH MCC	1	0.15	21
539	OSTEOMYELITIS WITH MCC	3	0.45	18
540	OSTEOMYELITIS WITH CC	2	0.30	15
543	PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH CC	1	0.15	5.0
545	CONNECTIVE TISSUE DISORDERS WITH MCC	1	0.15	2.0
552	MEDICAL BACK PROBLEMS WITHOUT MCC	1	0.15	4.0
553	BONE DISEASES & ARTHROPATHIES WITH MCC	2	0.30	16
554	BONE DISEASES & ARTHROPATHIES WITHOUT MCC	1	0.15	13
555	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITH MCC	1	0.15	9.0
556	SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC	1	0.15	12
557	TENDONITIS, MYOSITIS & BURSITIS WITH MCC	2	0.30	12
558	TENDONITIS, MYOSITIS & BURSITIS WITHOUT MCC	1	0.15	7.0
559	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC	1	0.15	15
560	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC	5	0.74	10
561	AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC	5	0.74	9.2
563	FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC	2	0.30	7.5
564	OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH MCC	1	0.15	10
581	OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITHOUT CC/MCC	1	0.15	10
592	SKIN ULCERS WITH MCC	1	0.15	11

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
San Joaquin County*

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
593	SKIN ULCERS WITH CC	4	0.60	53
595	MAJOR SKIN DISORDERS WITH MCC	1	0.15	5.0
602	CELLULITIS WITH MCC	8	1.19	12
603	CELLULITIS WITHOUT MCC	15	2.23	11
605	TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITHOUT MCC	1	0.15	8.0
637	DIABETES WITH MCC	2	0.30	11
638	DIABETES WITH CC	5	0.74	16
640	NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC	2	0.30	6.0
641	NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC	7	1.04	9.4
644	ENDOCRINE DISORDERS WITH CC	2	0.30	3.5
673	OTHER KIDNEY & URINARY TRACT PROCEDURES WITH MCC	2	0.30	21
683	RENAL FAILURE WITH CC	5	0.74	12
684	RENAL FAILURE WITHOUT CC/MCC	4	0.60	3.3
687	KIDNEY & URINARY TRACT NEOPLASMS WITH CC	1	0.15	232
689	KIDNEY & URINARY TRACT INFECTIONS WITH MCC	4	0.60	242
690	KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC	12	1.79	7.2
698	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH MCC	1	0.15	11
700	OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITHOUT CC/MCC	1	0.15	5.0
726	BENIGN PROSTATIC HYPERTROPHY WITHOUT MCC	1	0.15	5.0
728	INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITHOUT MCC	1	0.15	3.0
754	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH MCC	1	0.15	4.0

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2010
San Joaquin County**

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
755	MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH CC	3	0.45	8.7
775	VAGINAL DELIVERY WITHOUT COMPLICATING DIAGNOSIS	1	0.15	2.0
812	RED BLOOD CELL DISORDERS WITHOUT MCC	1	0.15	2.0
813	COAGULATION DISORDERS	1	0.15	12
815	RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH CC	1	0.15	5.0
840	LYMPHOMA & NON-ACUTE LEUKEMIA WITH MCC	1	0.15	3.0
841	LYMPHOMA & NON-ACUTE LEUKEMIA WITH CC	1	0.15	15
847	CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH CC	1	0.15	1.0
849	RADIOTHERAPY	2	0.30	23
853	INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH MCC	1	0.15	34
856	POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH MCC	1	0.15	30
862	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITH MCC	3	0.45	24
863	POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC	8	1.19	20
867	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH MCC	1	0.15	149
868	OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH CC	1	0.15	2.0
871	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC	33	4.91	12
872	SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC	27	4.02	13
884	ORGANIC DISTURBANCES & MENTAL RETARDATION	3	0.45	13
907	OTHER O.R. PROCEDURES FOR INJURIES WITH MCC	1	0.15	26
920	COMPLICATIONS OF TREATMENT WITH CC	2	0.30	45
921	COMPLICATIONS OF TREATMENT WITHOUT CC/MCC	1	0.15	12

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2010
San Joaquin County*

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
939	O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH MCC	2	0.30	24
945	REHABILITATION WITH CC/MCC	31	4.61	17
946	REHABILITATION WITHOUT CC/MCC	15	2.23	7.8
947	SIGNS & SYMPTOMS WITH MCC	3	0.45	4.0
948	SIGNS & SYMPTOMS WITHOUT MCC	15	2.23	11
949	AFTERCARE WITH CC/MCC	75	11.16	12
950	AFTERCARE WITHOUT CC/MCC	30	4.46	10
951	OTHER FACTORS INFLUENCING HEALTH STATUS	1	0.15	106
974	HIV WITH MAJOR RELATED CONDITION WITH MCC	2	0.30	9.0
975	HIV WITH MAJOR RELATED CONDITION WITH CC	2	0.30	18
977	HIV WITH OR WITHOUT OTHER RELATED CONDITION	1	0.15	1.0
All		672	100.0	44

**MDC by Patient County of Residence
for 2010
San Joaquin County**

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	3,674	4.91	7.5
02	EYE, DISEASES & DISORDERS	82	0.11	3.7
03	EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS	739	0.99	3.2
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	6,837	9.14	7.5
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	8,797	11.76	4.4
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	6,323	8.45	4.8
07	HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS	2,427	3.24	5.0
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	5,164	6.90	4.1
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	1,798	2.40	4.7
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	2,589	3.46	3.7
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	2,588	3.46	5.0
12	MALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	297	0.40	2.4
13	FEMALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	1,544	2.06	2.6
14	PREGNANCY, CHILDBIRTH, & THE PUERPERIUM	11,393	15.23	2.5
15	NEWBORNS AND NEONATE CONDITIONS BEGAN IN PERINATAL PERIOD	11,164	14.92	3.4
16	BLOOD, BLOOD FORMING ORGANS, IMMUNOLOGICAL, DISEASES & DISORDERS	904	1.21	4.4
17	MYELOPROLIFERATIVE DISEASES & POORLY DIFFERENTIATED NEOPLASMS	473	0.63	8.7
18	INFECTIOUS & PARASITIC DISEASES	2,747	3.67	8.6
19	MENTAL DISEASES & DISORDERS	2,817	3.76	7.4
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	415	0.55	4.5
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	943	1.26	4.4
22	BURNS	72	0.10	13

(Continued)

*MDC by Patient County of Residence
for 2010
San Joaquin County*

		Number of Discharges	Percent of Subtotal	Average Length of Stay
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	768	1.03	8.8
24	MULTIPLE SIGNFICANT TRAUMA	185	0.25	10
25	HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS	84	0.11	9.5
All		74,824	100.0	4.8

***MDC by Patient County of Residence
and Type of Care for 2010
San Joaquin County***

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	3,524	4.96	5.3
02	EYE, DISEASES & DISORDERS	81	0.11	3.5
03	EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS	734	1.03	3.2
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	6,713	9.46	5.5
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	8,748	12.32	4.4
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	6,282	8.85	4.8
07	HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS	2,418	3.41	4.9
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	5,132	7.23	4.1
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	1,767	2.49	4.5
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	2,570	3.62	3.7
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	2,558	3.60	4.5
12	MALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	295	0.42	2.4
13	FEMALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	1,540	2.17	2.6
14	PREGNANCY, CHILDBIRTH, & THE PUERPERIUM	11,389	16.04	2.5
15	NEWBORNS AND NEONATE CONDITIONS BEGAN IN PERINATAL PERIOD	11,164	15.73	3.4
16	BLOOD, BLOOD FORMING ORGANS,IMMUNOLOGICAL, DISEASES & DISORDERS	899	1.27	4.4
17	MYELOPROLIFERATIVE DISEASES & POORLY DIFFERENTIATED NEOPLASMS	468	0.66	8.7
18	INFECTIOUS & PARASITIC DISEASES	2,672	3.76	8.3
19	MENTAL DISEASES & DISORDERS	143	0.20	4.8
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	232	0.33	3.8
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	937	1.32	4.3

(Continued)

*MDC by Patient County of Residence
and Type of Care for 2010
San Joaquin County*

typcare1=Acute Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
22	BURNS	72	0.10	13
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	391	0.55	3.7
24	MULTIPLE SIGNFICANT TRAUMA	185	0.26	10
25	HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS	77	0.11	9.6
All		70,991	100.0	4.2

***MDC by Patient County of Residence
and Type of Care for 2010
San Joaquin County***

typcare1=Chemical Dependency Recovery Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
19	MENTAL DISEASES & DISORDERS	2	6.45	62
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	29	93.55	10
All		31	100.0	13

***MDC by Patient County of Residence
and Type of Care for 2010
San Joaquin County***

typcare1=Physical Rehabilitation Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	1	0.48	3.0
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	1	0.48	2.0
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	1	0.48	4.0
16	BLOOD, BLOOD FORMING ORGANS,IMMUNOLOGICAL, DISEASES & DISORDERS	2	0.95	2.5
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	1	0.48	3.0
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	204	97.14	16
All		210	100.0	15

***MDC by Patient County of Residence
and Type of Care for 2010
San Joaquin County***

typcare1=Psychiatric Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	89	3.05	18
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	1	0.03	31
14	PREGNANCY, CHILDBIRTH, & THE PUERPERIUM	3	0.10	9.0
19	MENTAL DISEASES & DISORDERS	2,669	91.40	7.5
20	ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES	154	5.27	4.7
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	1	0.03	3.0
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	1	0.03	2.0
25	HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS	2	0.07	4.0
All		2,920	100.0	7.6

***MDC by Patient County of Residence
and Type of Care for 2010
San Joaquin County***

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
01	NERVOUS SYSTEM, DISEASES & DISORDERS	60	8.93	125
02	EYE, DISEASES & DISORDERS	1	0.15	17
03	EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS	5	0.74	8.4
04	RESPIRATORY SYSTEM, DISEASES & DISORDERS	123	18.30	118
05	CIRCULATORY SYSTEM, DISEASES & DISORDERS	49	7.29	11
06	DIGESTIVE SYSTEM, DISEASES & DISORDERS	40	5.95	9.2
07	HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS	9	1.34	8.7
08	MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS	32	4.76	11
09	SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS	31	4.61	16
10	ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS	18	2.68	10
11	KIDNEY AND URINARY TRACT, DISEASES & DISORDERS	30	4.46	47
12	MALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	2	0.30	4.0
13	FEMALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS	4	0.60	7.5
14	PREGNANCY, CHILDBIRTH, & THE PUERPERIUM	1	0.15	2.0
16	BLOOD, BLOOD FORMING ORGANS,IMMUNOLOGICAL, DISEASES & DISORDERS	3	0.45	6.3
17	MYELOPROLIFERATIVE DISEASES & POORLY DIFFERENTIATED NEOPLASMS	5	0.74	13
18	INFECTIOUS & PARASITIC DISEASES	75	11.16	16
19	MENTAL DISEASES & DISORDERS	3	0.45	13
21	INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS	4	0.60	32
23	FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES	172	25.60	13

(Continued)

***MDC by Patient County of Residence
and Type of Care for 2010
San Joaquin County***

typcare1=Skilled Nursing/Intermediate Care

		Number of Discharges	Percent of Subtotal	Average Length of Stay
25	HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS	5	0.74	11
All		672	100.0	44