

**Type of Care by Patient County of Residence
for 2009
Statewide Totals**

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|--|-----------------------------|----------------------------|-------------------------------|
| Acute Care | 3,701,480 | 92.88 | 4.2 |
| Chemical Dependency Recovery Care | 12,534 | 0.31 | 10 |
| Invalid/Blank | 9 | 0.00 | 3.6 |
| Physical Rehabilitation Care | 31,258 | 0.78 | 15 |
| Psychiatric Care | 196,867 | 4.94 | 7.9 |
| Skilled Nursing/Intermediate Care | 43,018 | 1.08 | 53 |
| All | 3,985,166 | 100.0 | 5.0 |

**Disposition by Patient County of Residence
for 2009
Statewide Totals**

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|--|----------------------|---------------------|------------------------|
| 00 - Invalid | 278 | 0.01 | 11 |
| 01 - Routine (Home) | 3,004,054 | 75.38 | 3.6 |
| 02 - Acute Care within the admitting hospital | 10,153 | 0.25 | 53 |
| 03 - Other Care with the admitting hospital | 20,525 | 0.52 | 9.0 |
| 04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital | 34,806 | 0.87 | 7.9 |
| 05 - Acute Care at another hospital | 82,489 | 2.07 | 11 |
| 06 - Other Care (not SN/IC) at another hospital | 35,667 | 0.89 | 9.8 |
| 07 - SN/IC at another facility | 293,004 | 7.35 | 8.8 |
| 08 - Residential Care facility | 35,985 | 0.90 | 10 |
| 09 - Prison/Jail | 19,746 | 0.50 | 5.7 |
| 10 - Left Against Medical Advice | 43,300 | 1.09 | 3.3 |
| 11 - Died | 79,937 | 2.01 | 17 |
| 12 - Home Health Service | 313,429 | 7.86 | 7.3 |
| 13 - Other | 11,793 | 0.30 | 11 |
| All | 3,985,166 | 100.0 | 5.0 |

***Disposition by Patient County of Residence
and Type of Care for 2009
Statewide Totals***

typcare1=Acute Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|---|-----------------------------|----------------------------|-------------------------------|
| 00 - Invalid | 217 | 0.01 | 9.3 |
| 01 - Routine (Home) | 2,815,407 | 76.06 | 3.3 |
| 02 - Acute Care within the admitting hospital | 421 | 0.01 | 9.6 |
| 03 - Other Care with the admitting hospital | 19,534 | 0.53 | 8.3 |
| 04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital | 34,390 | 0.93 | 7.7 |
| 05 - Acute Care at another hospital | 76,342 | 2.06 | 5.5 |
| 06 - Other Care (not SN/IC) at another hospital | 31,325 | 0.85 | 8.7 |
| 07 - SN/IC at another facility | 278,425 | 7.52 | 8.1 |
| 08 - Residential Care facility | 20,060 | 0.54 | 5.9 |
| 09 - Prison/Jail | 18,298 | 0.49 | 5.4 |
| 10 - Left Against Medical Advice | 35,893 | 0.97 | 2.6 |
| 11 - Died | 76,625 | 2.07 | 10 |
| 12 - Home Health Service | 285,089 | 7.70 | 6.7 |
| 13 - Other | 9,454 | 0.26 | 8.0 |
| All | 3,701,480 | 100.0 | 4.2 |

***Disposition by Patient County of Residence
and Type of Care for 2009
Statewide Totals***

typcare1=Chemical Dependency Recovery Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|--|----------------------|---------------------|------------------------|
| 00 - Invalid | 4 | 0.03 | 1.5 |
| 01 - Routine (Home) | 9,682 | 77.25 | 11 |
| 02 - Acute Care within the admitting hospital | 50 | 0.40 | 3.2 |
| 03 - Other Care with the admitting hospital | 188 | 1.50 | 6.3 |
| 04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital | 1 | 0.01 | 8.0 |
| 05 - Acute Care at another hospital | 75 | 0.60 | 4.8 |
| 06 - Other Care (not SN/IC) at another hospital | 79 | 0.63 | 6.4 |
| 07 - SN/IC at another facility | 28 | 0.22 | 7.5 |
| 08 - Residential Care facility | 566 | 4.52 | 6.6 |
| 09 - Prison/Jail | 112 | 0.89 | 11 |
| 10 - Left Against Medical Advice | 1,691 | 13.49 | 7.1 |
| 12 - Home Health Service | 7 | 0.06 | 4.1 |
| 13 - Other | 51 | 0.41 | 6.7 |
| All | 12,534 | 100.0 | 10 |

***Disposition by Patient County of Residence
and Type of Care for 2009
Statewide Totals***

typcare1=Invalid/Blank

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|---------------------------------------|-----------------------------|----------------------------|-------------------------------|
| 00 - Invalid | 1 | 11.11 | .00 |
| 01 - Routine (Home) | 6 | 66.67 | 2.2 |
| 07 - SN/IC at another facility | 1 | 11.11 | 11 |
| 12 - Home Health Service | 1 | 11.11 | 8.0 |
| All | 9 | 100.0 | 3.6 |

***Disposition by Patient County of Residence
and Type of Care for 2009
Statewide Totals***

typcare1=Physical Rehabilitation Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|---|-----------------------------|----------------------------|-------------------------------|
| 01 - Routine (Home) | 10,565 | 33.80 | 15 |
| 02 - Acute Care within the admitting hospital | 2,392 | 7.65 | 11 |
| 03 - Other Care with the admitting hospital | 89 | 0.28 | 11 |
| 04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital | 150 | 0.48 | 21 |
| 05 - Acute Care at another hospital | 1,197 | 3.83 | 12 |
| 06 - Other Care (not SN/IC) at another hospital | 124 | 0.40 | 19 |
| 07 - SN/IC at another facility | 2,957 | 9.46 | 18 |
| 08 - Residential Care facility | 257 | 0.82 | 25 |
| 09 - Prison/Jail | 62 | 0.20 | 9.0 |
| 10 - Left Against Medical Advice | 201 | 0.64 | 8.5 |
| 11 - Died | 41 | 0.13 | 6.6 |
| 12 - Home Health Service | 13,175 | 42.15 | 15 |
| 13 - Other | 48 | 0.15 | 20 |
| All | 31,258 | 100.0 | 15 |

***Disposition by Patient County of Residence
and Type of Care for 2009
Statewide Totals***

typcare1=Psychiatric Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|---|-----------------------------|----------------------------|-------------------------------|
| 00 - Invalid | 47 | 0.02 | 13 |
| 01 - Routine (Home) | 157,387 | 79.95 | 6.9 |
| 02 - Acute Care within the admitting hospital | 1,692 | 0.86 | 8.0 |
| 03 - Other Care with the admitting hospital | 345 | 0.18 | 11 |
| 04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital | 116 | 0.06 | 22 |
| 05 - Acute Care at another hospital | 2,870 | 1.46 | 6.7 |
| 06 - Other Care (not SN/IC) at another hospital | 3,816 | 1.94 | 13 |
| 07 - SN/IC at another facility | 7,141 | 3.63 | 17 |
| 08 - Residential Care facility | 14,315 | 7.27 | 12 |
| 09 - Prison/Jail | 1,245 | 0.63 | 7.8 |
| 10 - Left Against Medical Advice | 5,217 | 2.65 | 4.7 |
| 11 - Died | 49 | 0.02 | 7.1 |
| 12 - Home Health Service | 769 | 0.39 | 13 |
| 13 - Other | 1,858 | 0.94 | 13 |
| All | 196,867 | 100.0 | 7.9 |

***Disposition by Patient County of Residence
and Type of Care for 2009
Statewide Totals***

typcare1=Skilled Nursing/Intermediate Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|--|----------------------|---------------------|------------------------|
| 00 - Invalid | 9 | 0.02 | 56 |
| 01 - Routine (Home) | 11,007 | 25.59 | 20 |
| 02 - Acute Care within the admitting hospital | 5,598 | 13.01 | 89 |
| 03 - Other Care with the admitting hospital | 369 | 0.86 | 43 |
| 04 - Skilled Nursing/Intermediate Care (SN/IC) with the admitting hospital | 149 | 0.35 | 48 |
| 05 - Acute Care at another hospital | 2,005 | 4.66 | 234 |
| 06 - Other Care (not SN/IC) at another hospital | 323 | 0.75 | 72 |
| 07 - SN/IC at another facility | 4,452 | 10.35 | 36 |
| 08 - Residential Care facility | 787 | 1.83 | 91 |
| 09 - Prison/Jail | 29 | 0.07 | 89 |
| 10 - Left Against Medical Advice | 298 | 0.69 | 30 |
| 11 - Died | 3,222 | 7.49 | 173 |
| 12 - Home Health Service | 14,388 | 33.45 | 13 |
| 13 - Other | 382 | 0.89 | 84 |
| All | 43,018 | 100.0 | 53 |

***Gender by Patient County of Residence
for 2009
Statewide Totals***

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|--------------------|-----------------------------|----------------------------|-------------------------------|
| 0 - Invalid | 3 | 0.00 | 12 |
| 1 - Male | 1,654,151 | 41.51 | 5.6 |
| 2 - Female | 2,330,755 | 58.49 | 4.6 |
| 3 - Other | 59 | 0.00 | 3.9 |
| 4 - Unknown | 198 | 0.00 | 2.9 |
| All | 3,985,166 | 100.0 | 5.0 |

***Gender by Patient County of Residence
and Type of Care for 2009
Statewide Totals***

typcare1=Acute Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|--------------------|----------------------|---------------------|------------------------|
| 0 - Invalid | 3 | 0.00 | 12 |
| 1 - Male | 1,513,357 | 40.89 | 4.7 |
| 2 - Female | 2,187,867 | 59.11 | 3.9 |
| 3 - Other | 56 | 0.00 | 3.7 |
| 4 - Unknown | 197 | 0.01 | 2.8 |
| All | 3,701,480 | 100.0 | 4.2 |

***Gender by Patient County of Residence
and Type of Care for 2009
Statewide Totals***

typcare1=Chemical Dependency Recovery Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-------------------|----------------------|---------------------|------------------------|
| 1 - Male | 7,550 | 60.24 | 10 |
| 2 - Female | 4,984 | 39.76 | 9.8 |
| All | 12,534 | 100.0 | 10 |

***Gender by Patient County of Residence
and Type of Care for 2009
Statewide Totals***

typcare1=Invalid/Blank

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|------------|----------------------|---------------------|------------------------|
| 1 - Male | 5 | 55.56 | 4.2 |
| 2 - Female | 4 | 44.44 | 2.8 |
| All | 9 | 100.0 | 3.6 |

***Gender by Patient County of Residence
and Type of Care for 2009
Statewide Totals***

typcare1=Physical Rehabilitation Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-------------------|----------------------|---------------------|------------------------|
| 1 - Male | 15,420 | 49.33 | 16 |
| 2 - Female | 15,838 | 50.67 | 14 |
| All | 31,258 | 100.0 | 15 |

***Gender by Patient County of Residence
and Type of Care for 2009
Statewide Totals***

typcare1=Psychiatric Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|--------------------|----------------------|---------------------|------------------------|
| 1 - Male | 100,137 | 50.87 | 7.9 |
| 2 - Female | 96,726 | 49.13 | 7.8 |
| 3 - Other | 3 | 0.00 | 8.0 |
| 4 - Unknown | 1 | 0.00 | 26 |
| All | 196,867 | 100.0 | 7.9 |

***Gender by Patient County of Residence
and Type of Care for 2009
Statewide Totals***

typcare1=Skilled Nursing/Intermediate Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-------------------|----------------------|---------------------|------------------------|
| 1 - Male | 17,682 | 41.10 | 57 |
| 2 - Female | 25,336 | 58.90 | 49 |
| All | 43,018 | 100.0 | 53 |

***Expected Payer by Patient County of Residence
for 2009
Statewide Totals***

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|----------------------------------|----------------------|---------------------|------------------------|
| 00 - Invalid | 298 | 0.01 | 7.0 |
| 01 - Medicare | 1,256,097 | 31.52 | 6.2 |
| 02 - Medi-Cal | 1,036,376 | 26.01 | 5.3 |
| 03 - Private Coverage | 1,351,040 | 33.90 | 3.8 |
| 04 - Workers' Compensatio | 22,410 | 0.56 | 4.5 |
| 05 - County Indigent Prog | 69,803 | 1.75 | 4.8 |
| 06 - Other Government | 78,357 | 1.97 | 7.0 |
| 07 - Other Indigent | 12,974 | 0.33 | 4.1 |
| 08 - Self-Pay | 139,984 | 3.51 | 4.0 |
| 09 - Other Payer | 17,827 | 0.45 | 8.2 |
| All | 3,985,166 | 100.0 | 5.0 |

**Expected Payer by Patient County of Residence
and Type of Care for 2009
Statewide Totals**

typcare1=Acute Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|----------------------------------|-----------------------------|----------------------------|-------------------------------|
| 00 - Invalid | 251 | 0.01 | 3.6 |
| 01 - Medicare | 1,158,850 | 31.31 | 5.2 |
| 02 - Medi-Cal | 972,872 | 26.28 | 4.0 |
| 03 - Private Coverage | 1,273,910 | 34.42 | 3.5 |
| 04 - Workers' Compensatio | 21,087 | 0.57 | 3.9 |
| 05 - County Indigent Prog | 58,707 | 1.59 | 4.2 |
| 06 - Other Government | 62,068 | 1.68 | 5.6 |
| 07 - Other Indigent | 11,973 | 0.32 | 4.0 |
| 08 - Self-Pay | 126,979 | 3.43 | 3.6 |
| 09 - Other Payer | 14,783 | 0.40 | 4.1 |
| All | 3,701,480 | 100.0 | 4.2 |

***Expected Payer by Patient County of Residence
and Type of Care for 2009
Statewide Totals***

typcare1=Chemical Dependency Recovery Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|----------------------------------|-----------------------------|----------------------------|-------------------------------|
| 00 - Invalid | 3 | 0.02 | 15 |
| 01 - Medicare | 1,707 | 13.62 | 6.5 |
| 02 - Medi-Cal | 25 | 0.20 | 3.6 |
| 03 - Private Coverage | 6,497 | 51.84 | 7.2 |
| 04 - Workers' Compensatio | 30 | 0.24 | 11 |
| 05 - County Indigent Prog | 5 | 0.04 | 4.2 |
| 06 - Other Government | 2,446 | 19.51 | 16 |
| 07 - Other Indigent | 11 | 0.09 | 17 |
| 08 - Self-Pay | 1,672 | 13.34 | 16 |
| 09 - Other Payer | 138 | 1.10 | 21 |
| All | 12,534 | 100.0 | 10 |

***Expected Payer by Patient County of Residence
and Type of Care for 2009
Statewide Totals***

typcare1=Invalid/Blank

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|----------------------------------|----------------------|---------------------|------------------------|
| 01 - Medicare | 2 | 22.22 | 7.5 |
| 02 - Medi-Cal | 2 | 22.22 | 4.0 |
| 03 - Private Coverage | 3 | 33.33 | 2.3 |
| 04 - Workers' Compensatio | 1 | 11.11 | 2.0 |
| 08 - Self-Pay | 1 | 11.11 | .00 |
| All | 9 | 100.0 | 3.6 |

***Expected Payer by Patient County of Residence
and Type of Care for 2009
Statewide Totals***

typcare1=Physical Rehabilitation Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|----------------------------------|----------------------|---------------------|------------------------|
| 00 - Invalid | 4 | 0.01 | 9.0 |
| 01 - Medicare | 18,436 | 58.98 | 14 |
| 02 - Medi-Cal | 3,697 | 11.83 | 20 |
| 03 - Private Coverage | 7,160 | 22.91 | 16 |
| 04 - Workers' Compensatio | 799 | 2.56 | 15 |
| 05 - County Indigent Prog | 404 | 1.29 | 16 |
| 06 - Other Government | 415 | 1.33 | 17 |
| 07 - Other Indigent | 45 | 0.14 | 17 |
| 08 - Self-Pay | 241 | 0.77 | 16 |
| 09 - Other Payer | 57 | 0.18 | 16 |
| All | 31,258 | 100.0 | 15 |

***Expected Payer by Patient County of Residence
and Type of Care for 2009
Statewide Totals***

typcare1=Psychiatric Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|----------------------------------|-----------------------------|----------------------------|-------------------------------|
| 00 - Invalid | 27 | 0.01 | 6.7 |
| 01 - Medicare | 47,793 | 24.28 | 10 |
| 02 - Medi-Cal | 54,102 | 27.48 | 7.3 |
| 03 - Private Coverage | 56,766 | 28.83 | 6.2 |
| 04 - Workers' Compensatio | 280 | 0.14 | 8.7 |
| 05 - County Indigent Prog | 10,598 | 5.38 | 7.1 |
| 06 - Other Government | 13,347 | 6.78 | 11 |
| 07 - Other Indigent | 926 | 0.47 | 4.7 |
| 08 - Self-Pay | 10,623 | 5.40 | 4.8 |
| 09 - Other Payer | 2,405 | 1.22 | 8.8 |
| All | 196,867 | 100.0 | 7.9 |

***Expected Payer by Patient County of Residence
and Type of Care for 2009
Statewide Totals***

typcare1=Skilled Nursing/Intermediate Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|----------------------------------|-----------------------------|----------------------------|-------------------------------|
| 00 - Invalid | 13 | 0.03 | 72 |
| 01 - Medicare | 29,309 | 68.13 | 32 |
| 02 - Medi-Cal | 5,678 | 13.20 | 193 |
| 03 - Private Coverage | 6,704 | 15.58 | 21 |
| 04 - Workers' Compensatio | 213 | 0.50 | 15 |
| 05 - County Indigent Prog | 89 | 0.21 | 44 |
| 06 - Other Government | 81 | 0.19 | 109 |
| 07 - Other Indigent | 19 | 0.04 | 25 |
| 08 - Self-Pay | 468 | 1.09 | 49 |
| 09 - Other Payer | 444 | 1.03 | 136 |
| All | 43,018 | 100.0 | 53 |

***Race Group by Patient County of Residence
for 2009
Statewide Totals***

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|---------------------------------------|----------------------|---------------------|------------------------|
| 0 - Unknown | 37,420 | 0.94 | 5.9 |
| 1 - White | 1,936,925 | 48.60 | 5.3 |
| 2 - Black | 340,742 | 8.55 | 5.9 |
| 3 - Hispanic | 1,219,942 | 30.61 | 4.3 |
| 4 - Asian/Pacific Islander | 325,810 | 8.18 | 5.2 |
| 5 - Native American/Eskimo/Ale | 10,348 | 0.26 | 4.7 |
| 6 - Other | 113,979 | 2.86 | 5.0 |
| All | 3,985,166 | 100.0 | 5.0 |

***Race Group by Patient County of Residence
and Type of Care for 2009
Statewide Totals***

typcare1=Acute Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|---------------------------------------|----------------------|---------------------|------------------------|
| 0 - Unknown | 32,335 | 0.87 | 4.3 |
| 1 - White | 1,771,510 | 47.86 | 4.3 |
| 2 - Black | 306,320 | 8.28 | 4.8 |
| 3 - Hispanic | 1,165,007 | 31.47 | 3.9 |
| 4 - Asian/Pacific Islander | 310,479 | 8.39 | 4.3 |
| 5 - Native American/Eskimo/Ale | 9,458 | 0.26 | 4.1 |
| 6 - Other | 106,371 | 2.87 | 4.3 |
| All | 3,701,480 | 100.0 | 4.2 |

***Race Group by Patient County of Residence
and Type of Care for 2009
Statewide Totals***

typcare1=Chemical Dependency Recovery Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|---------------------------------------|----------------------|---------------------|------------------------|
| 0 - Unknown | 462 | 3.69 | 12 |
| 1 - White | 8,788 | 70.11 | 9.8 |
| 2 - Black | 721 | 5.75 | 14 |
| 3 - Hispanic | 2,180 | 17.39 | 9.4 |
| 4 - Asian/Pacific Islander | 92 | 0.73 | 17 |
| 5 - Native American/Eskimo/Ale | 61 | 0.49 | 11 |
| 6 - Other | 230 | 1.84 | 11 |
| All | 12,534 | 100.0 | 10 |

***Race Group by Patient County of Residence
and Type of Care for 2009
Statewide Totals***

typcare1=Invalid/Blank

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----------------------------------|----------------------|---------------------|------------------------|
| 0 - Unknown | 1 | 11.11 | .00 |
| 1 - White | 4 | 44.44 | 2.5 |
| 3 - Hispanic | 1 | 11.11 | .00 |
| 4 - Asian/Pacific Islander | 2 | 22.22 | 7.0 |
| 6 - Other | 1 | 11.11 | 8.0 |
| All | 9 | 100.0 | 3.6 |

***Race Group by Patient County of Residence
and Type of Care for 2009
Statewide Totals***

typcare1=Physical Rehabilitation Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|---------------------------------------|----------------------|---------------------|------------------------|
| 0 - Unknown | 616 | 1.97 | 18 |
| 1 - White | 18,315 | 58.59 | 14 |
| 2 - Black | 2,726 | 8.72 | 16 |
| 3 - Hispanic | 5,520 | 17.66 | 16 |
| 4 - Asian/Pacific Islander | 3,003 | 9.61 | 16 |
| 5 - Native American/Eskimo/Ale | 58 | 0.19 | 19 |
| 6 - Other | 1,020 | 3.26 | 15 |
| All | 31,258 | 100.0 | 15 |

***Race Group by Patient County of Residence
and Type of Care for 2009
Statewide Totals***

typcare1=Psychiatric Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|---------------------------------------|----------------------|---------------------|------------------------|
| 0 - Unknown | 3,757 | 1.91 | 7.7 |
| 1 - White | 110,054 | 55.90 | 7.8 |
| 2 - Black | 27,690 | 14.07 | 8.3 |
| 3 - Hispanic | 40,513 | 20.58 | 7.5 |
| 4 - Asian/Pacific Islander | 8,525 | 4.33 | 9.2 |
| 5 - Native American/Eskimo/Ale | 687 | 0.35 | 7.2 |
| 6 - Other | 5,641 | 2.87 | 7.4 |
| All | 196,867 | 100.0 | 7.9 |

***Race Group by Patient County of Residence
and Type of Care for 2009
Statewide Totals***

typcare1=Skilled Nursing/Intermediate Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|---------------------------------------|----------------------|---------------------|------------------------|
| 0 - Unknown | 249 | 0.58 | 141 |
| 1 - White | 28,254 | 65.68 | 47 |
| 2 - Black | 3,285 | 7.64 | 77 |
| 3 - Hispanic | 6,721 | 15.62 | 56 |
| 4 - Asian/Pacific Islander | 3,709 | 8.62 | 58 |
| 5 - Native American/Eskimo/Ale | 84 | 0.20 | 40 |
| 6 - Other | 716 | 1.66 | 75 |
| All | 43,018 | 100.0 | 53 |

**Source of Admission by Patient County of Residence
for 2009
Statewide Totals**

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|---------------------------------------|----------------------|---------------------|------------------------|
| 0 - Invalid | 400 | 0.01 | 8.8 |
| 1 - Home | 3,058,501 | 76.75 | 4.3 |
| 2 - Residential Care Facility | 32,514 | 0.82 | 7.5 |
| 3 - Ambulatory Surgery | 25,589 | 0.64 | 3.1 |
| 4 - Skilled Nursing/Intermedia | 91,565 | 2.30 | 9.0 |
| 5 - Acute Inpatient Hospital C | 178,060 | 4.47 | 19 |
| 6 - Other Inpatient Hospital C | 21,004 | 0.53 | 13 |
| 7 - Newborn (born in admitting | 514,671 | 12.91 | 3.1 |
| 8 - Prison/Jail | 15,790 | 0.40 | 6.0 |
| 9 - Other | 47,072 | 1.18 | 8.7 |
| All | 3,985,166 | 100.0 | 5.0 |

**Source of Admission by Patient County of Residence
and Type of Care for 2009
Statewide Totals**

typcare1=Acute Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|---------------------------------------|----------------------|---------------------|------------------------|
| 0 - Invalid | 376 | 0.01 | 8.5 |
| 1 - Home | 2,885,727 | 77.96 | 4.0 |
| 2 - Residential Care Facility | 27,306 | 0.74 | 5.3 |
| 3 - Ambulatory Surgery | 25,435 | 0.69 | 3.0 |
| 4 - Skilled Nursing/Intermedia | 86,446 | 2.34 | 7.2 |
| 5 - Acute Inpatient Hospital C | 95,499 | 2.58 | 12 |
| 6 - Other Inpatient Hospital C | 13,340 | 0.36 | 7.7 |
| 7 - Newborn (born in admitting | 514,663 | 13.90 | 3.1 |
| 8 - Prison/Jail | 13,845 | 0.37 | 5.0 |
| 9 - Other | 38,843 | 1.05 | 4.9 |
| All | 3,701,480 | 100.0 | 4.2 |

**Source of Admission by Patient County of Residence
and Type of Care for 2009
Statewide Totals**

typcare1=Chemical Dependency Recovery Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|---------------------------------------|----------------------|---------------------|------------------------|
| 0 - Invalid | 1 | 0.01 | .00 |
| 1 - Home | 12,005 | 95.78 | 9.8 |
| 2 - Residential Care Facility | 48 | 0.38 | 6.3 |
| 3 - Ambulatory Surgery | 1 | 0.01 | 4.0 |
| 4 - Skilled Nursing/Intermedia | 6 | 0.05 | 7.2 |
| 5 - Acute Inpatient Hospital C | 127 | 1.01 | 5.5 |
| 6 - Other Inpatient Hospital C | 139 | 1.11 | 9.5 |
| 8 - Prison/Jail | 184 | 1.47 | 40 |
| 9 - Other | 23 | 0.18 | 5.9 |
| All | 12,534 | 100.0 | 10 |

**Source of Admission by Patient County of Residence
and Type of Care for 2009
Statewide Totals**

typcare1=Invalid/Blank

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|--------------------|----------------------|---------------------|------------------------|
| 0 - Invalid | 1 | 11.11 | .00 |
| 1 - Home | 8 | 88.89 | 4.0 |
| All | 9 | 100.0 | 3.6 |

**Source of Admission by Patient County of Residence
and Type of Care for 2009
Statewide Totals**

typcare1=Physical Rehabilitation Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|--------------------------------|----------------------|---------------------|------------------------|
| 0 - Invalid | 1 | 0.00 | 10 |
| 1 - Home | 1,270 | 4.06 | 15 |
| 2 - Residential Care Facility | 41 | 0.13 | 18 |
| 3 - Ambulatory Surgery | 57 | 0.18 | 15 |
| 4 - Skilled Nursing/Intermedia | 758 | 2.42 | 19 |
| 5 - Acute Inpatient Hospital C | 28,042 | 89.71 | 15 |
| 6 - Other Inpatient Hospital C | 994 | 3.18 | 17 |
| 8 - Prison/Jail | 8 | 0.03 | 7.8 |
| 9 - Other | 87 | 0.28 | 15 |
| All | 31,258 | 100.0 | 15 |

**Source of Admission by Patient County of Residence
and Type of Care for 2009
Statewide Totals**

typcare1=Psychiatric Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|---------------------------------------|----------------------|---------------------|------------------------|
| 0 - Invalid | 17 | 0.01 | 17 |
| 1 - Home | 157,562 | 80.03 | 7.5 |
| 2 - Residential Care Facility | 4,987 | 2.53 | 12 |
| 3 - Ambulatory Surgery | 66 | 0.03 | 6.0 |
| 4 - Skilled Nursing/Intermedia | 3,809 | 1.93 | 14 |
| 5 - Acute Inpatient Hospital C | 14,731 | 7.48 | 8.3 |
| 6 - Other Inpatient Hospital C | 5,974 | 3.03 | 9.6 |
| 7 - Newborn (born in admitting | 4 | 0.00 | 3.5 |
| 8 - Prison/Jail | 1,753 | 0.89 | 10 |
| 9 - Other | 7,964 | 4.05 | 7.7 |
| All | 196,867 | 100.0 | 7.9 |

**Source of Admission by Patient County of Residence
and Type of Care for 2009
Statewide Totals**

typcare1=Skilled Nursing/Intermediate Care

| | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|---------------------------------------|----------------------|---------------------|------------------------|
| 0 - Invalid | 4 | 0.01 | 9.5 |
| 1 - Home | 1,929 | 4.48 | 131 |
| 2 - Residential Care Facility | 132 | 0.31 | 297 |
| 3 - Ambulatory Surgery | 30 | 0.07 | 21 |
| 4 - Skilled Nursing/Intermedia | 546 | 1.27 | 253 |
| 5 - Acute Inpatient Hospital C | 39,661 | 92.20 | 40 |
| 6 - Other Inpatient Hospital C | 557 | 1.29 | 153 |
| 7 - Newborn (born in admitting | 4 | 0.01 | 5.8 |
| 9 - Other | 155 | 0.36 | 987 |
| All | 43,018 | 100.0 | 53 |

*MS-DRG by Patient County of Residence
for 2009
Statewide Totals*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 001 | HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM WITH MCC | 306 | 0.01 | 48 |
| 002 | HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM WITHOUT MCC | 76 | 0.00 | 20 |
| 003 | ECMO OR TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITH MAJOR O.R. | 5,462 | 0.14 | 48 |
| 004 | TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITHOUT MAJOR O.R. | 5,683 | 0.14 | 38 |
| 005 | LIVER TRANSPLANT WITH MCC OR INTESTINAL TRANSPLANT | 500 | 0.01 | 28 |
| 006 | LIVER TRANSPLANT WITHOUT MCC | 146 | 0.00 | 10 |
| 007 | LUNG TRANSPLANT | 157 | 0.00 | 17 |
| 008 | SIMULTANEOUS PANCREAS/KIDNEY TRANSPLANT | 69 | 0.00 | 12 |
| 009 | BONE MARROW TRANSPLANT | 1,666 | 0.04 | 31 |
| 010 | PANCREAS TRANSPLANT | 10 | 0.00 | 9.6 |
| 011 | TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH MCC | 335 | 0.01 | 16 |
| 012 | TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH CC | 479 | 0.01 | 12 |
| 013 | TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITHOUT CC/MCC | 329 | 0.01 | 7.2 |
| 020 | INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH MCC | 595 | 0.01 | 19 |
| 021 | INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH CC | 367 | 0.01 | 15 |
| 022 | INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITHOUT CC/MCC | 185 | 0.00 | 10 |
| 023 | CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITH MCC OR CHEMO IMPLANT | 1,545 | 0.04 | 15 |
| 024 | CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITHOUT MCC | 752 | 0.02 | 9.5 |
| 025 | CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH MCC | 3,489 | 0.09 | 13 |
| 026 | CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH CC | 4,002 | 0.10 | 7.4 |

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Statewide Totals*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|-----------------------------|----------------------------|-------------------------------|
| 027 | CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITHOUT CC/MCC | 5,804 | 0.15 | 4.1 |
| 028 | SPINAL PROCEDURES WITH MCC | 640 | 0.02 | 15 |
| 029 | SPINAL PROCEDURES WITH CC OR SPINAL NEUROSTIMULATORS | 1,351 | 0.03 | 7.3 |
| 030 | SPINAL PROCEDURES WITHOUT CC/MCC | 1,653 | 0.04 | 3.7 |
| 031 | VENTRICULAR SHUNT PROCEDURES WITH MCC | 559 | 0.01 | 14 |
| 032 | VENTRICULAR SHUNT PROCEDURES WITH CC | 1,196 | 0.03 | 5.2 |
| 033 | VENTRICULAR SHUNT PROCEDURES WITHOUT CC/MCC | 810 | 0.02 | 3.1 |
| 034 | CAROTID ARTERY STENT PROCEDURE WITH MCC | 101 | 0.00 | 7.1 |
| 035 | CAROTID ARTERY STENT PROCEDURE WITH CC | 212 | 0.01 | 3.6 |
| 036 | CAROTID ARTERY STENT PROCEDURE WITHOUT CC/MCC | 574 | 0.01 | 1.7 |
| 037 | EXTRACRANIAL PROCEDURES WITH MCC | 712 | 0.02 | 8.8 |
| 038 | EXTRACRANIAL PROCEDURES WITH CC | 1,762 | 0.04 | 3.3 |
| 039 | EXTRACRANIAL PROCEDURES WITHOUT CC/MCC | 5,143 | 0.13 | 1.7 |
| 040 | PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH MCC | 1,099 | 0.03 | 16 |
| 041 | PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH CC OR PERIPH NEUROSTIM | 1,733 | 0.04 | 6.3 |
| 042 | PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITHOUT CC/MCC | 1,303 | 0.03 | 2.6 |
| 052 | SPINAL DISORDERS & INJURIES WITH CC/MCC | 570 | 0.01 | 81 |
| 053 | SPINAL DISORDERS & INJURIES WITHOUT CC/MCC | 326 | 0.01 | 18 |
| 054 | NERVOUS SYSTEM NEOPLASMS WITH MCC | 1,777 | 0.04 | 6.3 |
| 055 | NERVOUS SYSTEM NEOPLASMS WITHOUT MCC | 3,497 | 0.09 | 4.4 |
| 056 | DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC | 2,198 | 0.06 | 74 |
| 057 | DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC | 7,759 | 0.19 | 32 |

(Continued)

**MS-DRG by Patient County of Residence
for 2009
Statewide Totals**

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|------------|--|-----------------------------|----------------------------|-------------------------------|
| 058 | MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH MCC | 206 | 0.01 | 81 |
| 059 | MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH CC | 717 | 0.02 | 14 |
| 060 | MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITHOUT CC/MCC | 1,047 | 0.03 | 5.9 |
| 061 | ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH MCC | 453 | 0.01 | 7.8 |
| 062 | ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH CC | 764 | 0.02 | 5.2 |
| 063 | ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITHOUT CC/MCC | 324 | 0.01 | 3.3 |
| 064 | INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC | 13,026 | 0.33 | 7.4 |
| 065 | INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC | 19,644 | 0.49 | 5.2 |
| 066 | INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC | 14,051 | 0.35 | 3.0 |
| 067 | NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITH MCC | 241 | 0.01 | 6.0 |
| 068 | NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITHOUT MCC | 1,431 | 0.04 | 3.3 |
| 069 | TRANSIENT ISCHEMIA | 14,862 | 0.37 | 2.3 |
| 070 | NONSPECIFIC CEREBROVASCULAR DISORDERS WITH MCC | 2,069 | 0.05 | 25 |
| 071 | NONSPECIFIC CEREBROVASCULAR DISORDERS WITH CC | 1,754 | 0.04 | 18 |
| 072 | NONSPECIFIC CEREBROVASCULAR DISORDERS WITHOUT CC/MCC | 1,205 | 0.03 | 7.3 |
| 073 | CRANIAL & PERIPHERAL NERVE DISORDERS WITH MCC | 2,452 | 0.06 | 6.4 |
| 074 | CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC | 7,641 | 0.19 | 4.0 |
| 075 | VIRAL MENINGITIS WITH CC/MCC | 986 | 0.02 | 5.2 |
| 076 | VIRAL MENINGITIS WITHOUT CC/MCC | 2,947 | 0.07 | 2.7 |
| 077 | HYPERTENSIVE ENCEPHALOPATHY WITH MCC | 310 | 0.01 | 17 |
| 078 | HYPERTENSIVE ENCEPHALOPATHY WITH CC | 306 | 0.01 | 27 |
| 079 | HYPERTENSIVE ENCEPHALOPATHY WITHOUT CC/MCC | 163 | 0.00 | 16 |

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Statewide Totals*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 080 | NONTRAUMATIC STUPOR & COMA WITH MCC | 954 | 0.02 | 15 |
| 081 | NONTRAUMATIC STUPOR & COMA WITHOUT MCC | 2,890 | 0.07 | 5.8 |
| 082 | TRAUMATIC STUPOR & COMA, COMA >1 HR WITH MCC | 791 | 0.02 | 9.1 |
| 083 | TRAUMATIC STUPOR & COMA, COMA >1 HR WITH CC | 744 | 0.02 | 6.0 |
| 084 | TRAUMATIC STUPOR & COMA, COMA >1 HR WITHOUT CC/MCC | 1,528 | 0.04 | 2.7 |
| 085 | TRAUMATIC STUPOR & COMA, COMA <1 HR WITH MCC | 1,819 | 0.05 | 9.0 |
| 086 | TRAUMATIC STUPOR & COMA, COMA <1 HR WITH CC | 3,016 | 0.08 | 4.7 |
| 087 | TRAUMATIC STUPOR & COMA, COMA <1 HR WITHOUT CC/MCC | 5,798 | 0.15 | 2.6 |
| 088 | CONCUSSION WITH MCC | 422 | 0.01 | 3.8 |
| 089 | CONCUSSION WITH CC | 1,495 | 0.04 | 2.5 |
| 090 | CONCUSSION WITHOUT CC/MCC | 3,511 | 0.09 | 1.3 |
| 091 | OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC | 2,473 | 0.06 | 24 |
| 092 | OTHER DISORDERS OF NERVOUS SYSTEM WITH CC | 3,629 | 0.09 | 13 |
| 093 | OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC | 3,998 | 0.10 | 6.0 |
| 094 | BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH MCC | 653 | 0.02 | 15 |
| 095 | BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH CC | 512 | 0.01 | 10 |
| 096 | BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITHOUT CC/MCC | 620 | 0.02 | 6.9 |
| 097 | NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH MCC | 463 | 0.01 | 17 |
| 098 | NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH CC | 482 | 0.01 | 9.1 |
| 099 | NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITHOUT CC/MCC | 535 | 0.01 | 8.2 |
| 100 | SEIZURES WITH MCC | 5,448 | 0.14 | 5.3 |
| 101 | SEIZURES WITHOUT MCC | 19,145 | 0.48 | 3.1 |

(Continued)

**MS-DRG by Patient County of Residence
for 2009
Statewide Totals**

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|-----------------------------|----------------------------|-------------------------------|
| 102 | HEADACHES WITH MCC | 466 | 0.01 | 6.6 |
| 103 | HEADACHES WITHOUT MCC | 6,198 | 0.16 | 2.5 |
| 113 | ORBITAL PROCEDURES WITH CC/MCC | 364 | 0.01 | 4.5 |
| 114 | ORBITAL PROCEDURES WITHOUT CC/MCC | 393 | 0.01 | 2.6 |
| 115 | EXTRAOCULAR PROCEDURES EXCEPT ORBIT | 423 | 0.01 | 3.0 |
| 116 | INTRAOCULAR PROCEDURES WITH CC/MCC | 230 | 0.01 | 4.1 |
| 117 | INTRAOCULAR PROCEDURES WITHOUT CC/MCC | 515 | 0.01 | 1.7 |
| 121 | ACUTE MAJOR EYE INFECTIONS WITH CC/MCC | 298 | 0.01 | 4.8 |
| 122 | ACUTE MAJOR EYE INFECTIONS WITHOUT CC/MCC | 528 | 0.01 | 3.4 |
| 123 | NEUROLOGICAL EYE DISORDERS | 970 | 0.02 | 2.7 |
| 124 | OTHER DISORDERS OF THE EYE WITH MCC | 257 | 0.01 | 5.2 |
| 125 | OTHER DISORDERS OF THE EYE WITHOUT MCC | 1,929 | 0.05 | 3.6 |
| 129 | MAJOR HEAD & NECK PROCEDURES WITH CC/MCC OR MAJOR DEVICE | 370 | 0.01 | 4.9 |
| 130 | MAJOR HEAD & NECK PROCEDURES WITHOUT CC/MCC | 380 | 0.01 | 2.8 |
| 131 | CRANIAL/FACIAL PROCEDURES WITH CC/MCC | 1,036 | 0.03 | 4.5 |
| 132 | CRANIAL/FACIAL PROCEDURES WITHOUT CC/MCC | 2,950 | 0.07 | 1.9 |
| 133 | OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITH CC/MCC | 1,578 | 0.04 | 4.6 |
| 134 | OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITHOUT CC/MCC | 5,637 | 0.14 | 1.7 |
| 135 | SINUS & MASTOID PROCEDURES WITH CC/MCC | 216 | 0.01 | 5.9 |
| 136 | SINUS & MASTOID PROCEDURES WITHOUT CC/MCC | 219 | 0.01 | 2.3 |
| 137 | MOUTH PROCEDURES WITH CC/MCC | 323 | 0.01 | 3.8 |
| 138 | MOUTH PROCEDURES WITHOUT CC/MCC | 446 | 0.01 | 2.2 |

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Statewide Totals*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 139 | SALIVARY GLAND PROCEDURES | 750 | 0.02 | 1.5 |
| 146 | EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH MCC | 224 | 0.01 | 11 |
| 147 | EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH CC | 371 | 0.01 | 7.6 |
| 148 | EAR, NOSE, MOUTH & THROAT MALIGNANCY WITHOUT CC/MCC | 245 | 0.01 | 4.1 |
| 149 | DYSEQUILIBRIUM | 5,901 | 0.15 | 2.1 |
| 150 | EPISTAXIS WITH MCC | 220 | 0.01 | 4.2 |
| 151 | EPISTAXIS WITHOUT MCC | 934 | 0.02 | 2.8 |
| 152 | OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITH MCC | 1,578 | 0.04 | 6.7 |
| 153 | OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITHOUT MCC | 12,411 | 0.31 | 2.6 |
| 154 | OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH MCC | 621 | 0.02 | 6.0 |
| 155 | OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH CC | 1,548 | 0.04 | 3.7 |
| 156 | OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITHOUT CC/MCC | 2,070 | 0.05 | 2.5 |
| 157 | DENTAL & ORAL DISEASES WITH MCC | 438 | 0.01 | 5.6 |
| 158 | DENTAL & ORAL DISEASES WITH CC | 1,607 | 0.04 | 3.3 |
| 159 | DENTAL & ORAL DISEASES WITHOUT CC/MCC | 1,434 | 0.04 | 2.2 |
| 163 | MAJOR CHEST PROCEDURES WITH MCC | 3,307 | 0.08 | 14 |
| 164 | MAJOR CHEST PROCEDURES WITH CC | 3,773 | 0.09 | 7.0 |
| 165 | MAJOR CHEST PROCEDURES WITHOUT CC/MCC | 3,170 | 0.08 | 4.4 |
| 166 | OTHER RESP SYSTEM O.R. PROCEDURES WITH MCC | 3,626 | 0.09 | 18 |
| 167 | OTHER RESP SYSTEM O.R. PROCEDURES WITH CC | 2,882 | 0.07 | 7.5 |
| 168 | OTHER RESP SYSTEM O.R. PROCEDURES WITHOUT CC/MCC | 1,126 | 0.03 | 4.4 |
| 175 | PULMONARY EMBOLISM WITH MCC | 2,647 | 0.07 | 6.2 |

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Statewide Totals*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 176 | PULMONARY EMBOLISM WITHOUT MCC | 7,798 | 0.20 | 4.1 |
| 177 | RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC | 13,408 | 0.34 | 10 |
| 178 | RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC | 10,855 | 0.27 | 8.4 |
| 179 | RESPIRATORY INFECTIONS & INFLAMMATIONS WITHOUT CC/MCC | 3,836 | 0.10 | 6.5 |
| 180 | RESPIRATORY NEOPLASMS WITH MCC | 4,116 | 0.10 | 7.5 |
| 181 | RESPIRATORY NEOPLASMS WITH CC | 4,920 | 0.12 | 5.4 |
| 182 | RESPIRATORY NEOPLASMS WITHOUT CC/MCC | 719 | 0.02 | 7.7 |
| 183 | MAJOR CHEST TRAUMA WITH MCC | 688 | 0.02 | 5.3 |
| 184 | MAJOR CHEST TRAUMA WITH CC | 1,280 | 0.03 | 6.2 |
| 185 | MAJOR CHEST TRAUMA WITHOUT CC/MCC | 616 | 0.02 | 2.3 |
| 186 | PLEURAL EFFUSION WITH MCC | 1,999 | 0.05 | 6.7 |
| 187 | PLEURAL EFFUSION WITH CC | 1,804 | 0.05 | 4.4 |
| 188 | PLEURAL EFFUSION WITHOUT CC/MCC | 722 | 0.02 | 4.1 |
| 189 | PULMONARY EDEMA & RESPIRATORY FAILURE | 13,989 | 0.35 | 14 |
| 190 | CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC | 20,051 | 0.50 | 5.5 |
| 191 | CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC | 17,715 | 0.44 | 4.8 |
| 192 | CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC | 19,044 | 0.48 | 3.8 |
| 193 | SIMPLE PNEUMONIA & PLEURISY WITH MCC | 21,106 | 0.53 | 6.4 |
| 194 | SIMPLE PNEUMONIA & PLEURISY WITH CC | 40,288 | 1.01 | 4.6 |
| 195 | SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC | 26,952 | 0.68 | 3.1 |
| 196 | INTERSTITIAL LUNG DISEASE WITH MCC | 1,321 | 0.03 | 7.5 |
| 197 | INTERSTITIAL LUNG DISEASE WITH CC | 1,193 | 0.03 | 5.8 |

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Statewide Totals*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 198 | INTERSTITIAL LUNG DISEASE WITHOUT CC/MCC | 749 | 0.02 | 4.0 |
| 199 | PNEUMOTHORAX WITH MCC | 905 | 0.02 | 7.5 |
| 200 | PNEUMOTHORAX WITH CC | 2,504 | 0.06 | 4.0 |
| 201 | PNEUMOTHORAX WITHOUT CC/MCC | 1,815 | 0.05 | 3.0 |
| 202 | BRONCHITIS & ASTHMA WITH CC/MCC | 14,490 | 0.36 | 3.6 |
| 203 | BRONCHITIS & ASTHMA WITHOUT CC/MCC | 27,017 | 0.68 | 2.3 |
| 204 | RESPIRATORY SIGNS & SYMPTOMS | 6,271 | 0.16 | 3.3 |
| 205 | OTHER RESPIRATORY SYSTEM DIAGNOSIS WITH MCC | 1,636 | 0.04 | 8.3 |
| 206 | OTHER RESPIRATORY SYSTEM DIAGNOSIS WITHOUT MCC | 5,836 | 0.15 | 3.1 |
| 207 | RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS | 11,110 | 0.28 | 30 |
| 208 | RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS | 14,466 | 0.36 | 7.1 |
| 215 | OTHER HEART ASSIST SYSTEM IMPLANT | 40 | 0.00 | 16 |
| 216 | CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH MCC | 1,668 | 0.04 | 18 |
| 217 | CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH CC | 1,003 | 0.03 | 11 |
| 218 | CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITHOUT CC/MCC | 264 | 0.01 | 8.3 |
| 219 | CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH MCC | 2,739 | 0.07 | 13 |
| 220 | CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH CC | 3,539 | 0.09 | 7.6 |
| 221 | CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITHOUT CC/MCC | 1,243 | 0.03 | 5.9 |
| 222 | CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITH MCC | 453 | 0.01 | 12 |
| 223 | CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITHOUT MCC | 518 | 0.01 | 5.6 |
| 224 | CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITH MCC | 537 | 0.01 | 9.4 |
| 225 | CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITHOUT MCC | 649 | 0.02 | 4.6 |

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Statewide Totals*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 226 | CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITH MCC | 1,214 | 0.03 | 7.6 |
| 227 | CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITHOUT MCC | 4,289 | 0.11 | 2.5 |
| 228 | OTHER CARDIOTHORACIC PROCEDURES WITH MCC | 1,099 | 0.03 | 17 |
| 229 | OTHER CARDIOTHORACIC PROCEDURES WITH CC | 1,093 | 0.03 | 7.9 |
| 230 | OTHER CARDIOTHORACIC PROCEDURES WITHOUT CC/MCC | 470 | 0.01 | 4.6 |
| 231 | CORONARY BYPASS WITH PTCA WITH MCC | 309 | 0.01 | 12 |
| 232 | CORONARY BYPASS WITH PTCA WITHOUT MCC | 242 | 0.01 | 8.8 |
| 233 | CORONARY BYPASS WITH CARDIAC CATH WITH MCC | 2,585 | 0.06 | 13 |
| 234 | CORONARY BYPASS WITH CARDIAC CATH WITHOUT MCC | 4,529 | 0.11 | 8.3 |
| 235 | CORONARY BYPASS WITHOUT CARDIAC CATH WITH MCC | 1,324 | 0.03 | 11 |
| 236 | CORONARY BYPASS WITHOUT CARDIAC CATH WITHOUT MCC | 3,667 | 0.09 | 6.4 |
| 237 | MAJOR CARDIOVASC PROCEDURES WITH MCC OR THORACIC AORTIC ANEURYSM REPAIR | 4,379 | 0.11 | 12 |
| 238 | MAJOR CARDIOVASC PROCEDURES WITHOUT MCC | 5,646 | 0.14 | 4.5 |
| 239 | AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH MCC | 1,590 | 0.04 | 16 |
| 240 | AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH CC | 1,438 | 0.04 | 9.8 |
| 241 | AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITHOUT CC/MCC | 160 | 0.00 | 6.4 |
| 242 | PERMANENT CARDIAC PACEMAKER IMPLANT WITH MCC | 3,131 | 0.08 | 7.2 |
| 243 | PERMANENT CARDIAC PACEMAKER IMPLANT WITH CC | 4,716 | 0.12 | 4.1 |
| 244 | PERMANENT CARDIAC PACEMAKER IMPLANT WITHOUT CC/MCC | 6,542 | 0.16 | 2.5 |
| 245 | AICD GENERATOR PROCEDURES | 584 | 0.01 | 3.1 |
| 246 | PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITH MCC OR 4+ VESSELS/STENTS | 6,570 | 0.16 | 4.4 |
| 247 | PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITHOUT MCC | 28,617 | 0.72 | 2.0 |

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Statewide Totals*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 248 | PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITH MCC OR 4+ VES/STENTS | 1,964 | 0.05 | 5.7 |
| 249 | PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITHOUT MCC | 6,506 | 0.16 | 2.4 |
| 250 | PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITH MCC | 1,236 | 0.03 | 6.5 |
| 251 | PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITHOUT MCC | 8,374 | 0.21 | 2.0 |
| 252 | OTHER VASCULAR PROCEDURES WITH MCC | 6,560 | 0.16 | 7.7 |
| 253 | OTHER VASCULAR PROCEDURES WITH CC | 5,385 | 0.14 | 5.5 |
| 254 | OTHER VASCULAR PROCEDURES WITHOUT CC/MCC | 5,242 | 0.13 | 2.6 |
| 255 | UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH MCC | 488 | 0.01 | 9.1 |
| 256 | UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH CC | 736 | 0.02 | 6.5 |
| 257 | UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITHOUT CC/MCC | 84 | 0.00 | 4.0 |
| 258 | CARDIAC PACEMAKER DEVICE REPLACEMENT WITH MCC | 150 | 0.00 | 5.7 |
| 259 | CARDIAC PACEMAKER DEVICE REPLACEMENT WITHOUT MCC | 699 | 0.02 | 2.4 |
| 260 | CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH MCC | 302 | 0.01 | 9.2 |
| 261 | CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH CC | 483 | 0.01 | 3.8 |
| 262 | CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITHOUT CC/MCC | 380 | 0.01 | 2.5 |
| 263 | VEIN LIGATION & STRIPPING | 173 | 0.00 | 4.0 |
| 264 | OTHER CIRCULATORY SYSTEM O.R. PROCEDURES | 3,933 | 0.10 | 8.4 |
| 265 | AICD LEAD PROCEDURES | 249 | 0.01 | 3.3 |
| 280 | ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH MCC | 11,584 | 0.29 | 6.0 |
| 281 | ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH CC | 7,098 | 0.18 | 3.4 |
| 282 | ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITHOUT CC/MCC | 8,820 | 0.22 | 2.3 |
| 283 | ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH MCC | 2,158 | 0.05 | 4.9 |

(Continued)

**MS-DRG by Patient County of Residence
for 2009
Statewide Totals**

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|-----------------------------|----------------------------|-------------------------------|
| 284 | ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH CC | 322 | 0.01 | 5.0 |
| 285 | ACUTE MYOCARDIAL INFARCTION, EXPIRED WITHOUT CC/MCC | 165 | 0.00 | 1.7 |
| 286 | CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITH MCC | 4,479 | 0.11 | 6.8 |
| 287 | CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITHOUT MCC | 21,639 | 0.54 | 2.7 |
| 288 | ACUTE & SUBACUTE ENDOCARDITIS WITH MCC | 709 | 0.02 | 14 |
| 289 | ACUTE & SUBACUTE ENDOCARDITIS WITH CC | 341 | 0.01 | 9.7 |
| 290 | ACUTE & SUBACUTE ENDOCARDITIS WITHOUT CC/MCC | 113 | 0.00 | 5.9 |
| 291 | HEART FAILURE & SHOCK WITH MCC | 33,206 | 0.83 | 6.1 |
| 292 | HEART FAILURE & SHOCK WITH CC | 27,589 | 0.69 | 4.3 |
| 293 | HEART FAILURE & SHOCK WITHOUT CC/MCC | 17,476 | 0.44 | 3.6 |
| 294 | DEEP VEIN THROMBOPHLEBITIS WITH CC/MCC | 238 | 0.01 | 5.8 |
| 295 | DEEP VEIN THROMBOPHLEBITIS WITHOUT CC/MCC | 121 | 0.00 | 3.4 |
| 296 | CARDIAC ARREST, UNEXPLAINED WITH MCC | 405 | 0.01 | 3.5 |
| 297 | CARDIAC ARREST, UNEXPLAINED WITH CC | 107 | 0.00 | 10 |
| 298 | CARDIAC ARREST, UNEXPLAINED WITHOUT CC/MCC | 58 | 0.00 | 2.5 |
| 299 | PERIPHERAL VASCULAR DISORDERS WITH MCC | 4,354 | 0.11 | 6.2 |
| 300 | PERIPHERAL VASCULAR DISORDERS WITH CC | 7,115 | 0.18 | 5.7 |
| 301 | PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC | 4,806 | 0.12 | 3.7 |
| 302 | ATHEROSCLEROSIS WITH MCC | 1,845 | 0.05 | 4.2 |
| 303 | ATHEROSCLEROSIS WITHOUT MCC | 10,553 | 0.26 | 4.2 |
| 304 | HYPERTENSION WITH MCC | 740 | 0.02 | 30 |
| 305 | HYPERTENSION WITHOUT MCC | 6,703 | 0.17 | 7.1 |

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Statewide Totals*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 306 | CARDIAC CONGENITAL & VALVULAR DISORDERS WITH MCC | 809 | 0.02 | 7.3 |
| 307 | CARDIAC CONGENITAL & VALVULAR DISORDERS WITHOUT MCC | 1,552 | 0.04 | 3.7 |
| 308 | CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH MCC | 9,496 | 0.24 | 4.7 |
| 309 | CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC | 14,064 | 0.35 | 4.3 |
| 310 | CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITHOUT CC/MCC | 22,065 | 0.55 | 2.1 |
| 311 | ANGINA PECTORIS | 6,116 | 0.15 | 2.1 |
| 312 | SYNCOPE & COLLAPSE | 26,290 | 0.66 | 2.4 |
| 313 | CHEST PAIN | 60,009 | 1.51 | 1.6 |
| 314 | OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC | 11,668 | 0.29 | 7.1 |
| 315 | OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC | 5,426 | 0.14 | 4.8 |
| 316 | OTHER CIRCULATORY SYSTEM DIAGNOSIS WITHOUT CC/MCC | 2,923 | 0.07 | 2.9 |
| 326 | STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH MCC | 2,795 | 0.07 | 17 |
| 327 | STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH CC | 3,054 | 0.08 | 8.6 |
| 328 | STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITHOUT CC/MCC | 4,371 | 0.11 | 3.4 |
| 329 | MAJOR SMALL & LARGE BOWEL PROCEDURES WITH MCC | 9,042 | 0.23 | 16 |
| 330 | MAJOR SMALL & LARGE BOWEL PROCEDURES WITH CC | 13,853 | 0.35 | 8.6 |
| 331 | MAJOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC | 8,223 | 0.21 | 5.0 |
| 332 | RECTAL RESECTION WITH MCC | 358 | 0.01 | 14 |
| 333 | RECTAL RESECTION WITH CC | 1,311 | 0.03 | 7.7 |
| 334 | RECTAL RESECTION WITHOUT CC/MCC | 987 | 0.02 | 5.0 |
| 335 | PERITONEAL ADHESIOLYSIS WITH MCC | 1,350 | 0.03 | 13 |
| 336 | PERITONEAL ADHESIOLYSIS WITH CC | 3,078 | 0.08 | 7.9 |

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Statewide Totals*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 337 | PERITONEAL ADHESIOLYSIS WITHOUT CC/MCC | 3,001 | 0.08 | 4.3 |
| 338 | APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC | 569 | 0.01 | 8.9 |
| 339 | APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH CC | 2,276 | 0.06 | 6.5 |
| 340 | APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC | 7,287 | 0.18 | 3.9 |
| 341 | APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC | 547 | 0.01 | 4.7 |
| 342 | APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH CC | 2,614 | 0.07 | 2.7 |
| 343 | APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC | 29,085 | 0.73 | 1.5 |
| 344 | MINOR SMALL & LARGE BOWEL PROCEDURES WITH MCC | 181 | 0.00 | 13 |
| 345 | MINOR SMALL & LARGE BOWEL PROCEDURES WITH CC | 931 | 0.02 | 6.4 |
| 346 | MINOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC | 1,084 | 0.03 | 4.5 |
| 347 | ANAL & STOMAL PROCEDURES WITH MCC | 406 | 0.01 | 8.0 |
| 348 | ANAL & STOMAL PROCEDURES WITH CC | 1,316 | 0.03 | 4.4 |
| 349 | ANAL & STOMAL PROCEDURES WITHOUT CC/MCC | 2,671 | 0.07 | 2.3 |
| 350 | INGUINAL & FEMORAL HERNIA PROCEDURES WITH MCC | 363 | 0.01 | 6.9 |
| 351 | INGUINAL & FEMORAL HERNIA PROCEDURES WITH CC | 852 | 0.02 | 3.8 |
| 352 | INGUINAL & FEMORAL HERNIA PROCEDURES WITHOUT CC/MCC | 2,356 | 0.06 | 1.7 |
| 353 | HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH MCC | 634 | 0.02 | 9.4 |
| 354 | HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH CC | 2,320 | 0.06 | 4.5 |
| 355 | HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITHOUT CC/MCC | 4,806 | 0.12 | 2.3 |
| 356 | OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH MCC | 1,549 | 0.04 | 13 |
| 357 | OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH CC | 1,607 | 0.04 | 6.6 |
| 358 | OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC | 1,155 | 0.03 | 3.5 |

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Statewide Totals*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 368 | MAJOR ESOPHAGEAL DISORDERS WITH MCC | 992 | 0.02 | 6.0 |
| 369 | MAJOR ESOPHAGEAL DISORDERS WITH CC | 1,351 | 0.03 | 4.1 |
| 370 | MAJOR ESOPHAGEAL DISORDERS WITHOUT CC/MCC | 860 | 0.02 | 2.5 |
| 371 | MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH MCC | 5,091 | 0.13 | 8.4 |
| 372 | MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH CC | 5,595 | 0.14 | 6.1 |
| 373 | MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITHOUT CC/MCC | 3,533 | 0.09 | 4.1 |
| 374 | DIGESTIVE MALIGNANCY WITH MCC | 2,374 | 0.06 | 8.6 |
| 375 | DIGESTIVE MALIGNANCY WITH CC | 4,149 | 0.10 | 5.8 |
| 376 | DIGESTIVE MALIGNANCY WITHOUT CC/MCC | 812 | 0.02 | 4.6 |
| 377 | G.I. HEMORRHAGE WITH MCC | 10,668 | 0.27 | 5.7 |
| 378 | G.I. HEMORRHAGE WITH CC | 20,285 | 0.51 | 3.5 |
| 379 | G.I. HEMORRHAGE WITHOUT CC/MCC | 12,773 | 0.32 | 2.5 |
| 380 | COMPLICATED PEPTIC ULCER WITH MCC | 830 | 0.02 | 6.8 |
| 381 | COMPLICATED PEPTIC ULCER WITH CC | 1,231 | 0.03 | 4.3 |
| 382 | COMPLICATED PEPTIC ULCER WITHOUT CC/MCC | 935 | 0.02 | 4.1 |
| 383 | UNCOMPLICATED PEPTIC ULCER WITH MCC | 319 | 0.01 | 4.5 |
| 384 | UNCOMPLICATED PEPTIC ULCER WITHOUT MCC | 1,949 | 0.05 | 3.0 |
| 385 | INFLAMMATORY BOWEL DISEASE WITH MCC | 817 | 0.02 | 7.5 |
| 386 | INFLAMMATORY BOWEL DISEASE WITH CC | 3,019 | 0.08 | 5.4 |
| 387 | INFLAMMATORY BOWEL DISEASE WITHOUT CC/MCC | 2,573 | 0.06 | 3.9 |
| 388 | G.I. OBSTRUCTION WITH MCC | 4,224 | 0.11 | 6.4 |
| 389 | G.I. OBSTRUCTION WITH CC | 9,581 | 0.24 | 4.4 |

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Statewide Totals*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 390 | G.I. OBSTRUCTION WITHOUT CC/MCC | 11,510 | 0.29 | 3.0 |
| 391 | ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITH MCC | 11,908 | 0.30 | 4.5 |
| 392 | ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC | 67,805 | 1.70 | 2.8 |
| 393 | OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH MCC | 5,653 | 0.14 | 7.1 |
| 394 | OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH CC | 10,439 | 0.26 | 4.5 |
| 395 | OTHER DIGESTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC | 7,458 | 0.19 | 2.4 |
| 405 | PANCREAS, LIVER & SHUNT PROCEDURES WITH MCC | 1,416 | 0.04 | 17 |
| 406 | PANCREAS, LIVER & SHUNT PROCEDURES WITH CC | 1,631 | 0.04 | 8.6 |
| 407 | PANCREAS, LIVER & SHUNT PROCEDURES WITHOUT CC/MCC | 835 | 0.02 | 5.8 |
| 408 | BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH MCC | 399 | 0.01 | 13 |
| 409 | BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH CC | 403 | 0.01 | 8.4 |
| 410 | BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC | 205 | 0.01 | 6.2 |
| 411 | CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH MCC | 161 | 0.00 | 11 |
| 412 | CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH CC | 200 | 0.01 | 8.2 |
| 413 | CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITHOUT CC/MCC | 250 | 0.01 | 5.0 |
| 414 | CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH MCC | 1,073 | 0.03 | 11 |
| 415 | CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH CC | 1,373 | 0.03 | 6.7 |
| 416 | CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC | 1,675 | 0.04 | 4.3 |
| 417 | LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH MCC | 5,774 | 0.14 | 6.3 |
| 418 | LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH CC | 9,261 | 0.23 | 4.1 |

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Statewide Totals*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 419 | LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC | 23,081 | 0.58 | 2.4 |
| 420 | HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH MCC | 216 | 0.01 | 14 |
| 421 | HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH CC | 276 | 0.01 | 6.4 |
| 422 | HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITHOUT CC/MCC | 114 | 0.00 | 4.5 |
| 423 | OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH MCC | 421 | 0.01 | 15 |
| 424 | OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH CC | 170 | 0.00 | 8.4 |
| 425 | OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITHOUT CC/MCC | 45 | 0.00 | 5.2 |
| 432 | CIRRHOSIS & ALCOHOLIC HEPATITIS WITH MCC | 6,487 | 0.16 | 6.8 |
| 433 | CIRRHOSIS & ALCOHOLIC HEPATITIS WITH CC | 3,463 | 0.09 | 4.1 |
| 434 | CIRRHOSIS & ALCOHOLIC HEPATITIS WITHOUT CC/MCC | 334 | 0.01 | 3.0 |
| 435 | MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITH MCC | 3,397 | 0.09 | 6.7 |
| 436 | MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITH CC | 2,880 | 0.07 | 5.3 |
| 437 | MALIGNANCY OF HEPATOBIILIARY SYSTEM OR PANCREAS WITHOUT CC/MCC | 764 | 0.02 | 3.4 |
| 438 | DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH MCC | 5,266 | 0.13 | 7.2 |
| 439 | DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH CC | 9,591 | 0.24 | 4.6 |
| 440 | DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITHOUT CC/MCC | 11,876 | 0.30 | 3.2 |
| 441 | DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH MCC | 7,346 | 0.18 | 7.2 |
| 442 | DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH CC | 6,497 | 0.16 | 4.5 |
| 443 | DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITHOUT CC/MCC | 2,977 | 0.07 | 3.2 |
| 444 | DISORDERS OF THE BILIARY TRACT WITH MCC | 3,837 | 0.10 | 5.5 |
| 445 | DISORDERS OF THE BILIARY TRACT WITH CC | 4,492 | 0.11 | 5.1 |
| 446 | DISORDERS OF THE BILIARY TRACT WITHOUT CC/MCC | 6,536 | 0.16 | 2.5 |

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Statewide Totals*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 453 | COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH MCC | 506 | 0.01 | 13 |
| 454 | COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH CC | 1,744 | 0.04 | 6.5 |
| 455 | COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITHOUT CC/MCC | 1,828 | 0.05 | 4.3 |
| 456 | SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH MCC | 406 | 0.01 | 14 |
| 457 | SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH CC | 1,026 | 0.03 | 7.6 |
| 458 | SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITHOUT CC/MCC | 909 | 0.02 | 5.1 |
| 459 | SPINAL FUSION EXCEPT CERVICAL WITH MCC | 812 | 0.02 | 9.5 |
| 460 | SPINAL FUSION EXCEPT CERVICAL WITHOUT MCC | 14,469 | 0.36 | 4.2 |
| 461 | BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITH MCC | 101 | 0.00 | 8.4 |
| 462 | BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITHOUT MCC | 1,862 | 0.05 | 4.0 |
| 463 | WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH MCC | 1,061 | 0.03 | 23 |
| 464 | WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH CC | 1,695 | 0.04 | 12 |
| 465 | WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITHOUT CC/MCC | 891 | 0.02 | 5.6 |
| 466 | REVISION OF HIP OR KNEE REPLACEMENT WITH MCC | 576 | 0.01 | 8.6 |
| 467 | REVISION OF HIP OR KNEE REPLACEMENT WITH CC | 2,731 | 0.07 | 4.8 |
| 468 | REVISION OF HIP OR KNEE REPLACEMENT WITHOUT CC/MCC | 3,339 | 0.08 | 3.4 |
| 469 | MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITH MCC | 4,247 | 0.11 | 7.4 |
| 470 | MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITHOUT MCC | 76,622 | 1.92 | 3.4 |
| 471 | CERVICAL SPINAL FUSION WITH MCC | 678 | 0.02 | 9.1 |
| 472 | CERVICAL SPINAL FUSION WITH CC | 2,425 | 0.06 | 3.8 |
| 473 | CERVICAL SPINAL FUSION WITHOUT CC/MCC | 9,041 | 0.23 | 2.0 |
| 474 | AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH MCC | 453 | 0.01 | 14 |

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Statewide Totals*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|-----------------------------|----------------------------|-------------------------------|
| 475 | AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH CC | 641 | 0.02 | 7.8 |
| 476 | AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITHOUT CC/MCC | 265 | 0.01 | 4.3 |
| 477 | BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC | 445 | 0.01 | 12 |
| 478 | BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC | 1,200 | 0.03 | 7.2 |
| 479 | BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC | 879 | 0.02 | 3.6 |
| 480 | HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH MCC | 4,228 | 0.11 | 8.4 |
| 481 | HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH CC | 10,630 | 0.27 | 5.3 |
| 482 | HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITHOUT CC/MCC | 8,722 | 0.22 | 3.8 |
| 483 | MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITH CC/MCC | 1,334 | 0.03 | 3.7 |
| 484 | MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITHOUT CC/MCC | 2,952 | 0.07 | 2.1 |
| 485 | KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH MCC | 203 | 0.01 | 11 |
| 486 | KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH CC | 504 | 0.01 | 7.5 |
| 487 | KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC | 389 | 0.01 | 5.0 |
| 488 | KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITH CC/MCC | 808 | 0.02 | 4.7 |
| 489 | KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC | 2,616 | 0.07 | 2.1 |
| 490 | BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITH CC/MCC OR DISC DEVICE/NEUROSTIM | 5,647 | 0.14 | 4.2 |
| 491 | BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITHOUT CC/MCC | 14,373 | 0.36 | 1.9 |
| 492 | LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH MCC | 1,247 | 0.03 | 7.7 |
| 493 | LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH CC | 5,092 | 0.13 | 4.7 |
| 494 | LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITHOUT CC/MCC | 16,088 | 0.40 | 2.4 |
| 495 | LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH MCC | 377 | 0.01 | 11 |
| 496 | LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH CC | 1,672 | 0.04 | 5.7 |

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Statewide Totals*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 497 | LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITHOUT CC/MCC | 2,875 | 0.07 | 2.4 |
| 498 | LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITH CC/MCC | 321 | 0.01 | 6.7 |
| 499 | LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITHOUT CC/MCC | 504 | 0.01 | 2.2 |
| 500 | SOFT TISSUE PROCEDURES WITH MCC | 593 | 0.01 | 10 |
| 501 | SOFT TISSUE PROCEDURES WITH CC | 1,789 | 0.04 | 4.9 |
| 502 | SOFT TISSUE PROCEDURES WITHOUT CC/MCC | 3,176 | 0.08 | 2.2 |
| 503 | FOOT PROCEDURES WITH MCC | 200 | 0.01 | 9.0 |
| 504 | FOOT PROCEDURES WITH CC | 745 | 0.02 | 5.3 |
| 505 | FOOT PROCEDURES WITHOUT CC/MCC | 1,650 | 0.04 | 2.3 |
| 506 | MAJOR THUMB OR JOINT PROCEDURES | 385 | 0.01 | 2.8 |
| 507 | MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITH CC/MCC | 213 | 0.01 | 4.6 |
| 508 | MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITHOUT CC/MCC | 623 | 0.02 | 1.9 |
| 509 | ARTHROSCOPY | 116 | 0.00 | 3.6 |
| 510 | SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH MCC | 216 | 0.01 | 5.2 |
| 511 | SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH CC | 1,049 | 0.03 | 3.2 |
| 512 | SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITHOUT CC/MCC | 4,445 | 0.11 | 1.8 |
| 513 | HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITH CC/MCC | 844 | 0.02 | 3.4 |
| 514 | HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITHOUT CC/MCC | 1,471 | 0.04 | 1.9 |
| 515 | OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH MCC | 763 | 0.02 | 11 |
| 516 | OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH CC | 1,916 | 0.05 | 5.7 |
| 517 | OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITHOUT CC/MCC | 2,878 | 0.07 | 2.8 |
| 533 | FRACTURES OF FEMUR WITH MCC | 150 | 0.00 | 7.0 |

(Continued)

**MS-DRG by Patient County of Residence
for 2009
Statewide Totals**

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|-----------------------------|----------------------------|-------------------------------|
| 534 | FRACTURES OF FEMUR WITHOUT MCC | 923 | 0.02 | 3.0 |
| 535 | FRACTURES OF HIP & PELVIS WITH MCC | 1,339 | 0.03 | 6.0 |
| 536 | FRACTURES OF HIP & PELVIS WITHOUT MCC | 4,950 | 0.12 | 5.1 |
| 537 | SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITH CC/MCC | 181 | 0.00 | 4.0 |
| 538 | SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITHOUT CC/MCC | 169 | 0.00 | 2.0 |
| 539 | OSTEOMYELITIS WITH MCC | 872 | 0.02 | 17 |
| 540 | OSTEOMYELITIS WITH CC | 1,175 | 0.03 | 11 |
| 541 | OSTEOMYELITIS WITHOUT CC/MCC | 574 | 0.01 | 9.2 |
| 542 | PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH MCC | 1,149 | 0.03 | 8.1 |
| 543 | PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH CC | 2,681 | 0.07 | 5.6 |
| 544 | PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITHOUT CC/MCC | 985 | 0.02 | 4.2 |
| 545 | CONNECTIVE TISSUE DISORDERS WITH MCC | 1,396 | 0.04 | 10 |
| 546 | CONNECTIVE TISSUE DISORDERS WITH CC | 1,868 | 0.05 | 11 |
| 547 | CONNECTIVE TISSUE DISORDERS WITHOUT CC/MCC | 2,025 | 0.05 | 3.2 |
| 548 | SEPTIC ARTHRITIS WITH MCC | 164 | 0.00 | 12 |
| 549 | SEPTIC ARTHRITIS WITH CC | 366 | 0.01 | 8.4 |
| 550 | SEPTIC ARTHRITIS WITHOUT CC/MCC | 271 | 0.01 | 4.2 |
| 551 | MEDICAL BACK PROBLEMS WITH MCC | 2,359 | 0.06 | 6.6 |
| 552 | MEDICAL BACK PROBLEMS WITHOUT MCC | 16,311 | 0.41 | 3.6 |
| 553 | BONE DISEASES & ARTHROPATHIES WITH MCC | 650 | 0.02 | 5.5 |
| 554 | BONE DISEASES & ARTHROPATHIES WITHOUT MCC | 3,256 | 0.08 | 6.8 |
| 555 | SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITH MCC | 549 | 0.01 | 5.9 |

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Statewide Totals*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 556 | SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC | 3,794 | 0.10 | 3.4 |
| 557 | TENDONITIS, MYOSITIS & BURSITIS WITH MCC | 1,122 | 0.03 | 6.0 |
| 558 | TENDONITIS, MYOSITIS & BURSITIS WITHOUT MCC | 3,632 | 0.09 | 4.1 |
| 559 | AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC | 733 | 0.02 | 18 |
| 560 | AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC | 2,004 | 0.05 | 13 |
| 561 | AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC | 2,745 | 0.07 | 8.5 |
| 562 | FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITH MCC | 1,314 | 0.03 | 5.5 |
| 563 | FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC | 8,306 | 0.21 | 2.8 |
| 564 | OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH MCC | 489 | 0.01 | 8.5 |
| 565 | OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH CC | 1,033 | 0.03 | 7.9 |
| 566 | OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITHOUT CC/MCC | 877 | 0.02 | 4.7 |
| 573 | SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH MCC | 1,153 | 0.03 | 26 |
| 574 | SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH CC | 2,072 | 0.05 | 12 |
| 575 | SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC | 1,225 | 0.03 | 5.6 |
| 576 | SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH MCC | 185 | 0.00 | 16 |
| 577 | SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH CC | 760 | 0.02 | 5.7 |
| 578 | SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC | 1,640 | 0.04 | 3.3 |
| 579 | OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH MCC | 963 | 0.02 | 12 |
| 580 | OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH CC | 3,859 | 0.10 | 4.3 |
| 581 | OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITHOUT CC/MCC | 6,852 | 0.17 | 2.3 |
| 582 | MASTECTOMY FOR MALIGNANCY WITH CC/MCC | 1,915 | 0.05 | 2.2 |
| 583 | MASTECTOMY FOR MALIGNANCY WITHOUT CC/MCC | 3,301 | 0.08 | 1.8 |

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Statewide Totals*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|-----------------------------|----------------------------|-------------------------------|
| 584 | BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITH CC/MCC | 394 | 0.01 | 3.6 |
| 585 | BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITHOUT CC/MCC | 1,932 | 0.05 | 1.9 |
| 592 | SKIN ULCERS WITH MCC | 1,066 | 0.03 | 17 |
| 593 | SKIN ULCERS WITH CC | 2,301 | 0.06 | 11 |
| 594 | SKIN ULCERS WITHOUT CC/MCC | 323 | 0.01 | 9.8 |
| 595 | MAJOR SKIN DISORDERS WITH MCC | 331 | 0.01 | 8.0 |
| 596 | MAJOR SKIN DISORDERS WITHOUT MCC | 1,281 | 0.03 | 4.8 |
| 597 | MALIGNANT BREAST DISORDERS WITH MCC | 221 | 0.01 | 8.0 |
| 598 | MALIGNANT BREAST DISORDERS WITH CC | 539 | 0.01 | 8.1 |
| 599 | MALIGNANT BREAST DISORDERS WITHOUT CC/MCC | 100 | 0.00 | 3.4 |
| 600 | NON-MALIGNANT BREAST DISORDERS WITH CC/MCC | 324 | 0.01 | 13 |
| 601 | NON-MALIGNANT BREAST DISORDERS WITHOUT CC/MCC | 697 | 0.02 | 2.7 |
| 602 | CELLULITIS WITH MCC | 6,500 | 0.16 | 7.2 |
| 603 | CELLULITIS WITHOUT MCC | 42,193 | 1.06 | 3.9 |
| 604 | TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITH MCC | 877 | 0.02 | 4.5 |
| 605 | TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITHOUT MCC | 7,416 | 0.19 | 2.1 |
| 606 | MINOR SKIN DISORDERS WITH MCC | 463 | 0.01 | 5.5 |
| 607 | MINOR SKIN DISORDERS WITHOUT MCC | 2,685 | 0.07 | 3.4 |
| 614 | ADRENAL & PITUITARY PROCEDURES WITH CC/MCC | 893 | 0.02 | 5.4 |
| 615 | ADRENAL & PITUITARY PROCEDURES WITHOUT CC/MCC | 977 | 0.02 | 2.9 |
| 616 | AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH MCC | 316 | 0.01 | 16 |
| 617 | AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH CC | 1,810 | 0.05 | 9.1 |

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Statewide Totals*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 618 | AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITHOUT CC/MCC | 40 | 0.00 | 6.1 |
| 619 | O.R. PROCEDURES FOR OBESITY WITH MCC | 273 | 0.01 | 7.8 |
| 620 | O.R. PROCEDURES FOR OBESITY WITH CC | 1,802 | 0.05 | 2.8 |
| 621 | O.R. PROCEDURES FOR OBESITY WITHOUT CC/MCC | 12,627 | 0.32 | 1.8 |
| 622 | SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH MCC | 198 | 0.00 | 17 |
| 623 | SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH CC | 565 | 0.01 | 8.8 |
| 624 | SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITHOUT CC/MCC | 49 | 0.00 | 4.8 |
| 625 | THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH MCC | 196 | 0.00 | 7.1 |
| 626 | THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH CC | 1,367 | 0.03 | 2.3 |
| 627 | THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITHOUT CC/MCC | 7,957 | 0.20 | 1.4 |
| 628 | OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH MCC | 639 | 0.02 | 9.6 |
| 629 | OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH CC | 942 | 0.02 | 7.6 |
| 630 | OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITHOUT CC/MCC | 185 | 0.00 | 3.4 |
| 637 | DIABETES WITH MCC | 6,978 | 0.18 | 5.1 |
| 638 | DIABETES WITH CC | 12,875 | 0.32 | 4.2 |
| 639 | DIABETES WITHOUT CC/MCC | 12,827 | 0.32 | 2.6 |
| 640 | NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC | 13,500 | 0.34 | 4.4 |
| 641 | NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC | 34,541 | 0.87 | 3.3 |
| 642 | INBORN ERRORS OF METABOLISM | 885 | 0.02 | 7.3 |
| 643 | ENDOCRINE DISORDERS WITH MCC | 1,407 | 0.04 | 7.2 |
| 644 | ENDOCRINE DISORDERS WITH CC | 2,648 | 0.07 | 5.3 |
| 645 | ENDOCRINE DISORDERS WITHOUT CC/MCC | 2,719 | 0.07 | 3.1 |

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Statewide Totals*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|-----------------------------|----------------------------|-------------------------------|
| 652 | KIDNEY TRANSPLANT | 1,701 | 0.04 | 6.7 |
| 653 | MAJOR BLADDER PROCEDURES WITH MCC | 339 | 0.01 | 17 |
| 654 | MAJOR BLADDER PROCEDURES WITH CC | 815 | 0.02 | 9.0 |
| 655 | MAJOR BLADDER PROCEDURES WITHOUT CC/MCC | 377 | 0.01 | 6.1 |
| 656 | KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH MCC | 797 | 0.02 | 9.9 |
| 657 | KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH CC | 1,622 | 0.04 | 5.1 |
| 658 | KIDNEY & URETER PROCEDURES FOR NEOPLASM WITHOUT CC/MCC | 2,107 | 0.05 | 3.3 |
| 659 | KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH MCC | 1,027 | 0.03 | 11 |
| 660 | KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH CC | 2,738 | 0.07 | 4.6 |
| 661 | KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITHOUT CC/MCC | 3,029 | 0.08 | 2.5 |
| 662 | MINOR BLADDER PROCEDURES WITH MCC | 180 | 0.00 | 11 |
| 663 | MINOR BLADDER PROCEDURES WITH CC | 413 | 0.01 | 4.0 |
| 664 | MINOR BLADDER PROCEDURES WITHOUT CC/MCC | 932 | 0.02 | 1.6 |
| 665 | PROSTATECTOMY WITH MCC | 104 | 0.00 | 12 |
| 666 | PROSTATECTOMY WITH CC | 256 | 0.01 | 4.9 |
| 667 | PROSTATECTOMY WITHOUT CC/MCC | 450 | 0.01 | 2.0 |
| 668 | TRANSURETHRAL PROCEDURES WITH MCC | 804 | 0.02 | 7.1 |
| 669 | TRANSURETHRAL PROCEDURES WITH CC | 2,574 | 0.06 | 3.2 |
| 670 | TRANSURETHRAL PROCEDURES WITHOUT CC/MCC | 2,032 | 0.05 | 1.8 |
| 671 | URETHRAL PROCEDURES WITH CC/MCC | 167 | 0.00 | 5.0 |
| 672 | URETHRAL PROCEDURES WITHOUT CC/MCC | 339 | 0.01 | 2.1 |
| 673 | OTHER KIDNEY & URINARY TRACT PROCEDURES WITH MCC | 2,213 | 0.06 | 10 |

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Statewide Totals*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 674 | OTHER KIDNEY & URINARY TRACT PROCEDURES WITH CC | 1,592 | 0.04 | 7.1 |
| 675 | OTHER KIDNEY & URINARY TRACT PROCEDURES WITHOUT CC/MCC | 513 | 0.01 | 2.4 |
| 682 | RENAL FAILURE WITH MCC | 15,689 | 0.39 | 7.1 |
| 683 | RENAL FAILURE WITH CC | 17,314 | 0.43 | 5.0 |
| 684 | RENAL FAILURE WITHOUT CC/MCC | 4,741 | 0.12 | 3.7 |
| 685 | ADMIT FOR RENAL DIALYSIS | 682 | 0.02 | 2.7 |
| 686 | KIDNEY & URINARY TRACT NEOPLASMS WITH MCC | 392 | 0.01 | 7.3 |
| 687 | KIDNEY & URINARY TRACT NEOPLASMS WITH CC | 595 | 0.01 | 5.8 |
| 688 | KIDNEY & URINARY TRACT NEOPLASMS WITHOUT CC/MCC | 218 | 0.01 | 3.7 |
| 689 | KIDNEY & URINARY TRACT INFECTIONS WITH MCC | 12,736 | 0.32 | 5.9 |
| 690 | KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC | 40,068 | 1.01 | 3.9 |
| 691 | URINARY STONES WITH ESW LITHOTRIPSY WITH CC/MCC | 394 | 0.01 | 3.3 |
| 692 | URINARY STONES WITH ESW LITHOTRIPSY WITHOUT CC/MCC | 180 | 0.00 | 1.6 |
| 693 | URINARY STONES WITHOUT ESW LITHOTRIPSY WITH MCC | 970 | 0.02 | 3.7 |
| 694 | URINARY STONES WITHOUT ESW LITHOTRIPSY WITHOUT MCC | 6,195 | 0.16 | 2.1 |
| 695 | KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITH MCC | 227 | 0.01 | 10 |
| 696 | KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITHOUT MCC | 1,778 | 0.04 | 2.8 |
| 697 | URETHRAL STRICTURE | 157 | 0.00 | 2.7 |
| 698 | OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH MCC | 5,301 | 0.13 | 6.1 |
| 699 | OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH CC | 5,379 | 0.13 | 4.5 |
| 700 | OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITHOUT CC/MCC | 2,675 | 0.07 | 2.8 |
| 707 | MAJOR MALE PELVIC PROCEDURES WITH CC/MCC | 1,509 | 0.04 | 3.8 |

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Statewide Totals*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|-----------------------------|----------------------------|-------------------------------|
| 708 | MAJOR MALE PELVIC PROCEDURES WITHOUT CC/MCC | 6,740 | 0.17 | 1.8 |
| 709 | PENIS PROCEDURES WITH CC/MCC | 225 | 0.01 | 5.0 |
| 710 | PENIS PROCEDURES WITHOUT CC/MCC | 690 | 0.02 | 1.8 |
| 711 | TESTES PROCEDURES WITH CC/MCC | 295 | 0.01 | 6.6 |
| 712 | TESTES PROCEDURES WITHOUT CC/MCC | 629 | 0.02 | 1.5 |
| 713 | TRANSURETHRAL PROSTATECTOMY WITH CC/MCC | 1,718 | 0.04 | 3.4 |
| 714 | TRANSURETHRAL PROSTATECTOMY WITHOUT CC/MCC | 5,259 | 0.13 | 1.5 |
| 715 | OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE FOR MALIGNANCY WITH CC/MCC | 107 | 0.00 | 5.6 |
| 716 | OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE FOR MALIGNANCY WITHOUT CC/MCC | 202 | 0.01 | 1.9 |
| 717 | OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE EXCEPT MALIGNANCY WITH CC/MCC | 117 | 0.00 | 7.1 |
| 718 | OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE EXCEPT MALIGNANCY WITHOUT CC/MCC | 103 | 0.00 | 2.6 |
| 722 | MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH MCC | 218 | 0.01 | 19 |
| 723 | MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH CC | 336 | 0.01 | 7.1 |
| 724 | MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC | 124 | 0.00 | 5.8 |
| 725 | BENIGN PROSTATIC HYPERTROPHY WITH MCC | 304 | 0.01 | 4.1 |
| 726 | BENIGN PROSTATIC HYPERTROPHY WITHOUT MCC | 622 | 0.02 | 5.0 |
| 727 | INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITH MCC | 454 | 0.01 | 7.0 |
| 728 | INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITHOUT MCC | 1,894 | 0.05 | 3.4 |
| 729 | OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITH CC/MCC | 252 | 0.01 | 5.3 |
| 730 | OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC | 218 | 0.01 | 2.5 |
| 734 | PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITH CC/MCC | 788 | 0.02 | 6.8 |
| 735 | PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITHOUT CC/MCC | 1,016 | 0.03 | 2.7 |

(Continued)

**MS-DRG by Patient County of Residence
for 2009
Statewide Totals**

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|-----------------------------|----------------------------|-------------------------------|
| 736 | UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH MCC | 231 | 0.01 | 13 |
| 737 | UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH CC | 1,092 | 0.03 | 6.1 |
| 738 | UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITHOUT CC/MCC | 559 | 0.01 | 3.2 |
| 739 | UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH MCC | 184 | 0.00 | 9.6 |
| 740 | UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH CC | 1,333 | 0.03 | 4.1 |
| 741 | UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITHOUT CC/MCC | 2,896 | 0.07 | 2.3 |
| 742 | UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITH CC/MCC | 8,551 | 0.21 | 3.3 |
| 743 | UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITHOUT CC/MCC | 42,893 | 1.08 | 2.1 |
| 744 | D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITH CC/MCC | 708 | 0.02 | 3.9 |
| 745 | D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITHOUT CC/MCC | 1,424 | 0.04 | 1.6 |
| 746 | VAGINA, CERVIX & VULVA PROCEDURES WITH CC/MCC | 682 | 0.02 | 3.8 |
| 747 | VAGINA, CERVIX & VULVA PROCEDURES WITHOUT CC/MCC | 2,456 | 0.06 | 1.8 |
| 748 | FEMALE REPRODUCTIVE SYSTEM RECONSTRUCTIVE PROCEDURES | 5,582 | 0.14 | 1.5 |
| 749 | OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITH CC/MCC | 398 | 0.01 | 8.3 |
| 750 | OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC | 454 | 0.01 | 2.4 |
| 754 | MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH MCC | 415 | 0.01 | 9.8 |
| 755 | MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH CC | 911 | 0.02 | 5.3 |
| 756 | MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC | 236 | 0.01 | 2.8 |
| 757 | INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH MCC | 334 | 0.01 | 8.4 |
| 758 | INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH CC | 768 | 0.02 | 4.6 |
| 759 | INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC | 1,526 | 0.04 | 3.0 |
| 760 | MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITH CC/MCC | 1,387 | 0.03 | 2.8 |

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Statewide Totals*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 761 | MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITHOUT CC/MCC | 2,935 | 0.07 | 1.5 |
| 765 | CESAREAN SECTION WITH CC/MCC | 51,745 | 1.30 | 4.5 |
| 766 | CESAREAN SECTION WITHOUT CC/MCC | 117,175 | 2.94 | 3.2 |
| 767 | VAGINAL DELIVERY WITH STERILIZATION &/OR D&C | 10,767 | 0.27 | 2.4 |
| 768 | VAGINAL DELIVERY WITH O.R. PROCEDURE EXCEPT STERIL &/OR D&C | 239 | 0.01 | 3.8 |
| 769 | POSTPARTUM & POST ABORTION DIAGNOSIS WITH O.R. PROCEDURE | 1,570 | 0.04 | 3.3 |
| 770 | ABORTION WITH D&C, ASPIRATION CURETTAGE OR HYSTEROTOMY | 3,315 | 0.08 | 1.3 |
| 774 | VAGINAL DELIVERY WITH COMPLICATING DIAGNOSIS | 35,908 | 0.90 | 2.6 |
| 775 | VAGINAL DELIVERY WITHOUT COMPLICATING DIAGNOSIS | 294,788 | 7.40 | 2.0 |
| 776 | POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE | 5,067 | 0.13 | 2.6 |
| 777 | ECTOPIC PREGNANCY | 3,567 | 0.09 | 1.8 |
| 778 | THREATENED ABORTION | 8,262 | 0.21 | 2.7 |
| 779 | ABORTION WITHOUT D&C | 2,193 | 0.06 | 1.4 |
| 780 | FALSE LABOR | 1,152 | 0.03 | .72 |
| 781 | OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS | 24,158 | 0.61 | 2.8 |
| 782 | OTHER ANTEPARTUM DIAGNOSIS WITHOUT MEDICAL COMPLICATIONS | 5,947 | 0.15 | 2.2 |
| 789 | NEONATES, DIED OR TRANSFERRED TO ANOTHER ACUTE CARE FACILITY | 10,682 | 0.27 | 5.5 |
| 790 | EXTREME IMMATURETY OR RESPIRATORY DISTRESS SYNDROME, NEONATE | 8,400 | 0.21 | 38 |
| 791 | PREMATURITY WITH MAJOR PROBLEMS | 8,566 | 0.21 | 19 |
| 792 | PREMATURITY WITHOUT MAJOR PROBLEMS | 22,201 | 0.56 | 6.1 |
| 793 | FULL TERM NEONATE WITH MAJOR PROBLEMS | 21,239 | 0.53 | 6.4 |
| 794 | NEONATE WITH OTHER SIGNIFICANT PROBLEMS | 87,315 | 2.19 | 2.5 |

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Statewide Totals*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 795 | NORMAL NEWBORN | 379,767 | 9.53 | 2.0 |
| 799 | SPLENECTOMY WITH MCC | 159 | 0.00 | 12 |
| 800 | SPLENECTOMY WITH CC | 213 | 0.01 | 6.3 |
| 801 | SPLENECTOMY WITHOUT CC/MCC | 311 | 0.01 | 3.8 |
| 802 | OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH MCC | 200 | 0.01 | 14 |
| 803 | OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH CC | 300 | 0.01 | 5.9 |
| 804 | OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITHOUT CC/MCC | 400 | 0.01 | 3.4 |
| 808 | MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH MCC | 2,010 | 0.05 | 8.8 |
| 809 | MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH CC | 4,741 | 0.12 | 5.1 |
| 810 | MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITHOUT CC/MCC | 1,242 | 0.03 | 3.3 |
| 811 | RED BLOOD CELL DISORDERS WITH MCC | 6,519 | 0.16 | 4.8 |
| 812 | RED BLOOD CELL DISORDERS WITHOUT MCC | 21,075 | 0.53 | 3.3 |
| 813 | COAGULATION DISORDERS | 3,826 | 0.10 | 4.2 |
| 814 | RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH MCC | 510 | 0.01 | 7.6 |
| 815 | RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH CC | 1,189 | 0.03 | 4.1 |
| 816 | RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITHOUT CC/MCC | 1,309 | 0.03 | 3.1 |
| 820 | LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH MCC | 347 | 0.01 | 23 |
| 821 | LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH CC | 582 | 0.01 | 6.8 |
| 822 | LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITHOUT CC/MCC | 774 | 0.02 | 2.9 |
| 823 | LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH MCC | 458 | 0.01 | 16 |
| 824 | LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH CC | 658 | 0.02 | 8.1 |
| 825 | LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC | 533 | 0.01 | 3.9 |

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Statewide Totals*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 826 | MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH MCC | 205 | 0.01 | 20 |
| 827 | MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH CC | 506 | 0.01 | 7.6 |
| 828 | MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITHOUT CC/MCC | 315 | 0.01 | 4.0 |
| 829 | MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITH CC/MCC | 447 | 0.01 | 11 |
| 830 | MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC | 203 | 0.01 | 2.9 |
| 834 | ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH MCC | 1,377 | 0.03 | 22 |
| 835 | ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH CC | 1,068 | 0.03 | 14 |
| 836 | ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITHOUT CC/MCC | 744 | 0.02 | 7.2 |
| 837 | CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS OR WITH HIGH DOSE CHEMO AGENT WITH MCC | 756 | 0.02 | 22 |
| 838 | CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITH CC OR HIGH DOSE CHEMO AGENT | 1,422 | 0.04 | 11 |
| 839 | CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITHOUT CC/MCC | 1,719 | 0.04 | 6.1 |
| 840 | LYMPHOMA & NON-ACUTE LEUKEMIA WITH MCC | 2,095 | 0.05 | 11 |
| 841 | LYMPHOMA & NON-ACUTE LEUKEMIA WITH CC | 2,061 | 0.05 | 7.0 |
| 842 | LYMPHOMA & NON-ACUTE LEUKEMIA WITHOUT CC/MCC | 1,198 | 0.03 | 4.3 |
| 843 | OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH MCC | 467 | 0.01 | 8.3 |
| 844 | OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH CC | 704 | 0.02 | 5.3 |
| 845 | OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITHOUT CC/MCC | 248 | 0.01 | 4.6 |
| 846 | CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH MCC | 1,317 | 0.03 | 7.9 |
| 847 | CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH CC | 12,244 | 0.31 | 3.8 |
| 848 | CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITHOUT CC/MCC | 1,263 | 0.03 | 3.4 |
| 849 | RADIOTHERAPY | 431 | 0.01 | 4.4 |
| 853 | INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH MCC | 9,547 | 0.24 | 18 |

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Statewide Totals*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 854 | INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH CC | 1,541 | 0.04 | 9.2 |
| 855 | INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITHOUT CC/MCC | 140 | 0.00 | 5.1 |
| 856 | POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH MCC | 1,448 | 0.04 | 16 |
| 857 | POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH CC | 2,454 | 0.06 | 7.7 |
| 858 | POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITHOUT CC/MCC | 820 | 0.02 | 5.2 |
| 862 | POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITH MCC | 2,844 | 0.07 | 8.4 |
| 863 | POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC | 6,615 | 0.17 | 4.8 |
| 864 | FEVER | 6,395 | 0.16 | 3.9 |
| 865 | VIRAL ILLNESS WITH MCC | 779 | 0.02 | 5.8 |
| 866 | VIRAL ILLNESS WITHOUT MCC | 4,532 | 0.11 | 2.7 |
| 867 | OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH MCC | 1,571 | 0.04 | 12 |
| 868 | OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH CC | 608 | 0.02 | 6.9 |
| 869 | OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITHOUT CC/MCC | 412 | 0.01 | 5.3 |
| 870 | SEPTICEMIA OR SEVERE SEPSIS WITH MECH VENT 96+ HOURS | 8,407 | 0.21 | 17 |
| 871 | SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC | 63,111 | 1.58 | 7.3 |
| 872 | SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC | 19,734 | 0.50 | 5.2 |
| 876 | O.R. PROCEDURE WITH PRINCIPAL DIAGNOSIS OF MENTAL ILLNESS | 184 | 0.00 | 11 |
| 880 | ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION | 3,313 | 0.08 | 3.6 |
| 881 | DEPRESSIVE NEUROSES | 11,867 | 0.30 | 4.0 |
| 882 | NEUROSES EXCEPT DEPRESSIVE | 3,977 | 0.10 | 4.0 |
| 883 | DISORDERS OF PERSONALITY & IMPULSE CONTROL | 2,296 | 0.06 | 9.3 |
| 884 | ORGANIC DISTURBANCES & MENTAL RETARDATION | 3,844 | 0.10 | 46 |

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Statewide Totals*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 885 | PSYCHOSES | 169,847 | 4.26 | 8.5 |
| 886 | BEHAVIORAL & DEVELOPMENTAL DISORDERS | 1,543 | 0.04 | 13 |
| 887 | OTHER MENTAL DISORDER DIAGNOSIS | 517 | 0.01 | 11 |
| 894 | ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA | 3,859 | 0.10 | 4.2 |
| 895 | ALCOHOL/DRUG ABUSE OR DEPENDENCE WITH REHABILITATION THERAPY | 4,361 | 0.11 | 15 |
| 896 | ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC | 3,568 | 0.09 | 6.3 |
| 897 | ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC | 27,992 | 0.70 | 4.8 |
| 901 | WOUND DEBRIDE EMENTS FOR INJURIES WITH MCC | 235 | 0.01 | 22 |
| 902 | WOUND DEBRIDE EMENTS FOR INJURIES WITH CC | 564 | 0.01 | 9.7 |
| 903 | WOUND DEBRIDE EMENTS FOR INJURIES WITHOUT CC/MCC | 453 | 0.01 | 4.1 |
| 904 | SKIN GRAFTS FOR INJURIES WITH CC/MCC | 522 | 0.01 | 15 |
| 905 | SKIN GRAFTS FOR INJURIES WITHOUT CC/MCC | 301 | 0.01 | 5.1 |
| 906 | HAND PROCEDURES FOR INJURIES | 794 | 0.02 | 3.2 |
| 907 | OTHER O.R. PROCEDURES FOR INJURIES WITH MCC | 2,171 | 0.05 | 11 |
| 908 | OTHER O.R. PROCEDURES FOR INJURIES WITH CC | 2,698 | 0.07 | 5.4 |
| 909 | OTHER O.R. PROCEDURES FOR INJURIES WITHOUT CC/MCC | 2,636 | 0.07 | 2.6 |
| 913 | TRAUMATIC INJURY WITH MCC | 294 | 0.01 | 4.7 |
| 914 | TRAUMATIC INJURY WITHOUT MCC | 2,741 | 0.07 | 2.3 |
| 915 | ALLERGIC REACTIONS WITH MCC | 334 | 0.01 | 3.9 |
| 916 | ALLERGIC REACTIONS WITHOUT MCC | 1,648 | 0.04 | 1.6 |
| 917 | POISONING & TOXIC EFFECTS OF DRUGS WITH MCC | 7,926 | 0.20 | 4.3 |
| 918 | POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC | 15,657 | 0.39 | 2.1 |

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Statewide Totals*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 919 | COMPLICATIONS OF TREATMENT WITH MCC | 2,705 | 0.07 | 7.0 |
| 920 | COMPLICATIONS OF TREATMENT WITH CC | 3,539 | 0.09 | 4.4 |
| 921 | COMPLICATIONS OF TREATMENT WITHOUT CC/MCC | 2,629 | 0.07 | 2.7 |
| 922 | OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITH MCC | 666 | 0.02 | 5.2 |
| 923 | OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITHOUT MCC | 2,079 | 0.05 | 1.8 |
| 927 | EXTENSIVE BURNS OR FULL THICKNESS BURNS WITH MECH VENT 96+ HRS WITH SKIN GRAFT | 150 | 0.00 | 35 |
| 928 | FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITH CC/MCC | 413 | 0.01 | 15 |
| 929 | FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITHOUT CC/MCC | 436 | 0.01 | 8.9 |
| 933 | EXTENSIVE BURNS OR FULL THICKNESS BURNS WITH MECH VENT 96+ HRS WITHOUT SKIN GRAFT | 37 | 0.00 | 7.5 |
| 934 | FULL THICKNESS BURN WITHOUT SKIN GRAFT OR INHAL INJURY | 334 | 0.01 | 5.5 |
| 935 | NON-EXTENSIVE BURNS | 1,830 | 0.05 | 4.9 |
| 939 | O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH MCC | 495 | 0.01 | 27 |
| 940 | O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC | 897 | 0.02 | 11 |
| 941 | O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITHOUT CC/MCC | 1,045 | 0.03 | 2.8 |
| 945 | REHABILITATION WITH CC/MCC | 37,405 | 0.94 | 19 |
| 946 | REHABILITATION WITHOUT CC/MCC | 11,049 | 0.28 | 12 |
| 947 | SIGNS & SYMPTOMS WITH MCC | 2,742 | 0.07 | 5.6 |
| 948 | SIGNS & SYMPTOMS WITHOUT MCC | 10,801 | 0.27 | 4.5 |
| 949 | AFTERCARE WITH CC/MCC | 3,016 | 0.08 | 15 |
| 950 | AFTERCARE WITHOUT CC/MCC | 1,140 | 0.03 | 8.1 |
| 951 | OTHER FACTORS INFLUENCING HEALTH STATUS | 3,412 | 0.09 | 4.7 |
| 955 | CRANIOTOMY FOR MULTIPLE SIGNIFICANT TRAUMA | 376 | 0.01 | 16 |

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Statewide Totals*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 956 | LIMB REATTACHMENT, HIP & FEMUR PROCEDURE FOR MULTIPLE SIGNIFICANT TRAUMA | 1,316 | 0.03 | 12 |
| 957 | OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH MCC | 1,295 | 0.03 | 17 |
| 958 | OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH CC | 1,504 | 0.04 | 9.7 |
| 959 | OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC | 581 | 0.01 | 6.0 |
| 963 | OTHER MULTIPLE SIGNIFICANT TRAUMA WITH MCC | 682 | 0.02 | 10 |
| 964 | OTHER MULTIPLE SIGNIFICANT TRAUMA WITH CC | 1,689 | 0.04 | 5.5 |
| 965 | OTHER MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC | 866 | 0.02 | 3.6 |
| 969 | HIV WITH EXTENSIVE O.R. PROCEDURE WITH MCC | 219 | 0.01 | 22 |
| 970 | HIV WITH EXTENSIVE O.R. PROCEDURE WITHOUT MCC | 64 | 0.00 | 9.1 |
| 974 | HIV WITH MAJOR RELATED CONDITION WITH MCC | 2,087 | 0.05 | 14 |
| 975 | HIV WITH MAJOR RELATED CONDITION WITH CC | 1,543 | 0.04 | 11 |
| 976 | HIV WITH MAJOR RELATED CONDITION WITHOUT CC/MCC | 836 | 0.02 | 9.1 |
| 977 | HIV WITH OR WITHOUT OTHER RELATED CONDITION | 1,305 | 0.03 | 16 |
| 981 | EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC | 5,281 | 0.13 | 17 |
| 982 | EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC | 3,812 | 0.10 | 7.8 |
| 983 | EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC | 2,900 | 0.07 | 3.2 |
| 984 | PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC | 103 | 0.00 | 12 |
| 985 | PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC | 106 | 0.00 | 7.6 |
| 986 | PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC | 59 | 0.00 | 3.0 |
| 987 | NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC | 1,616 | 0.04 | 17 |
| 988 | NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC | 2,085 | 0.05 | 6.9 |
| 989 | NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC | 1,674 | 0.04 | 2.8 |

(Continued)

*MS-DRG by Patient County of Residence
for 2009
Statewide Totals*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 998 | PRINCIPAL DIAGNOSIS INVALID AS DISCHARGE DIAGNOSIS | 27 | 0.00 | 2.4 |
| 999 | UNGROUPABLE | 36 | 0.00 | 4.9 |
| All | | 3,985,166 | 100.0 | 5.0 |

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Statewide Totals**

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|-------------------------|---------------------------|------------------------------|
| 001 | HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM WITH MCC | 306 | 0.01 | 48 |
| 002 | HEART TRANSPLANT OR IMPLANT OF HEART ASSIST SYSTEM WITHOUT MCC | 76 | 0.00 | 20 |
| 003 | ECMO OR TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITH MAJOR O.R. | 5,461 | 0.15 | 48 |
| 004 | TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITHOUT MAJOR O.R. | 5,678 | 0.15 | 38 |
| 005 | LIVER TRANSPLANT WITH MCC OR INTESTINAL TRANSPLANT | 500 | 0.01 | 28 |
| 006 | LIVER TRANSPLANT WITHOUT MCC | 146 | 0.00 | 10 |
| 007 | LUNG TRANSPLANT | 157 | 0.00 | 17 |
| 008 | SIMULTANEOUS PANCREAS/KIDNEY TRANSPLANT | 69 | 0.00 | 12 |
| 009 | BONE MARROW TRANSPLANT | 1,666 | 0.05 | 31 |
| 010 | PANCREAS TRANSPLANT | 10 | 0.00 | 9.6 |
| 011 | TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH MCC | 335 | 0.01 | 16 |
| 012 | TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH CC | 478 | 0.01 | 12 |
| 013 | TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITHOUT CC/MCC | 329 | 0.01 | 7.2 |
| 020 | INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH MCC | 595 | 0.02 | 19 |
| 021 | INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITH CC | 367 | 0.01 | 15 |
| 022 | INTRACRANIAL VASCULAR PROCEDURES WITH PRINC DIAGNOSIS HEMORRHAGE WITHOUT CC/MCC | 185 | 0.00 | 10 |
| 023 | CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITH MCC OR CHEMO IMPLANT | 1,544 | 0.04 | 15 |
| 024 | CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITHOUT MCC | 752 | 0.02 | 9.5 |
| 025 | CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH MCC | 3,487 | 0.09 | 13 |

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Statewide Totals**

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 026 | CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH CC | 4,002 | 0.11 | 7.4 |
| 027 | CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITHOUT CC/MCC | 5,804 | 0.16 | 4.1 |
| 028 | SPINAL PROCEDURES WITH MCC | 638 | 0.02 | 15 |
| 029 | SPINAL PROCEDURES WITH CC OR SPINAL NEUROSTIMULATORS | 1,350 | 0.04 | 7.3 |
| 030 | SPINAL PROCEDURES WITHOUT CC/MCC | 1,651 | 0.04 | 3.7 |
| 031 | VENTRICULAR SHUNT PROCEDURES WITH MCC | 557 | 0.02 | 14 |
| 032 | VENTRICULAR SHUNT PROCEDURES WITH CC | 1,196 | 0.03 | 5.2 |
| 033 | VENTRICULAR SHUNT PROCEDURES WITHOUT CC/MCC | 810 | 0.02 | 3.1 |
| 034 | CAROTID ARTERY STENT PROCEDURE WITH MCC | 101 | 0.00 | 7.1 |
| 035 | CAROTID ARTERY STENT PROCEDURE WITH CC | 212 | 0.01 | 3.6 |
| 036 | CAROTID ARTERY STENT PROCEDURE WITHOUT CC/MCC | 574 | 0.02 | 1.7 |
| 037 | EXTRACRANIAL PROCEDURES WITH MCC | 712 | 0.02 | 8.8 |
| 038 | EXTRACRANIAL PROCEDURES WITH CC | 1,761 | 0.05 | 3.3 |
| 039 | EXTRACRANIAL PROCEDURES WITHOUT CC/MCC | 5,143 | 0.14 | 1.7 |
| 040 | PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH MCC | 1,090 | 0.03 | 14 |
| 041 | PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH CC OR PERIPH NEUROSTIM | 1,729 | 0.05 | 6.3 |
| 042 | PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITHOUT CC/MCC | 1,303 | 0.04 | 2.6 |
| 052 | SPINAL DISORDERS & INJURIES WITH CC/MCC | 413 | 0.01 | 9.2 |
| 053 | SPINAL DISORDERS & INJURIES WITHOUT CC/MCC | 307 | 0.01 | 3.0 |
| 054 | NERVOUS SYSTEM NEOPLASMS WITH MCC | 1,736 | 0.05 | 6.1 |
| 055 | NERVOUS SYSTEM NEOPLASMS WITHOUT MCC | 3,405 | 0.09 | 4.1 |

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Statewide Totals**

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|------------|--|-----------------------------|----------------------------|-------------------------------|
| 056 | DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC | 1,668 | 0.05 | 9.5 |
| 057 | DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC | 5,635 | 0.15 | 5.1 |
| 058 | MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH MCC | 177 | 0.00 | 7.3 |
| 059 | MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH CC | 688 | 0.02 | 5.6 |
| 060 | MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITHOUT CC/MCC | 1,030 | 0.03 | 3.6 |
| 061 | ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH MCC | 453 | 0.01 | 7.8 |
| 062 | ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITH CC | 764 | 0.02 | 5.2 |
| 063 | ACUTE ISCHEMIC STROKE WITH USE OF THROMBOLYTIC AGENT WITHOUT CC/MCC | 324 | 0.01 | 3.3 |
| 064 | INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC | 12,842 | 0.35 | 7.0 |
| 065 | INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC | 19,220 | 0.52 | 4.6 |
| 066 | INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC | 13,976 | 0.38 | 2.9 |
| 067 | NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITH MCC | 236 | 0.01 | 5.7 |
| 068 | NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITHOUT MCC | 1,397 | 0.04 | 2.9 |
| 069 | TRANSIENT ISCHEMIA | 14,831 | 0.40 | 2.2 |
| 070 | NONSPECIFIC CEREBROVASCULAR DISORDERS WITH MCC | 1,976 | 0.05 | 6.8 |
| 071 | NONSPECIFIC CEREBROVASCULAR DISORDERS WITH CC | 1,668 | 0.05 | 4.4 |
| 072 | NONSPECIFIC CEREBROVASCULAR DISORDERS WITHOUT CC/MCC | 1,175 | 0.03 | 2.7 |
| 073 | CRANIAL & PERIPHERAL NERVE DISORDERS WITH MCC | 2,432 | 0.07 | 5.6 |
| 074 | CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC | 7,552 | 0.20 | 3.4 |
| 075 | VIRAL MENINGITIS WITH CC/MCC | 979 | 0.03 | 5.2 |
| 076 | VIRAL MENINGITIS WITHOUT CC/MCC | 2,943 | 0.08 | 2.7 |

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Statewide Totals**

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 077 | HYPERTENSIVE ENCEPHALOPATHY WITH MCC | 302 | 0.01 | 6.1 |
| 078 | HYPERTENSIVE ENCEPHALOPATHY WITH CC | 294 | 0.01 | 3.5 |
| 079 | HYPERTENSIVE ENCEPHALOPATHY WITHOUT CC/MCC | 158 | 0.00 | 2.4 |
| 080 | NONTRAUMATIC STUPOR & COMA WITH MCC | 921 | 0.02 | 4.8 |
| 081 | NONTRAUMATIC STUPOR & COMA WITHOUT MCC | 2,828 | 0.08 | 2.9 |
| 082 | TRAUMATIC STUPOR & COMA, COMA >1 HR WITH MCC | 777 | 0.02 | 8.6 |
| 083 | TRAUMATIC STUPOR & COMA, COMA >1 HR WITH CC | 730 | 0.02 | 5.1 |
| 084 | TRAUMATIC STUPOR & COMA, COMA >1 HR WITHOUT CC/MCC | 1,516 | 0.04 | 2.5 |
| 085 | TRAUMATIC STUPOR & COMA, COMA <1 HR WITH MCC | 1,777 | 0.05 | 7.8 |
| 086 | TRAUMATIC STUPOR & COMA, COMA <1 HR WITH CC | 2,976 | 0.08 | 4.5 |
| 087 | TRAUMATIC STUPOR & COMA, COMA <1 HR WITHOUT CC/MCC | 5,761 | 0.16 | 2.3 |
| 088 | CONCUSSION WITH MCC | 421 | 0.01 | 3.8 |
| 089 | CONCUSSION WITH CC | 1,493 | 0.04 | 2.5 |
| 090 | CONCUSSION WITHOUT CC/MCC | 3,508 | 0.09 | 1.3 |
| 091 | OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC | 2,282 | 0.06 | 7.0 |
| 092 | OTHER DISORDERS OF NERVOUS SYSTEM WITH CC | 3,463 | 0.09 | 4.0 |
| 093 | OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC | 3,894 | 0.11 | 2.5 |
| 094 | BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH MCC | 623 | 0.02 | 14 |
| 095 | BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH CC | 492 | 0.01 | 9.5 |
| 096 | BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITHOUT CC/MCC | 600 | 0.02 | 6.6 |
| 097 | NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH MCC | 449 | 0.01 | 14 |

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Statewide Totals**

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 098 | NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH CC | 472 | 0.01 | 8.8 |
| 099 | NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITHOUT CC/MCC | 531 | 0.01 | 5.2 |
| 100 | SEIZURES WITH MCC | 5,428 | 0.15 | 5.1 |
| 101 | SEIZURES WITHOUT MCC | 19,064 | 0.52 | 2.7 |
| 102 | HEADACHES WITH MCC | 463 | 0.01 | 3.8 |
| 103 | HEADACHES WITHOUT MCC | 6,184 | 0.17 | 2.4 |
| 113 | ORBITAL PROCEDURES WITH CC/MCC | 363 | 0.01 | 4.5 |
| 114 | ORBITAL PROCEDURES WITHOUT CC/MCC | 393 | 0.01 | 2.6 |
| 115 | EXTRAOCULAR PROCEDURES EXCEPT ORBIT | 423 | 0.01 | 3.0 |
| 116 | INTRAOCULAR PROCEDURES WITH CC/MCC | 230 | 0.01 | 4.1 |
| 117 | INTRAOCULAR PROCEDURES WITHOUT CC/MCC | 515 | 0.01 | 1.7 |
| 121 | ACUTE MAJOR EYE INFECTIONS WITH CC/MCC | 291 | 0.01 | 4.6 |
| 122 | ACUTE MAJOR EYE INFECTIONS WITHOUT CC/MCC | 527 | 0.01 | 3.3 |
| 123 | NEUROLOGICAL EYE DISORDERS | 967 | 0.03 | 2.7 |
| 124 | OTHER DISORDERS OF THE EYE WITH MCC | 257 | 0.01 | 5.2 |
| 125 | OTHER DISORDERS OF THE EYE WITHOUT MCC | 1,916 | 0.05 | 2.7 |
| 129 | MAJOR HEAD & NECK PROCEDURES WITH CC/MCC OR MAJOR DEVICE | 370 | 0.01 | 4.9 |
| 130 | MAJOR HEAD & NECK PROCEDURES WITHOUT CC/MCC | 380 | 0.01 | 2.8 |
| 131 | CRANIAL/FACIAL PROCEDURES WITH CC/MCC | 1,036 | 0.03 | 4.5 |
| 132 | CRANIAL/FACIAL PROCEDURES WITHOUT CC/MCC | 2,950 | 0.08 | 1.9 |
| 133 | OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITH CC/MCC | 1,577 | 0.04 | 4.6 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Statewide Totals*

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|-------------------------|---------------------------|------------------------------|
| 134 | OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITHOUT CC/MCC | 5,636 | 0.15 | 1.7 |
| 135 | SINUS & MASTOID PROCEDURES WITH CC/MCC | 216 | 0.01 | 5.9 |
| 136 | SINUS & MASTOID PROCEDURES WITHOUT CC/MCC | 219 | 0.01 | 2.3 |
| 137 | MOUTH PROCEDURES WITH CC/MCC | 323 | 0.01 | 3.8 |
| 138 | MOUTH PROCEDURES WITHOUT CC/MCC | 446 | 0.01 | 2.2 |
| 139 | SALIVARY GLAND PROCEDURES | 750 | 0.02 | 1.5 |
| 146 | EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH MCC | 213 | 0.01 | 9.5 |
| 147 | EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH CC | 355 | 0.01 | 5.6 |
| 148 | EAR, NOSE, MOUTH & THROAT MALIGNANCY WITHOUT CC/MCC | 236 | 0.01 | 3.6 |
| 149 | DYSEQUILIBRIUM | 5,864 | 0.16 | 2.1 |
| 150 | EPISTAXIS WITH MCC | 216 | 0.01 | 4.2 |
| 151 | EPISTAXIS WITHOUT MCC | 929 | 0.03 | 2.5 |
| 152 | OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITH MCC | 1,575 | 0.04 | 4.9 |
| 153 | OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITHOUT MCC | 12,390 | 0.33 | 2.4 |
| 154 | OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH MCC | 617 | 0.02 | 6.0 |
| 155 | OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH CC | 1,539 | 0.04 | 3.6 |
| 156 | OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITHOUT CC/MCC | 2,058 | 0.06 | 2.2 |
| 157 | DENTAL & ORAL DISEASES WITH MCC | 436 | 0.01 | 5.6 |
| 158 | DENTAL & ORAL DISEASES WITH CC | 1,603 | 0.04 | 3.3 |
| 159 | DENTAL & ORAL DISEASES WITHOUT CC/MCC | 1,433 | 0.04 | 2.2 |
| 163 | MAJOR CHEST PROCEDURES WITH MCC | 3,306 | 0.09 | 14 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Statewide Totals*

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 164 | MAJOR CHEST PROCEDURES WITH CC | 3,773 | 0.10 | 7.0 |
| 165 | MAJOR CHEST PROCEDURES WITHOUT CC/MCC | 3,169 | 0.09 | 4.4 |
| 166 | OTHER RESP SYSTEM O.R. PROCEDURES WITH MCC | 3,606 | 0.10 | 16 |
| 167 | OTHER RESP SYSTEM O.R. PROCEDURES WITH CC | 2,876 | 0.08 | 7.3 |
| 168 | OTHER RESP SYSTEM O.R. PROCEDURES WITHOUT CC/MCC | 1,126 | 0.03 | 4.4 |
| 175 | PULMONARY EMBOLISM WITH MCC | 2,631 | 0.07 | 6.2 |
| 176 | PULMONARY EMBOLISM WITHOUT MCC | 7,749 | 0.21 | 4.0 |
| 177 | RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC | 13,233 | 0.36 | 9.9 |
| 178 | RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC | 10,602 | 0.29 | 7.4 |
| 179 | RESPIRATORY INFECTIONS & INFLAMMATIONS WITHOUT CC/MCC | 3,731 | 0.10 | 6.1 |
| 180 | RESPIRATORY NEOPLASMS WITH MCC | 4,034 | 0.11 | 7.2 |
| 181 | RESPIRATORY NEOPLASMS WITH CC | 4,799 | 0.13 | 5.1 |
| 182 | RESPIRATORY NEOPLASMS WITHOUT CC/MCC | 673 | 0.02 | 3.5 |
| 183 | MAJOR CHEST TRAUMA WITH MCC | 685 | 0.02 | 5.3 |
| 184 | MAJOR CHEST TRAUMA WITH CC | 1,278 | 0.03 | 6.2 |
| 185 | MAJOR CHEST TRAUMA WITHOUT CC/MCC | 616 | 0.02 | 2.3 |
| 186 | PLEURAL EFFUSION WITH MCC | 1,978 | 0.05 | 6.6 |
| 187 | PLEURAL EFFUSION WITH CC | 1,788 | 0.05 | 4.3 |
| 188 | PLEURAL EFFUSION WITHOUT CC/MCC | 710 | 0.02 | 3.1 |
| 189 | PULMONARY EDEMA & RESPIRATORY FAILURE | 13,253 | 0.36 | 6.6 |
| 190 | CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC | 19,816 | 0.54 | 5.3 |

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Statewide Totals**

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|-------------------------|---------------------------|------------------------------|
| 191 | CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC | 17,433 | 0.47 | 4.2 |
| 192 | CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC | 18,785 | 0.51 | 3.2 |
| 193 | SIMPLE PNEUMONIA & PLEURISY WITH MCC | 20,825 | 0.56 | 6.1 |
| 194 | SIMPLE PNEUMONIA & PLEURISY WITH CC | 39,790 | 1.07 | 4.2 |
| 195 | SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC | 26,625 | 0.72 | 3.0 |
| 196 | INTERSTITIAL LUNG DISEASE WITH MCC | 1,299 | 0.04 | 7.4 |
| 197 | INTERSTITIAL LUNG DISEASE WITH CC | 1,177 | 0.03 | 5.3 |
| 198 | INTERSTITIAL LUNG DISEASE WITHOUT CC/MCC | 735 | 0.02 | 3.6 |
| 199 | PNEUMOTHORAX WITH MCC | 898 | 0.02 | 7.4 |
| 200 | PNEUMOTHORAX WITH CC | 2,499 | 0.07 | 3.9 |
| 201 | PNEUMOTHORAX WITHOUT CC/MCC | 1,811 | 0.05 | 3.0 |
| 202 | BRONCHITIS & ASTHMA WITH CC/MCC | 14,453 | 0.39 | 3.5 |
| 203 | BRONCHITIS & ASTHMA WITHOUT CC/MCC | 26,975 | 0.73 | 2.3 |
| 204 | RESPIRATORY SIGNS & SYMPTOMS | 6,206 | 0.17 | 2.3 |
| 205 | OTHER RESPIRATORY SYSTEM DIAGNOSIS WITH MCC | 1,617 | 0.04 | 7.6 |
| 206 | OTHER RESPIRATORY SYSTEM DIAGNOSIS WITHOUT MCC | 5,795 | 0.16 | 2.5 |
| 207 | RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS | 10,466 | 0.28 | 21 |
| 208 | RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS | 14,396 | 0.39 | 6.6 |
| 215 | OTHER HEART ASSIST SYSTEM IMPLANT | 40 | 0.00 | 16 |
| 216 | CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH MCC | 1,667 | 0.05 | 18 |
| 217 | CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH CC | 1,003 | 0.03 | 11 |

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Statewide Totals**

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 218 | CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITHOUT CC/MCC | 264 | 0.01 | 8.3 |
| 219 | CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH MCC | 2,739 | 0.07 | 13 |
| 220 | CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITH CC | 3,539 | 0.10 | 7.6 |
| 221 | CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITHOUT CARD CATH WITHOUT CC/MCC | 1,243 | 0.03 | 5.9 |
| 222 | CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITH MCC | 453 | 0.01 | 12 |
| 223 | CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITH AMI/HF/SHOCK WITHOUT MCC | 518 | 0.01 | 5.6 |
| 224 | CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITH MCC | 537 | 0.01 | 9.4 |
| 225 | CARDIAC DEFIB IMPLANT WITH CARDIAC CATH WITHOUT AMI/HF/SHOCK WITHOUT MCC | 649 | 0.02 | 4.6 |
| 226 | CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITH MCC | 1,214 | 0.03 | 7.6 |
| 227 | CARDIAC DEFIBRILLATOR IMPLANT WITHOUT CARDIAC CATH WITHOUT MCC | 4,289 | 0.12 | 2.5 |
| 228 | OTHER CARDIOTHORACIC PROCEDURES WITH MCC | 1,099 | 0.03 | 17 |
| 229 | OTHER CARDIOTHORACIC PROCEDURES WITH CC | 1,093 | 0.03 | 7.9 |
| 230 | OTHER CARDIOTHORACIC PROCEDURES WITHOUT CC/MCC | 470 | 0.01 | 4.6 |
| 231 | CORONARY BYPASS WITH PTCA WITH MCC | 309 | 0.01 | 12 |
| 232 | CORONARY BYPASS WITH PTCA WITHOUT MCC | 242 | 0.01 | 8.8 |
| 233 | CORONARY BYPASS WITH CARDIAC CATH WITH MCC | 2,585 | 0.07 | 13 |
| 234 | CORONARY BYPASS WITH CARDIAC CATH WITHOUT MCC | 4,529 | 0.12 | 8.3 |
| 235 | CORONARY BYPASS WITHOUT CARDIAC CATH WITH MCC | 1,324 | 0.04 | 11 |
| 236 | CORONARY BYPASS WITHOUT CARDIAC CATH WITHOUT MCC | 3,667 | 0.10 | 6.4 |
| 237 | MAJOR CARDIOVASC PROCEDURES WITH MCC OR THORACIC AORTIC ANEURYSM REPAIR | 4,378 | 0.12 | 12 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Statewide Totals*

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|-----------------------------|----------------------------|-------------------------------|
| 238 | MAJOR CARDIOVASC PROCEDURES WITHOUT MCC | 5,646 | 0.15 | 4.5 |
| 239 | AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH MCC | 1,590 | 0.04 | 16 |
| 240 | AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH CC | 1,436 | 0.04 | 9.8 |
| 241 | AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITHOUT CC/MCC | 159 | 0.00 | 6.5 |
| 242 | PERMANENT CARDIAC PACEMAKER IMPLANT WITH MCC | 3,130 | 0.08 | 7.2 |
| 243 | PERMANENT CARDIAC PACEMAKER IMPLANT WITH CC | 4,716 | 0.13 | 4.1 |
| 244 | PERMANENT CARDIAC PACEMAKER IMPLANT WITHOUT CC/MCC | 6,542 | 0.18 | 2.5 |
| 245 | AICD GENERATOR PROCEDURES | 584 | 0.02 | 3.1 |
| 246 | PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITH MCC OR 4+ VESSELS/STENTS | 6,570 | 0.18 | 4.4 |
| 247 | PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITHOUT MCC | 28,616 | 0.77 | 2.0 |
| 248 | PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITH MCC OR 4+ VES/STENTS | 1,964 | 0.05 | 5.7 |
| 249 | PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITHOUT MCC | 6,505 | 0.18 | 2.4 |
| 250 | PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITH MCC | 1,236 | 0.03 | 6.5 |
| 251 | PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITHOUT MCC | 8,373 | 0.23 | 2.0 |
| 252 | OTHER VASCULAR PROCEDURES WITH MCC | 6,558 | 0.18 | 7.7 |
| 253 | OTHER VASCULAR PROCEDURES WITH CC | 5,382 | 0.15 | 5.5 |
| 254 | OTHER VASCULAR PROCEDURES WITHOUT CC/MCC | 5,242 | 0.14 | 2.6 |
| 255 | UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH MCC | 488 | 0.01 | 9.1 |
| 256 | UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH CC | 733 | 0.02 | 6.5 |
| 257 | UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITHOUT CC/MCC | 84 | 0.00 | 4.0 |
| 258 | CARDIAC PACEMAKER DEVICE REPLACEMENT WITH MCC | 150 | 0.00 | 5.7 |

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Statewide Totals**

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 259 | CARDIAC PACEMAKER DEVICE REPLACEMENT WITHOUT MCC | 699 | 0.02 | 2.4 |
| 260 | CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH MCC | 302 | 0.01 | 9.2 |
| 261 | CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITH CC | 483 | 0.01 | 3.8 |
| 262 | CARDIAC PACEMAKER REVISION EXCEPT DEVICE REPLACEMENT WITHOUT CC/MCC | 380 | 0.01 | 2.5 |
| 263 | VEIN LIGATION & STRIPPING | 173 | 0.00 | 4.0 |
| 264 | OTHER CIRCULATORY SYSTEM O.R. PROCEDURES | 3,926 | 0.11 | 8.4 |
| 265 | AICD LEAD PROCEDURES | 249 | 0.01 | 3.3 |
| 280 | ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH MCC | 11,563 | 0.31 | 5.9 |
| 281 | ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH CC | 7,086 | 0.19 | 3.4 |
| 282 | ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITHOUT CC/MCC | 8,808 | 0.24 | 2.2 |
| 283 | ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH MCC | 2,153 | 0.06 | 4.9 |
| 284 | ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH CC | 318 | 0.01 | 2.3 |
| 285 | ACUTE MYOCARDIAL INFARCTION, EXPIRED WITHOUT CC/MCC | 162 | 0.00 | 1.3 |
| 286 | CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITH MCC | 4,478 | 0.12 | 6.8 |
| 287 | CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITHOUT MCC | 21,638 | 0.58 | 2.7 |
| 288 | ACUTE & SUBACUTE ENDOCARDITIS WITH MCC | 671 | 0.02 | 13 |
| 289 | ACUTE & SUBACUTE ENDOCARDITIS WITH CC | 314 | 0.01 | 8.9 |
| 290 | ACUTE & SUBACUTE ENDOCARDITIS WITHOUT CC/MCC | 101 | 0.00 | 5.3 |
| 291 | HEART FAILURE & SHOCK WITH MCC | 32,932 | 0.89 | 5.7 |
| 292 | HEART FAILURE & SHOCK WITH CC | 27,326 | 0.74 | 4.0 |
| 293 | HEART FAILURE & SHOCK WITHOUT CC/MCC | 17,268 | 0.47 | 2.9 |

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Statewide Totals**

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|-----------------------------|----------------------------|-------------------------------|
| 294 | DEEP VEIN THROMBOPHLEBITIS WITH CC/MCC | 230 | 0.01 | 5.5 |
| 295 | DEEP VEIN THROMBOPHLEBITIS WITHOUT CC/MCC | 120 | 0.00 | 3.4 |
| 296 | CARDIAC ARREST, UNEXPLAINED WITH MCC | 399 | 0.01 | 3.1 |
| 297 | CARDIAC ARREST, UNEXPLAINED WITH CC | 104 | 0.00 | 1.4 |
| 298 | CARDIAC ARREST, UNEXPLAINED WITHOUT CC/MCC | 57 | 0.00 | .81 |
| 299 | PERIPHERAL VASCULAR DISORDERS WITH MCC | 4,236 | 0.11 | 5.9 |
| 300 | PERIPHERAL VASCULAR DISORDERS WITH CC | 6,961 | 0.19 | 4.5 |
| 301 | PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC | 4,723 | 0.13 | 3.1 |
| 302 | ATHEROSCLEROSIS WITH MCC | 1,818 | 0.05 | 3.7 |
| 303 | ATHEROSCLEROSIS WITHOUT MCC | 10,449 | 0.28 | 2.1 |
| 304 | HYPERTENSION WITH MCC | 681 | 0.02 | 3.8 |
| 305 | HYPERTENSION WITHOUT MCC | 6,569 | 0.18 | 2.3 |
| 306 | CARDIAC CONGENITAL & VALVULAR DISORDERS WITH MCC | 800 | 0.02 | 7.2 |
| 307 | CARDIAC CONGENITAL & VALVULAR DISORDERS WITHOUT MCC | 1,526 | 0.04 | 3.3 |
| 308 | CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH MCC | 9,453 | 0.26 | 4.4 |
| 309 | CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC | 13,993 | 0.38 | 3.1 |
| 310 | CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITHOUT CC/MCC | 21,999 | 0.59 | 2.0 |
| 311 | ANGINA PECTORIS | 6,099 | 0.16 | 1.9 |
| 312 | SYNCOPE & COLLAPSE | 26,169 | 0.71 | 2.3 |
| 313 | CHEST PAIN | 59,957 | 1.62 | 1.6 |
| 314 | OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC | 11,536 | 0.31 | 6.9 |

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Statewide Totals**

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|-----------------------------|----------------------------|-------------------------------|
| 315 | OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC | 5,336 | 0.14 | 4.2 |
| 316 | OTHER CIRCULATORY SYSTEM DIAGNOSIS WITHOUT CC/MCC | 2,869 | 0.08 | 2.3 |
| 326 | STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH MCC | 2,795 | 0.08 | 17 |
| 327 | STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITH CC | 3,054 | 0.08 | 8.6 |
| 328 | STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITHOUT CC/MCC | 4,370 | 0.12 | 3.4 |
| 329 | MAJOR SMALL & LARGE BOWEL PROCEDURES WITH MCC | 9,041 | 0.24 | 16 |
| 330 | MAJOR SMALL & LARGE BOWEL PROCEDURES WITH CC | 13,851 | 0.37 | 8.6 |
| 331 | MAJOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC | 8,223 | 0.22 | 5.0 |
| 332 | RECTAL RESECTION WITH MCC | 358 | 0.01 | 14 |
| 333 | RECTAL RESECTION WITH CC | 1,311 | 0.04 | 7.7 |
| 334 | RECTAL RESECTION WITHOUT CC/MCC | 987 | 0.03 | 5.0 |
| 335 | PERITONEAL ADHESIOLYSIS WITH MCC | 1,350 | 0.04 | 13 |
| 336 | PERITONEAL ADHESIOLYSIS WITH CC | 3,077 | 0.08 | 7.9 |
| 337 | PERITONEAL ADHESIOLYSIS WITHOUT CC/MCC | 3,001 | 0.08 | 4.3 |
| 338 | APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC | 568 | 0.02 | 8.9 |
| 339 | APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH CC | 2,275 | 0.06 | 6.5 |
| 340 | APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC | 7,286 | 0.20 | 3.9 |
| 341 | APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC | 547 | 0.01 | 4.7 |
| 342 | APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH CC | 2,613 | 0.07 | 2.7 |
| 343 | APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC | 29,085 | 0.79 | 1.5 |
| 344 | MINOR SMALL & LARGE BOWEL PROCEDURES WITH MCC | 181 | 0.00 | 13 |

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Statewide Totals**

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|-------------------------|---------------------------|------------------------------|
| 345 | MINOR SMALL & LARGE BOWEL PROCEDURES WITH CC | 931 | 0.03 | 6.4 |
| 346 | MINOR SMALL & LARGE BOWEL PROCEDURES WITHOUT CC/MCC | 1,084 | 0.03 | 4.5 |
| 347 | ANAL & STOMAL PROCEDURES WITH MCC | 406 | 0.01 | 8.0 |
| 348 | ANAL & STOMAL PROCEDURES WITH CC | 1,316 | 0.04 | 4.4 |
| 349 | ANAL & STOMAL PROCEDURES WITHOUT CC/MCC | 2,669 | 0.07 | 2.3 |
| 350 | INGUINAL & FEMORAL HERNIA PROCEDURES WITH MCC | 363 | 0.01 | 6.9 |
| 351 | INGUINAL & FEMORAL HERNIA PROCEDURES WITH CC | 852 | 0.02 | 3.8 |
| 352 | INGUINAL & FEMORAL HERNIA PROCEDURES WITHOUT CC/MCC | 2,356 | 0.06 | 1.7 |
| 353 | HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH MCC | 634 | 0.02 | 9.4 |
| 354 | HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH CC | 2,319 | 0.06 | 4.5 |
| 355 | HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITHOUT CC/MCC | 4,803 | 0.13 | 2.3 |
| 356 | OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH MCC | 1,548 | 0.04 | 13 |
| 357 | OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH CC | 1,606 | 0.04 | 6.5 |
| 358 | OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC | 1,155 | 0.03 | 3.5 |
| 368 | MAJOR ESOPHAGEAL DISORDERS WITH MCC | 988 | 0.03 | 5.9 |
| 369 | MAJOR ESOPHAGEAL DISORDERS WITH CC | 1,347 | 0.04 | 3.6 |
| 370 | MAJOR ESOPHAGEAL DISORDERS WITHOUT CC/MCC | 860 | 0.02 | 2.5 |
| 371 | MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH MCC | 5,019 | 0.14 | 8.3 |
| 372 | MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH CC | 5,530 | 0.15 | 6.0 |
| 373 | MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITHOUT CC/MCC | 3,504 | 0.09 | 4.1 |
| 374 | DIGESTIVE MALIGNANCY WITH MCC | 2,320 | 0.06 | 8.5 |

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Statewide Totals**

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|-----------------------------|----------------------------|-------------------------------|
| 375 | DIGESTIVE MALIGNANCY WITH CC | 4,030 | 0.11 | 5.5 |
| 376 | DIGESTIVE MALIGNANCY WITHOUT CC/MCC | 783 | 0.02 | 3.8 |
| 377 | G.I. HEMORRHAGE WITH MCC | 10,621 | 0.29 | 5.3 |
| 378 | G.I. HEMORRHAGE WITH CC | 20,214 | 0.55 | 3.4 |
| 379 | G.I. HEMORRHAGE WITHOUT CC/MCC | 12,723 | 0.34 | 2.5 |
| 380 | COMPLICATED PEPTIC ULCER WITH MCC | 826 | 0.02 | 6.8 |
| 381 | COMPLICATED PEPTIC ULCER WITH CC | 1,224 | 0.03 | 4.3 |
| 382 | COMPLICATED PEPTIC ULCER WITHOUT CC/MCC | 931 | 0.03 | 3.1 |
| 383 | UNCOMPLICATED PEPTIC ULCER WITH MCC | 319 | 0.01 | 4.5 |
| 384 | UNCOMPLICATED PEPTIC ULCER WITHOUT MCC | 1,942 | 0.05 | 3.0 |
| 385 | INFLAMMATORY BOWEL DISEASE WITH MCC | 813 | 0.02 | 7.4 |
| 386 | INFLAMMATORY BOWEL DISEASE WITH CC | 3,008 | 0.08 | 5.3 |
| 387 | INFLAMMATORY BOWEL DISEASE WITHOUT CC/MCC | 2,568 | 0.07 | 3.9 |
| 388 | G.I. OBSTRUCTION WITH MCC | 4,201 | 0.11 | 6.3 |
| 389 | G.I. OBSTRUCTION WITH CC | 9,524 | 0.26 | 4.1 |
| 390 | G.I. OBSTRUCTION WITHOUT CC/MCC | 11,476 | 0.31 | 2.8 |
| 391 | ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITH MCC | 11,847 | 0.32 | 4.4 |
| 392 | ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC | 67,514 | 1.82 | 2.7 |
| 393 | OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH MCC | 5,599 | 0.15 | 7.0 |
| 394 | OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH CC | 10,364 | 0.28 | 4.1 |
| 395 | OTHER DIGESTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC | 7,416 | 0.20 | 2.4 |

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Statewide Totals**

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 405 | PANCREAS, LIVER & SHUNT PROCEDURES WITH MCC | 1,416 | 0.04 | 17 |
| 406 | PANCREAS, LIVER & SHUNT PROCEDURES WITH CC | 1,631 | 0.04 | 8.6 |
| 407 | PANCREAS, LIVER & SHUNT PROCEDURES WITHOUT CC/MCC | 835 | 0.02 | 5.8 |
| 408 | BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH MCC | 399 | 0.01 | 13 |
| 409 | BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH CC | 402 | 0.01 | 8.4 |
| 410 | BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC | 204 | 0.01 | 6.2 |
| 411 | CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH MCC | 161 | 0.00 | 11 |
| 412 | CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITH CC | 200 | 0.01 | 8.2 |
| 413 | CHOLECYSTECTOMY WITH COMMON DUCT EXPLORE WITHOUT CC/MCC | 250 | 0.01 | 5.0 |
| 414 | CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH MCC | 1,073 | 0.03 | 11 |
| 415 | CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITH CC | 1,373 | 0.04 | 6.7 |
| 416 | CHOLECYSTECTOMY EXCEPT BY LAPAROSCOPE WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC | 1,675 | 0.05 | 4.3 |
| 417 | LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH MCC | 5,773 | 0.16 | 6.3 |
| 418 | LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH CC | 9,260 | 0.25 | 4.1 |
| 419 | LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC | 23,080 | 0.62 | 2.4 |
| 420 | HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH MCC | 216 | 0.01 | 14 |
| 421 | HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITH CC | 276 | 0.01 | 6.4 |
| 422 | HEPATOBIILIARY DIAGNOSIS NOSTIC PROCEDURES WITHOUT CC/MCC | 114 | 0.00 | 4.5 |
| 423 | OTHER HEPATOBIILIARY OR PANCREAS O.R. PROCEDURES WITH MCC | 421 | 0.01 | 15 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Statewide Totals*

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 424 | OTHER HEPATOBILIARY OR PANCREAS O.R. PROCEDURES WITH CC | 169 | 0.00 | 8.4 |
| 425 | OTHER HEPATOBILIARY OR PANCREAS O.R. PROCEDURES WITHOUT CC/MCC | 45 | 0.00 | 5.2 |
| 432 | CIRRHOSIS & ALCOHOLIC HEPATITIS WITH MCC | 6,439 | 0.17 | 6.2 |
| 433 | CIRRHOSIS & ALCOHOLIC HEPATITIS WITH CC | 3,429 | 0.09 | 3.7 |
| 434 | CIRRHOSIS & ALCOHOLIC HEPATITIS WITHOUT CC/MCC | 327 | 0.01 | 2.7 |
| 435 | MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITH MCC | 3,340 | 0.09 | 6.6 |
| 436 | MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITH CC | 2,821 | 0.08 | 4.9 |
| 437 | MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITHOUT CC/MCC | 738 | 0.02 | 3.2 |
| 438 | DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH MCC | 5,235 | 0.14 | 7.2 |
| 439 | DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH CC | 9,553 | 0.26 | 4.5 |
| 440 | DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITHOUT CC/MCC | 11,841 | 0.32 | 3.2 |
| 441 | DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH MCC | 7,297 | 0.20 | 7.1 |
| 442 | DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH CC | 6,441 | 0.17 | 4.3 |
| 443 | DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITHOUT CC/MCC | 2,955 | 0.08 | 3.2 |
| 444 | DISORDERS OF THE BILIARY TRACT WITH MCC | 3,809 | 0.10 | 5.4 |
| 445 | DISORDERS OF THE BILIARY TRACT WITH CC | 4,465 | 0.12 | 3.9 |
| 446 | DISORDERS OF THE BILIARY TRACT WITHOUT CC/MCC | 6,515 | 0.18 | 2.5 |
| 453 | COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH MCC | 506 | 0.01 | 13 |
| 454 | COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITH CC | 1,744 | 0.05 | 6.5 |
| 455 | COMBINED ANTERIOR/POSTERIOR SPINAL FUSION WITHOUT CC/MCC | 1,828 | 0.05 | 4.3 |
| 456 | SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH MCC | 406 | 0.01 | 14 |

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Statewide Totals**

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 457 | SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITH CC | 1,026 | 0.03 | 7.6 |
| 458 | SPINAL FUSION EXCEPT CERVICAL WITH SPINAL CURV/MALIG/INFEC OR 9+ FUSION WITHOUT CC/MCC | 909 | 0.02 | 5.1 |
| 459 | SPINAL FUSION EXCEPT CERVICAL WITH MCC | 812 | 0.02 | 9.5 |
| 460 | SPINAL FUSION EXCEPT CERVICAL WITHOUT MCC | 14,468 | 0.39 | 4.2 |
| 461 | BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITH MCC | 101 | 0.00 | 8.4 |
| 462 | BILATERAL OR MULTIPLE MAJOR JOINT PROCS OF LOWER EXTREMITY WITHOUT MCC | 1,862 | 0.05 | 4.0 |
| 463 | WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH MCC | 1,058 | 0.03 | 23 |
| 464 | WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH CC | 1,692 | 0.05 | 12 |
| 465 | WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITHOUT CC/MCC | 891 | 0.02 | 5.6 |
| 466 | REVISION OF HIP OR KNEE REPLACEMENT WITH MCC | 576 | 0.02 | 8.6 |
| 467 | REVISION OF HIP OR KNEE REPLACEMENT WITH CC | 2,730 | 0.07 | 4.8 |
| 468 | REVISION OF HIP OR KNEE REPLACEMENT WITHOUT CC/MCC | 3,338 | 0.09 | 3.4 |
| 469 | MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITH MCC | 4,247 | 0.11 | 7.4 |
| 470 | MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITHOUT MCC | 76,611 | 2.07 | 3.4 |
| 471 | CERVICAL SPINAL FUSION WITH MCC | 678 | 0.02 | 9.1 |
| 472 | CERVICAL SPINAL FUSION WITH CC | 2,425 | 0.07 | 3.8 |
| 473 | CERVICAL SPINAL FUSION WITHOUT CC/MCC | 9,039 | 0.24 | 2.0 |
| 474 | AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH MCC | 452 | 0.01 | 14 |
| 475 | AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH CC | 641 | 0.02 | 7.8 |
| 476 | AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITHOUT CC/MCC | 265 | 0.01 | 4.3 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Statewide Totals*

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|-------------------------|---------------------------|------------------------------|
| 477 | BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC | 445 | 0.01 | 12 |
| 478 | BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC | 1,200 | 0.03 | 7.2 |
| 479 | BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC | 875 | 0.02 | 3.6 |
| 480 | HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH MCC | 4,227 | 0.11 | 8.4 |
| 481 | HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH CC | 10,627 | 0.29 | 5.3 |
| 482 | HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITHOUT CC/MCC | 8,720 | 0.24 | 3.8 |
| 483 | MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITH CC/MCC | 1,334 | 0.04 | 3.7 |
| 484 | MAJOR JOINT & LIMB REATTACHMENT PROCEDURE OF UPPER EXTREMITY WITHOUT CC/MCC | 2,952 | 0.08 | 2.1 |
| 485 | KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH MCC | 203 | 0.01 | 11 |
| 486 | KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH CC | 503 | 0.01 | 7.5 |
| 487 | KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC | 389 | 0.01 | 5.0 |
| 488 | KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITH CC/MCC | 808 | 0.02 | 4.7 |
| 489 | KNEE PROCEDURES WITHOUT PRINC DIAGNOSIS OF INFECTION WITHOUT CC/MCC | 2,616 | 0.07 | 2.1 |
| 490 | BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITH CC/MCC OR DISC DEVICE/NEUROSTIM | 5,645 | 0.15 | 4.2 |
| 491 | BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITHOUT CC/MCC | 14,372 | 0.39 | 1.9 |
| 492 | LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH MCC | 1,247 | 0.03 | 7.7 |
| 493 | LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH CC | 5,091 | 0.14 | 4.7 |
| 494 | LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITHOUT CC/MCC | 16,084 | 0.43 | 2.4 |
| 495 | LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH MCC | 376 | 0.01 | 11 |
| 496 | LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH CC | 1,672 | 0.05 | 5.7 |
| 497 | LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITHOUT CC/MCC | 2,875 | 0.08 | 2.4 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Statewide Totals*

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|-------------------------|---------------------------|------------------------------|
| 498 | LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITH CC/MCC | 321 | 0.01 | 6.7 |
| 499 | LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES OF HIP & FEMUR WITHOUT CC/MCC | 504 | 0.01 | 2.2 |
| 500 | SOFT TISSUE PROCEDURES WITH MCC | 591 | 0.02 | 10 |
| 501 | SOFT TISSUE PROCEDURES WITH CC | 1,789 | 0.05 | 4.9 |
| 502 | SOFT TISSUE PROCEDURES WITHOUT CC/MCC | 3,174 | 0.09 | 2.2 |
| 503 | FOOT PROCEDURES WITH MCC | 200 | 0.01 | 9.0 |
| 504 | FOOT PROCEDURES WITH CC | 745 | 0.02 | 5.3 |
| 505 | FOOT PROCEDURES WITHOUT CC/MCC | 1,650 | 0.04 | 2.3 |
| 506 | MAJOR THUMB OR JOINT PROCEDURES | 385 | 0.01 | 2.8 |
| 507 | MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITH CC/MCC | 213 | 0.01 | 4.6 |
| 508 | MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITHOUT CC/MCC | 622 | 0.02 | 1.9 |
| 509 | ARTHROSCOPY | 116 | 0.00 | 3.6 |
| 510 | SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH MCC | 216 | 0.01 | 5.2 |
| 511 | SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITH CC | 1,049 | 0.03 | 3.2 |
| 512 | SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITHOUT CC/MCC | 4,444 | 0.12 | 1.8 |
| 513 | HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITH CC/MCC | 843 | 0.02 | 3.4 |
| 514 | HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITHOUT CC/MCC | 1,471 | 0.04 | 1.9 |
| 515 | OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH MCC | 763 | 0.02 | 11 |
| 516 | OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITH CC | 1,916 | 0.05 | 5.7 |
| 517 | OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITHOUT CC/MCC | 2,876 | 0.08 | 2.8 |
| 533 | FRACTURES OF FEMUR WITH MCC | 142 | 0.00 | 6.5 |

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Statewide Totals**

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|-----------------------------|----------------------------|-------------------------------|
| 534 | FRACTURES OF FEMUR WITHOUT MCC | 896 | 0.02 | 2.7 |
| 535 | FRACTURES OF HIP & PELVIS WITH MCC | 1,265 | 0.03 | 5.3 |
| 536 | FRACTURES OF HIP & PELVIS WITHOUT MCC | 4,555 | 0.12 | 3.2 |
| 537 | SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITH CC/MCC | 179 | 0.00 | 4.0 |
| 538 | SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITHOUT CC/MCC | 166 | 0.00 | 1.8 |
| 539 | OSTEOMYELITIS WITH MCC | 788 | 0.02 | 15 |
| 540 | OSTEOMYELITIS WITH CC | 1,070 | 0.03 | 8.6 |
| 541 | OSTEOMYELITIS WITHOUT CC/MCC | 522 | 0.01 | 6.1 |
| 542 | PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH MCC | 1,124 | 0.03 | 8.0 |
| 543 | PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH CC | 2,613 | 0.07 | 5.3 |
| 544 | PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITHOUT CC/MCC | 955 | 0.03 | 3.6 |
| 545 | CONNECTIVE TISSUE DISORDERS WITH MCC | 1,379 | 0.04 | 9.2 |
| 546 | CONNECTIVE TISSUE DISORDERS WITH CC | 1,829 | 0.05 | 4.8 |
| 547 | CONNECTIVE TISSUE DISORDERS WITHOUT CC/MCC | 1,999 | 0.05 | 3.1 |
| 548 | SEPTIC ARTHRITIS WITH MCC | 153 | 0.00 | 12 |
| 549 | SEPTIC ARTHRITIS WITH CC | 325 | 0.01 | 6.1 |
| 550 | SEPTIC ARTHRITIS WITHOUT CC/MCC | 256 | 0.01 | 3.8 |
| 551 | MEDICAL BACK PROBLEMS WITH MCC | 2,289 | 0.06 | 5.9 |
| 552 | MEDICAL BACK PROBLEMS WITHOUT MCC | 15,890 | 0.43 | 3.2 |
| 553 | BONE DISEASES & ARTHROPATHIES WITH MCC | 606 | 0.02 | 5.0 |
| 554 | BONE DISEASES & ARTHROPATHIES WITHOUT MCC | 2,811 | 0.08 | 2.7 |

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Statewide Totals**

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 555 | SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITH MCC | 531 | 0.01 | 4.3 |
| 556 | SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC | 3,678 | 0.10 | 2.6 |
| 557 | TENDONITIS, MYOSITIS & BURSITIS WITH MCC | 1,106 | 0.03 | 5.9 |
| 558 | TENDONITIS, MYOSITIS & BURSITIS WITHOUT MCC | 3,576 | 0.10 | 3.4 |
| 559 | AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC | 476 | 0.01 | 12 |
| 560 | AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC | 1,066 | 0.03 | 6.7 |
| 561 | AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC | 1,142 | 0.03 | 2.8 |
| 562 | FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITH MCC | 1,298 | 0.04 | 5.2 |
| 563 | FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC | 8,177 | 0.22 | 2.4 |
| 564 | OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH MCC | 466 | 0.01 | 7.4 |
| 565 | OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH CC | 987 | 0.03 | 4.4 |
| 566 | OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITHOUT CC/MCC | 829 | 0.02 | 2.5 |
| 573 | SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH MCC | 1,145 | 0.03 | 21 |
| 574 | SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH CC | 2,058 | 0.06 | 12 |
| 575 | SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC | 1,222 | 0.03 | 5.6 |
| 576 | SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH MCC | 185 | 0.00 | 16 |
| 577 | SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH CC | 759 | 0.02 | 5.7 |
| 578 | SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC | 1,639 | 0.04 | 3.3 |
| 579 | OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH MCC | 963 | 0.03 | 12 |
| 580 | OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH CC | 3,854 | 0.10 | 4.2 |
| 581 | OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITHOUT CC/MCC | 6,852 | 0.19 | 2.3 |

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Statewide Totals**

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|-----------------------------|----------------------------|-------------------------------|
| 582 | MASTECTOMY FOR MALIGNANCY WITH CC/MCC | 1,915 | 0.05 | 2.2 |
| 583 | MASTECTOMY FOR MALIGNANCY WITHOUT CC/MCC | 3,301 | 0.09 | 1.8 |
| 584 | BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITH CC/MCC | 394 | 0.01 | 3.6 |
| 585 | BREAST BIOPSY, LOCAL EXCISION & OTHER BREAST PROCEDURES WITHOUT CC/MCC | 1,932 | 0.05 | 1.9 |
| 592 | SKIN ULCERS WITH MCC | 996 | 0.03 | 14 |
| 593 | SKIN ULCERS WITH CC | 2,150 | 0.06 | 7.5 |
| 594 | SKIN ULCERS WITHOUT CC/MCC | 272 | 0.01 | 5.3 |
| 595 | MAJOR SKIN DISORDERS WITH MCC | 328 | 0.01 | 8.0 |
| 596 | MAJOR SKIN DISORDERS WITHOUT MCC | 1,261 | 0.03 | 4.3 |
| 597 | MALIGNANT BREAST DISORDERS WITH MCC | 212 | 0.01 | 7.6 |
| 598 | MALIGNANT BREAST DISORDERS WITH CC | 518 | 0.01 | 5.4 |
| 599 | MALIGNANT BREAST DISORDERS WITHOUT CC/MCC | 94 | 0.00 | 3.0 |
| 600 | NON-MALIGNANT BREAST DISORDERS WITH CC/MCC | 321 | 0.01 | 4.6 |
| 601 | NON-MALIGNANT BREAST DISORDERS WITHOUT CC/MCC | 693 | 0.02 | 2.7 |
| 602 | CELLULITIS WITH MCC | 6,389 | 0.17 | 6.6 |
| 603 | CELLULITIS WITHOUT MCC | 41,641 | 1.12 | 3.7 |
| 604 | TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITH MCC | 868 | 0.02 | 4.1 |
| 605 | TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITHOUT MCC | 7,371 | 0.20 | 2.0 |
| 606 | MINOR SKIN DISORDERS WITH MCC | 457 | 0.01 | 5.4 |
| 607 | MINOR SKIN DISORDERS WITHOUT MCC | 2,657 | 0.07 | 3.0 |
| 614 | ADRENAL & PITUITARY PROCEDURES WITH CC/MCC | 893 | 0.02 | 5.4 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Statewide Totals*

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 615 | ADRENAL & PITUITARY PROCEDURES WITHOUT CC/MCC | 977 | 0.03 | 2.9 |
| 616 | AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH MCC | 315 | 0.01 | 16 |
| 617 | AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH CC | 1,804 | 0.05 | 9.1 |
| 618 | AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITHOUT CC/MCC | 40 | 0.00 | 6.1 |
| 619 | O.R. PROCEDURES FOR OBESITY WITH MCC | 273 | 0.01 | 7.8 |
| 620 | O.R. PROCEDURES FOR OBESITY WITH CC | 1,801 | 0.05 | 2.8 |
| 621 | O.R. PROCEDURES FOR OBESITY WITHOUT CC/MCC | 12,627 | 0.34 | 1.8 |
| 622 | SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH MCC | 196 | 0.01 | 17 |
| 623 | SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH CC | 560 | 0.02 | 8.7 |
| 624 | SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITHOUT CC/MCC | 49 | 0.00 | 4.8 |
| 625 | THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH MCC | 196 | 0.01 | 7.1 |
| 626 | THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITH CC | 1,367 | 0.04 | 2.3 |
| 627 | THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITHOUT CC/MCC | 7,956 | 0.21 | 1.4 |
| 628 | OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH MCC | 639 | 0.02 | 9.6 |
| 629 | OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH CC | 937 | 0.03 | 7.5 |
| 630 | OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITHOUT CC/MCC | 185 | 0.00 | 3.4 |
| 637 | DIABETES WITH MCC | 6,941 | 0.19 | 4.7 |
| 638 | DIABETES WITH CC | 12,712 | 0.34 | 3.6 |
| 639 | DIABETES WITHOUT CC/MCC | 12,764 | 0.34 | 2.4 |
| 640 | NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC | 13,432 | 0.36 | 4.3 |
| 641 | NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC | 34,292 | 0.93 | 3.0 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Statewide Totals*

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 642 | INBORN ERRORS OF METABOLISM | 868 | 0.02 | 4.2 |
| 643 | ENDOCRINE DISORDERS WITH MCC | 1,402 | 0.04 | 7.1 |
| 644 | ENDOCRINE DISORDERS WITH CC | 2,622 | 0.07 | 4.4 |
| 645 | ENDOCRINE DISORDERS WITHOUT CC/MCC | 2,704 | 0.07 | 2.8 |
| 652 | KIDNEY TRANSPLANT | 1,701 | 0.05 | 6.7 |
| 653 | MAJOR BLADDER PROCEDURES WITH MCC | 339 | 0.01 | 17 |
| 654 | MAJOR BLADDER PROCEDURES WITH CC | 815 | 0.02 | 9.0 |
| 655 | MAJOR BLADDER PROCEDURES WITHOUT CC/MCC | 377 | 0.01 | 6.1 |
| 656 | KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH MCC | 797 | 0.02 | 9.9 |
| 657 | KIDNEY & URETER PROCEDURES FOR NEOPLASM WITH CC | 1,622 | 0.04 | 5.1 |
| 658 | KIDNEY & URETER PROCEDURES FOR NEOPLASM WITHOUT CC/MCC | 2,107 | 0.06 | 3.3 |
| 659 | KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH MCC | 1,027 | 0.03 | 11 |
| 660 | KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH CC | 2,736 | 0.07 | 4.6 |
| 661 | KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITHOUT CC/MCC | 3,029 | 0.08 | 2.5 |
| 662 | MINOR BLADDER PROCEDURES WITH MCC | 180 | 0.00 | 11 |
| 663 | MINOR BLADDER PROCEDURES WITH CC | 413 | 0.01 | 4.0 |
| 664 | MINOR BLADDER PROCEDURES WITHOUT CC/MCC | 932 | 0.03 | 1.6 |
| 665 | PROSTATECTOMY WITH MCC | 104 | 0.00 | 12 |
| 666 | PROSTATECTOMY WITH CC | 256 | 0.01 | 4.9 |
| 667 | PROSTATECTOMY WITHOUT CC/MCC | 449 | 0.01 | 1.9 |
| 668 | TRANSURETHRAL PROCEDURES WITH MCC | 804 | 0.02 | 7.1 |

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Statewide Totals**

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|-----------------------------|----------------------------|-------------------------------|
| 669 | TRANSURETHRAL PROCEDURES WITH CC | 2,574 | 0.07 | 3.2 |
| 670 | TRANSURETHRAL PROCEDURES WITHOUT CC/MCC | 2,031 | 0.05 | 1.8 |
| 671 | URETHRAL PROCEDURES WITH CC/MCC | 167 | 0.00 | 5.0 |
| 672 | URETHRAL PROCEDURES WITHOUT CC/MCC | 339 | 0.01 | 2.1 |
| 673 | OTHER KIDNEY & URINARY TRACT PROCEDURES WITH MCC | 2,209 | 0.06 | 10 |
| 674 | OTHER KIDNEY & URINARY TRACT PROCEDURES WITH CC | 1,589 | 0.04 | 7.0 |
| 675 | OTHER KIDNEY & URINARY TRACT PROCEDURES WITHOUT CC/MCC | 513 | 0.01 | 2.4 |
| 682 | RENAL FAILURE WITH MCC | 15,504 | 0.42 | 6.5 |
| 683 | RENAL FAILURE WITH CC | 17,126 | 0.46 | 4.6 |
| 684 | RENAL FAILURE WITHOUT CC/MCC | 4,675 | 0.13 | 3.0 |
| 685 | ADMIT FOR RENAL DIALYSIS | 682 | 0.02 | 2.7 |
| 686 | KIDNEY & URINARY TRACT NEOPLASMS WITH MCC | 378 | 0.01 | 7.1 |
| 687 | KIDNEY & URINARY TRACT NEOPLASMS WITH CC | 572 | 0.02 | 4.8 |
| 688 | KIDNEY & URINARY TRACT NEOPLASMS WITHOUT CC/MCC | 209 | 0.01 | 2.7 |
| 689 | KIDNEY & URINARY TRACT INFECTIONS WITH MCC | 12,566 | 0.34 | 5.3 |
| 690 | KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC | 39,505 | 1.07 | 3.4 |
| 691 | URINARY STONES WITH ESW LITHOTRIPSY WITH CC/MCC | 393 | 0.01 | 3.3 |
| 692 | URINARY STONES WITH ESW LITHOTRIPSY WITHOUT CC/MCC | 180 | 0.00 | 1.6 |
| 693 | URINARY STONES WITHOUT ESW LITHOTRIPSY WITH MCC | 967 | 0.03 | 3.5 |
| 694 | URINARY STONES WITHOUT ESW LITHOTRIPSY WITHOUT MCC | 6,174 | 0.17 | 2.0 |
| 695 | KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITH MCC | 221 | 0.01 | 4.9 |

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Statewide Totals**

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|-------------------------|---------------------------|------------------------------|
| 696 | KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITHOUT MCC | 1,757 | 0.05 | 2.6 |
| 697 | URETHRAL STRICTURE | 156 | 0.00 | 2.7 |
| 698 | OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH MCC | 5,279 | 0.14 | 6.0 |
| 699 | OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH CC | 5,342 | 0.14 | 4.0 |
| 700 | OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITHOUT CC/MCC | 2,655 | 0.07 | 2.6 |
| 707 | MAJOR MALE PELVIC PROCEDURES WITH CC/MCC | 1,509 | 0.04 | 3.8 |
| 708 | MAJOR MALE PELVIC PROCEDURES WITHOUT CC/MCC | 6,740 | 0.18 | 1.8 |
| 709 | PENIS PROCEDURES WITH CC/MCC | 225 | 0.01 | 5.0 |
| 710 | PENIS PROCEDURES WITHOUT CC/MCC | 690 | 0.02 | 1.8 |
| 711 | TESTES PROCEDURES WITH CC/MCC | 295 | 0.01 | 6.6 |
| 712 | TESTES PROCEDURES WITHOUT CC/MCC | 629 | 0.02 | 1.5 |
| 713 | TRANSURETHRAL PROSTATECTOMY WITH CC/MCC | 1,718 | 0.05 | 3.4 |
| 714 | TRANSURETHRAL PROSTATECTOMY WITHOUT CC/MCC | 5,259 | 0.14 | 1.5 |
| 715 | OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE FOR MALIGNANCY WITH CC/MCC | 107 | 0.00 | 5.6 |
| 716 | OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE FOR MALIGNANCY WITHOUT CC/MCC | 202 | 0.01 | 1.9 |
| 717 | OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE EXCEPT MALIGNANCY WITH CC/MCC | 117 | 0.00 | 7.1 |
| 718 | OTHER MALE REPRODUCTIVE SYSTEM O.R. PROCEDURE EXCEPT MALIGNANCY WITHOUT CC/MCC | 103 | 0.00 | 2.6 |
| 722 | MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH MCC | 213 | 0.01 | 6.5 |
| 723 | MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH CC | 324 | 0.01 | 5.4 |
| 724 | MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC | 118 | 0.00 | 2.2 |
| 725 | BENIGN PROSTATIC HYPERTROPHY WITH MCC | 301 | 0.01 | 4.1 |

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Statewide Totals**

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 726 | BENIGN PROSTATIC HYPERTROPHY WITHOUT MCC | 615 | 0.02 | 2.6 |
| 727 | INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITH MCC | 448 | 0.01 | 6.8 |
| 728 | INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITHOUT MCC | 1,865 | 0.05 | 3.3 |
| 729 | OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITH CC/MCC | 249 | 0.01 | 5.2 |
| 730 | OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC | 216 | 0.01 | 2.5 |
| 734 | PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITH CC/MCC | 788 | 0.02 | 6.8 |
| 735 | PELVIC EVISCERATION, RAD HYSTERECTOMY & RAD VULVECTOMY WITHOUT CC/MCC | 1,016 | 0.03 | 2.7 |
| 736 | UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH MCC | 231 | 0.01 | 13 |
| 737 | UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITH CC | 1,092 | 0.03 | 6.1 |
| 738 | UTERINE & ADNEXA PROCEDURE FOR OVARIAN OR ADNEXAL MALIGNANCY WITHOUT CC/MCC | 559 | 0.02 | 3.2 |
| 739 | UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH MCC | 184 | 0.00 | 9.6 |
| 740 | UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITH CC | 1,333 | 0.04 | 4.1 |
| 741 | UTERINE,ADNEXA PROCEDURE FOR NON-OVARIAN/ADNEXAL MALIGNANCY WITHOUT CC/MCC | 2,896 | 0.08 | 2.3 |
| 742 | UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITH CC/MCC | 8,551 | 0.23 | 3.3 |
| 743 | UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITHOUT CC/MCC | 42,891 | 1.16 | 2.1 |
| 744 | D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITH CC/MCC | 707 | 0.02 | 3.9 |
| 745 | D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITHOUT CC/MCC | 1,424 | 0.04 | 1.6 |
| 746 | VAGINA, CERVIX & VULVA PROCEDURES WITH CC/MCC | 682 | 0.02 | 3.8 |
| 747 | VAGINA, CERVIX & VULVA PROCEDURES WITHOUT CC/MCC | 2,456 | 0.07 | 1.8 |
| 748 | FEMALE REPRODUCTIVE SYSTEM RECONSTRUCTIVE PROCEDURES | 5,582 | 0.15 | 1.5 |
| 749 | OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITH CC/MCC | 398 | 0.01 | 8.3 |

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Statewide Totals**

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 750 | OTHER FEMALE REPRODUCTIVE SYSTEM O.R. PROCEDURES WITHOUT CC/MCC | 454 | 0.01 | 2.4 |
| 754 | MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH MCC | 396 | 0.01 | 9.7 |
| 755 | MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH CC | 885 | 0.02 | 5.0 |
| 756 | MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC | 233 | 0.01 | 2.7 |
| 757 | INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH MCC | 331 | 0.01 | 8.4 |
| 758 | INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH CC | 759 | 0.02 | 4.6 |
| 759 | INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC | 1,522 | 0.04 | 3.0 |
| 760 | MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITH CC/MCC | 1,379 | 0.04 | 2.6 |
| 761 | MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITHOUT CC/MCC | 2,931 | 0.08 | 1.5 |
| 765 | CESAREAN SECTION WITH CC/MCC | 51,744 | 1.40 | 4.5 |
| 766 | CESAREAN SECTION WITHOUT CC/MCC | 117,173 | 3.17 | 3.2 |
| 767 | VAGINAL DELIVERY WITH STERILIZATION &/OR D&C | 10,767 | 0.29 | 2.4 |
| 768 | VAGINAL DELIVERY WITH O.R. PROCEDURE EXCEPT STERIL &/OR D&C | 239 | 0.01 | 3.8 |
| 769 | POSTPARTUM & POST ABORTION DIAGNOSIS WITH O.R. PROCEDURE | 1,569 | 0.04 | 3.2 |
| 770 | ABORTION WITH D&C, ASPIRATION CURETTAGE OR HYSTEROTOMY | 3,315 | 0.09 | 1.3 |
| 774 | VAGINAL DELIVERY WITH COMPLICATING DIAGNOSIS | 35,908 | 0.97 | 2.6 |
| 775 | VAGINAL DELIVERY WITHOUT COMPLICATING DIAGNOSIS | 294,779 | 7.96 | 2.0 |
| 776 | POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE | 4,902 | 0.13 | 2.6 |
| 777 | ECTOPIC PREGNANCY | 3,567 | 0.10 | 1.8 |
| 778 | THREATENED ABORTION | 8,262 | 0.22 | 2.7 |
| 779 | ABORTION WITHOUT D&C | 2,192 | 0.06 | 1.4 |

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Statewide Totals**

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 780 | FALSE LABOR | 1,152 | 0.03 | .72 |
| 781 | OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS | 23,754 | 0.64 | 2.8 |
| 782 | OTHER ANTEPARTUM DIAGNOSIS WITHOUT MEDICAL COMPLICATIONS | 5,945 | 0.16 | 2.2 |
| 789 | NEONATES, DIED OR TRANSFERRED TO ANOTHER ACUTE CARE FACILITY | 10,674 | 0.29 | 5.4 |
| 790 | EXTREME IMMATURETY OR RESPIRATORY DISTRESS SYNDROME, NEONATE | 8,397 | 0.23 | 38 |
| 791 | PREMATURITY WITH MAJOR PROBLEMS | 8,565 | 0.23 | 19 |
| 792 | PREMATURITY WITHOUT MAJOR PROBLEMS | 22,200 | 0.60 | 6.1 |
| 793 | FULL TERM NEONATE WITH MAJOR PROBLEMS | 21,239 | 0.57 | 6.4 |
| 794 | NEONATE WITH OTHER SIGNIFICANT PROBLEMS | 87,315 | 2.36 | 2.5 |
| 795 | NORMAL NEWBORN | 379,763 | 10.26 | 2.0 |
| 799 | SPLENECTOMY WITH MCC | 159 | 0.00 | 12 |
| 800 | SPLENECTOMY WITH CC | 213 | 0.01 | 6.3 |
| 801 | SPLENECTOMY WITHOUT CC/MCC | 311 | 0.01 | 3.8 |
| 802 | OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH MCC | 200 | 0.01 | 14 |
| 803 | OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITH CC | 300 | 0.01 | 5.9 |
| 804 | OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITHOUT CC/MCC | 399 | 0.01 | 3.4 |
| 808 | MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH MCC | 2,008 | 0.05 | 8.8 |
| 809 | MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH CC | 4,726 | 0.13 | 5.1 |
| 810 | MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITHOUT CC/MCC | 1,240 | 0.03 | 3.3 |
| 811 | RED BLOOD CELL DISORDERS WITH MCC | 6,491 | 0.18 | 4.7 |
| 812 | RED BLOOD CELL DISORDERS WITHOUT MCC | 20,973 | 0.57 | 3.1 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Statewide Totals*

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 813 | COAGULATION DISORDERS | 3,811 | 0.10 | 3.9 |
| 814 | RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH MCC | 505 | 0.01 | 7.5 |
| 815 | RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH CC | 1,177 | 0.03 | 4.1 |
| 816 | RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITHOUT CC/MCC | 1,295 | 0.03 | 2.8 |
| 820 | LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH MCC | 347 | 0.01 | 23 |
| 821 | LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITH CC | 582 | 0.02 | 6.8 |
| 822 | LYMPHOMA & LEUKEMIA WITH MAJOR O.R. PROCEDURE WITHOUT CC/MCC | 774 | 0.02 | 2.9 |
| 823 | LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH MCC | 457 | 0.01 | 16 |
| 824 | LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH CC | 658 | 0.02 | 8.1 |
| 825 | LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC | 533 | 0.01 | 3.9 |
| 826 | MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH MCC | 205 | 0.01 | 20 |
| 827 | MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITH CC | 506 | 0.01 | 7.6 |
| 828 | MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH MAJ O.R. PROCEDURE WITHOUT CC/MCC | 315 | 0.01 | 4.0 |
| 829 | MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITH CC/MCC | 446 | 0.01 | 11 |
| 830 | MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITHOUT CC/MCC | 203 | 0.01 | 2.9 |
| 834 | ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH MCC | 1,372 | 0.04 | 22 |
| 835 | ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH CC | 1,061 | 0.03 | 14 |
| 836 | ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITHOUT CC/MCC | 741 | 0.02 | 7.2 |
| 837 | CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS OR WITH HIGH DOSE CHEMO AGENT WITH MCC | 756 | 0.02 | 22 |
| 838 | CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITH CC OR HIGH DOSE CHEMO AGENT | 1,422 | 0.04 | 11 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Statewide Totals*

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 839 | CHEMO WITH ACUTE LEUKEMIA AS OTHER DIAGNOSIS WITHOUT CC/MCC | 1,719 | 0.05 | 6.1 |
| 840 | LYMPHOMA & NON-ACUTE LEUKEMIA WITH MCC | 2,069 | 0.06 | 11 |
| 841 | LYMPHOMA & NON-ACUTE LEUKEMIA WITH CC | 2,020 | 0.05 | 6.6 |
| 842 | LYMPHOMA & NON-ACUTE LEUKEMIA WITHOUT CC/MCC | 1,177 | 0.03 | 4.2 |
| 843 | OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH MCC | 454 | 0.01 | 8.2 |
| 844 | OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH CC | 686 | 0.02 | 5.3 |
| 845 | OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITHOUT CC/MCC | 231 | 0.01 | 3.8 |
| 846 | CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH MCC | 1,317 | 0.04 | 7.9 |
| 847 | CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH CC | 12,242 | 0.33 | 3.8 |
| 848 | CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITHOUT CC/MCC | 1,263 | 0.03 | 3.4 |
| 849 | RADIOTHERAPY | 427 | 0.01 | 4.3 |
| 853 | INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH MCC | 9,536 | 0.26 | 18 |
| 854 | INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH CC | 1,537 | 0.04 | 9.1 |
| 855 | INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITHOUT CC/MCC | 139 | 0.00 | 5.0 |
| 856 | POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH MCC | 1,445 | 0.04 | 16 |
| 857 | POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH CC | 2,451 | 0.07 | 7.7 |
| 858 | POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITHOUT CC/MCC | 818 | 0.02 | 5.2 |
| 862 | POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITH MCC | 2,789 | 0.08 | 8.0 |
| 863 | POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC | 6,474 | 0.17 | 4.5 |
| 864 | FEVER | 6,374 | 0.17 | 3.0 |
| 865 | VIRAL ILLNESS WITH MCC | 776 | 0.02 | 5.7 |

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Statewide Totals**

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|-------------------------|---------------------------|------------------------------|
| 866 | VIRAL ILLNESS WITHOUT MCC | 4,527 | 0.12 | 2.7 |
| 867 | OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH MCC | 1,541 | 0.04 | 12 |
| 868 | OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH CC | 595 | 0.02 | 6.2 |
| 869 | OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITHOUT CC/MCC | 405 | 0.01 | 4.9 |
| 870 | SEPTICEMIA OR SEVERE SEPSIS WITH MECH VENT 96+ HOURS | 8,389 | 0.23 | 17 |
| 871 | SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC | 62,568 | 1.69 | 7.2 |
| 872 | SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC | 19,429 | 0.52 | 4.8 |
| 876 | O.R. PROCEDURE WITH PRINCIPAL DIAGNOSIS OF MENTAL ILLNESS | 96 | 0.00 | 9.5 |
| 880 | ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION | 2,389 | 0.06 | 2.2 |
| 881 | DEPRESSIVE NEUROSES | 579 | 0.02 | 2.7 |
| 882 | NEUROSES EXCEPT DEPRESSIVE | 265 | 0.01 | 3.2 |
| 883 | DISORDERS OF PERSONALITY & IMPULSE CONTROL | 359 | 0.01 | 9.0 |
| 884 | ORGANIC DISTURBANCES & MENTAL RETARDATION | 2,344 | 0.06 | 5.8 |
| 885 | PSYCHOSES | 5,777 | 0.16 | 5.6 |
| 886 | BEHAVIORAL & DEVELOPMENTAL DISORDERS | 243 | 0.01 | 2.9 |
| 887 | OTHER MENTAL DISORDER DIAGNOSIS | 235 | 0.01 | 3.9 |
| 894 | ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA | 1,515 | 0.04 | 2.1 |
| 895 | ALCOHOL/DRUG ABUSE OR DEPENDENCE WITH REHABILITATION THERAPY | 197 | 0.01 | 10 |
| 896 | ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC | 3,373 | 0.09 | 5.8 |
| 897 | ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC | 13,010 | 0.35 | 3.2 |
| 901 | WOUND DEBRIDEMENTS FOR INJURIES WITH MCC | 235 | 0.01 | 22 |

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Statewide Totals**

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 902 | WOUND DEBRIDE EMENTS FOR INJURIES WITH CC | 562 | 0.02 | 9.8 |
| 903 | WOUND DEBRIDE EMENTS FOR INJURIES WITHOUT CC/MCC | 451 | 0.01 | 4.0 |
| 904 | SKIN GRAFTS FOR INJURIES WITH CC/MCC | 521 | 0.01 | 15 |
| 905 | SKIN GRAFTS FOR INJURIES WITHOUT CC/MCC | 300 | 0.01 | 5.0 |
| 906 | HAND PROCEDURES FOR INJURIES | 794 | 0.02 | 3.2 |
| 907 | OTHER O.R. PROCEDURES FOR INJURIES WITH MCC | 2,169 | 0.06 | 11 |
| 908 | OTHER O.R. PROCEDURES FOR INJURIES WITH CC | 2,695 | 0.07 | 5.4 |
| 909 | OTHER O.R. PROCEDURES FOR INJURIES WITHOUT CC/MCC | 2,635 | 0.07 | 2.6 |
| 913 | TRAUMATIC INJURY WITH MCC | 285 | 0.01 | 4.3 |
| 914 | TRAUMATIC INJURY WITHOUT MCC | 2,717 | 0.07 | 2.1 |
| 915 | ALLERGIC REACTIONS WITH MCC | 334 | 0.01 | 3.9 |
| 916 | ALLERGIC REACTIONS WITHOUT MCC | 1,645 | 0.04 | 1.6 |
| 917 | POISONING & TOXIC EFFECTS OF DRUGS WITH MCC | 7,888 | 0.21 | 4.3 |
| 918 | POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC | 15,350 | 0.41 | 2.0 |
| 919 | COMPLICATIONS OF TREATMENT WITH MCC | 2,687 | 0.07 | 6.9 |
| 920 | COMPLICATIONS OF TREATMENT WITH CC | 3,499 | 0.09 | 4.2 |
| 921 | COMPLICATIONS OF TREATMENT WITHOUT CC/MCC | 2,606 | 0.07 | 2.5 |
| 922 | OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITH MCC | 666 | 0.02 | 5.2 |
| 923 | OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITHOUT MCC | 2,073 | 0.06 | 1.8 |
| 927 | EXTENSIVE BURNS OR FULL THICKNESS BURNS WITH MECH VENT 96+ HRS WITH SKIN GRAFT | 150 | 0.00 | 35 |
| 928 | FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITH CC/MCC | 413 | 0.01 | 15 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Statewide Totals*

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 929 | FULL THICKNESS BURN WITH SKIN GRAFT OR INHAL INJ WITHOUT CC/MCC | 436 | 0.01 | 8.9 |
| 933 | EXTENSIVE BURNS OR FULL THICKNESS BURNS WITH MECH VENT 96+ HRS WITHOUT SKIN GRAFT | 34 | 0.00 | 7.4 |
| 934 | FULL THICKNESS BURN WITHOUT SKIN GRAFT OR INHAL INJURY | 326 | 0.01 | 5.2 |
| 935 | NON-EXTENSIVE BURNS | 1,826 | 0.05 | 4.9 |
| 939 | O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH MCC | 195 | 0.01 | 13 |
| 940 | O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC | 628 | 0.02 | 5.0 |
| 941 | O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITHOUT CC/MCC | 1,019 | 0.03 | 2.4 |
| 945 | REHABILITATION WITH CC/MCC | 1,460 | 0.04 | 18 |
| 946 | REHABILITATION WITHOUT CC/MCC | 589 | 0.02 | 9.2 |
| 947 | SIGNS & SYMPTOMS WITH MCC | 2,519 | 0.07 | 4.5 |
| 948 | SIGNS & SYMPTOMS WITHOUT MCC | 10,337 | 0.28 | 3.0 |
| 949 | AFTERCARE WITH CC/MCC | 734 | 0.02 | 10 |
| 950 | AFTERCARE WITHOUT CC/MCC | 425 | 0.01 | 3.2 |
| 951 | OTHER FACTORS INFLUENCING HEALTH STATUS | 2,641 | 0.07 | 2.5 |
| 955 | CRANIOTOMY FOR MULTIPLE SIGNIFICANT TRAUMA | 376 | 0.01 | 16 |
| 956 | LIMB REATTACHMENT, HIP & FEMUR PROCEDURE FOR MULTIPLE SIGNIFICANT TRAUMA | 1,316 | 0.04 | 12 |
| 957 | OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH MCC | 1,295 | 0.03 | 17 |
| 958 | OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITH CC | 1,504 | 0.04 | 9.7 |
| 959 | OTHER O.R. PROCEDURES FOR MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC | 581 | 0.02 | 6.0 |
| 963 | OTHER MULTIPLE SIGNIFICANT TRAUMA WITH MCC | 658 | 0.02 | 9.4 |

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Statewide Totals**

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 964 | OTHER MULTIPLE SIGNIFICANT TRAUMA WITH CC | 1,653 | 0.04 | 5.2 |
| 965 | OTHER MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC | 859 | 0.02 | 3.5 |
| 969 | HIV WITH EXTENSIVE O.R. PROCEDURE WITH MCC | 218 | 0.01 | 21 |
| 970 | HIV WITH EXTENSIVE O.R. PROCEDURE WITHOUT MCC | 64 | 0.00 | 9.1 |
| 974 | HIV WITH MAJOR RELATED CONDITION WITH MCC | 2,059 | 0.06 | 13 |
| 975 | HIV WITH MAJOR RELATED CONDITION WITH CC | 1,479 | 0.04 | 8.4 |
| 976 | HIV WITH MAJOR RELATED CONDITION WITHOUT CC/MCC | 787 | 0.02 | 5.4 |
| 977 | HIV WITH OR WITHOUT OTHER RELATED CONDITION | 1,220 | 0.03 | 5.2 |
| 981 | EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC | 5,274 | 0.14 | 17 |
| 982 | EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC | 3,805 | 0.10 | 7.8 |
| 983 | EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC | 2,898 | 0.08 | 3.1 |
| 984 | PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC | 103 | 0.00 | 12 |
| 985 | PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC | 106 | 0.00 | 7.6 |
| 986 | PROSTATIC O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC | 59 | 0.00 | 3.0 |
| 987 | NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC | 1,610 | 0.04 | 15 |
| 988 | NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC | 2,077 | 0.06 | 6.8 |
| 989 | NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC | 1,673 | 0.05 | 2.8 |
| 998 | PRINCIPAL DIAGNOSIS INVALID AS DISCHARGE DIAGNOSIS | 26 | 0.00 | 2.3 |
| 999 | UNGROUPABLE | 31 | 0.00 | 3.1 |
| All | | 3,701,480 | 100.0 | 4.2 |

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Statewide Totals**

typcare1=Chemical Dependency Recovery Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 056 | DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC | 1 | 0.01 | 16 |
| 092 | OTHER DISORDERS OF NERVOUS SYSTEM WITH CC | 1 | 0.01 | 2.0 |
| 178 | RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC | 1 | 0.01 | 7.0 |
| 195 | SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC | 1 | 0.01 | 3.0 |
| 208 | RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS | 1 | 0.01 | 8.0 |
| 301 | PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC | 1 | 0.01 | 6.0 |
| 368 | MAJOR ESOPHAGEAL DISORDERS WITH MCC | 1 | 0.01 | 7.0 |
| 378 | G.I. HEMORRHAGE WITH CC | 3 | 0.02 | 9.7 |
| 379 | G.I. HEMORRHAGE WITHOUT CC/MCC | 1 | 0.01 | 6.0 |
| 433 | CIRRHOSIS & ALCOHOLIC HEPATITIS WITH CC | 4 | 0.03 | 9.8 |
| 439 | DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH CC | 1 | 0.01 | 13 |
| 552 | MEDICAL BACK PROBLEMS WITHOUT MCC | 1 | 0.01 | 5.0 |
| 620 | O.R. PROCEDURES FOR OBESITY WITH CC | 1 | 0.01 | .00 |
| 641 | NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC | 2 | 0.02 | 13 |
| 683 | RENAL FAILURE WITH CC | 1 | 0.01 | 9.0 |
| 684 | RENAL FAILURE WITHOUT CC/MCC | 1 | 0.01 | .00 |
| 776 | POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE | 2 | 0.02 | 9.5 |
| 781 | OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS | 4 | 0.03 | 12 |
| 812 | RED BLOOD CELL DISORDERS WITHOUT MCC | 1 | 0.01 | 6.0 |
| 880 | ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION | 5 | 0.04 | 23 |
| 881 | DEPRESSIVE NEUROSES | 11 | 0.09 | 37 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Statewide Totals*

typcare1=Chemical Dependency Recovery Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 882 | NEUROSES EXCEPT DEPRESSIVE | 12 | 0.10 | 45 |
| 885 | PSYCHOSES | 87 | 0.69 | 15 |
| 886 | BEHAVIORAL & DEVELOPMENTAL DISORDERS | 36 | 0.29 | 122 |
| 887 | OTHER MENTAL DISORDER DIAGNOSIS | 1 | 0.01 | .00 |
| 894 | ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA | 1,640 | 13.08 | 6.6 |
| 895 | ALCOHOL/DRUG ABUSE OR DEPENDENCE WITH REHABILITATION THERAPY | 3,891 | 31.04 | 16 |
| 896 | ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC | 67 | 0.53 | 6.3 |
| 897 | ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC | 6,680 | 53.30 | 6.8 |
| 914 | TRAUMATIC INJURY WITHOUT MCC | 1 | 0.01 | 6.0 |
| 945 | REHABILITATION WITH CC/MCC | 32 | 0.26 | 3.3 |
| 946 | REHABILITATION WITHOUT CC/MCC | 28 | 0.22 | 2.0 |
| 951 | OTHER FACTORS INFLUENCING HEALTH STATUS | 7 | 0.06 | 3.4 |
| 983 | EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC | 2 | 0.02 | 15 |
| 988 | NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC | 1 | 0.01 | 7.0 |
| 999 | UNGROUPABLE | 4 | 0.03 | 1.5 |
| All | | 12,534 | 100.0 | 10 |

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Statewide Totals**

typcare1=Invalid/Blank

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 065 | INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC | 1 | 11.11 | 11 |
| 066 | INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC | 1 | 11.11 | 4.0 |
| 290 | ACUTE & SUBACUTE ENDOCARDITIS WITHOUT CC/MCC | 1 | 11.11 | 8.0 |
| 355 | HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITHOUT CC/MCC | 1 | 11.11 | 2.0 |
| 392 | ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC | 1 | 11.11 | .00 |
| 766 | CESAREAN SECTION WITHOUT CC/MCC | 1 | 11.11 | 3.0 |
| 775 | VAGINAL DELIVERY WITHOUT COMPLICATING DIAGNOSIS | 1 | 11.11 | .00 |
| 791 | PREMATURITY WITH MAJOR PROBLEMS | 1 | 11.11 | 4.0 |
| 951 | OTHER FACTORS INFLUENCING HEALTH STATUS | 1 | 11.11 | .00 |
| All | | 9 | 100.0 | 3.6 |

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Statewide Totals**

typcare1=Physical Rehabilitation Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|-------------------------|---------------------------|------------------------------|
| 003 | ECMO OR TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITH MAJOR O.R. | 1 | 0.00 | 42 |
| 004 | TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITHOUT MAJOR O.R. | 1 | 0.00 | 33 |
| 012 | TRACHEOSTOMY FOR FACE,MOUTH & NECK DIAGNOSIS WITH CC | 1 | 0.00 | 27 |
| 023 | CRANIO WITH MAJOR DEV IMPL/ACUTE COMPLEX CNS PRINC DIAGNOSIS WITH MCC OR CHEMO IMPLANT | 1 | 0.00 | 35 |
| 025 | CRANIOTOMY & ENDOVASCULAR INTRACRANIAL PROCEDURES WITH MCC | 2 | 0.01 | 39 |
| 028 | SPINAL PROCEDURES WITH MCC | 1 | 0.00 | 6.0 |
| 029 | SPINAL PROCEDURES WITH CC OR SPINAL NEUROSTIMULATORS | 1 | 0.00 | 15 |
| 030 | SPINAL PROCEDURES WITHOUT CC/MCC | 1 | 0.00 | 21 |
| 031 | VENTRICULAR SHUNT PROCEDURES WITH MCC | 1 | 0.00 | 45 |
| 040 | PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH MCC | 2 | 0.01 | 100 |
| 041 | PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH CC OR PERIPH NEUROSTIM | 1 | 0.00 | 10 |
| 052 | SPINAL DISORDERS & INJURIES WITH CC/MCC | 70 | 0.22 | 27 |
| 053 | SPINAL DISORDERS & INJURIES WITHOUT CC/MCC | 5 | 0.02 | 9.6 |
| 054 | NERVOUS SYSTEM NEOPLASMS WITH MCC | 13 | 0.04 | 16 |
| 055 | NERVOUS SYSTEM NEOPLASMS WITHOUT MCC | 34 | 0.11 | 16 |
| 056 | DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC | 31 | 0.10 | 26 |
| 057 | DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC | 72 | 0.23 | 16 |
| 058 | MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH MCC | 8 | 0.03 | 15 |
| 059 | MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH CC | 15 | 0.05 | 16 |

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Statewide Totals**

typcare1=Physical Rehabilitation Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|-----------------------------|----------------------------|-------------------------------|
| 060 | MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITHOUT CC/MCC | 6 | 0.02 | 14 |
| 064 | INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC | 123 | 0.39 | 18 |
| 065 | INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC | 311 | 0.99 | 17 |
| 066 | INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC | 14 | 0.04 | 12 |
| 068 | NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITHOUT MCC | 1 | 0.00 | 10 |
| 070 | NONSPECIFIC CEREBROVASCULAR DISORDERS WITH MCC | 15 | 0.05 | 14 |
| 071 | NONSPECIFIC CEREBROVASCULAR DISORDERS WITH CC | 8 | 0.03 | 17 |
| 072 | NONSPECIFIC CEREBROVASCULAR DISORDERS WITHOUT CC/MCC | 2 | 0.01 | 18 |
| 073 | CRANIAL & PERIPHERAL NERVE DISORDERS WITH MCC | 11 | 0.04 | 19 |
| 074 | CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC | 20 | 0.06 | 16 |
| 075 | VIRAL MENINGITIS WITH CC/MCC | 1 | 0.00 | 17 |
| 081 | NONTRAUMATIC STUPOR & COMA WITHOUT MCC | 3 | 0.01 | 29 |
| 082 | TRAUMATIC STUPOR & COMA, COMA >1 HR WITH MCC | 9 | 0.03 | 40 |
| 083 | TRAUMATIC STUPOR & COMA, COMA >1 HR WITH CC | 8 | 0.03 | 32 |
| 084 | TRAUMATIC STUPOR & COMA, COMA >1 HR WITHOUT CC/MCC | 8 | 0.03 | 30 |
| 085 | TRAUMATIC STUPOR & COMA, COMA <1 HR WITH MCC | 20 | 0.06 | 28 |
| 086 | TRAUMATIC STUPOR & COMA, COMA <1 HR WITH CC | 23 | 0.07 | 23 |
| 087 | TRAUMATIC STUPOR & COMA, COMA <1 HR WITHOUT CC/MCC | 12 | 0.04 | 19 |
| 088 | CONCUSSION WITH MCC | 1 | 0.00 | 14 |
| 089 | CONCUSSION WITH CC | 2 | 0.01 | 28 |
| 090 | CONCUSSION WITHOUT CC/MCC | 2 | 0.01 | 9.5 |

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Statewide Totals**

typcare1=Physical Rehabilitation Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|-----------------------------|----------------------------|-------------------------------|
| 091 | OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC | 60 | 0.19 | 21 |
| 092 | OTHER DISORDERS OF NERVOUS SYSTEM WITH CC | 31 | 0.10 | 15 |
| 093 | OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC | 12 | 0.04 | 17 |
| 094 | BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH MCC | 11 | 0.04 | 21 |
| 095 | BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH CC | 6 | 0.02 | 31 |
| 096 | BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITHOUT CC/MCC | 6 | 0.02 | 17 |
| 097 | NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH MCC | 1 | 0.00 | 88 |
| 098 | NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH CC | 4 | 0.01 | 16 |
| 100 | SEIZURES WITH MCC | 2 | 0.01 | 10 |
| 101 | SEIZURES WITHOUT MCC | 9 | 0.03 | 10 |
| 102 | HEADACHES WITH MCC | 1 | 0.00 | 15 |
| 103 | HEADACHES WITHOUT MCC | 2 | 0.01 | 2.5 |
| 113 | ORBITAL PROCEDURES WITH CC/MCC | 1 | 0.00 | 3.0 |
| 121 | ACUTE MAJOR EYE INFECTIONS WITH CC/MCC | 2 | 0.01 | 14 |
| 133 | OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITH CC/MCC | 1 | 0.00 | 1.0 |
| 134 | OTHER EAR, NOSE, MOUTH & THROAT O.R. PROCEDURES WITHOUT CC/MCC | 1 | 0.00 | 1.0 |
| 146 | EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH MCC | 1 | 0.00 | 11 |
| 147 | EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH CC | 1 | 0.00 | 15 |
| 152 | OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITH MCC | 1 | 0.00 | 3.0 |
| 153 | OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITHOUT MCC | 2 | 0.01 | 4.5 |
| 156 | OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITHOUT CC/MCC | 2 | 0.01 | 2.0 |

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Statewide Totals**

typcare1=Physical Rehabilitation Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 166 | OTHER RESP SYSTEM O.R. PROCEDURES WITH MCC | 1 | 0.00 | 27 |
| 167 | OTHER RESP SYSTEM O.R. PROCEDURES WITH CC | 1 | 0.00 | 2.0 |
| 175 | PULMONARY EMBOLISM WITH MCC | 1 | 0.00 | 17 |
| 176 | PULMONARY EMBOLISM WITHOUT MCC | 1 | 0.00 | 14 |
| 177 | RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC | 6 | 0.02 | 16 |
| 178 | RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC | 6 | 0.02 | 11 |
| 180 | RESPIRATORY NEOPLASMS WITH MCC | 1 | 0.00 | .00 |
| 183 | MAJOR CHEST TRAUMA WITH MCC | 1 | 0.00 | 4.0 |
| 184 | MAJOR CHEST TRAUMA WITH CC | 1 | 0.00 | 13 |
| 186 | PLEURAL EFFUSION WITH MCC | 1 | 0.00 | 34 |
| 189 | PULMONARY EDEMA & RESPIRATORY FAILURE | 27 | 0.09 | 17 |
| 190 | CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC | 19 | 0.06 | 11 |
| 191 | CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC | 15 | 0.05 | 8.6 |
| 192 | CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC | 12 | 0.04 | 8.5 |
| 193 | SIMPLE PNEUMONIA & PLEURISY WITH MCC | 11 | 0.04 | 12 |
| 194 | SIMPLE PNEUMONIA & PLEURISY WITH CC | 14 | 0.04 | 12 |
| 195 | SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC | 5 | 0.02 | 8.4 |
| 197 | INTERSTITIAL LUNG DISEASE WITH CC | 2 | 0.01 | 11 |
| 198 | INTERSTITIAL LUNG DISEASE WITHOUT CC/MCC | 1 | 0.00 | 47 |
| 202 | BRONCHITIS & ASTHMA WITH CC/MCC | 2 | 0.01 | 3.0 |
| 203 | BRONCHITIS & ASTHMA WITHOUT CC/MCC | 6 | 0.02 | 1.5 |

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Statewide Totals**

typcare1=Physical Rehabilitation Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 204 | RESPIRATORY SIGNS & SYMPTOMS | 1 | 0.00 | 1.0 |
| 205 | OTHER RESPIRATORY SYSTEM DIAGNOSIS WITH MCC | 1 | 0.00 | 36 |
| 206 | OTHER RESPIRATORY SYSTEM DIAGNOSIS WITHOUT MCC | 4 | 0.01 | 12 |
| 207 | RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS | 3 | 0.01 | 259 |
| 208 | RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS | 2 | 0.01 | 4.0 |
| 216 | CARDIAC VALVE & OTH MAJ CARDIOTHORACIC PROCEDURE WITH CARD CATH WITH MCC | 1 | 0.00 | 35 |
| 240 | AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH CC | 1 | 0.00 | 14 |
| 241 | AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITHOUT CC/MCC | 1 | 0.00 | 4.0 |
| 256 | UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH CC | 1 | 0.00 | 10 |
| 280 | ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH MCC | 5 | 0.02 | 10 |
| 281 | ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH CC | 2 | 0.01 | 12 |
| 289 | ACUTE & SUBACUTE ENDOCARDITIS WITH CC | 2 | 0.01 | 16 |
| 291 | HEART FAILURE & SHOCK WITH MCC | 14 | 0.04 | 14 |
| 292 | HEART FAILURE & SHOCK WITH CC | 8 | 0.03 | 11 |
| 293 | HEART FAILURE & SHOCK WITHOUT CC/MCC | 3 | 0.01 | 9.7 |
| 299 | PERIPHERAL VASCULAR DISORDERS WITH MCC | 26 | 0.08 | 17 |
| 300 | PERIPHERAL VASCULAR DISORDERS WITH CC | 18 | 0.06 | 14 |
| 301 | PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC | 11 | 0.04 | 12 |
| 302 | ATHEROSCLEROSIS WITH MCC | 7 | 0.02 | 13 |
| 303 | ATHEROSCLEROSIS WITHOUT MCC | 10 | 0.03 | 11 |
| 306 | CARDIAC CONGENITAL & VALVULAR DISORDERS WITH MCC | 1 | 0.00 | 14 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Statewide Totals*

typcare1=Physical Rehabilitation Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 307 | CARDIAC CONGENITAL & VALVULAR DISORDERS WITHOUT MCC | 1 | 0.00 | 17 |
| 309 | CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC | 2 | 0.01 | 11 |
| 311 | ANGINA PECTORIS | 1 | 0.00 | 17 |
| 312 | SYNCOPE & COLLAPSE | 9 | 0.03 | 11 |
| 314 | OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC | 3 | 0.01 | 1.0 |
| 315 | OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC | 6 | 0.02 | 14 |
| 316 | OTHER CIRCULATORY SYSTEM DIAGNOSIS WITHOUT CC/MCC | 2 | 0.01 | 17 |
| 330 | MAJOR SMALL & LARGE BOWEL PROCEDURES WITH CC | 1 | 0.00 | 6.0 |
| 349 | ANAL & STOMAL PROCEDURES WITHOUT CC/MCC | 2 | 0.01 | 2.5 |
| 371 | MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH MCC | 5 | 0.02 | 9.6 |
| 372 | MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH CC | 3 | 0.01 | 34 |
| 374 | DIGESTIVE MALIGNANCY WITH MCC | 4 | 0.01 | 17 |
| 375 | DIGESTIVE MALIGNANCY WITH CC | 3 | 0.01 | 11 |
| 377 | G.I. HEMORRHAGE WITH MCC | 5 | 0.02 | 19 |
| 379 | G.I. HEMORRHAGE WITHOUT CC/MCC | 2 | 0.01 | 6.0 |
| 385 | INFLAMMATORY BOWEL DISEASE WITH MCC | 1 | 0.00 | 14 |
| 386 | INFLAMMATORY BOWEL DISEASE WITH CC | 2 | 0.01 | 5.5 |
| 388 | G.I. OBSTRUCTION WITH MCC | 1 | 0.00 | 8.0 |
| 389 | G.I. OBSTRUCTION WITH CC | 1 | 0.00 | 7.0 |
| 391 | ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITH MCC | 4 | 0.01 | 19 |
| 392 | ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC | 9 | 0.03 | 10 |

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Statewide Totals**

typcare1=Physical Rehabilitation Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 393 | OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH MCC | 3 | 0.01 | 19 |
| 394 | OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH CC | 4 | 0.01 | 15 |
| 410 | BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC | 1 | 0.00 | 4.0 |
| 419 | LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITHOUT CC/MCC | 1 | 0.00 | 5.0 |
| 432 | CIRRHOSIS & ALCOHOLIC HEPATITIS WITH MCC | 1 | 0.00 | 5.0 |
| 433 | CIRRHOSIS & ALCOHOLIC HEPATITIS WITH CC | 3 | 0.01 | 11 |
| 441 | DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH MCC | 1 | 0.00 | 9.0 |
| 442 | DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH CC | 3 | 0.01 | 7.3 |
| 444 | DISORDERS OF THE BILIARY TRACT WITH MCC | 3 | 0.01 | 11 |
| 445 | DISORDERS OF THE BILIARY TRACT WITH CC | 2 | 0.01 | 17 |
| 470 | MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITHOUT MCC | 2 | 0.01 | 5.0 |
| 474 | AMPUTATION FOR MUSCULOSKELETAL SYS & CONN TISSUE DIS WITH MCC | 1 | 0.00 | 84 |
| 479 | BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC | 2 | 0.01 | 4.5 |
| 480 | HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH MCC | 1 | 0.00 | 20 |
| 490 | BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITH CC/MCC OR DISC DEVICE/NEUROSTIM | 1 | 0.00 | 21 |
| 491 | BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITHOUT CC/MCC | 1 | 0.00 | 3.0 |
| 494 | LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITHOUT CC/MCC | 3 | 0.01 | 1.3 |
| 512 | SHOULDER,ELBOW OR FOREARM PROC,EXCEPT MAJOR JOINT PROCEDURE WITHOUT CC/MCC | 1 | 0.00 | 1.0 |
| 513 | HAND OR WRIST PROC, EXCEPT MAJOR THUMB OR JOINT PROCEDURE WITH CC/MCC | 1 | 0.00 | 24 |
| 517 | OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITHOUT CC/MCC | 1 | 0.00 | 3.0 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Statewide Totals*

typcare1=Physical Rehabilitation Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 533 | FRACTURES OF FEMUR WITH MCC | 8 | 0.03 | 16 |
| 534 | FRACTURES OF FEMUR WITHOUT MCC | 15 | 0.05 | 11 |
| 535 | FRACTURES OF HIP & PELVIS WITH MCC | 52 | 0.17 | 14 |
| 536 | FRACTURES OF HIP & PELVIS WITHOUT MCC | 194 | 0.62 | 13 |
| 537 | SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITH CC/MCC | 1 | 0.00 | 18 |
| 538 | SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITHOUT CC/MCC | 1 | 0.00 | 6.0 |
| 539 | OSTEOMYELITIS WITH MCC | 9 | 0.03 | 17 |
| 540 | OSTEOMYELITIS WITH CC | 15 | 0.05 | 17 |
| 541 | OSTEOMYELITIS WITHOUT CC/MCC | 4 | 0.01 | 6.5 |
| 542 | PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH MCC | 3 | 0.01 | 12 |
| 543 | PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH CC | 8 | 0.03 | 16 |
| 544 | PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITHOUT CC/MCC | 6 | 0.02 | 12 |
| 545 | CONNECTIVE TISSUE DISORDERS WITH MCC | 6 | 0.02 | 30 |
| 546 | CONNECTIVE TISSUE DISORDERS WITH CC | 16 | 0.05 | 13 |
| 547 | CONNECTIVE TISSUE DISORDERS WITHOUT CC/MCC | 10 | 0.03 | 12 |
| 548 | SEPTIC ARTHRITIS WITH MCC | 2 | 0.01 | 19 |
| 549 | SEPTIC ARTHRITIS WITH CC | 1 | 0.00 | 11 |
| 551 | MEDICAL BACK PROBLEMS WITH MCC | 38 | 0.12 | 15 |
| 552 | MEDICAL BACK PROBLEMS WITHOUT MCC | 167 | 0.53 | 13 |
| 553 | BONE DISEASES & ARTHROPATHIES WITH MCC | 28 | 0.09 | 11 |
| 554 | BONE DISEASES & ARTHROPATHIES WITHOUT MCC | 206 | 0.66 | 9.7 |

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Statewide Totals**

typcare1=Physical Rehabilitation Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 556 | SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC | 5 | 0.02 | 11 |
| 557 | TENDONITIS, MYOSITIS & BURSITIS WITH MCC | 1 | 0.00 | 14 |
| 558 | TENDONITIS, MYOSITIS & BURSITIS WITHOUT MCC | 7 | 0.02 | 13 |
| 559 | AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC | 11 | 0.04 | 15 |
| 560 | AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC | 20 | 0.06 | 12 |
| 561 | AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC | 14 | 0.04 | 8.6 |
| 562 | FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITH MCC | 8 | 0.03 | 16 |
| 563 | FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC | 29 | 0.09 | 13 |
| 564 | OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH MCC | 6 | 0.02 | 16 |
| 565 | OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH CC | 7 | 0.02 | 25 |
| 566 | OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITHOUT CC/MCC | 4 | 0.01 | 36 |
| 573 | SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH MCC | 1 | 0.00 | 53 |
| 574 | SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH CC | 4 | 0.01 | 54 |
| 580 | OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH CC | 1 | 0.00 | 144 |
| 592 | SKIN ULCERS WITH MCC | 1 | 0.00 | 4.0 |
| 593 | SKIN ULCERS WITH CC | 9 | 0.03 | 23 |
| 594 | SKIN ULCERS WITHOUT CC/MCC | 2 | 0.01 | 25 |
| 602 | CELLULITIS WITH MCC | 3 | 0.01 | 12 |
| 603 | CELLULITIS WITHOUT MCC | 12 | 0.04 | 4.8 |
| 605 | TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITHOUT MCC | 1 | 0.00 | 13 |
| 606 | MINOR SKIN DISORDERS WITH MCC | 2 | 0.01 | 10 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Statewide Totals*

typcare1=Physical Rehabilitation Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 607 | MINOR SKIN DISORDERS WITHOUT MCC | 3 | 0.01 | 17 |
| 616 | AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH MCC | 1 | 0.00 | 17 |
| 617 | AMPUTAT OF LOWER LIMB FOR ENDOCRINE,NUTRIT,& METABOL DIS WITH CC | 6 | 0.02 | 13 |
| 637 | DIABETES WITH MCC | 1 | 0.00 | 7.0 |
| 638 | DIABETES WITH CC | 7 | 0.02 | 16 |
| 639 | DIABETES WITHOUT CC/MCC | 2 | 0.01 | 2.0 |
| 640 | NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC | 1 | 0.00 | 4.0 |
| 641 | NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC | 3 | 0.01 | 8.3 |
| 644 | ENDOCRINE DISORDERS WITH CC | 2 | 0.01 | 16 |
| 645 | ENDOCRINE DISORDERS WITHOUT CC/MCC | 1 | 0.00 | 2.0 |
| 670 | TRANSURETHRAL PROCEDURES WITHOUT CC/MCC | 1 | 0.00 | 1.0 |
| 682 | RENAL FAILURE WITH MCC | 4 | 0.01 | 15 |
| 683 | RENAL FAILURE WITH CC | 4 | 0.01 | 13 |
| 684 | RENAL FAILURE WITHOUT CC/MCC | 1 | 0.00 | 18 |
| 686 | KIDNEY & URINARY TRACT NEOPLASMS WITH MCC | 1 | 0.00 | 15 |
| 687 | KIDNEY & URINARY TRACT NEOPLASMS WITH CC | 1 | 0.00 | 13 |
| 689 | KIDNEY & URINARY TRACT INFECTIONS WITH MCC | 4 | 0.01 | 20 |
| 690 | KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC | 3 | 0.01 | 9.3 |
| 694 | URINARY STONES WITHOUT ESW LITHOTRIPSY WITHOUT MCC | 2 | 0.01 | 7.0 |
| 698 | OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH MCC | 3 | 0.01 | 30 |
| 699 | OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH CC | 3 | 0.01 | 14 |

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Statewide Totals**

typcare1=Physical Rehabilitation Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 700 | OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITHOUT CC/MCC | 2 | 0.01 | 13 |
| 743 | UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITHOUT CC/MCC | 1 | 0.00 | 4.0 |
| 754 | MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH MCC | 1 | 0.00 | 18 |
| 789 | NEONATES, DIED OR TRANSFERRED TO ANOTHER ACUTE CARE FACILITY | 1 | 0.00 | 21 |
| 809 | MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH CC | 1 | 0.00 | 1.0 |
| 812 | RED BLOOD CELL DISORDERS WITHOUT MCC | 4 | 0.01 | 8.8 |
| 834 | ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH MCC | 1 | 0.00 | 13 |
| 840 | LYMPHOMA & NON-ACUTE LEUKEMIA WITH MCC | 1 | 0.00 | 5.0 |
| 841 | LYMPHOMA & NON-ACUTE LEUKEMIA WITH CC | 1 | 0.00 | 13 |
| 844 | OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH CC | 1 | 0.00 | 7.0 |
| 862 | POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITH MCC | 2 | 0.01 | 17 |
| 863 | POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC | 2 | 0.01 | 12 |
| 864 | FEVER | 3 | 0.01 | 1.7 |
| 865 | VIRAL ILLNESS WITH MCC | 1 | 0.00 | 3.0 |
| 866 | VIRAL ILLNESS WITHOUT MCC | 1 | 0.00 | 1.0 |
| 867 | OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH MCC | 1 | 0.00 | 6.0 |
| 869 | OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITHOUT CC/MCC | 1 | 0.00 | 8.0 |
| 871 | SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC | 6 | 0.02 | 18 |
| 872 | SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC | 1 | 0.00 | 1.0 |
| 881 | DEPRESSIVE NEUROSES | 1 | 0.00 | 1.0 |
| 882 | NEUROSES EXCEPT DEPRESSIVE | 2 | 0.01 | 3.5 |

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Statewide Totals**

typcare1=Physical Rehabilitation Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|-------------------------|---------------------------|------------------------------|
| 884 | ORGANIC DISTURBANCES & MENTAL RETARDATION | 7 | 0.02 | 15 |
| 885 | PSYCHOSES | 15 | 0.05 | 20 |
| 894 | ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA | 1 | 0.00 | .00 |
| 897 | ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC | 5 | 0.02 | 7.8 |
| 903 | WOUND DEBRIDE EMENTS FOR INJURIES WITHOUT CC/MCC | 1 | 0.00 | 7.0 |
| 909 | OTHER O.R. PROCEDURES FOR INJURIES WITHOUT CC/MCC | 1 | 0.00 | 1.0 |
| 913 | TRAUMATIC INJURY WITH MCC | 4 | 0.01 | 18 |
| 914 | TRAUMATIC INJURY WITHOUT MCC | 4 | 0.01 | 16 |
| 919 | COMPLICATIONS OF TREATMENT WITH MCC | 2 | 0.01 | 8.5 |
| 921 | COMPLICATIONS OF TREATMENT WITHOUT CC/MCC | 1 | 0.00 | 15 |
| 923 | OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITHOUT MCC | 1 | 0.00 | 1.0 |
| 933 | EXTENSIVE BURNS OR FULL THICKNESS BURNS WITH MECH VENT 96+ HRS WITHOUT SKIN GRAFT | 3 | 0.01 | 8.3 |
| 934 | FULL THICKNESS BURN WITHOUT SKIN GRAFT OR INHAL INJURY | 2 | 0.01 | 21 |
| 935 | NON-EXTENSIVE BURNS | 3 | 0.01 | 8.7 |
| 939 | O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH MCC | 232 | 0.74 | 26 |
| 940 | O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC | 215 | 0.69 | 22 |
| 941 | O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITHOUT CC/MCC | 20 | 0.06 | 18 |
| 945 | REHABILITATION WITH CC/MCC | 23,591 | 75.47 | 16 |
| 946 | REHABILITATION WITHOUT CC/MCC | 4,417 | 14.13 | 11 |
| 947 | SIGNS & SYMPTOMS WITH MCC | 112 | 0.36 | 14 |

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Statewide Totals**

typcare1=Physical Rehabilitation Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|-----------------------------|----------------------------|-------------------------------|
| 948 | SIGNS & SYMPTOMS WITHOUT MCC | 120 | 0.38 | 13 |
| 949 | AFTERCARE WITH CC/MCC | 19 | 0.06 | 16 |
| 950 | AFTERCARE WITHOUT CC/MCC | 2 | 0.01 | 13 |
| 951 | OTHER FACTORS INFLUENCING HEALTH STATUS | 17 | 0.05 | 8.8 |
| 963 | OTHER MULTIPLE SIGNIFICANT TRAUMA WITH MCC | 22 | 0.07 | 31 |
| 964 | OTHER MULTIPLE SIGNIFICANT TRAUMA WITH CC | 29 | 0.09 | 17 |
| 965 | OTHER MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC | 4 | 0.01 | 14 |
| 975 | HIV WITH MAJOR RELATED CONDITION WITH CC | 1 | 0.00 | 5.0 |
| 982 | EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC | 1 | 0.00 | 1.0 |
| 987 | NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC | 1 | 0.00 | 9.0 |
| 988 | NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC | 1 | 0.00 | 10 |
| All | | 31,258 | 100.0 | 15 |

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Statewide Totals*

typcare1=Psychiatric Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 004 | TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITHOUT MAJOR O.R. | 3 | 0.00 | 25 |
| 030 | SPINAL PROCEDURES WITHOUT CC/MCC | 1 | 0.00 | 8.0 |
| 031 | VENTRICULAR SHUNT PROCEDURES WITH MCC | 1 | 0.00 | 27 |
| 040 | PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH MCC | 2 | 0.00 | 14 |
| 055 | NERVOUS SYSTEM NEOPLASMS WITHOUT MCC | 1 | 0.00 | 1.0 |
| 056 | DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC | 143 | 0.07 | 14 |
| 057 | DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC | 1,182 | 0.60 | 14 |
| 059 | MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH CC | 2 | 0.00 | 13 |
| 065 | INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC | 2 | 0.00 | 2.0 |
| 066 | INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC | 1 | 0.00 | 1.0 |
| 068 | NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITHOUT MCC | 1 | 0.00 | 6.0 |
| 070 | NONSPECIFIC CEREBROVASCULAR DISORDERS WITH MCC | 13 | 0.01 | 11 |
| 071 | NONSPECIFIC CEREBROVASCULAR DISORDERS WITH CC | 27 | 0.01 | 12 |
| 072 | NONSPECIFIC CEREBROVASCULAR DISORDERS WITHOUT CC/MCC | 3 | 0.00 | 3.3 |
| 074 | CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC | 2 | 0.00 | 9.0 |
| 081 | NONTRAUMATIC STUPOR & COMA WITHOUT MCC | 19 | 0.01 | 6.2 |
| 083 | TRAUMATIC STUPOR & COMA, COMA >1 HR WITH CC | 1 | 0.00 | 4.0 |
| 085 | TRAUMATIC STUPOR & COMA, COMA <1 HR WITH MCC | 1 | 0.00 | 5.0 |
| 090 | CONCUSSION WITHOUT CC/MCC | 1 | 0.00 | 1.0 |
| 091 | OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC | 3 | 0.00 | 6.7 |

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Statewide Totals**

typcare1=Psychiatric Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|-----------------------------|----------------------------|-------------------------------|
| 092 | OTHER DISORDERS OF NERVOUS SYSTEM WITH CC | 20 | 0.01 | 11 |
| 093 | OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC | 14 | 0.01 | 7.4 |
| 097 | NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH MCC | 3 | 0.00 | 12 |
| 100 | SEIZURES WITH MCC | 1 | 0.00 | 5.0 |
| 101 | SEIZURES WITHOUT MCC | 19 | 0.01 | 6.7 |
| 103 | HEADACHES WITHOUT MCC | 2 | 0.00 | 27 |
| 125 | OTHER DISORDERS OF THE EYE WITHOUT MCC | 1 | 0.00 | 2.0 |
| 149 | DYSEQUILIBRIUM | 1 | 0.00 | 7.0 |
| 153 | OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITHOUT MCC | 1 | 0.00 | 1.0 |
| 155 | OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH CC | 2 | 0.00 | 1.0 |
| 156 | OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITHOUT CC/MCC | 1 | 0.00 | 1.0 |
| 158 | DENTAL & ORAL DISEASES WITH CC | 2 | 0.00 | 8.0 |
| 163 | MAJOR CHEST PROCEDURES WITH MCC | 1 | 0.00 | 30 |
| 187 | PLEURAL EFFUSION WITH CC | 1 | 0.00 | 3.0 |
| 189 | PULMONARY EDEMA & RESPIRATORY FAILURE | 3 | 0.00 | 3.0 |
| 190 | CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC | 7 | 0.00 | 7.7 |
| 191 | CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC | 10 | 0.01 | 6.1 |
| 192 | CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC | 7 | 0.00 | 4.0 |
| 193 | SIMPLE PNEUMONIA & PLEURISY WITH MCC | 1 | 0.00 | 9.0 |
| 194 | SIMPLE PNEUMONIA & PLEURISY WITH CC | 3 | 0.00 | 7.0 |
| 195 | SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC | 2 | 0.00 | 3.0 |

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Statewide Totals**

typcare1=Psychiatric Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|-----------------------------|----------------------------|-------------------------------|
| 196 | INTERSTITIAL LUNG DISEASE WITH MCC | 1 | 0.00 | 3.0 |
| 200 | PNEUMOTHORAX WITH CC | 1 | 0.00 | 15 |
| 202 | BRONCHITIS & ASTHMA WITH CC/MCC | 3 | 0.00 | 5.3 |
| 203 | BRONCHITIS & ASTHMA WITHOUT CC/MCC | 4 | 0.00 | 2.8 |
| 204 | RESPIRATORY SIGNS & SYMPTOMS | 2 | 0.00 | 5.5 |
| 205 | OTHER RESPIRATORY SYSTEM DIAGNOSIS WITH MCC | 1 | 0.00 | 5.0 |
| 206 | OTHER RESPIRATORY SYSTEM DIAGNOSIS WITHOUT MCC | 1 | 0.00 | 4.0 |
| 207 | RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS | 3 | 0.00 | 57 |
| 208 | RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS | 6 | 0.00 | 11 |
| 237 | MAJOR CARDIOVASC PROCEDURES WITH MCC OR THORACIC AORTIC ANEURYSM REPAIR | 1 | 0.00 | 9.0 |
| 240 | AMPUTATION FOR CIRC SYS DISORDERS EXCEPT UPPER LIMB & TOE WITH CC | 1 | 0.00 | 8.0 |
| 242 | PERMANENT CARDIAC PACEMAKER IMPLANT WITH MCC | 1 | 0.00 | 4.0 |
| 247 | PERC CARDIOVASC PROCEDURE WITH DRUG-ELUTING STENT WITHOUT MCC | 1 | 0.00 | 8.0 |
| 252 | OTHER VASCULAR PROCEDURES WITH MCC | 2 | 0.00 | 1.5 |
| 253 | OTHER VASCULAR PROCEDURES WITH CC | 1 | 0.00 | 2.0 |
| 256 | UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH CC | 1 | 0.00 | 12 |
| 281 | ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH CC | 1 | 0.00 | 3.0 |
| 287 | CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITHOUT MCC | 1 | 0.00 | .00 |
| 291 | HEART FAILURE & SHOCK WITH MCC | 3 | 0.00 | 11 |
| 292 | HEART FAILURE & SHOCK WITH CC | 5 | 0.00 | 4.8 |
| 296 | CARDIAC ARREST, UNEXPLAINED WITH MCC | 1 | 0.00 | 7.0 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Statewide Totals*

typcare1=Psychiatric Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|-----------------------------|----------------------------|-------------------------------|
| 299 | PERIPHERAL VASCULAR DISORDERS WITH MCC | 1 | 0.00 | 6.0 |
| 300 | PERIPHERAL VASCULAR DISORDERS WITH CC | 1 | 0.00 | 4.0 |
| 301 | PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC | 2 | 0.00 | 4.0 |
| 302 | ATHEROSCLEROSIS WITH MCC | 1 | 0.00 | 41 |
| 303 | ATHEROSCLEROSIS WITHOUT MCC | 3 | 0.00 | 8.0 |
| 305 | HYPERTENSION WITHOUT MCC | 12 | 0.01 | 12 |
| 308 | CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH MCC | 2 | 0.00 | 3.5 |
| 309 | CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC | 4 | 0.00 | 6.0 |
| 310 | CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITHOUT CC/MCC | 2 | 0.00 | 2.0 |
| 311 | ANGINA PECTORIS | 4 | 0.00 | 2.3 |
| 312 | SYNCOPE & COLLAPSE | 5 | 0.00 | 4.8 |
| 313 | CHEST PAIN | 20 | 0.01 | 2.8 |
| 314 | OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC | 2 | 0.00 | 7.5 |
| 315 | OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC | 2 | 0.00 | 5.5 |
| 328 | STOMACH, ESOPHAGEAL & DUODENAL PROCEDURE WITHOUT CC/MCC | 1 | 0.00 | 3.0 |
| 329 | MAJOR SMALL & LARGE BOWEL PROCEDURES WITH MCC | 1 | 0.00 | 5.0 |
| 330 | MAJOR SMALL & LARGE BOWEL PROCEDURES WITH CC | 1 | 0.00 | 31 |
| 336 | PERITONEAL ADHESIOLYSIS WITH CC | 1 | 0.00 | 10 |
| 338 | APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH MCC | 1 | 0.00 | 4.0 |
| 339 | APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITH CC | 1 | 0.00 | 6.0 |
| 342 | APPENDECTOMY WITHOUT COMPLICATED PRINCIPAL DIAGNOSIS WITH CC | 1 | 0.00 | 9.0 |

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Statewide Totals**

typcare1=Psychiatric Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|-----------------------------|----------------------------|-------------------------------|
| 354 | HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITH CC | 1 | 0.00 | 13 |
| 355 | HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITHOUT CC/MCC | 1 | 0.00 | 3.0 |
| 356 | OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH MCC | 1 | 0.00 | 4.0 |
| 368 | MAJOR ESOPHAGEAL DISORDERS WITH MCC | 1 | 0.00 | 18 |
| 371 | MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH MCC | 1 | 0.00 | 6.0 |
| 375 | DIGESTIVE MALIGNANCY WITH CC | 1 | 0.00 | 14 |
| 377 | G.I. HEMORRHAGE WITH MCC | 3 | 0.00 | 2.7 |
| 378 | G.I. HEMORRHAGE WITH CC | 3 | 0.00 | 3.0 |
| 379 | G.I. HEMORRHAGE WITHOUT CC/MCC | 2 | 0.00 | 2.5 |
| 380 | COMPLICATED PEPTIC ULCER WITH MCC | 1 | 0.00 | 2.0 |
| 381 | COMPLICATED PEPTIC ULCER WITH CC | 1 | 0.00 | 5.0 |
| 386 | INFLAMMATORY BOWEL DISEASE WITH CC | 1 | 0.00 | 2.0 |
| 387 | INFLAMMATORY BOWEL DISEASE WITHOUT CC/MCC | 1 | 0.00 | 3.0 |
| 388 | G.I. OBSTRUCTION WITH MCC | 1 | 0.00 | 6.0 |
| 389 | G.I. OBSTRUCTION WITH CC | 2 | 0.00 | 3.5 |
| 390 | G.I. OBSTRUCTION WITHOUT CC/MCC | 1 | 0.00 | 4.0 |
| 391 | ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITH MCC | 1 | 0.00 | 2.0 |
| 392 | ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC | 26 | 0.01 | 10 |
| 395 | OTHER DIGESTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC | 4 | 0.00 | 5.0 |
| 418 | LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH CC | 1 | 0.00 | 6.0 |
| 432 | CIRRHOSIS & ALCOHOLIC HEPATITIS WITH MCC | 2 | 0.00 | 2.5 |

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Statewide Totals**

typcare1=Psychiatric Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|-----------------------------|----------------------------|-------------------------------|
| 433 | CIRRHOSIS & ALCOHOLIC HEPATITIS WITH CC | 2 | 0.00 | 7.0 |
| 434 | CIRRHOSIS & ALCOHOLIC HEPATITIS WITHOUT CC/MCC | 1 | 0.00 | 18 |
| 435 | MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITH MCC | 1 | 0.00 | 1.0 |
| 437 | MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITHOUT CC/MCC | 1 | 0.00 | 7.0 |
| 439 | DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH CC | 1 | 0.00 | 7.0 |
| 440 | DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITHOUT CC/MCC | 3 | 0.00 | 2.7 |
| 441 | DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH MCC | 3 | 0.00 | 4.3 |
| 442 | DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH CC | 8 | 0.00 | 12 |
| 443 | DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITHOUT CC/MCC | 4 | 0.00 | 25 |
| 446 | DISORDERS OF THE BILIARY TRACT WITHOUT CC/MCC | 2 | 0.00 | 1.5 |
| 460 | SPINAL FUSION EXCEPT CERVICAL WITHOUT MCC | 1 | 0.00 | 7.0 |
| 464 | WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH CC | 1 | 0.00 | 16 |
| 467 | REVISION OF HIP OR KNEE REPLACEMENT WITH CC | 1 | 0.00 | 6.0 |
| 470 | MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITHOUT MCC | 4 | 0.00 | 5.0 |
| 473 | CERVICAL SPINAL FUSION WITHOUT CC/MCC | 2 | 0.00 | 2.5 |
| 481 | HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH CC | 2 | 0.00 | 6.5 |
| 482 | HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITHOUT CC/MCC | 2 | 0.00 | 5.0 |
| 493 | LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITH CC | 1 | 0.00 | 5.0 |
| 502 | SOFT TISSUE PROCEDURES WITHOUT CC/MCC | 1 | 0.00 | 3.0 |
| 508 | MAJOR SHOULDER OR ELBOW JOINT PROCEDURES WITHOUT CC/MCC | 1 | 0.00 | 2.0 |
| 536 | FRACTURES OF HIP & PELVIS WITHOUT MCC | 2 | 0.00 | 4.0 |

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Statewide Totals**

typcare1=Psychiatric Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 540 | OSTEOMYELITIS WITH CC | 1 | 0.00 | 31 |
| 542 | PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH MCC | 1 | 0.00 | 2.0 |
| 546 | CONNECTIVE TISSUE DISORDERS WITH CC | 2 | 0.00 | 14 |
| 547 | CONNECTIVE TISSUE DISORDERS WITHOUT CC/MCC | 1 | 0.00 | 7.0 |
| 552 | MEDICAL BACK PROBLEMS WITHOUT MCC | 2 | 0.00 | 9.0 |
| 556 | SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC | 1 | 0.00 | 2.0 |
| 558 | TENDONITIS, MYOSITIS & BURSITIS WITHOUT MCC | 1 | 0.00 | 3.0 |
| 560 | AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC | 1 | 0.00 | 2.0 |
| 563 | FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC | 5 | 0.00 | 12 |
| 566 | OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITHOUT CC/MCC | 1 | 0.00 | 1.0 |
| 592 | SKIN ULCERS WITH MCC | 1 | 0.00 | 14 |
| 596 | MAJOR SKIN DISORDERS WITHOUT MCC | 1 | 0.00 | 6.0 |
| 602 | CELLULITIS WITH MCC | 1 | 0.00 | 16 |
| 603 | CELLULITIS WITHOUT MCC | 13 | 0.01 | 7.2 |
| 604 | TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITH MCC | 2 | 0.00 | 3.5 |
| 605 | TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITHOUT MCC | 6 | 0.00 | 8.8 |
| 606 | MINOR SKIN DISORDERS WITH MCC | 1 | 0.00 | 4.0 |
| 607 | MINOR SKIN DISORDERS WITHOUT MCC | 4 | 0.00 | 19 |
| 627 | THYROID, PARATHYROID & THYROGLOSSAL PROCEDURES WITHOUT CC/MCC | 1 | 0.00 | 2.0 |
| 637 | DIABETES WITH MCC | 3 | 0.00 | 13 |
| 638 | DIABETES WITH CC | 6 | 0.00 | 4.7 |

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Statewide Totals**

typcare1=Psychiatric Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 639 | DIABETES WITHOUT CC/MCC | 8 | 0.00 | 3.6 |
| 640 | NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC | 3 | 0.00 | 7.0 |
| 641 | NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC | 21 | 0.01 | 6.3 |
| 642 | INBORN ERRORS OF METABOLISM | 3 | 0.00 | 7.7 |
| 644 | ENDOCRINE DISORDERS WITH CC | 4 | 0.00 | 10 |
| 645 | ENDOCRINE DISORDERS WITHOUT CC/MCC | 3 | 0.00 | 10 |
| 667 | PROSTATECTOMY WITHOUT CC/MCC | 1 | 0.00 | 8.0 |
| 682 | RENAL FAILURE WITH MCC | 5 | 0.00 | 3.6 |
| 683 | RENAL FAILURE WITH CC | 6 | 0.00 | 4.8 |
| 689 | KIDNEY & URINARY TRACT INFECTIONS WITH MCC | 6 | 0.00 | 8.0 |
| 690 | KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC | 17 | 0.01 | 6.5 |
| 696 | KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITHOUT MCC | 1 | 0.00 | 7.0 |
| 699 | OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH CC | 1 | 0.00 | 13 |
| 728 | INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITHOUT MCC | 1 | 0.00 | 7.0 |
| 743 | UTERINE & ADNEXA PROCEDURE FOR NON-MALIGNANCY WITHOUT CC/MCC | 1 | 0.00 | 3.0 |
| 744 | D&C, CONIZATION, LAPAROSCOPY & TUBAL INTERRUPTION WITH CC/MCC | 1 | 0.00 | 6.0 |
| 755 | MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH CC | 1 | 0.00 | 5.0 |
| 759 | INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC | 1 | 0.00 | 3.0 |
| 760 | MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITH CC/MCC | 2 | 0.00 | 5.5 |
| 761 | MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITHOUT CC/MCC | 2 | 0.00 | 2.5 |
| 765 | CESAREAN SECTION WITH CC/MCC | 1 | 0.00 | 146 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Statewide Totals*

typcare1=Psychiatric Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 766 | CESAREAN SECTION WITHOUT CC/MCC | 1 | 0.00 | 2.0 |
| 769 | POSTPARTUM & POST ABORTION DIAGNOSIS WITH O.R. PROCEDURE | 1 | 0.00 | 9.0 |
| 775 | VAGINAL DELIVERY WITHOUT COMPLICATING DIAGNOSIS | 7 | 0.00 | 1.7 |
| 776 | POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE | 159 | 0.08 | 4.9 |
| 779 | ABORTION WITHOUT D&C | 1 | 0.00 | 17 |
| 781 | OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS | 395 | 0.20 | 7.0 |
| 782 | OTHER ANTEPARTUM DIAGNOSIS WITHOUT MEDICAL COMPLICATIONS | 1 | 0.00 | 3.0 |
| 789 | NEONATES, DIED OR TRANSFERRED TO ANOTHER ACUTE CARE FACILITY | 2 | 0.00 | 58 |
| 790 | EXTREME IMMATURETY OR RESPIRATORY DISTRESS SYNDROME, NEONATE | 3 | 0.00 | 99 |
| 804 | OTHER O.R. PROCEDURE OF THE BLOOD & BLOOD FORMING ORGANS WITHOUT CC/MCC | 1 | 0.00 | 5.0 |
| 809 | MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH CC | 1 | 0.00 | 2.0 |
| 811 | RED BLOOD CELL DISORDERS WITH MCC | 2 | 0.00 | 9.5 |
| 812 | RED BLOOD CELL DISORDERS WITHOUT MCC | 9 | 0.00 | 7.3 |
| 813 | COAGULATION DISORDERS | 2 | 0.00 | 7.0 |
| 815 | RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH CC | 1 | 0.00 | 9.0 |
| 816 | RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITHOUT CC/MCC | 7 | 0.00 | 8.9 |
| 844 | OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH CC | 1 | 0.00 | 1.0 |
| 847 | CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH CC | 1 | 0.00 | 6.0 |
| 853 | INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH MCC | 3 | 0.00 | 11 |
| 863 | POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC | 1 | 0.00 | 2.0 |
| 870 | SEPTICEMIA OR SEVERE SEPSIS WITH MECH VENT 96+ HOURS | 1 | 0.00 | 4.0 |

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Statewide Totals**

typcare1=Psychiatric Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 871 | SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC | 7 | 0.00 | 3.7 |
| 872 | SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC | 3 | 0.00 | 3.7 |
| 876 | O.R. PROCEDURE WITH PRINCIPAL DIAGNOSIS OF MENTAL ILLNESS | 88 | 0.04 | 13 |
| 880 | ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION | 911 | 0.46 | 4.9 |
| 881 | DEPRESSIVE NEUROSES | 11,267 | 5.72 | 3.8 |
| 882 | NEUROSES EXCEPT DEPRESSIVE | 3,693 | 1.88 | 3.9 |
| 883 | DISORDERS OF PERSONALITY & IMPULSE CONTROL | 1,937 | 0.98 | 9.4 |
| 884 | ORGANIC DISTURBANCES & MENTAL RETARDATION | 1,214 | 0.62 | 12 |
| 885 | PSYCHOSES | 163,735 | 83.17 | 8.3 |
| 886 | BEHAVIORAL & DEVELOPMENTAL DISORDERS | 1,251 | 0.64 | 7.7 |
| 887 | OTHER MENTAL DISORDER DIAGNOSIS | 281 | 0.14 | 17 |
| 894 | ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA | 701 | 0.36 | 3.1 |
| 895 | ALCOHOL/DRUG ABUSE OR DEPENDENCE WITH REHABILITATION THERAPY | 273 | 0.14 | 5.6 |
| 896 | ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC | 121 | 0.06 | 5.7 |
| 897 | ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC | 8,273 | 4.20 | 5.4 |
| 907 | OTHER O.R. PROCEDURES FOR INJURIES WITH MCC | 2 | 0.00 | 9.5 |
| 908 | OTHER O.R. PROCEDURES FOR INJURIES WITH CC | 2 | 0.00 | 2.0 |
| 914 | TRAUMATIC INJURY WITHOUT MCC | 1 | 0.00 | 3.0 |
| 916 | ALLERGIC REACTIONS WITHOUT MCC | 1 | 0.00 | 1.0 |
| 917 | POISONING & TOXIC EFFECTS OF DRUGS WITH MCC | 35 | 0.02 | 8.2 |
| 918 | POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC | 304 | 0.15 | 4.4 |

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Statewide Totals**

typcare1=Psychiatric Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 923 | OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITHOUT MCC | 1 | 0.00 | 7.0 |
| 945 | REHABILITATION WITH CC/MCC | 7 | 0.00 | 22 |
| 947 | SIGNS & SYMPTOMS WITH MCC | 1 | 0.00 | 5.0 |
| 948 | SIGNS & SYMPTOMS WITHOUT MCC | 8 | 0.00 | 5.8 |
| 949 | AFTERCARE WITH CC/MCC | 1 | 0.00 | 2.0 |
| 951 | OTHER FACTORS INFLUENCING HEALTH STATUS | 204 | 0.10 | 1.8 |
| 964 | OTHER MULTIPLE SIGNIFICANT TRAUMA WITH CC | 1 | 0.00 | 17 |
| 975 | HIV WITH MAJOR RELATED CONDITION WITH CC | 28 | 0.01 | 9.5 |
| 976 | HIV WITH MAJOR RELATED CONDITION WITHOUT CC/MCC | 33 | 0.02 | 7.5 |
| 977 | HIV WITH OR WITHOUT OTHER RELATED CONDITION | 11 | 0.01 | 19 |
| 981 | EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC | 1 | 0.00 | 9.0 |
| 982 | EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC | 2 | 0.00 | 6.0 |
| 988 | NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC | 2 | 0.00 | 15 |
| 989 | NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITHOUT CC/MCC | 1 | 0.00 | 17 |
| 998 | PRINCIPAL DIAGNOSIS INVALID AS DISCHARGE DIAGNOSIS | 1 | 0.00 | 6.0 |
| 999 | UNGROUPABLE | 1 | 0.00 | 75 |
| All | | 196,867 | 100.0 | 7.9 |

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Statewide Totals*

typcare1=Skilled Nursing/Intermediate Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 004 | TRACH WITH MECH VENT 96+ HRS OR PRINC DIAGNOSIS EXCEPT FACE, MOUTH & NECK WITHOUT MAJOR O.R. | 1 | 0.00 | 1E3 |
| 028 | SPINAL PROCEDURES WITH MCC | 1 | 0.00 | 6.0 |
| 038 | EXTRACRANIAL PROCEDURES WITH CC | 1 | 0.00 | 5.0 |
| 040 | PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH MCC | 5 | 0.01 | 490 |
| 041 | PERIPH/CRANIAL NERVE & OTHER NERV SYST PROCEDURE WITH CC OR PERIPH NEUROSTIM | 3 | 0.01 | 7.0 |
| 052 | SPINAL DISORDERS & INJURIES WITH CC/MCC | 87 | 0.20 | 467 |
| 053 | SPINAL DISORDERS & INJURIES WITHOUT CC/MCC | 14 | 0.03 | 361 |
| 054 | NERVOUS SYSTEM NEOPLASMS WITH MCC | 28 | 0.07 | 16 |
| 055 | NERVOUS SYSTEM NEOPLASMS WITHOUT MCC | 57 | 0.13 | 20 |
| 056 | DEGENERATIVE NERVOUS SYSTEM DISORDERS WITH MCC | 355 | 0.83 | 404 |
| 057 | DEGENERATIVE NERVOUS SYSTEM DISORDERS WITHOUT MCC | 870 | 2.02 | 231 |
| 058 | MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH MCC | 21 | 0.05 | 724 |
| 059 | MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITH CC | 12 | 0.03 | 511 |
| 060 | MULTIPLE SCLEROSIS & CEREBELLAR ATAXIA WITHOUT CC/MCC | 11 | 0.03 | 221 |
| 064 | INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH MCC | 61 | 0.14 | 82 |
| 065 | INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITH CC | 110 | 0.26 | 76 |
| 066 | INTRACRANIAL HEMORRHAGE OR CEREBRAL INFARCTION WITHOUT CC/MCC | 59 | 0.14 | 15 |
| 067 | NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITH MCC | 5 | 0.01 | 22 |
| 068 | NONSPECIFIC CVA & PRECEREBRAL OCCLUSION WITHOUT INFARCT WITHOUT MCC | 32 | 0.07 | 22 |
| 069 | TRANSIENT ISCHEMIA | 31 | 0.07 | 26 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Statewide Totals*

typcare1=Skilled Nursing/Intermediate Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 070 | NONSPECIFIC CEREBROVASCULAR DISORDERS WITH MCC | 65 | 0.15 | 580 |
| 071 | NONSPECIFIC CEREBROVASCULAR DISORDERS WITH CC | 51 | 0.12 | 458 |
| 072 | NONSPECIFIC CEREBROVASCULAR DISORDERS WITHOUT CC/MCC | 25 | 0.06 | 223 |
| 073 | CRANIAL & PERIPHERAL NERVE DISORDERS WITH MCC | 9 | 0.02 | 219 |
| 074 | CRANIAL & PERIPHERAL NERVE DISORDERS WITHOUT MCC | 67 | 0.16 | 67 |
| 075 | VIRAL MENINGITIS WITH CC/MCC | 6 | 0.01 | 6.2 |
| 076 | VIRAL MENINGITIS WITHOUT CC/MCC | 4 | 0.01 | 6.3 |
| 077 | HYPERTENSIVE ENCEPHALOPATHY WITH MCC | 8 | 0.02 | 442 |
| 078 | HYPERTENSIVE ENCEPHALOPATHY WITH CC | 12 | 0.03 | 613 |
| 079 | HYPERTENSIVE ENCEPHALOPATHY WITHOUT CC/MCC | 5 | 0.01 | 434 |
| 080 | NONTRAUMATIC STUPOR & COMA WITH MCC | 33 | 0.08 | 284 |
| 081 | NONTRAUMATIC STUPOR & COMA WITHOUT MCC | 40 | 0.09 | 214 |
| 082 | TRAUMATIC STUPOR & COMA, COMA >1 HR WITH MCC | 5 | 0.01 | 21 |
| 083 | TRAUMATIC STUPOR & COMA, COMA >1 HR WITH CC | 5 | 0.01 | 100 |
| 084 | TRAUMATIC STUPOR & COMA, COMA >1 HR WITHOUT CC/MCC | 4 | 0.01 | 9.3 |
| 085 | TRAUMATIC STUPOR & COMA, COMA <1 HR WITH MCC | 21 | 0.05 | 91 |
| 086 | TRAUMATIC STUPOR & COMA, COMA <1 HR WITH CC | 17 | 0.04 | 22 |
| 087 | TRAUMATIC STUPOR & COMA, COMA <1 HR WITHOUT CC/MCC | 25 | 0.06 | 62 |
| 091 | OTHER DISORDERS OF NERVOUS SYSTEM WITH MCC | 128 | 0.30 | 322 |
| 092 | OTHER DISORDERS OF NERVOUS SYSTEM WITH CC | 114 | 0.27 | 280 |
| 093 | OTHER DISORDERS OF NERVOUS SYSTEM WITHOUT CC/MCC | 78 | 0.18 | 182 |

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Statewide Totals**

typcare1=Skilled Nursing/Intermediate Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 094 | BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH MCC | 19 | 0.04 | 56 |
| 095 | BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITH CC | 14 | 0.03 | 25 |
| 096 | BACTERIAL & TUBERCULOUS INFECTIONS OF NERVOUS SYSTEM WITHOUT CC/MCC | 14 | 0.03 | 14 |
| 097 | NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH MCC | 10 | 0.02 | 160 |
| 098 | NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITH CC | 6 | 0.01 | 27 |
| 099 | NON-BACTERIAL INFECT OF NERVOUS SYS EXCEPT VIRAL MENINGITIS WITHOUT CC/MCC | 4 | 0.01 | 402 |
| 100 | SEIZURES WITH MCC | 17 | 0.04 | 67 |
| 101 | SEIZURES WITHOUT MCC | 53 | 0.12 | 139 |
| 102 | HEADACHES WITH MCC | 2 | 0.00 | 668 |
| 103 | HEADACHES WITHOUT MCC | 10 | 0.02 | 55 |
| 121 | ACUTE MAJOR EYE INFECTIONS WITH CC/MCC | 5 | 0.01 | 13 |
| 122 | ACUTE MAJOR EYE INFECTIONS WITHOUT CC/MCC | 1 | 0.00 | 13 |
| 123 | NEUROLOGICAL EYE DISORDERS | 3 | 0.01 | 6.7 |
| 125 | OTHER DISORDERS OF THE EYE WITHOUT MCC | 12 | 0.03 | 155 |
| 146 | EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH MCC | 10 | 0.02 | 40 |
| 147 | EAR, NOSE, MOUTH & THROAT MALIGNANCY WITH CC | 15 | 0.03 | 54 |
| 148 | EAR, NOSE, MOUTH & THROAT MALIGNANCY WITHOUT CC/MCC | 9 | 0.02 | 17 |
| 149 | DYSEQUILIBRIUM | 36 | 0.08 | 6.3 |
| 150 | EPISTAXIS WITH MCC | 4 | 0.01 | 6.5 |
| 151 | EPISTAXIS WITHOUT MCC | 5 | 0.01 | 69 |
| 152 | OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITH MCC | 2 | 0.00 | 1E3 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Statewide Totals*

typcare1=Skilled Nursing/Intermediate Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|-------------------------|---------------------------|------------------------------|
| 153 | OTITIS MEDIA & UPPER RESPIRATORY INFECTION WITHOUT MCC | 18 | 0.04 | 203 |
| 154 | OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH MCC | 4 | 0.01 | 14 |
| 155 | OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITH CC | 7 | 0.02 | 19 |
| 156 | OTHER EAR, NOSE, MOUTH & THROAT DIAGNOSIS WITHOUT CC/MCC | 9 | 0.02 | 85 |
| 157 | DENTAL & ORAL DISEASES WITH MCC | 2 | 0.00 | 3.0 |
| 158 | DENTAL & ORAL DISEASES WITH CC | 2 | 0.00 | 3.5 |
| 159 | DENTAL & ORAL DISEASES WITHOUT CC/MCC | 1 | 0.00 | 30 |
| 165 | MAJOR CHEST PROCEDURES WITHOUT CC/MCC | 1 | 0.00 | 5.0 |
| 166 | OTHER RESP SYSTEM O.R. PROCEDURES WITH MCC | 19 | 0.04 | 400 |
| 167 | OTHER RESP SYSTEM O.R. PROCEDURES WITH CC | 5 | 0.01 | 145 |
| 175 | PULMONARY EMBOLISM WITH MCC | 15 | 0.03 | 8.3 |
| 176 | PULMONARY EMBOLISM WITHOUT MCC | 48 | 0.11 | 14 |
| 177 | RESPIRATORY INFECTIONS & INFLAMMATIONS WITH MCC | 169 | 0.39 | 33 |
| 178 | RESPIRATORY INFECTIONS & INFLAMMATIONS WITH CC | 246 | 0.57 | 50 |
| 179 | RESPIRATORY INFECTIONS & INFLAMMATIONS WITHOUT CC/MCC | 105 | 0.24 | 21 |
| 180 | RESPIRATORY NEOPLASMS WITH MCC | 81 | 0.19 | 21 |
| 181 | RESPIRATORY NEOPLASMS WITH CC | 121 | 0.28 | 14 |
| 182 | RESPIRATORY NEOPLASMS WITHOUT CC/MCC | 46 | 0.11 | 68 |
| 183 | MAJOR CHEST TRAUMA WITH MCC | 2 | 0.00 | 5.5 |
| 184 | MAJOR CHEST TRAUMA WITH CC | 1 | 0.00 | 15 |
| 186 | PLEURAL EFFUSION WITH MCC | 20 | 0.05 | 19 |

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Statewide Totals**

typcare1=Skilled Nursing/Intermediate Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|-----------------------------|----------------------------|-------------------------------|
| 187 | PLEURAL EFFUSION WITH CC | 15 | 0.03 | 8.1 |
| 188 | PLEURAL EFFUSION WITHOUT CC/MCC | 12 | 0.03 | 59 |
| 189 | PULMONARY EDEMA & RESPIRATORY FAILURE | 706 | 1.64 | 146 |
| 190 | CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH MCC | 209 | 0.49 | 27 |
| 191 | CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITH CC | 257 | 0.60 | 47 |
| 192 | CHRONIC OBSTRUCTIVE PULMONARY DISEASE WITHOUT CC/MCC | 240 | 0.56 | 51 |
| 193 | SIMPLE PNEUMONIA & PLEURISY WITH MCC | 269 | 0.63 | 31 |
| 194 | SIMPLE PNEUMONIA & PLEURISY WITH CC | 481 | 1.12 | 37 |
| 195 | SIMPLE PNEUMONIA & PLEURISY WITHOUT CC/MCC | 319 | 0.74 | 16 |
| 196 | INTERSTITIAL LUNG DISEASE WITH MCC | 21 | 0.05 | 16 |
| 197 | INTERSTITIAL LUNG DISEASE WITH CC | 14 | 0.03 | 50 |
| 198 | INTERSTITIAL LUNG DISEASE WITHOUT CC/MCC | 13 | 0.03 | 26 |
| 199 | PNEUMOTHORAX WITH MCC | 7 | 0.02 | 16 |
| 200 | PNEUMOTHORAX WITH CC | 4 | 0.01 | 32 |
| 201 | PNEUMOTHORAX WITHOUT CC/MCC | 4 | 0.01 | 7.3 |
| 202 | BRONCHITIS & ASTHMA WITH CC/MCC | 32 | 0.07 | 54 |
| 203 | BRONCHITIS & ASTHMA WITHOUT CC/MCC | 32 | 0.07 | 24 |
| 204 | RESPIRATORY SIGNS & SYMPTOMS | 62 | 0.14 | 98 |
| 205 | OTHER RESPIRATORY SYSTEM DIAGNOSIS WITH MCC | 17 | 0.04 | 80 |
| 206 | OTHER RESPIRATORY SYSTEM DIAGNOSIS WITHOUT MCC | 36 | 0.08 | 109 |
| 207 | RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT 96+ HOURS | 638 | 1.48 | 173 |

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Statewide Totals**

typcare1=Skilled Nursing/Intermediate Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|-----------------------------|----------------------------|-------------------------------|
| 208 | RESPIRATORY SYSTEM DIAGNOSIS WITH VENTILATOR SUPPORT <96 HOURS | 61 | 0.14 | 140 |
| 249 | PERC CARDIOVASC PROCEDURE WITH NON-DRUG-ELUTING STENT WITHOUT MCC | 1 | 0.00 | .00 |
| 251 | PERC CARDIOVASC PROCEDURE WITHOUT CORONARY ARTERY STENT WITHOUT MCC | 1 | 0.00 | 1.0 |
| 253 | OTHER VASCULAR PROCEDURES WITH CC | 2 | 0.00 | 5.5 |
| 256 | UPPER LIMB & TOE AMPUTATION FOR CIRC SYSTEM DISORDERS WITH CC | 1 | 0.00 | 7.0 |
| 264 | OTHER CIRCULATORY SYSTEM O.R. PROCEDURES | 7 | 0.02 | 22 |
| 280 | ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH MCC | 16 | 0.04 | 111 |
| 281 | ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITH CC | 9 | 0.02 | 15 |
| 282 | ACUTE MYOCARDIAL INFARCTION, DISCHARGED ALIVE WITHOUT CC/MCC | 12 | 0.03 | 32 |
| 283 | ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH MCC | 5 | 0.01 | 2.8 |
| 284 | ACUTE MYOCARDIAL INFARCTION, EXPIRED WITH CC | 4 | 0.01 | 220 |
| 285 | ACUTE MYOCARDIAL INFARCTION, EXPIRED WITHOUT CC/MCC | 3 | 0.01 | 20 |
| 286 | CIRCULATORY DISORDERS EXCEPT AMI, WITH CARD CATH WITH MCC | 1 | 0.00 | 28 |
| 288 | ACUTE & SUBACUTE ENDOCARDITIS WITH MCC | 38 | 0.09 | 22 |
| 289 | ACUTE & SUBACUTE ENDOCARDITIS WITH CC | 25 | 0.06 | 19 |
| 290 | ACUTE & SUBACUTE ENDOCARDITIS WITHOUT CC/MCC | 11 | 0.03 | 11 |
| 291 | HEART FAILURE & SHOCK WITH MCC | 257 | 0.60 | 57 |
| 292 | HEART FAILURE & SHOCK WITH CC | 250 | 0.58 | 43 |
| 293 | HEART FAILURE & SHOCK WITHOUT CC/MCC | 205 | 0.48 | 69 |
| 294 | DEEP VEIN THROMBOPHLEBITIS WITH CC/MCC | 8 | 0.02 | 14 |
| 295 | DEEP VEIN THROMBOPHLEBITIS WITHOUT CC/MCC | 1 | 0.00 | 4.0 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Statewide Totals*

typcare1=Skilled Nursing/Intermediate Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 296 | CARDIAC ARREST, UNEXPLAINED WITH MCC | 5 | 0.01 | 34 |
| 297 | CARDIAC ARREST, UNEXPLAINED WITH CC | 3 | 0.01 | 324 |
| 298 | CARDIAC ARREST, UNEXPLAINED WITHOUT CC/MCC | 1 | 0.00 | 99 |
| 299 | PERIPHERAL VASCULAR DISORDERS WITH MCC | 91 | 0.21 | 19 |
| 300 | PERIPHERAL VASCULAR DISORDERS WITH CC | 135 | 0.31 | 65 |
| 301 | PERIPHERAL VASCULAR DISORDERS WITHOUT CC/MCC | 69 | 0.16 | 42 |
| 302 | ATHEROSCLEROSIS WITH MCC | 19 | 0.04 | 50 |
| 303 | ATHEROSCLEROSIS WITHOUT MCC | 91 | 0.21 | 247 |
| 304 | HYPERTENSION WITH MCC | 59 | 0.14 | 338 |
| 305 | HYPERTENSION WITHOUT MCC | 122 | 0.28 | 265 |
| 306 | CARDIAC CONGENITAL & VALVULAR DISORDERS WITH MCC | 8 | 0.02 | 20 |
| 307 | CARDIAC CONGENITAL & VALVULAR DISORDERS WITHOUT MCC | 25 | 0.06 | 29 |
| 308 | CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH MCC | 41 | 0.10 | 91 |
| 309 | CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITH CC | 65 | 0.15 | 258 |
| 310 | CARDIAC ARRHYTHMIA & CONDUCTION DISORDERS WITHOUT CC/MCC | 64 | 0.15 | 58 |
| 311 | ANGINA PECTORIS | 12 | 0.03 | 102 |
| 312 | SYNCOPE & COLLAPSE | 107 | 0.25 | 18 |
| 313 | CHEST PAIN | 32 | 0.07 | 31 |
| 314 | OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH MCC | 127 | 0.30 | 29 |
| 315 | OTHER CIRCULATORY SYSTEM DIAGNOSIS WITH CC | 82 | 0.19 | 43 |
| 316 | OTHER CIRCULATORY SYSTEM DIAGNOSIS WITHOUT CC/MCC | 52 | 0.12 | 37 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Statewide Totals*

typcare1=Skilled Nursing/Intermediate Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 340 | APPENDECTOMY WITH COMPLICATED PRINCIPAL DIAGNOSIS WITHOUT CC/MCC | 1 | 0.00 | 4.0 |
| 355 | HERNIA PROCEDURES EXCEPT INGUINAL & FEMORAL WITHOUT CC/MCC | 1 | 0.00 | 17 |
| 357 | OTHER DIGESTIVE SYSTEM O.R. PROCEDURES WITH CC | 1 | 0.00 | 15 |
| 368 | MAJOR ESOPHAGEAL DISORDERS WITH MCC | 2 | 0.00 | 12 |
| 369 | MAJOR ESOPHAGEAL DISORDERS WITH CC | 4 | 0.01 | 163 |
| 371 | MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH MCC | 66 | 0.15 | 18 |
| 372 | MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITH CC | 62 | 0.14 | 15 |
| 373 | MAJOR GASTROINTESTINAL DISORDERS & PERITONEAL INFECTIONS WITHOUT CC/MCC | 29 | 0.07 | 11 |
| 374 | DIGESTIVE MALIGNANCY WITH MCC | 50 | 0.12 | 15 |
| 375 | DIGESTIVE MALIGNANCY WITH CC | 115 | 0.27 | 18 |
| 376 | DIGESTIVE MALIGNANCY WITHOUT CC/MCC | 29 | 0.07 | 25 |
| 377 | G.I. HEMORRHAGE WITH MCC | 39 | 0.09 | 110 |
| 378 | G.I. HEMORRHAGE WITH CC | 65 | 0.15 | 41 |
| 379 | G.I. HEMORRHAGE WITHOUT CC/MCC | 45 | 0.10 | 12 |
| 380 | COMPLICATED PEPTIC ULCER WITH MCC | 3 | 0.01 | 9.0 |
| 381 | COMPLICATED PEPTIC ULCER WITH CC | 6 | 0.01 | 6.7 |
| 382 | COMPLICATED PEPTIC ULCER WITHOUT CC/MCC | 4 | 0.01 | 247 |
| 384 | UNCOMPLICATED PEPTIC ULCER WITHOUT MCC | 7 | 0.02 | 8.6 |
| 385 | INFLAMMATORY BOWEL DISEASE WITH MCC | 3 | 0.01 | 13 |
| 386 | INFLAMMATORY BOWEL DISEASE WITH CC | 8 | 0.02 | 66 |
| 387 | INFLAMMATORY BOWEL DISEASE WITHOUT CC/MCC | 4 | 0.01 | 9.8 |

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Statewide Totals**

typcare1=Skilled Nursing/Intermediate Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 388 | G.I. OBSTRUCTION WITH MCC | 21 | 0.05 | 38 |
| 389 | G.I. OBSTRUCTION WITH CC | 54 | 0.13 | 44 |
| 390 | G.I. OBSTRUCTION WITHOUT CC/MCC | 33 | 0.08 | 46 |
| 391 | ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITH MCC | 56 | 0.13 | 38 |
| 392 | ESOPHAGITIS, GASTROENT & MISC DIGEST DISORDERS WITHOUT MCC | 255 | 0.59 | 27 |
| 393 | OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH MCC | 51 | 0.12 | 19 |
| 394 | OTHER DIGESTIVE SYSTEM DIAGNOSIS WITH CC | 71 | 0.17 | 55 |
| 395 | OTHER DIGESTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC | 38 | 0.09 | 16 |
| 409 | BILIARY TRACT PROCEDURE EXCEPT ONLY CHOLECYST WITH OR WITHOUT COMMON DUCT EXPLORE WITH CC | 1 | 0.00 | 2.0 |
| 417 | LAPAROSCOPIC CHOLECYSTECTOMY WITHOUT COMMON DUCT EXPLORE WITH MCC | 1 | 0.00 | 6.0 |
| 424 | OTHER HEPATOBILIARY OR PANCREAS O.R. PROCEDURES WITH CC | 1 | 0.00 | 15 |
| 432 | CIRRHOSIS & ALCOHOLIC HEPATITIS WITH MCC | 45 | 0.10 | 93 |
| 433 | CIRRHOSIS & ALCOHOLIC HEPATITIS WITH CC | 25 | 0.06 | 62 |
| 434 | CIRRHOSIS & ALCOHOLIC HEPATITIS WITHOUT CC/MCC | 6 | 0.01 | 17 |
| 435 | MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITH MCC | 56 | 0.13 | 12 |
| 436 | MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITH CC | 59 | 0.14 | 26 |
| 437 | MALIGNANCY OF HEPATOBILIARY SYSTEM OR PANCREAS WITHOUT CC/MCC | 25 | 0.06 | 8.3 |
| 438 | DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH MCC | 31 | 0.07 | 13 |
| 439 | DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITH CC | 36 | 0.08 | 10 |
| 440 | DISORDERS OF PANCREAS EXCEPT MALIGNANCY WITHOUT CC/MCC | 32 | 0.07 | 5.0 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Statewide Totals*

typcare1=Skilled Nursing/Intermediate Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 441 | DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH MCC | 45 | 0.10 | 15 |
| 442 | DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITH CC | 45 | 0.10 | 24 |
| 443 | DISORDERS OF LIVER EXCEPT MALIG,CIRR,ALC HEPA WITHOUT CC/MCC | 18 | 0.04 | 7.1 |
| 444 | DISORDERS OF THE BILIARY TRACT WITH MCC | 25 | 0.06 | 12 |
| 445 | DISORDERS OF THE BILIARY TRACT WITH CC | 25 | 0.06 | 224 |
| 446 | DISORDERS OF THE BILIARY TRACT WITHOUT CC/MCC | 19 | 0.04 | 25 |
| 463 | WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH MCC | 3 | 0.01 | 40 |
| 464 | WOUND DEBRIDE & SKIN GRAFT EXCEPT HAND, FOR MUSCULO-CONN TISS DIS WITH CC | 2 | 0.00 | 29 |
| 468 | REVISION OF HIP OR KNEE REPLACEMENT WITHOUT CC/MCC | 1 | 0.00 | 2.0 |
| 470 | MAJOR JOINT REPLACEMENT OR REATTACHMENT OF LOWER EXTREMITY WITHOUT MCC | 5 | 0.01 | 4.0 |
| 479 | BIOPSIES OF MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC | 2 | 0.00 | 7.5 |
| 481 | HIP & FEMUR PROCEDURES EXCEPT MAJOR JOINT WITH CC | 1 | 0.00 | 12 |
| 486 | KNEE PROCEDURES WITH PRINC DIAGNOSIS OF INFECTION WITH CC | 1 | 0.00 | 19 |
| 490 | BACK & NECK PROCEDURE EXCEPT SPINAL FUSION WITH CC/MCC OR DISC DEVICE/NEUROSTIM | 1 | 0.00 | 2.0 |
| 494 | LOWER EXTREM & HUMER PROCEDURE EXCEPT HIP,FOOT,FEMUR WITHOUT CC/MCC | 1 | 0.00 | 4.0 |
| 495 | LOCAL EXCISION & REMOVAL INTERNAL FIX DEVICES EXCEPT HIP & FEMUR WITH MCC | 1 | 0.00 | 11 |
| 500 | SOFT TISSUE PROCEDURES WITH MCC | 2 | 0.00 | 25 |
| 502 | SOFT TISSUE PROCEDURES WITHOUT CC/MCC | 1 | 0.00 | 5.0 |
| 517 | OTHER MUSCULOSKELET SYS & CONN TISS O.R. PROCEDURE WITHOUT CC/MCC | 1 | 0.00 | 1.0 |
| 534 | FRACTURES OF FEMUR WITHOUT MCC | 12 | 0.03 | 15 |
| 535 | FRACTURES OF HIP & PELVIS WITH MCC | 22 | 0.05 | 28 |

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Statewide Totals**

typcare1=Skilled Nursing/Intermediate Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|-----------------------------|----------------------------|-------------------------------|
| 536 | FRACTURES OF HIP & PELVIS WITHOUT MCC | 199 | 0.46 | 40 |
| 537 | SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITH CC/MCC | 1 | 0.00 | 1.0 |
| 538 | SPRAINS, STRAINS, & DISLOCATIONS OF HIP, PELVIS & THIGH WITHOUT CC/MCC | 2 | 0.00 | 15 |
| 539 | OSTEOMYELITIS WITH MCC | 75 | 0.17 | 47 |
| 540 | OSTEOMYELITIS WITH CC | 89 | 0.21 | 38 |
| 541 | OSTEOMYELITIS WITHOUT CC/MCC | 48 | 0.11 | 44 |
| 542 | PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH MCC | 21 | 0.05 | 13 |
| 543 | PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITH CC | 60 | 0.14 | 15 |
| 544 | PATHOLOGICAL FRACTURES & MUSCULOSKELET & CONN TISS MALIGNANCY WITHOUT CC/MCC | 24 | 0.06 | 27 |
| 545 | CONNECTIVE TISSUE DISORDERS WITH MCC | 11 | 0.03 | 124 |
| 546 | CONNECTIVE TISSUE DISORDERS WITH CC | 21 | 0.05 | 504 |
| 547 | CONNECTIVE TISSUE DISORDERS WITHOUT CC/MCC | 15 | 0.03 | 12 |
| 548 | SEPTIC ARTHRITIS WITH MCC | 9 | 0.02 | 16 |
| 549 | SEPTIC ARTHRITIS WITH CC | 40 | 0.09 | 27 |
| 550 | SEPTIC ARTHRITIS WITHOUT CC/MCC | 15 | 0.03 | 11 |
| 551 | MEDICAL BACK PROBLEMS WITH MCC | 32 | 0.07 | 43 |
| 552 | MEDICAL BACK PROBLEMS WITHOUT MCC | 251 | 0.58 | 28 |
| 553 | BONE DISEASES & ARTHROPATHIES WITH MCC | 16 | 0.04 | 14 |
| 554 | BONE DISEASES & ARTHROPATHIES WITHOUT MCC | 239 | 0.56 | 53 |
| 555 | SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITH MCC | 18 | 0.04 | 53 |
| 556 | SIGNS & SYMPTOMS OF MUSCULOSKELETAL SYSTEM & CONN TISSUE WITHOUT MCC | 110 | 0.26 | 32 |

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Statewide Totals**

typcare1=Skilled Nursing/Intermediate Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 557 | TENDONITIS, MYOSITIS & BURSITIS WITH MCC | 15 | 0.03 | 15 |
| 558 | TENDONITIS, MYOSITIS & BURSITIS WITHOUT MCC | 48 | 0.11 | 55 |
| 559 | AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH MCC | 246 | 0.57 | 30 |
| 560 | AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITH CC | 917 | 2.13 | 20 |
| 561 | AFTERCARE, MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE WITHOUT CC/MCC | 1,589 | 3.69 | 13 |
| 562 | FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITH MCC | 8 | 0.02 | 34 |
| 563 | FX, SPRAIN, STRAIN & DISLOCATE EXCEPT FEMUR, HIP, PELVIS & THIGH WITHOUT MCC | 95 | 0.22 | 30 |
| 564 | OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH MCC | 17 | 0.04 | 37 |
| 565 | OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITH CC | 39 | 0.09 | 92 |
| 566 | OTHER MUSCULOSKELETAL SYS & CONNECTIVE TISSUE DIAGNOSIS WITHOUT CC/MCC | 43 | 0.10 | 43 |
| 573 | SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH MCC | 7 | 0.02 | 783 |
| 574 | SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITH CC | 10 | 0.02 | 16 |
| 575 | SKIN GRAFT &/OR DEBRIDE FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC | 3 | 0.01 | 15 |
| 577 | SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITH CC | 1 | 0.00 | 33 |
| 578 | SKIN GRAFT &/OR DEBRIDE EXCEPT FOR SKIN ULCER OR CELLULITIS WITHOUT CC/MCC | 1 | 0.00 | .00 |
| 580 | OTHER SKIN, SUBCUT TISS & BREAST PROCEDURE WITH CC | 4 | 0.01 | 16 |
| 592 | SKIN ULCERS WITH MCC | 68 | 0.16 | 68 |
| 593 | SKIN ULCERS WITH CC | 142 | 0.33 | 70 |
| 594 | SKIN ULCERS WITHOUT CC/MCC | 49 | 0.11 | 34 |
| 595 | MAJOR SKIN DISORDERS WITH MCC | 3 | 0.01 | 10 |
| 596 | MAJOR SKIN DISORDERS WITHOUT MCC | 19 | 0.04 | 42 |

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Statewide Totals**

typcare1=Skilled Nursing/Intermediate Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|----------------------|---------------------|------------------------|
| 597 | MALIGNANT BREAST DISORDERS WITH MCC | 9 | 0.02 | 18 |
| 598 | MALIGNANT BREAST DISORDERS WITH CC | 21 | 0.05 | 76 |
| 599 | MALIGNANT BREAST DISORDERS WITHOUT CC/MCC | 6 | 0.01 | 8.8 |
| 600 | NON-MALIGNANT BREAST DISORDERS WITH CC/MCC | 3 | 0.01 | 903 |
| 601 | NON-MALIGNANT BREAST DISORDERS WITHOUT CC/MCC | 4 | 0.01 | 3.8 |
| 602 | CELLULITIS WITH MCC | 107 | 0.25 | 43 |
| 603 | CELLULITIS WITHOUT MCC | 527 | 1.23 | 19 |
| 604 | TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITH MCC | 7 | 0.02 | 60 |
| 605 | TRAUMA TO THE SKIN, SUBCUT TISS & BREAST WITHOUT MCC | 38 | 0.09 | 16 |
| 606 | MINOR SKIN DISORDERS WITH MCC | 3 | 0.01 | 17 |
| 607 | MINOR SKIN DISORDERS WITHOUT MCC | 21 | 0.05 | 53 |
| 622 | SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH MCC | 2 | 0.00 | 20 |
| 623 | SKIN GRAFTS & WOUND DEBRIDE FOR ENDOC, NUTRIT & METAB DIS WITH CC | 5 | 0.01 | 14 |
| 629 | OTHER ENDOCRINE, NUTRIT & METAB O.R. PROCEDURE WITH CC | 5 | 0.01 | 15 |
| 637 | DIABETES WITH MCC | 33 | 0.08 | 81 |
| 638 | DIABETES WITH CC | 150 | 0.35 | 49 |
| 639 | DIABETES WITHOUT CC/MCC | 53 | 0.12 | 53 |
| 640 | NUTRITIONAL & MISC METABOLIC DISORDERS WITH MCC | 64 | 0.15 | 28 |
| 641 | NUTRITIONAL & MISC METABOLIC DISORDERS WITHOUT MCC | 223 | 0.52 | 53 |
| 642 | INBORN ERRORS OF METABOLISM | 14 | 0.03 | 201 |
| 643 | ENDOCRINE DISORDERS WITH MCC | 5 | 0.01 | 35 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Statewide Totals*

typcare1=Skilled Nursing/Intermediate Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 644 | ENDOCRINE DISORDERS WITH CC | 20 | 0.05 | 124 |
| 645 | ENDOCRINE DISORDERS WITHOUT CC/MCC | 11 | 0.03 | 91 |
| 660 | KIDNEY & URETER PROCEDURES FOR NON-NEOPLASM WITH CC | 2 | 0.00 | 12 |
| 673 | OTHER KIDNEY & URINARY TRACT PROCEDURES WITH MCC | 4 | 0.01 | 42 |
| 674 | OTHER KIDNEY & URINARY TRACT PROCEDURES WITH CC | 3 | 0.01 | 32 |
| 682 | RENAL FAILURE WITH MCC | 176 | 0.41 | 60 |
| 683 | RENAL FAILURE WITH CC | 177 | 0.41 | 37 |
| 684 | RENAL FAILURE WITHOUT CC/MCC | 64 | 0.15 | 53 |
| 686 | KIDNEY & URINARY TRACT NEOPLASMS WITH MCC | 13 | 0.03 | 12 |
| 687 | KIDNEY & URINARY TRACT NEOPLASMS WITH CC | 22 | 0.05 | 32 |
| 688 | KIDNEY & URINARY TRACT NEOPLASMS WITHOUT CC/MCC | 9 | 0.02 | 26 |
| 689 | KIDNEY & URINARY TRACT INFECTIONS WITH MCC | 160 | 0.37 | 53 |
| 690 | KIDNEY & URINARY TRACT INFECTIONS WITHOUT MCC | 543 | 1.26 | 41 |
| 691 | URINARY STONES WITH ESW LITHOTRIPSY WITH CC/MCC | 1 | 0.00 | 7.0 |
| 693 | URINARY STONES WITHOUT ESW LITHOTRIPSY WITH MCC | 3 | 0.01 | 73 |
| 694 | URINARY STONES WITHOUT ESW LITHOTRIPSY WITHOUT MCC | 19 | 0.04 | 49 |
| 695 | KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITH MCC | 6 | 0.01 | 213 |
| 696 | KIDNEY & URINARY TRACT SIGNS & SYMPTOMS WITHOUT MCC | 20 | 0.05 | 21 |
| 697 | URETHRAL STRICTURE | 1 | 0.00 | 4.0 |
| 698 | OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH MCC | 19 | 0.04 | 20 |
| 699 | OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITH CC | 33 | 0.08 | 78 |

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Statewide Totals**

typcare1=Skilled Nursing/Intermediate Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 700 | OTHER KIDNEY & URINARY TRACT DIAGNOSIS WITHOUT CC/MCC | 18 | 0.04 | 30 |
| 722 | MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH MCC | 5 | 0.01 | 543 |
| 723 | MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITH CC | 12 | 0.03 | 52 |
| 724 | MALIGNANCY, MALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC | 6 | 0.01 | 76 |
| 725 | BENIGN PROSTATIC HYPERTROPHY WITH MCC | 3 | 0.01 | 9.7 |
| 726 | BENIGN PROSTATIC HYPERTROPHY WITHOUT MCC | 7 | 0.02 | 217 |
| 727 | INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITH MCC | 6 | 0.01 | 21 |
| 728 | INFLAMMATION OF THE MALE REPRODUCTIVE SYSTEM WITHOUT MCC | 28 | 0.07 | 10 |
| 729 | OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITH CC/MCC | 3 | 0.01 | 15 |
| 730 | OTHER MALE REPRODUCTIVE SYSTEM DIAGNOSIS WITHOUT CC/MCC | 2 | 0.00 | 8.5 |
| 754 | MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH MCC | 18 | 0.04 | 12 |
| 755 | MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITH CC | 25 | 0.06 | 14 |
| 756 | MALIGNANCY, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC | 3 | 0.01 | 8.0 |
| 757 | INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH MCC | 3 | 0.01 | 10 |
| 758 | INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITH CC | 9 | 0.02 | 9.2 |
| 759 | INFECTIONS, FEMALE REPRODUCTIVE SYSTEM WITHOUT CC/MCC | 3 | 0.01 | 14 |
| 760 | MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITH CC/MCC | 6 | 0.01 | 34 |
| 761 | MENSTRUAL & OTHER FEMALE REPRODUCTIVE SYSTEM DISORDERS WITHOUT CC/MCC | 2 | 0.00 | 1.5 |
| 775 | VAGINAL DELIVERY WITHOUT COMPLICATING DIAGNOSIS | 1 | 0.00 | 1.0 |
| 776 | POSTPARTUM & POST ABORTION DIAGNOSIS WITHOUT O.R. PROCEDURE | 4 | 0.01 | 6.8 |
| 781 | OTHER ANTEPARTUM DIAGNOSIS WITH MEDICAL COMPLICATIONS | 5 | 0.01 | 8.2 |

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Statewide Totals**

typcare1=Skilled Nursing/Intermediate Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 782 | OTHER ANTEPARTUM DIAGNOSIS WITHOUT MEDICAL COMPLICATIONS | 1 | 0.00 | 14 |
| 789 | NEONATES, DIED OR TRANSFERRED TO ANOTHER ACUTE CARE FACILITY | 5 | 0.01 | 72 |
| 792 | PREMATURITY WITHOUT MAJOR PROBLEMS | 1 | 0.00 | 18 |
| 795 | NORMAL NEWBORN | 4 | 0.01 | 1.8 |
| 808 | MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH MCC | 2 | 0.00 | 11 |
| 809 | MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITH CC | 13 | 0.03 | 22 |
| 810 | MAJOR HEMATOL/IMMUN DIAGNOSIS EXCEPT SICKLE CELL CRISIS & COAGUL WITHOUT CC/MCC | 2 | 0.00 | 3.5 |
| 811 | RED BLOOD CELL DISORDERS WITH MCC | 26 | 0.06 | 27 |
| 812 | RED BLOOD CELL DISORDERS WITHOUT MCC | 88 | 0.20 | 47 |
| 813 | COAGULATION DISORDERS | 13 | 0.03 | 97 |
| 814 | RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH MCC | 5 | 0.01 | 20 |
| 815 | RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITH CC | 11 | 0.03 | 9.5 |
| 816 | RETICULOENDOTHELIAL & IMMUNITY DISORDERS WITHOUT CC/MCC | 7 | 0.02 | 56 |
| 823 | LYMPHOMA & NON-ACUTE LEUKEMIA WITH OTHER O.R. PROCEDURE WITH MCC | 1 | 0.00 | 48 |
| 829 | MYELOPROLIF DISORD OR POORLY DIFF NEOPL WITH OTHER O.R. PROCEDURE WITH CC/MCC | 1 | 0.00 | 9.0 |
| 834 | ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH MCC | 4 | 0.01 | 7.0 |
| 835 | ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITH CC | 7 | 0.02 | 19 |
| 836 | ACUTE LEUKEMIA WITHOUT MAJOR O.R. PROCEDURE WITHOUT CC/MCC | 3 | 0.01 | 5.0 |
| 840 | LYMPHOMA & NON-ACUTE LEUKEMIA WITH MCC | 25 | 0.06 | 17 |
| 841 | LYMPHOMA & NON-ACUTE LEUKEMIA WITH CC | 40 | 0.09 | 26 |
| 842 | LYMPHOMA & NON-ACUTE LEUKEMIA WITHOUT CC/MCC | 21 | 0.05 | 9.2 |

(Continued)

*MS-DRG by Patient County of Residence
and Type of Care for 2009
Statewide Totals*

typcare1=Skilled Nursing/Intermediate Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 843 | OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH MCC | 13 | 0.03 | 13 |
| 844 | OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITH CC | 16 | 0.04 | 4.4 |
| 845 | OTHER MYELOPROLIF DIS OR POORLY DIFF NEOPL DIAGNOSIS WITHOUT CC/MCC | 17 | 0.04 | 16 |
| 847 | CHEMOTHERAPY WITHOUT ACUTE LEUKEMIA AS SECONDARY DIAGNOSIS WITH CC | 1 | 0.00 | 2.0 |
| 849 | RADIOTHERAPY | 4 | 0.01 | 20 |
| 853 | INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH MCC | 8 | 0.02 | 39 |
| 854 | INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITH CC | 4 | 0.01 | 28 |
| 855 | INFECTIOUS & PARASITIC DISEASES WITH O.R. PROCEDURE WITHOUT CC/MCC | 1 | 0.00 | 19 |
| 856 | POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH MCC | 3 | 0.01 | 26 |
| 857 | POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITH CC | 3 | 0.01 | 23 |
| 858 | POSTOPERATIVE OR POST-TRAUMATIC INFECTIONS WITH O.R. PROCEDURE WITHOUT CC/MCC | 2 | 0.00 | 26 |
| 862 | POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITH MCC | 53 | 0.12 | 27 |
| 863 | POSTOPERATIVE & POST-TRAUMATIC INFECTIONS WITHOUT MCC | 138 | 0.32 | 17 |
| 864 | FEVER | 18 | 0.04 | 312 |
| 865 | VIRAL ILLNESS WITH MCC | 2 | 0.00 | 48 |
| 866 | VIRAL ILLNESS WITHOUT MCC | 4 | 0.01 | 9.8 |
| 867 | OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH MCC | 29 | 0.07 | 24 |
| 868 | OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITH CC | 13 | 0.03 | 41 |
| 869 | OTHER INFECTIOUS & PARASITIC DISEASES DIAGNOSIS WITHOUT CC/MCC | 6 | 0.01 | 35 |
| 870 | SEPTICEMIA OR SEVERE SEPSIS WITH MECH VENT 96+ HOURS | 17 | 0.04 | 92 |
| 871 | SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITH MCC | 530 | 1.23 | 21 |

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Statewide Totals**

typcare1=Skilled Nursing/Intermediate Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 872 | SEPTICEMIA OR SEVERE SEPSIS WITHOUT MECH VENT 96+ HOURS WITHOUT MCC | 301 | 0.70 | 30 |
| 880 | ACUTE ADJUSTMENT REACTION & PSYCHOSOCIAL DYSFUNCTION | 8 | 0.02 | 278 |
| 881 | DEPRESSIVE NEUROSES | 9 | 0.02 | 265 |
| 882 | NEUROSES EXCEPT DEPRESSIVE | 5 | 0.01 | 52 |
| 884 | ORGANIC DISTURBANCES & MENTAL RETARDATION | 279 | 0.65 | 527 |
| 885 | PSYCHOSES | 233 | 0.54 | 247 |
| 886 | BEHAVIORAL & DEVELOPMENTAL DISORDERS | 13 | 0.03 | 453 |
| 894 | ALCOHOL/DRUG ABUSE OR DEPENDENCE, LEFT AMA | 2 | 0.00 | 8.0 |
| 896 | ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITH MCC | 7 | 0.02 | 270 |
| 897 | ALCOHOL/DRUG ABUSE OR DEPENDENCE WITHOUT REHABILITATION THERAPY WITHOUT MCC | 24 | 0.06 | 65 |
| 902 | WOUND DEBRIDE EMENTS FOR INJURIES WITH CC | 2 | 0.00 | 8.5 |
| 903 | WOUND DEBRIDE EMENTS FOR INJURIES WITHOUT CC/MCC | 1 | 0.00 | 41 |
| 904 | SKIN GRAFTS FOR INJURIES WITH CC/MCC | 1 | 0.00 | 114 |
| 905 | SKIN GRAFTS FOR INJURIES WITHOUT CC/MCC | 1 | 0.00 | 20 |
| 908 | OTHER O.R. PROCEDURES FOR INJURIES WITH CC | 1 | 0.00 | 24 |
| 913 | TRAUMATIC INJURY WITH MCC | 5 | 0.01 | 18 |
| 914 | TRAUMATIC INJURY WITHOUT MCC | 18 | 0.04 | 32 |
| 916 | ALLERGIC REACTIONS WITHOUT MCC | 2 | 0.00 | 3.5 |
| 917 | POISONING & TOXIC EFFECTS OF DRUGS WITH MCC | 3 | 0.01 | 21 |
| 918 | POISONING & TOXIC EFFECTS OF DRUGS WITHOUT MCC | 3 | 0.01 | 12 |
| 919 | COMPLICATIONS OF TREATMENT WITH MCC | 16 | 0.04 | 16 |

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Statewide Totals**

typcare1=Skilled Nursing/Intermediate Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|-----------------------------|----------------------------|-------------------------------|
| 920 | COMPLICATIONS OF TREATMENT WITH CC | 40 | 0.09 | 27 |
| 921 | COMPLICATIONS OF TREATMENT WITHOUT CC/MCC | 22 | 0.05 | 21 |
| 923 | OTHER INJURY, POISONING & TOXIC EFFECT DIAGNOSIS WITHOUT MCC | 4 | 0.01 | 11 |
| 934 | FULL THICKNESS BURN WITHOUT SKIN GRAFT OR INHAL INJURY | 6 | 0.01 | 14 |
| 935 | NON-EXTENSIVE BURNS | 1 | 0.00 | 7.0 |
| 939 | O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH MCC | 68 | 0.16 | 72 |
| 940 | O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITH CC | 54 | 0.13 | 38 |
| 941 | O.R. PROCEDURE WITH DIAGNOSIS OF OTHER CONTACT WITH HEALTH SERVICES WITHOUT CC/MCC | 6 | 0.01 | 24 |
| 945 | REHABILITATION WITH CC/MCC | 12,315 | 28.63 | 26 |
| 946 | REHABILITATION WITHOUT CC/MCC | 6,015 | 13.98 | 14 |
| 947 | SIGNS & SYMPTOMS WITH MCC | 110 | 0.26 | 24 |
| 948 | SIGNS & SYMPTOMS WITHOUT MCC | 336 | 0.78 | 49 |
| 949 | AFTERCARE WITH CC/MCC | 2,262 | 5.26 | 17 |
| 950 | AFTERCARE WITHOUT CC/MCC | 713 | 1.66 | 11 |
| 951 | OTHER FACTORS INFLUENCING HEALTH STATUS | 542 | 1.26 | 16 |
| 963 | OTHER MULTIPLE SIGNIFICANT TRAUMA WITH MCC | 2 | 0.00 | 50 |
| 964 | OTHER MULTIPLE SIGNIFICANT TRAUMA WITH CC | 6 | 0.01 | 21 |
| 965 | OTHER MULTIPLE SIGNIFICANT TRAUMA WITHOUT CC/MCC | 3 | 0.01 | 14 |
| 969 | HIV WITH EXTENSIVE O.R. PROCEDURE WITH MCC | 1 | 0.00 | 111 |
| 974 | HIV WITH MAJOR RELATED CONDITION WITH MCC | 28 | 0.07 | 52 |

(Continued)

**MS-DRG by Patient County of Residence
and Type of Care for 2009
Statewide Totals**

typcare1=Skilled Nursing/Intermediate Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|------------|--|----------------------|---------------------|------------------------|
| 975 | HIV WITH MAJOR RELATED CONDITION WITH CC | 35 | 0.08 | 138 |
| 976 | HIV WITH MAJOR RELATED CONDITION WITHOUT CC/MCC | 16 | 0.04 | 194 |
| 977 | HIV WITH OR WITHOUT OTHER RELATED CONDITION | 74 | 0.17 | 202 |
| 981 | EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC | 6 | 0.01 | 135 |
| 982 | EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC | 4 | 0.01 | 79 |
| 987 | NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH MCC | 5 | 0.01 | 482 |
| 988 | NON-EXTENSIVE O.R. PROCEDURE UNRELATED TO PRINCIPAL DIAGNOSIS WITH CC | 4 | 0.01 | 33 |
| All | | 43,018 | 100.0 | 53 |

**MDC by Patient County of Residence
for 2009
Statewide Totals**

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----------|---|-----------------------------|----------------------------|-------------------------------|
| 00 | UNGROUPABLE | 36 | 0.00 | 4.9 |
| 01 | NERVOUS SYSTEM, DISEASES & DISORDERS | 210,171 | 5.27 | 8.2 |
| 02 | EYE, DISEASES & DISORDERS | 6,025 | 0.15 | 3.5 |
| 03 | EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS | 45,052 | 1.13 | 3.3 |
| 04 | RESPIRATORY SYSTEM, DISEASES & DISORDERS | 328,017 | 8.23 | 6.9 |
| 05 | CIRCULATORY SYSTEM, DISEASES & DISORDERS | 476,468 | 11.96 | 4.5 |
| 06 | DIGESTIVE SYSTEM, DISEASES & DISORDERS | 327,076 | 8.21 | 4.7 |
| 07 | HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS | 126,069 | 3.16 | 5.0 |
| 08 | MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS | 306,486 | 7.69 | 4.4 |
| 09 | SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS | 95,019 | 2.38 | 4.9 |
| 10 | ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS | 121,535 | 3.05 | 3.7 |
| 11 | KIDNEY AND URINARY TRACT, DISEASES & DISORDERS | 144,285 | 3.62 | 4.9 |
| 12 | MALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS | 22,195 | 0.56 | 2.9 |
| 13 | FEMALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS | 80,204 | 2.01 | 2.6 |
| 14 | PREGNANCY, CHILDBIRTH, & THE PUERPERIUM | 566,083 | 14.20 | 2.6 |
| 15 | NEWBORNS AND NEONATE CONDITIONS BEGAN IN PERINATAL PERIOD | 538,285 | 13.51 | 3.4 |
| 16 | BLOOD, BLOOD FORMING ORGANS,IMMUNOLOGICAL, DISEASES & DISORDERS | 45,051 | 1.13 | 4.5 |
| 17 | MYELOPROLIFERATIVE DISEASES & POORLY DIFFERENTIATED NEOPLASMS | 35,573 | 0.89 | 8.3 |
| 18 | INFECTIOUS & PARASITIC DISEASES | 132,955 | 3.34 | 8.6 |
| 19 | MENTAL DISEASES & DISORDERS | 197,389 | 4.95 | 8.9 |
| 20 | ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES | 39,928 | 1.00 | 6.0 |
| 21 | INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS | 51,509 | 1.29 | 4.0 |

(Continued)

*MDC by Patient County of Residence
for 2009
Statewide Totals*

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|------------|---|-----------------------------|----------------------------|-------------------------------|
| 22 | BURNS | 3,309 | 0.08 | 10 |
| 23 | FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES | 72,010 | 1.81 | 14 |
| 24 | MULTIPLE SIGNFICANT TRAUMA | 8,327 | 0.21 | 9.7 |
| 25 | HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS | 6,109 | 0.15 | 14 |
| All | | 3,985,166 | 100.0 | 5.0 |

**MDC by Patient County of Residence
and Type of Care for 2009
Statewide Totals**

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|----|---|----------------------|---------------------|------------------------|
| 00 | UNGROUPABLE | 31 | 0.00 | 3.1 |
| 01 | NERVOUS SYSTEM, DISEASES & DISORDERS | 205,057 | 5.54 | 5.0 |
| 02 | EYE, DISEASES & DISORDERS | 6,000 | 0.16 | 3.2 |
| 03 | EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS | 44,911 | 1.21 | 3.1 |
| 04 | RESPIRATORY SYSTEM, DISEASES & DISORDERS | 323,476 | 8.74 | 5.9 |
| 05 | CIRCULATORY SYSTEM, DISEASES & DISORDERS | 474,183 | 12.81 | 4.1 |
| 06 | DIGESTIVE SYSTEM, DISEASES & DISORDERS | 325,834 | 8.80 | 4.6 |
| 07 | HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS | 125,525 | 3.39 | 4.9 |
| 08 | MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS | 301,164 | 8.14 | 4.1 |
| 09 | SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS | 93,895 | 2.54 | 4.5 |
| 10 | ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS | 120,870 | 3.27 | 3.5 |
| 11 | KIDNEY AND URINARY TRACT, DISEASES & DISORDERS | 142,924 | 3.86 | 4.5 |
| 12 | MALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS | 22,122 | 0.60 | 2.7 |
| 13 | FEMALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS | 80,125 | 2.16 | 2.6 |
| 14 | PREGNANCY, CHILDBIRTH, & THE PUERPERIUM | 565,497 | 15.28 | 2.6 |
| 15 | NEWBORNS AND NEONATE CONDITIONS BEGAN IN PERINATAL PERIOD | 538,268 | 14.54 | 3.4 |
| 16 | BLOOD, BLOOD FORMING ORGANS, IMMUNOLOGICAL, DISEASES & DISORDERS | 44,855 | 1.21 | 4.4 |
| 17 | MYELOPROLIFERATIVE DISEASES & POORLY DIFFERENTIATED NEOPLASMS | 35,414 | 0.96 | 8.2 |
| 18 | INFECTIOUS & PARASITIC DISEASES | 131,789 | 3.56 | 8.5 |
| 19 | MENTAL DISEASES & DISORDERS | 12,288 | 0.33 | 4.8 |
| 20 | ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES | 18,235 | 0.49 | 3.8 |

(Continued)

***MDC by Patient County of Residence
and Type of Care for 2009
Statewide Totals***

typcare1=Acute Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|------------|--|-------------------------|---------------------------|------------------------------|
| 21 | INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS | 51,029 | 1.38 | 4.0 |
| 22 | BURNS | 3,294 | 0.09 | 10 |
| 23 | FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES | 20,553 | 0.56 | 4.7 |
| 24 | MULTIPLE SIGNFICANT TRAUMA | 8,260 | 0.22 | 9.6 |
| 25 | HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS | 5,881 | 0.16 | 10 |
| All | | 3,701,480 | 100.0 | 4.2 |

**MDC by Patient County of Residence
and Type of Care for 2009
Statewide Totals**

typcare1=Chemical Dependency Recovery Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 00 | UNGROUPABLE | 4 | 0.03 | 1.5 |
| 01 | NERVOUS SYSTEM, DISEASES & DISORDERS | 2 | 0.02 | 9.0 |
| 04 | RESPIRATORY SYSTEM, DISEASES & DISORDERS | 3 | 0.02 | 6.0 |
| 05 | CIRCULATORY SYSTEM, DISEASES & DISORDERS | 1 | 0.01 | 6.0 |
| 06 | DIGESTIVE SYSTEM, DISEASES & DISORDERS | 5 | 0.04 | 8.4 |
| 07 | HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS | 5 | 0.04 | 10 |
| 08 | MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS | 1 | 0.01 | 5.0 |
| 10 | ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS | 3 | 0.02 | 8.3 |
| 11 | KIDNEY AND URINARY TRACT, DISEASES & DISORDERS | 2 | 0.02 | 4.5 |
| 14 | PREGNANCY, CHILDBIRTH, & THE PUERPERIUM | 6 | 0.05 | 11 |
| 16 | BLOOD, BLOOD FORMING ORGANS, IMMUNOLOGICAL, DISEASES & DISORDERS | 1 | 0.01 | 6.0 |
| 19 | MENTAL DISEASES & DISORDERS | 152 | 1.21 | 44 |
| 20 | ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES | 12,281 | 97.98 | 9.8 |
| 21 | INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS | 1 | 0.01 | 6.0 |
| 23 | FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES | 67 | 0.53 | 2.8 |
| All | | 12,534 | 100.0 | 10 |

***MDC by Patient County of Residence
and Type of Care for 2009
Statewide Totals***

typcare1=Invalid/Blank

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|------------|--|----------------------|---------------------|------------------------|
| 01 | NERVOUS SYSTEM, DISEASES & DISORDERS | 2 | 22.22 | 7.5 |
| 05 | CIRCULATORY SYSTEM, DISEASES & DISORDERS | 1 | 11.11 | 8.0 |
| 06 | DIGESTIVE SYSTEM, DISEASES & DISORDERS | 2 | 22.22 | 1.0 |
| 14 | PREGNANCY, CHILDBIRTH, & THE PUERPERIUM | 2 | 22.22 | 1.5 |
| 15 | NEWBORNS AND NEONATE CONDITIONS BEGAN IN PERINATAL PERIOD | 1 | 11.11 | 4.0 |
| 23 | FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES | 1 | 11.11 | .00 |
| All | | 9 | 100.0 | 3.6 |

**MDC by Patient County of Residence
and Type of Care for 2009
Statewide Totals**

typcare1=Physical Rehabilitation Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|----|---|----------------------|---------------------|------------------------|
| 01 | NERVOUS SYSTEM, DISEASES & DISORDERS | 1,004 | 3.21 | 19 |
| 02 | EYE, DISEASES & DISORDERS | 3 | 0.01 | 10 |
| 03 | EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS | 10 | 0.03 | 7.1 |
| 04 | RESPIRATORY SYSTEM, DISEASES & DISORDERS | 145 | 0.46 | 17 |
| 05 | CIRCULATORY SYSTEM, DISEASES & DISORDERS | 135 | 0.43 | 13 |
| 06 | DIGESTIVE SYSTEM, DISEASES & DISORDERS | 50 | 0.16 | 14 |
| 07 | HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS | 15 | 0.05 | 9.6 |
| 08 | MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS | 917 | 2.93 | 13 |
| 09 | SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS | 40 | 0.13 | 21 |
| 10 | ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS | 24 | 0.08 | 12 |
| 11 | KIDNEY AND URINARY TRACT, DISEASES & DISORDERS | 29 | 0.09 | 15 |
| 13 | FEMALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS | 2 | 0.01 | 11 |
| 15 | NEWBORNS AND NEONATE CONDITIONS BEGAN IN PERINATAL PERIOD | 1 | 0.00 | 21 |
| 16 | BLOOD, BLOOD FORMING ORGANS,IMMUNOLOGICAL, DISEASES & DISORDERS | 5 | 0.02 | 7.2 |
| 17 | MYELOPROLIFERATIVE DISEASES & POORLY DIFFERENTIATED NEOPLASMS | 4 | 0.01 | 9.5 |
| 18 | INFECTIOUS & PARASITIC DISEASES | 18 | 0.06 | 10 |
| 19 | MENTAL DISEASES & DISORDERS | 25 | 0.08 | 16 |
| 20 | ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES | 6 | 0.02 | 6.5 |
| 21 | INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS | 14 | 0.04 | 13 |
| 22 | BURNS | 8 | 0.03 | 12 |
| 23 | FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES | 28,747 | 91.97 | 15 |

(Continued)

*MDC by Patient County of Residence
and Type of Care for 2009
Statewide Totals*

typcare1=Physical Rehabilitation Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|---|----------------------|---------------------|------------------------|
| 24 | MULTIPLE SIGNFICANT TRAUMA | 55 | 0.18 | 23 |
| 25 | HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS | 1 | 0.00 | 5.0 |
| All | | 31,258 | 100.0 | 15 |

**MDC by Patient County of Residence
and Type of Care for 2009
Statewide Totals**

typcare1=Psychiatric Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|----|---|----------------------|---------------------|------------------------|
| 00 | UNGROUPABLE | 1 | 0.00 | 75 |
| 01 | NERVOUS SYSTEM, DISEASES & DISORDERS | 1,466 | 0.74 | 14 |
| 02 | EYE, DISEASES & DISORDERS | 1 | 0.00 | 2.0 |
| 03 | EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS | 7 | 0.00 | 3.9 |
| 04 | RESPIRATORY SYSTEM, DISEASES & DISORDERS | 58 | 0.03 | 9.7 |
| 05 | CIRCULATORY SYSTEM, DISEASES & DISORDERS | 80 | 0.04 | 6.1 |
| 06 | DIGESTIVE SYSTEM, DISEASES & DISORDERS | 60 | 0.03 | 7.7 |
| 07 | HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS | 29 | 0.01 | 9.4 |
| 08 | MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS | 34 | 0.02 | 7.4 |
| 09 | SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS | 30 | 0.02 | 9.3 |
| 10 | ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS | 52 | 0.03 | 6.6 |
| 11 | KIDNEY AND URINARY TRACT, DISEASES & DISORDERS | 37 | 0.02 | 6.3 |
| 12 | MALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS | 1 | 0.00 | 7.0 |
| 13 | FEMALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS | 8 | 0.00 | 4.1 |
| 14 | PREGNANCY, CHILDBIRTH, & THE PUERPERIUM | 567 | 0.29 | 6.6 |
| 15 | NEWBORNS AND NEONATE CONDITIONS BEGAN IN PERINATAL PERIOD | 5 | 0.00 | 82 |
| 16 | BLOOD, BLOOD FORMING ORGANS, IMMUNOLOGICAL, DISEASES & DISORDERS | 23 | 0.01 | 7.7 |
| 17 | MYELOPROLIFERATIVE DISEASES & POORLY DIFFERENTIATED NEOPLASMS | 2 | 0.00 | 3.5 |
| 18 | INFECTIOUS & PARASITIC DISEASES | 16 | 0.01 | 6.1 |
| 19 | MENTAL DISEASES & DISORDERS | 184,377 | 93.66 | 8.0 |
| 20 | ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES | 9,373 | 4.76 | 5.3 |

(Continued)

***MDC by Patient County of Residence
and Type of Care for 2009
Statewide Totals***

typcare1=Psychiatric Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|------------|--|-----------------------------|----------------------------|-------------------------------|
| 21 | INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS | 346 | 0.18 | 4.8 |
| 23 | FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES | 221 | 0.11 | 2.6 |
| 24 | MULTIPLE SIGNFICANT TRAUMA | 1 | 0.00 | 17 |
| 25 | HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS | 72 | 0.04 | 10 |
| All | | 196,867 | 100.0 | 7.9 |

**MDC by Patient County of Residence
and Type of Care for 2009
Statewide Totals**

typcare1=Skilled Nursing/Intermediate Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|----|---|----------------------|---------------------|------------------------|
| 01 | NERVOUS SYSTEM, DISEASES & DISORDERS | 2,640 | 6.14 | 245 |
| 02 | EYE, DISEASES & DISORDERS | 21 | 0.05 | 93 |
| 03 | EAR, NOSE, MOUTH, & THROAT, DISEASES & DISORDERS | 124 | 0.29 | 76 |
| 04 | RESPIRATORY SYSTEM, DISEASES & DISORDERS | 4,335 | 10.08 | 78 |
| 05 | CIRCULATORY SYSTEM, DISEASES & DISORDERS | 2,068 | 4.81 | 84 |
| 06 | DIGESTIVE SYSTEM, DISEASES & DISORDERS | 1,125 | 2.62 | 31 |
| 07 | HEPATOBIILIARY SYSTEM & PANCREAS, DISEASES & DISORDERS | 495 | 1.15 | 35 |
| 08 | MUSCULOSKELETAL SYSTEM & CONNECTIVE TISSUE, DISEASES & DISORDERS | 4,370 | 10.16 | 27 |
| 09 | SKIN, SUBCUTANEOUS TISSUE & BREAST, DISEASES & DISORDERS | 1,054 | 2.45 | 42 |
| 10 | ENDOCRINE, NUTRITIONAL, AND METABOLIC, DISEASES & DISORDERS | 586 | 1.36 | 56 |
| 11 | KIDNEY AND URINARY TRACT, DISEASES & DISORDERS | 1,293 | 3.01 | 46 |
| 12 | MALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS | 72 | 0.17 | 81 |
| 13 | FEMALE REPRODUCTIVE SYSTEM, DISEASES & DISORDERS | 69 | 0.16 | 14 |
| 14 | PREGNANCY, CHILDBIRTH, & THE PUERPERIUM | 11 | 0.03 | 7.5 |
| 15 | NEWBORNS AND NEONATE CONDITIONS BEGAN IN PERINATAL PERIOD | 10 | 0.02 | 39 |
| 16 | BLOOD, BLOOD FORMING ORGANS, IMMUNOLOGICAL, DISEASES & DISORDERS | 167 | 0.39 | 42 |
| 17 | MYELOPROLIFERATIVE DISEASES & POORLY DIFFERENTIATED NEOPLASMS | 153 | 0.36 | 16 |
| 18 | INFECTIOUS & PARASITIC DISEASES | 1,132 | 2.63 | 29 |
| 19 | MENTAL DISEASES & DISORDERS | 547 | 1.27 | 394 |
| 20 | ALCOHOL-DRUG USE AND ALCOHOL-DRUG INDUCED ORGANIC MENTAL DISEASES | 33 | 0.08 | 105 |
| 21 | INJURIES, POISONINGS, AND TOXIC EFFECTS OF DRUGS | 119 | 0.28 | 24 |

(Continued)

***MDC by Patient County of Residence
and Type of Care for 2009
Statewide Totals***

typcare1=Skilled Nursing/Intermediate Care

| | | Number of Discharges | Percent of Subtotal | Average Length of Stay |
|-----|--|-------------------------|---------------------------|------------------------------|
| 22 | BURNS | 7 | 0.02 | 13 |
| 23 | FACTORS ON HEALTH STATUS & OTHER CONTACTS WITH HEALTH SERVICES | 22,421 | 52.12 | 22 |
| 24 | MULTIPLE SIGNFICANT TRAUMA | 11 | 0.03 | 24 |
| 25 | HUMAN IMMUNODEFICIENCY VIRUS INFECTIONS | 155 | 0.36 | 166 |
| All | | 43,018 | 100.0 | 53 |