



PQI 01 and PQI 14: Diabetes Short-Term Complications and Uncontrolled East Central Counties




Source: Office of Statewide Health Planning and Development, Patient Discharge Data, 1999-2008
 Agency for Healthcare Research and Quality, Prevention Quality Indicators, Version 3.2

**PQI 02: Perforated Appendix [*ruptured appendix*]
East Central Counties**




**PQI 03: Diabetes Long-Term Complications
East Central Counties**




Source: Office of Statewide Health Planning and Development, Patient Discharge Data, 1999-2008
Agency for Healthcare Research and Quality, Prevention Quality Indicators, Version 3.2

**PQI 04: Pediatric Asthma
East Central Counties**




Source: Office of Statewide Health Planning and Development, Patient Discharge Data, 1999-2008
Agency for Healthcare Research and Quality, Prevention Quality Indicators, Version 3.2

**PQI 05: Chronic Obstructive Pulmonary Disease (COPD) [chronic bronchitis or emphysema]
East Central Counties**




Source: Office of Statewide Health Planning and Development, Patient Discharge Data, 1999-2008
Agency for Healthcare Research and Quality, Prevention Quality Indicators, Version 3.2

**PQI 06: Pediatric Gastroenteritis [severe vomiting and/or severe diarrhea in children]
East Central Counties**




Source: Office of Statewide Health Planning and Development, Patient Discharge Data, 1999-2008
Agency for Healthcare Research and Quality, Prevention Quality Indicators, Version 3.2

**PQI 07: Hypertension [*high blood pressure*]
East Central Counties**




**PQI 08: Congestive Heart Failure (CHF) [*heart failure*]
East Central Counties**




Source: Office of Statewide Health Planning and Development, Patient Discharge Data, 1999-2008
Agency for Healthcare Research and Quality, Prevention Quality Indicators, Version 3.2

**PQI 10: Dehydration
East Central Counties**




	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008
East Central Counties	100.4	100.1	86.6	88.8	79.2	45.3	65.9	47.4	60.6	41.3
Statewide	103.3	102	100.2	103.5	94.9	85.7	78.5	73.7	74.4	66.7

**PQI 11: Bacterial Pneumonia
East Central Counties**




Source: Office of Statewide Health Planning and Development, Patient Discharge Data, 1999-2008
Agency for Healthcare Research and Quality, Prevention Quality Indicators, Version 3.2

**PQI 12: Urinary Tract Infection (UTI)
East Central Counties**




	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008
East Central Counties	145.8	113.6	100.7	131.4	133.8	126.4	112.1	134.2	155.3	139.8
Statewide	134.2	136.2	136.7	134.5	143.9	138.2	141.5	139	146.6	147.1

**PQI 13: Angina without Procedure [*chest pain*]
East Central Counties**



	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008
East Central Counties	128.8	100.9	92.4	85	64.9	66.4	54.6	38.7	41.8	27.2
Statewide	65.7	60.6	54.3	48.5	41.8	37.8	33	30.7	28	26

**PQI 15: Adult Asthma
East Central Counties**



	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008
East Central Counties	89.5	52.1	64.6	98.2	87.2	67.8	81.8	72.4	63.4	68.3
Statewide	93.6	78.9	81.4	79.9	90.6	78.1	87.1	77.5	74.9	82.5

PQI 16: Lower-Extremity Amputation among Patients with Diabetes
[removal of leg or foot due to diabetes complications]
East Central Counties

