




**PQI 01 and PQI 14: Diabetes Short-Term Complications and Uncontrolled
Foothills Counties**



**PQI 02: Perforated Appendix [*ruptured appendix*]
Foothills Counties**




**PQI 03: Diabetes Long-Term Complications
Foothills Counties**




Source: Office of Statewide Health Planning and Development, Patient Discharge Data, 1999-2008
Agency for Healthcare Research and Quality, Prevention Quality Indicators, Version 3.2

**PQI 04: Pediatric Asthma
Foothills Counties**




**PQI 05: Chronic Obstructive Pulmonary Disease (COPD) [*chronic bronchitis or emphysema*]
Foothills Counties**




Source: Office of Statewide Health Planning and Development, Patient Discharge Data, 1999-2008
Agency for Healthcare Research and Quality, Prevention Quality Indicators, Version 3.2

**PQI 06: Pediatric Gastroenteritis [severe vomiting and/or severe diarrhea in children]
Foothills Counties**




Source: Office of Statewide Health Planning and Development, Patient Discharge Data, 1999-2008
Agency for Healthcare Research and Quality, Prevention Quality Indicators, Version 3.2

**PQI 07: Hypertension [*high blood pressure*]
Foothills Counties**




**PQI 08: Congestive Heart Failure (CHF) [*heart failure*]
Foothills Counties**




Source: Office of Statewide Health Planning and Development, Patient Discharge Data, 1999-2008
Agency for Healthcare Research and Quality, Prevention Quality Indicators, Version 3.2

**PQI 10: Dehydration
Foothills Counties**




Source: Office of Statewide Health Planning and Development, Patient Discharge Data, 1999-2008
 Agency for Healthcare Research and Quality, Prevention Quality Indicators, Version 3.2

**PQI 11: Bacterial Pneumonia
Foothills Counties**




| | 1999 | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 |
|--------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Foothills Counties | 425.7 | 361.3 | 387.1 | 439.7 | 466.1 | 386.5 | 421.2 | 393.1 | 326.9 | 301.4 |
| Statewide | 374.8 | 340.7 | 348.3 | 335.1 | 351.2 | 308.4 | 331.8 | 285.8 | 257.3 | 249.6 |

**PQI 12: Urinary Tract Infection (UTI)
Foothills Counties**




**PQI 13: Angina without Procedure [chest pain]
Foothills Counties**




| | 1999 | 2000 | 2001 | 2002 | 2003 | 2004 | 2005 | 2006 | 2007 | 2008 |
|--------------------|-------|-------|-------|-------|------|------|------|------|------|------|
| Foothills Counties | 142.1 | 118.9 | 129.1 | 110.1 | 94.5 | 81.8 | 63.1 | 44.1 | 60.9 | 42.1 |
| Statewide | 65.7 | 60.6 | 54.3 | 48.5 | 41.8 | 37.8 | 33 | 30.7 | 28 | 26 |

**PQI 15: Adult Asthma
Foothills Counties**



PQI 16: Lower-Extremity Amputation among Patients with Diabetes
[removal of leg or foot due to diabetes complications]
Foothills Counties



Source: Office of Statewide Health Planning and Development, Patient Discharge Data, 1999-2008
 Agency for Healthcare Research and Quality, Prevention Quality Indicators, Version 3.2